Oracle-FHIR — R4 REST API — part 1 of 3 (r4-rest-api-v32/index.html – r4-rest-api-v32/op-diagnosticreport-get.html)

Source: Oracle Health Millennium FHIR R4 REST API Guide v32, Bulk Data Access Guide v10 and API guides (oracle-fhir-docs.zip). Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

About the REST APIs

File: r4-rest-api-v32/index.html

These HL7 FHIR R4 APIs allow a registered user to access the Oracle Health EHR data in Oracle Health Millennium Platform for which they are authorized.

You can view a list of all REST Endpoints.

Title and Copyright Information

FHIR R4 APIs for Oracle Health Millennium Platform

G55255-01

Copyright © 2024, 2026 Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

NOT FOR PUBLIC DISTRIBUTION: 2026-04-14

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

All REST Endpoints

File: r4-rest-api-v32/rest-endpoints.html

Account

The operations from the Account category.

Get a list of accounts

Method: get Path: /Account/

Get an account by ID

Method: get Path: /Account/{id}

AllergyIntolerance

The operations from the AllergyIntolerance category.

Create an allergy intolerance

Method: post Path: /AllergyIntolerance

Get a list of allergy intolerances

Method: get Path: /AllergyIntolerance

Get an allergy intolerance by ID

Method: get Path: /AllergyIntolerance/{ID}

Update an allergy intolerance

Method: put Path: /AllergyIntolerance/{ID}

Appointment

The operations from the Appointment category.

Create an appointment

Method: post Path: /Appointment

Get a list of appointments

Method: get Path: /Appointment

Get an appointment by ID

Method: get Path: /Appointment/{ID}

Patch an appointment

Method: patch Path: /Appointment/{ID}

Binary

The operations from the Binary category.

Get a binary CCD

Method: get Path: /Binary/$autogen-ccd-if

Get a binary document by ID

Method: get Path: /Binary/{ID}

Bundle

The operations from the Bundle category.

Run a FHIR batch (or FHIR transaction) bundle

Method: post Path: /

CapabilityStatement

The operations from the CapabilityStatement category.

Get metadata

Method: get Path: /metadata

Get well-known SMART configuration

Method: get Path: /.well-known/smart-configuration

CarePlan

The operations from the CarePlan category.

Get a care plan by ID

Method: get Path: /CarePlan/{ID}

Get a list of care plans

Method: get Path: /CarePlan

CareTeam

The operations from the CareTeam category.

Get a care team by ID
Method: get Path: /CareTeam/{ID}
Get a list of care teams
Method: get Path: /CareTeam
ChargeItem
The operations from the ChargeItem category.
Create a charge item
Method: post Path: /ChargeItem/$create
Create a credit charge item
Method: post Path: /ChargeItem/{ID}/$credit
Create a modified charge item
Method: post Path: /ChargeItem/$modify
Get a charge item by ID
Method: get Path: /ChargeItem/{ID}
Get a list of charge items
Method: get Path: /ChargeItem
Communication
The operations from the Communication category.
Create a communication
Method: post Path: /Communication
Get a communication by ID
Method: get Path: /Communication/{ID}
Get a list of communications
Method: get Path: /Communication
Update a communication
Method: patch Path: /Communication/{ID}
Condition
The operations from the Condition category.
Create a condition
Method: post Path: /Condition
Get a condition by ID
Method: get Path: /Condition/{ID}
Get a list of conditions
Method: get Path: /Condition
Update a condition
Method: put Path: /Condition/{ID}
Consent
The operations from the Consent category.
Get a consent by ID
Method: get Path: /Consent/{ID}
Get a list of consents
Method: get Path: /Consent
Coverage
The operations from the Coverage category.
Create a coverage
Method: post Path: /Coverage
Delete a coverage
Method: delete Path: /Coverage/{ID}
Get a coverage by ID
Method: get Path: /Coverage/{ID}
Get a list of coverages
Method: get Path: /Coverage

Patch a coverage
Method: patch Path: /Coverage/{ID}
Device
The operations from the Device category.
Get a device by ID
Method: get Path: /Device/{ID}
Get a list of devices
Method: get Path: /Device
DiagnosticReport
The operations from the DiagnosticReport category.
Create a diagnostic report
Method: post Path: /DiagnosticReport
Get a diagnostic report by ID
Method: get Path: /DiagnosticReport/{ID}
Get a list of diagnostic reports
Method: get Path: /DiagnosticReport
DocumentReference
The operations from the DocumentReference category.
Create a document reference
Method: post Path: /DocumentReference
Get a document reference by ID
Method: get Path: /DocumentReference/{ID}
Get a list of document references
Method: get Path: /DocumentReference
Get a list of document references with $docref
Method: get Path: /DocumentReference/$docref
Update a document reference
Method: put Path: /DocumentReference/{ID}
Encounter
The operations from the Encounter category.
Create an encounter
Method: post Path: /Encounter
Get a list of encounters
Method: get Path: /Encounter
Get an encounter by ID
Method: get Path: /Encounter/{ID}
Patch an encounter by ID
Method: patch Path: /Encounter/{ID}
FamilyMemberHistory
The operations from the FamilyMemberHistory category.
Create a family member history
Method: post Path: /FamilyMemberHistory
Get a family member history by ID
Method: get Path: /FamilyMemberHistory/{ID}
Get a list of family member histories
Method: get Path: /FamilyMemberHistory
Update a family member history
Method: put Path: /FamilyMemberHistory/{ID}
FinancialTransaction
The operations from the FinancialTransaction category.
Create a financial transaction
Method: post Path: /Basic

Goal
The operations from the Goal category.
Get a goal by ID
Method: get Path: /Goal/{ID}
Get a list of goals
Method: get Path: /Goal
Health Cards
The operations from the Health Cards category.
Issue health cards for an existing patient
Method: post Path: /Patient/{ID}/$health-cards-issue
Immunization
The operations from the Immunization category.
Create an immunization
Method: post Path: /Immunization
Get a list of immunizations
Method: get Path: /Immunization
Get an immunization by ID
Method: get Path: /Immunization/{ID}
Update an immunization
Method: put Path: /Immunization/{ID}
InsurancePlan
The operations from the InsurancePlan category.
Get a list of insurance plans
Method: get Path: /InsurancePlan
Get an insurance plan by ID
Method: get Path: /InsurancePlan/{ID}
Location
The operations from the Location category.
Get a list of locations
Method: get Path: /Location
Get a location by ID
Method: get Path: /Location/{ID}
Media
The operations from the Media category.
Get media by ID
Method: get Path: /Media/{ID}
MedicationAdministration
The operations from the MedicationAdministration category.
Get a list of medication administrations
Method: get Path: /MedicationAdministration
Get a medication administration by ID
Method: get Path: /MedicationAdministration/{ID}
MedicationDispense
The operations from the MedicationDispense category.
Get a list of medication dispenses
Method: get Path: /MedicationDispense
Get a medication dispense by ID
Method: get Path: /MedicationDispense/{ID}
MedicationRequest
The operations from the MedicationRequest category.
Create a medication request
Method: post Path: /MedicationRequest

Get a list of medication requests
Method: get Path: /MedicationRequest
Get a medication request by ID
Method: get Path: /MedicationRequest/{ID}
Patch a medication request
Method: patch Path: /MedicationRequest/{ID}
NutritionOrder
The operations from the NutritionOrder category.
Get a list of nutrition orders
Method: get Path: /NutritionOrder
Get a nutrition order by ID
Method: get Path: /NutritionOrder/{ID}
Observation
The operations from the Observation category.
Create an observation
Method: post Path: /Observation
Get a list of observations
Method: get Path: /Observation
Get an observation by ID
Method: get Path: /Observation/{ID}
Update an observation
Method: put Path: /Observation/{ID}
OperationDefinition
The operations from the OperationDefinition category.
Get an operation definition by ID
Method: get Path: /OperationDefinition/{ID}
Organization
The operations from the Organization category.
Create an organization
Method: post Path: /Organization
Get a list of caregiver organizations
Method: get Path: /Organization/$get-cg-for-mrcu
Get a list of organizations
Method: get Path: /Organization
Get an organization by ID
Method: get Path: /Organization/{ID}
Patient
The operations from the Patient category.
Create a patient
Method: post Path: /Patient
Get a list of patients
Method: get Path: /Patient
Get a patient by ID
Method: get Path: /Patient{ID}
Patch a patient
Method: patch Path: /Patient{ID}
Person
The operations from the Person category.
Get a list of persons
Method: get Path: /Person
Get a person by ID
Method: get Path: /Person/{ID}

Practitioner
The operations from the Practitioner category.
Create a practitioner
Method: post Path: /Practitioner/
Get a list of practitioners
Method: get Path: /Practitioner/
Get a practitioner by ID
Method: get Path: /Practitioner/{id}
Procedure
The operations from the Procedure category.
Create a procedure
Method: post Path: /Procedure
Get a list of procedures
Method: get Path: /Procedure
Get a procedure by ID
Method: get Path: /Procedure/{ID}
Provenance
The operations from the Provenance category.
Create a provenance
Method: post Path: /Provenance
Get a list of provenances
Method: get Path: /Provenance
Get a provenance by ID
Method: get Path: /Provenance/{ID}
Questionnaire
The operations from the Questionnaire category.
Get a list of questionnaires
Method: get Path: /Questionnaire/
Get a questionnaire by ID
Method: get Path: /Questionnaire/{id}
QuestionnaireResponse
The operations from the QuestionnaireResponse category.
Get a list of questionnaire responses
Method: get Path: /QuestionnaireResponse/
Get a questionnaire response by ID
Method: get Path: /QuestionnaireResponse/{id}
Update a questionnaire response
Method: put Path: /QuestionnaireResponse/{id}
RelatedPerson
Create a related person record
Method: post Path: /RelatedPerson
Get a list of related person records
Method: get Path: /RelatedPerson
Get a related person record by ID
Method: get Path: /RelatedPerson/{ID}
Patch a related person record
Method: patch Path: /RelatedPerson/{ID}
Schedule
The operations from the Schedule category.
Get a list of schedules
Method: get Path: /Schedule/
Get a schedule by ID

Method: get Path: /Schedule/{id}

ServiceRequest

The operations from the ServiceRequest category.

Get a list of service requests

Method: get Path: /ServiceRequest/

Get a service request by ID

Method: get Path: /ServiceRequest/{id}

Slot

The operations from the Slot category.

Get a list of slots

Method: get Path: /Slot

Get a slot by ID

Method: get Path: /Slot/{ID}

Patch a slot

Method: patch Path: /Slot/{ID}

Specimen

The operations from the Specimen category.

Get a list of specimens

Method: get Path: /Specimen

Get a specimen by ID

Method: get Path: /Specimen/{ID}

StructureDefinition

The operations from the StructureDefinition category.

Get a structure definition by ID

Method: get Path: /StructureDefinition/{ID}

R4 Overview

File: r4-rest-api-v32/r4_overview.html

R4 Overview

NOT FOR PUBLIC DISTRIBUTION: 2026-04-14

This topic describes the R4 (4.0.1) specification.

Schema

All API access is over HTTPS. See Service Root URL for more information on URL format. All data is sent and received as .JSON format.

```
$ curl -i -H "Accept: application/fhir+json" https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/metadata
HTTP/1.1 200 OK
Date: Tue, 26 Mar 2019 15:50:49 GMT
Cache-Control: no-cache
Vary: Origin
X-Request-Id: ecd13b72-4fde-11e9-8674-8b0a57a130fd
Content-Type: application/json+fhir

{
  "resourceType": "CapabilityStatement",
  "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/metadata",
  "name": "CernerCapabilityStatement",
  "title": "Cerner Capability Statement",
  "status": "active",
  "publisher": "Cerner",
  "date": "2019-03-25",
  "description": "Cerner implementation of FHIR on top of Millennium",
  "kind": "instance",
  "implementation": {
    "description": "Cerner implementation of FHIR on top of Millennium",
    "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d"
  },
  "fhirVersion": "4.0.1",
  "format": [
    "json"
  ],
  "patchFormat": [
    "application/json-patch+json"
  ],
  "rest": [
```

```
{
  "mode": "server",
  "documentation": "Cerner implementation of FHIR on top of Millennium",
  "security": {
    "cors": true
  },
  "resource": [
    {
      "type": "CapabilityStatement",
      "interaction": [
        {
          "code": "read"
        }
      ]
    },
    {
      "type": "Condition",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "Who has the condition. It is a required field if the subject field is not given."
        },
        {
          "name": "subject",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Condition-subject",
          "type": "reference",
          "documentation": "Who has the condition. It is a required field if the patient field is not given."
        },
        {
          "name": "clinical-status",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Condition-clinical-status",
          "type": "token",
          "documentation": "The clinical status of the condition."
        },
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Condition-category",
          "type": "token",
          "documentation": "The category of the condition. Categories problem-list-item and encounter-diagnosis are
supported as of now."
        }
      ]
    },
    {
      "type": "Encounter",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Encounter ids. It is a required field if the patient
 or subject fields are not given."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return. Not honored when '_id' is set."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "The patient present at the encounter. It is a required field if the _id or subject
fields are not given."
        },
        {
          "name": "subject",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Encounter-subject",
          "type": "reference",
          "documentation": "The patient present at the encounter. It is a required field if the _id or patient
```

```
fields are not given."
        }
      ]
    },
    {
      "type": "OperationDefinition",
      "interaction": [
        {
          "code": "read"
        }
      ]
    },
    {
      "type": "Patient",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Patient ids. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Patient-identifier",
          "type": "token",
          "documentation": "A patient identifier. Either the '_id' parameter, or a combination of 'identifier',
'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email' parameters must be provided."
        },
        {
          "name": "name",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Patient-name",
          "type": "string",
          "documentation": "The beginning of any name of the patient. Either the '_id' parameter, or a combination
of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email' parameters must
be provided."
        },
        {
          "name": "given",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-given",
          "type": "string",
          "documentation": "The beginning of the given name of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "family",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-family",
          "type": "string",
          "documentation": "The beginning of the family name of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "address-postalcode",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-address-postalcode",
          "type": "string",
          "documentation": "The postal code of the address of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "birthdate",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-birthdate",
          "type": "date",
          "documentation": "The date of birth of the patient. Either the '_id' parameter, or a combination of
'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email' parameters must be
provided."
        },
        {
          "name": "phone",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-phone",
          "type": "token",
          "documentation": "The value of the phone number of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "email",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-email",
```

```
            "type": "token",
            "documentation": "The value of the email address of the patient. Either the '_id' parameter, or a
    combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
    parameters must be provided."
          },
          {
            "name": "gender",
            "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-gender",
            "type": "token",
            "documentation": "The administrative gender of the patient. Gender may only be provided if another
    parameter other than '_id' is provided"
          },
          {
            "name": "_count",
            "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
            "type": "number",
            "documentation": "The maximum number of results to return. Not honoured when '_id' or 'identifier' are
    set."
          }
        ]
      },
      {
        "type": "Procedure",
        "interaction": [
          {
            "code": "read"
          },
          {
            "code": "search-type"
          }
        ],
        "searchParam": [
          {
            name: '_id',
            definition: 'http://hl7.org/fhir/R4/SearchParameter/Resource-id',
            type: 'token',
            documentation: 'A single or comma separated list of Procedure ids. It is a required field if the patient
    or subject fields are not given'
          },
          {
            name: 'patient',
            definition: 'http://hl7.org/fhir/R4/SearchParameter/clinical-patient',
            type: 'reference',
            documentation: 'Search by subject - a patient. It is a required field if the _id or subject fields are not
     given'
          },
          {
            name: 'subject',
            definition: 'http://hl7.org/fhir/R4/SearchParameter/clinical-patient',
            type: 'reference',
            documentation: 'Search by subject. It is a required field if the _id or patient fields are not given'
          }
        ]
      },
      {
        "type": "StructureDefinition",
        "interaction": [
          {
            "code": "read"
          }
        ]
      }
    ]
  }
}
```


Blank fields are omitted.

All timestamps are returned in FHIR standard date or dateTime formats.

Media Types

Oracle Health supports the R4 FHIR standard defined media type for .JSON content:

```
application/fhir+json
```

Oracle recommends that you explicitly request this accept type through the Accept header.

Common Application Errors

See the FAQs and Common Issues page for more information on common issues identified when validating applications to run on the platform.

Client Errors

The following types of client errors are possible on API calls that receive request bodies:

Failing to send a required query parameter returns a 400 (Bad Request) response.

```
HTTP/1.1 400 Bad Request

No supported search parameters provided
```

Requesting the secure endpoint (non-open) without valid credentials returns a 401 (Unauthorized) response.

```
HTTP/1.1 401 Unauthorized
```

Requesting data from an unknown instance or an instance where the application is not authorized returns a 403 (Forbidden) response.

```
HTTP/1.1 403 Forbidden

Tenant not valid or accessible
```

Requesting a resource that does not exist returns a 404 (Not Found) response.

```
HTTP/1.1 404 Not Found
```

Requesting a media type other than .JSON returns a 406 (Not Acceptable) response.

```
HTTP/1.1 406 Not Acceptable

Content-Length: 0
```

Performing an update with an out-of-date version returns a 409 (Conflict Error) response.

```
HTTP/1.1 409 Conflict Error
```

Performing an add or update with a syntactically correct .JSON body that is invalid according to business rules returns a 422 (Unprocessable Entity) response.

```
HTTP/1.1 422 Unprocessable Entity
```

Operation Outcomes

An OperationOutcome may be returned to provide additional context for an error. The tables below describe common OperationOutcomes and their causes.

Retrieve or Search

HTTP Status	Cause	Severity	Code
500	Response is missing a required field	fatal	required

Create or Update

HTTP Status	Cause	Severity	Code
422	Body contained unsupported fields	error	business-rule
422	Body contained modifier extensions	error	extension
422	Body contained implicit rules	error	not-supported

Handling Required Fields

Missing fields required by the HL7 FHIR specification or any missing status field return a 500 (Internal Server Error) and an OperationOutcome.

```
{
   "resourceType": "OperationOutcome",
   "issue": [
     {
       "severity": "fatal",
       "code": "required",
       "location": [
         "/f:AllergyIntolerance/f:status"
       ]
     }
   ]
 }
```

Missing fields required by HL7 profiles such as Argonaut (DSTU 2) or US Core (STU 3) return a DataAbsentReason.

```
{
   "coding": [
     {
       "extension": [
         {
           "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason",
           "valueCode": "unknown"
         }
       ]
     }
   ]
 }
```

Patient consumers requesting a resource with a status of entered-in-error may return a DataAbsentReason.

```
{
   "coding": [
     {
       "extension": [
         {
           "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason",
           "valueCode": "masked"
         }
       ]
     }
   ]
 }
```

Missing Coding or CodeableConcept fields with a required value set binding return a DataAbsentReason, though it may return a text component.

```
{
   "coding": [
     {
       "extension": [
         {
           "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason",
           "valueCode": "unknown"
         }
       ]
     }
   ],
   "text": "Auth (Verified)"
 }
```

Filtered Data for Patient or Proxy Access

When accessing data with a patient persona, some data may be filtered as compared to system or provider access. Resources with a status of entered-in-error result in some fields being filtered or returned with a data absent reason with a valueCode of masked. Fields that may contain sensitive information are filtered such as non-instructional notes. For proxy users, regulatory laws or policies may restrict parental or guardian access to adolescent health records and these regulations vary from state to state.

General Security Filtering

Not all data can be accessed by all applications or users. Encounter or organization security, privileges, and preference may filter data based on the build in the domain.

HTTP Verbs

Where possible, the FHIR standard strives to use appropriate HTTP verbs for each action.

Verb	Description
GET	Used for retrieving resources.
POST	Used for creating resources.
PUT	Used for updating resources.

HTTP Method Override

If HTTP methods such as PUT or PATCH are not supported, you can make a POST request through one of the following options:

_method parameter

```
$ curl -i -X POST  "https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Encounter?_method=patch"
```

X-HTTP-Method-Override header

```
$ curl -i -X POST -H "X-HTTP-Method-Override: patch" "https://fhir-ehr-
    code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Encounter"
```

When making the override request, appropriate data and headers related to the method you are trying to switch to should be provided.

Note:

Authorization

An endpoint secured with OAuth 2.0 is available with support for SMART Applications. See the extensions on the Conformance.rest.security element in our server metadata.

The scopes below are supported for SMART v1 and SMART v2 applications.

General Scopes

* launch

* profile

* fhirUser

* openid

* online_access

* offline_access

Patient Scopes

* patient/Account.read

* patient/Account.rs

* patient/AllergyIntolerance.crus

* patient/AllergyIntolerance.read

* patient/AllergyIntolerance.write

* patient/Appointment.crus

* patient/Appointment.read

* patient/Appointment.write

* patient/Basic.c
* patient/Basic.write
* patient/Binary.r
* patient/Binary.read
* patient/CarePlan.read
* patient/CarePlan.rs
* patient/CareTeam.read
* patient/CareTeam.rs
* patient/ChargeItem.crs
* patient/ChargeItem.read
* patient/ChargeItem.write
* patient/Communication.crus
* patient/Communication.read
* patient/Communication.write
* patient/Condition.crus
* patient/Condition.read
* patient/Condition.write
* patient/Consent.read
* patient/Consent.rs
* patient/Coverage.cruds
* patient/Coverage.read
* patient/Coverage.write
* patient/Device.read
* patient/Device.rs
* patient/DiagnosticReport.crs
* patient/DiagnosticReport.read
* patient/DocumentReference.crus
* patient/DocumentReference.read
* patient/DocumentReference.write
* patient/Encounter.crus
* patient/Encounter.read
* patient/Encounter.write
* patient/FamilyMemberHistory.crus
* patient/FamilyMemberHistory.read
* patient/FamilyMemberHistory.write
* patient/Goal.read
* patient/Goal.rs
* patient/Immunization.crus
* patient/Immunization.read
* patient/Immunization.write
* patient/InsurancePlan.read
* patient/InsurancePlan.rs
* patient/Media.r
* patient/Media.read
* patient/MedicationAdministration.read
* patient/MedicationAdministration.rs
* patient/MedicationDispense.read
* patient/MedicationDispense.rs
* patient/MedicationRequest.crus
* patient/MedicationRequest.read
* patient/MedicationRequest.write
* patient/NutritionOrder.read

* patient/NutritionOrder.rs
* patient/Observation.crus
* patient/Observation.read
* patient/Observation.write
* patient/Patient.crus
* patient/Patient.read
* patient/Patient.write
* patient/Person.read
* patient/Person.rs
* patient/Procedure.crs
* patient/Procedure.read
* patient/Procedure.write
* patient/Provenance.crs
* patient/Provenance.read
* patient/Provenance.write
* patient/Questionnaire.read
* patient/Questionnaire.rs
* patient/QuestionnaireResponse.read
* patient/QuestionnaireResponse.rus
* patient/QuestionnaireResponse.write
* patient/RelatedPerson.crus
* patient/RelatedPerson.read
* patient/RelatedPerson.write
* patient/Schedule.read
* patient/Schedule.rs
* patient/ServiceRequest.read
* patient/ServiceRequest.rs
* patient/Slot.read
* patient/Slot.rus
* patient/Slot.write
* patient/Specimen.read
* patient/Specimen.rs

System Scopes

* system/Account.read
* system/Account.rs
* system/AllergyIntolerance.crus
* system/AllergyIntolerance.read
* system/AllergyIntolerance.write
* system/Appointment.crus
* system/Appointment.read
* system/Appointment.write
* system/Basic.c
* system/Basic.write
* system/Binary.r
* system/Binary.read
* system/CarePlan.read
* system/CarePlan.rs
* system/CareTeam.read
* system/CareTeam.rs
* system/ChargeItem.crs
* system/ChargeItem.read
* system/ChargeItem.write

* system/Communication.crus
* system/Communication.read
* system/Communication.write
* system/Condition.crus
* system/Condition.read
* system/Condition.write
* system/Consent.read
* system/Consent.rs
* system/Coverage.cruds
* system/Coverage.read
* system/Coverage.write
* system/Device.read
* system/Device.rs
* system/DiagnosticReport.crs
* system/DiagnosticReport.read
* system/DocumentReference.crus
* system/DocumentReference.read
* system/DocumentReference.write
* system/Encounter.crus
* system/Encounter.read
* system/Encounter.write
* system/FamilyMemberHistory.crus
* system/FamilyMemberHistory.read
* system/FamilyMemberHistory.write
* system/FinancialTransaction.c
* system/FinancialTransaction.write
* system/Goal.read
* system/Goal.rs
* system/Immunization.crus
* system/Immunization.read
* system/Immunization.write
* system/InsurancePlan.read
* system/InsurancePlan.rs
* system/Location.read
* system/Location.rs
* system/Media.r
* system/Media.read
* system/MedicationAdministration.read
* system/MedicationAdministration.rs
* system/MedicationDispense.read
* system/MedicationDispense.rs
* system/MedicationRequest.crus
* system/MedicationRequest.read
* system/MedicationRequest.write
* system/NutritionOrder.read
* system/NutritionOrder.rs
* system/Observation.crus
* system/Observation.read
* system/Observation.crs
* system/Observation.write
* system/Organization.read
* system/Organization.write

* system/Patient.crus
* system/Patient.read
* system/Patient.write
* system/Person.read
* system/Person.rs
* system/Practitioner.crs
* system/Practitioner.read
* system/Practitioner.write
* system/Procedure.crs
* system/Procedure.read
* system/Procedure.write
* system/Provenance.crs
* system/Provenance.read
* system/Provenance.write
* system/Questionnaire.read
* system/Questionnaire.rs
* system/QuestionnaireResponse.read
* system/QuestionnaireResponse.rus
* system/QuestionnaireResponse.write
* system/RelatedPerson.crus
* system/RelatedPerson.read
* system/RelatedPerson.write
* system/Schedule.read
* system/Schedule.rs
* system/ServiceRequest.read
* system/ServiceRequest.rs
* system/Slot.read
* system/Slot.rus
* system/Slot.write
* system/Specimen.read
* system/Specimen.rs

User Scopes

* user/Account.read
* user/Account.rs
* user/AllergyIntolerance.crus
* user/AllergyIntolerance.read
* user/AllergyIntolerance.write
* user/Appointment.crus
* user/Appointment.read
* user/Appointment.write
* user/Basic.c
* user/Basic.write
* user/Binary.r
* user/Binary.read
* user/CarePlan.read
* user/CarePlan.rs
* user/CareTeam.read
* user/CareTeam.rs
* user/ChargeItem.crs
* user/ChargeItem.read
* user/ChargeItem.write
* user/Communication.crus

* user/Communication.read
* user/Communication.write
* user/Condition.crus
* user/Condition.read
* user/Condition.write
* user/Consent.read
* user/Consent.rs
* user/Coverage.cruds
* user/Coverage.read
* user/Coverage.write
* user/Device.read
* user/Device.rs
* user/DiagnosticReport.crs
* user/DiagnosticReport.read
* user/DocumentReference.crus
* user/DocumentReference.read
* user/DocumentReference.write
* user/Encounter.crus
* user/Encounter.read
* user/Encounter.write
* user/FamilyMemberHistory.crus
* user/FamilyMemberHistory.read
* user/FamilyMemberHistory.write
* user/Goal.read
* user/Goal.rs
* user/Immunization.crus
* user/Immunization.read
* user/Immunization.write
* user/InsurancePlan.read
* user/InsurancePlan.rs
* user/Location.read
* user/Location.rs
* user/Media.r
* user/Media.read
* user/MedicationAdministration.read
* user/MedicationAdministration.rs
* user/MedicationDispense.read
* user/MedicationDispense.rs
* user/MedicationRequest.crus
* user/MedicationRequest.read
* user/MedicationRequest.write
* user/NutritionOrder.read
* user/NutritionOrder.rs
* user/Observation.crus
* user/Observation.read
* user/Observation.write
* user/Organization.crs
* user/Organization.read
* user/Organization.write
* user/Patient.crus
* user/Patient.read
* user/Patient.write

* user/Person.read
* user/Person.rs
* user/Practitioner.crs
* user/Practitioner.read
* user/Practitioner.write
* user/Procedure.crs
* user/Procedure.read
* user/Procedure.write
* user/Provenance.crs
* user/Provenance.read
* user/Provenance.write
* user/Questionnaire.read
* user/Questionnaire.rs
* user/QuestionnaireResponse.read
* user/QuestionnaireResponse.rus
* user/QuestionnaireResponse.write
* user/RelatedPerson.crus
* user/RelatedPerson.read
* user/RelatedPerson.write
* user/Schedule.read
* user/Schedule.rs
* user/ServiceRequest.read
* user/ServiceRequest.rs
* user/Slot.read
* user/Slot.rus
* user/Slot.write
* user/Specimen.read
* user/Specimen.rs

Each resource interaction documents the type of authentication acceptable (patient, provider, system, or a combination).

See the Authorization Framework page for details on how to authorize with our server.

Pagination

The pagination links are included in the Bundle when a resource returns more items than the Bundle page size. It is important to follow these Link header values instead of constructing your own URLs.

```
{
  "resourceType": "Bundle",
  "id": "f22ca456-19a7-45ce-8586-0079495783ef",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Observation?subject%3APatient=12742400&_count=50"
    },
    {
      "relation": "next",
      "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/Observation?subject%3APatient=12742400&pageContext=35d95fe0-03bf-426c-bc35-2533f7fde4eb&direction=NEXT"
    }
  ],
  ...
}
```

The possible relation values are:

Name	Description
self	Shows the URL of the current page of results.
next	Shows the URL of the immediate next page of results.
previous	If paging, shows the URL of the previous page of results.

Concurrency

Developers need to account for data concurrency within the response. The FHIR specification states:

The results of a search operation are only guaranteed to be current at the moment the operation is executed. After the operation is executed, ongoing actions performed on the resources against which the search was executed will render the results increasingly stale. The significance of this depends on the nature of the search, and the kind of use that is being made

of the results.

This is particularly relevant when the server is returning the results in a series of pages. It is at the discretion of the search engine of how to handle ongoing updates to the resources while the search is proceeding.

When results are returned in a series of pages, you may see the same resource ID on subsequent pages. Developers must account for this situation by filtering by resource ID and only return the latest version of that resource ID. Displaying duplicate resource IDs or any other manipulation may misrepresent the data, affecting clinical decision support and patient safety.

Cross Origin Resource Sharing

The API supports Cross Origin Resource Sharing (CORS) for AJAX requests from any origin.

See the following external resources for more information:

* CORS W3C Recommendation on the Fetch Standard website

* HTML 5 Security Guide on the Google Code Archive

Example GET request sent from the Origin http://example.com:

```
$ curl -X GET -i -H "Origin: http://example.com" https://fhir-ehr-
    code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/metadata
HTTP/1.1 200 OK
Access-Control-Allow-Methods: DELETE, GET, POST, PUT, PATCH, OPTIONS, HEAD
Access-Control-Allow-Origin: *
Access-Control-Expose-Headers: ETag, Content-Location, Location, X-Request-Id, WWW-Authenticate, Date
Access-Control-Max-Age: 0
```

Example CORS preflight request:

```
$ curl -X OPTIONS -i -H "Origin: http://example.com" -H "Access-Control-Request-Headers: authorization,content-type" -H
    "Access-Control-Request-Method: GET" https://fhir-ehr-
    code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/metadata
HTTP/1.1 200 OK
Access-Control-Allow-Methods: DELETE, GET, POST, PUT, PATCH, OPTIONS, HEAD
Access-Control-Allow-Origin: *
Access-Control-Expose-Headers: ETag, Content-Location, Location, X-Request-Id, WWW-Authenticate, Date
Access-Control-Max-Age: 0
Access-Control-Allow-Headers: authorization, content-type
```

Service Root URL

File: r4-rest-api-v32/srv_root_url.html

Service Root URL

NOT FOR PUBLIC DISTRIBUTION: 2026-04-14

URLs for the FHIR server vary by the tenant (datasource or client) being accessed, as well as other factors.

If the application is a SMART application, the service root url is provided at launch time. For standalone applications, the URL can be requested (or configured) when the application is set up to run against a specific tenant. FHIR calls will be made against URLs of the following format:

```
:serviceRootURL/:resource[?:parameters]
```

Open Sandbox

The open sandbox instance allows developers to experiment with the service without requiring authentication. We recommend using this endpoint for initial proof of concepts and integration. The service root URL for this instance is:

```
https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/:resource[?:parameters]
```

The open endpoint exposes read-only resources. No writes are available in sandbox without using authentication.

Note:

Secure Sandbox

The secure sandbox instance can be used for testing an application with authorization. The service root URL for this instance is different if the patient or a patient's proxy is logging in.

Non-Patient:

```
https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/:resource[?:parameters]
```

Patient Access:

```
https://fhir-myrecord.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/:resource[?:parameters]
```

Resource

:resource represents the FHIR standard resource to access. Example: Patient

Parameters

Many API methods take optional parameters. For GET requests, any parameters not specified as a segment in the path can be passed as an HTTP query string parameter:

```
$ curl -i -H "Accept: application/json+fhir" "https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/MedicationOrder?patient=2744010&status=active"
```

In this example, MedicationOrder is the FHIR standard resource being accessed, while patient and status are passed in the query string.

Resource Identity

Please note that no ids or identifiers in the Millennium EHR are intended to be used outside of the context of their complete URL. A complete URL is comprised of the service root url, the resource, and the parameters (if any).

For example, one must take into account the entire url and not simply the id or resource + id:

`https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Patient/12742400`

In another context the id "Patient/12742400" may identify another person entirely. In the following example a different resource may be returned because the context (service root url) has changed.

`https://fhir-open.cerner.com/r4/d075cf8b-3261-481d-97e5-ba6c48d3b41f/Patient/12742400`

Similarly when considering an identifier one must consider it only in its full context. Even though some identifiers may exist across multiple systems (ex: MRN) it is not guaranteed that they will refer to the same resource.

`https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Patient?identifier=urn:oid:1.1.1.1.1.1|10002700`

For example, when using the above MRN in a different system, we are not guaranteed that the same Patient resource is returned in the response bundle:

`https://fhir-open.cerner.com/r4/d075cf8b-3261-481d-97e5-ba6c48d3b41f/Patient?identifier=urn:oid:1.1.1.1.1.1|10002700`

Proprietary Codes and Systems

File: r4-rest-api-v32/proprietary.html

Proprietary Codes and Systems

NOT FOR PUBLIC DISTRIBUTION: 2026-04-14

Proprietary Codes

Overview

The Oracle Health implementation of the HL7 R4 FHIR standard allows Millennium Platform proprietary code values to be used in addition to standard value set codes. Developers can read and write data with customers' proprietary codes, eliminating the need to map proprietary codes to standard codes. This is particularly beneficial for concepts that are highly customized by customers such as appointment and document types.

Millennium Platform groups repetitive textual information into code sets. A code set stores numeric code values that represent textual or character displays. Code sets are consistent across all customers; however, the values in a code set vary between customers and are only guaranteed unique in a specific electronic health record (EHR) system. For this reason, the region and the EHR source ID (or tenant) are included in the system URL. See the Multi-Region Support section below for further details.

The following statements are true for all Millennium Platform proprietary codes:

* The system value uses the following format: https://fhir.{region}.cerner.com/{EHR source ID}/codeSet/{code set}

* The code value is the numeric code value as a string.

* The display value is the code value display.

* The userSelected value is set to true.

* On inbound requests (POST, PUT, PATCH), proprietary codes and standard codes may not be set in the same coding array. If they are, the create or update request fails with a 422 (Unprocessable Entity) status code.

Example outbound CodeableConcept displaying both standard and proprietary codes:

```
{
  "type": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "394581000",
        "display": "Community medicine",
        "userSelected": false
      },
      {
        "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/14249",
        "code": "21265426",
        "display": "Same Day",
        "userSelected": true
      }
    ]
  }
}
```

Care Provision

NutritionOrder

The NutritionOrder resource supports the following proprietary codes:

* NutritionOrder.foodPreferenceModifier codes are maintained in Code Set 6102 Dietary Modifiers and Code Set 6103 Beverage Modifiers.

* NutritionOrder.oralDiet.schedule.code codes are maintained in Code Set 4003 Frequency.

* NutritionOrder.oralDiet.texture.modifier codes are maintained in Code Set 100197 Diet Consistency.

* NutritionOrder.oralDiet.fluidConsistencyType codes are maintained in Code Set 100123 Beverage Consistency.

* NutritionOrder.supplement.type codes are maintained in Code Set 6107 Dietary Supplements.

ServiceRequest

The ServiceRequest resource supports the following proprietary codes:

* ServiceRequest.category codes are maintained in Code Set 6000 Catalog Type.

* ServiceRequest.code codes are maintained in Code Set 200 Order Catalog.

* ServiceRequest.occurrence.timing codes are maintained in Code Set 4003 Frequency.

* ServiceRequest.asNeededCodeableConcept codes are maintained in Code Set 4005.

* ServiceRequest.bodySite codes are maintained in Code Set 1028 Body Site and Code Set 14045 Surgical Procedure Modifiers.

Diagnostic

Observation

The Observation resource supports the following proprietary codes:

* Observation.code and Observation.component.code codes are maintained in Code Set 72 Clinical Event Codes.

* Observation.interpretation and Observation.component.interpretation codes are maintained in Code Set 52 Result Interpretation.

Specimen

The Specimen resource supports the following proprietary codes:

* Specimen.type codes are maintained in Code Set 2052 General Laboratory Specimen Type Codes and Code Set 1306 Anatomic Pathology Specimen Type Codes.

* Specimen.bodySite codes are maintained in Code Set 1028 Body Site Codes.

* Specimen.container.type codes are maintained in Code Set 2051 Container Type Codes.

Documents

DocumentReference

The DocumentReference resource supports the following proprietary codes:

* DocumentReference.type codes are maintained in Code Set 72 Clinical Event Codes.

Encounters

Encounter

The Encounter resource supports the following proprietary codes:

* Encounter.identifier.type codes are maintained in Code Set 319 Encounter Alias Type.

* Encounter.type codes are maintained in Code Set 71 Visit Type.

* Encounter.serviceType codes are maintained in Code Set 34 Hospital Service.

* Encounter.priority codes are maintained in Code Set 3 Encounter Admission Type.

* Encounter.participant.type codes are maintained in Code Set 333 Encounter/Personnel Relationship.

* Encounter.hospitalization.admitSource codes are maintained in Code Set 2 Admission Source.

* Encounter.hospitalization.dietPreference codes are maintained in Code Set 18 Diet.

* Encounter.hospitalization.specialCourtesy codes are maintained in Code Set 67 VIP and Code Set 16 Courtesy.

* Encounter.hospitalization.dischargeDisposition codes are maintained in Code Set 19 Discharge Disposition.

* Custom Attribute extensions on Encounter may contain Custom Attribute Value codes when Custom Attribute Value is of type CodeableConcept. These codes may be from any code set.

Entities

Organization

The Organization resource supports the following proprietary codes:

* Organization.identifier.type codes are maintained in Code Set 334 Organization Alias Type.

* Organization.type codes are maintained in Code Set 278 Organization Type.

Financial

Account

The Account resource supports the following proprietary codes:

* Account.type.text codes are maintained in Code Set 18736 Account Types.

* The Account Balance extensions on Account are maintained in Code Set 18934 Currency Type.

* The Account State extensions on Account are maintained in Code Set 24451 Benefit Order Status and Code Set 4002640 Correspondence Status.

* Account.identifier codes are maintained in Code Set 28200 PFT Bill Alias Type.

ChargeItem

The ChargeItem resource supports the following proprietary codes:

* The Bill Code Schedule extensions on ChargeItem are maintained in Code Set 14002 Bill Code Schedule.

InsurancePlan

The InsurancePlan resource supports the following proprietary codes:

* InsurancePlan.type codes are maintained in Code Set 27137 Health Plan Service Type.

General Clinical

Condition

The Condition resource supports the following proprietary codes:

* Condition.severity codes are maintained in Code Set 12022 Severity.
* Condition.category problem classification codes are maintained in Code Set 12033 Problem Classification.

Procedure

The Procedure resource supports the following proprietary codes:

* Procedure.performer.function codes are maintained in Code Set 388 Procedure Personnel Relation Type.

Individuals

Patient

The Patient resource supports the following proprietary codes:

* Patient.maritalStatus codes are maintained in Code Set 38 Marital Status.
* Patient.communication.language codes are maintained in Code Set 36 Languages.
* Patient.identifier.type codes are maintained in Code Set 4 Person Identifier (Alias) Types.
* Patient.contact.relationship codes for are maintained in Code Set 351 Person Relationship Types.

RelatedPerson

The RelatedPerson resource supports the following proprietary codes:

* RelatedPerson.communication.language codes are maintained in Code Set 36 Languages.
* RelatedPerson.relationship codes are maintained in Code Set 351 Person Relationship Types.
* The Relation extension codes on RelatedPerson.relationship are maintained in Code Set 40 Person Relationship Types.

Location

The Location resource supports the following proprietary codes:

* location.identifier.type codes are maintained in Code Set 73 Location Contributor Source.
* location.physicalType code is maintained in Code Set 222 Location Type.

Medications

Immunization

The Immunization resource supports the following proprietary codes:

* Immunization.statusReason codes are maintained in Code Set 30440 Expire Reasons.
* Immunization.vaccineCode codes are maintained in Code Set 72 Clinical Event Codes.
* Immunization.reportOrigin codes are maintained in Code Set 30200 Result Source.
* Immunization.site codes are maintained in Code Set 97 Medication Administration Site.
* Immunization.route codes are maintained in Code Set 4001 Medication Administration Route.

MedicationDispense

The MedicationDispense resource supports the following proprietary codes:

* MedicationDispense.statusReason codes are maintained in Code Set 4031 Reason Codes.
* MedicationDispense.category codes are maintained in Code Set 4500 Pharmacy Types.
* MedicationDispense.dosageInstruction.timing.code codes are maintained in Code Set 4003 Frequency.
* MedicationDispense.dosageInstruction.asNeededCodeableConcept codes are maintained in Code Set 4005 Reason for Medication.
* MedicationDispense.dosageInstruction.route codes are maintained in Code Set 4001 Medication Administration Route.

MedicationRequest

The MedicationRequest resource supports the following proprietary codes:

* MedicationRequest.statusReason codes are maintained in Code Set 1309 Cancel Reasons and Code Set 4001970 Void Order Reasons.
* MedicationRequest.courseOfTherapyType codes are maintained in Code Set 4009 Order Stop Types.
* MedicationRequest.dosageInstruction.timing.code codes are maintained in Code Set 4003 Frequency.

* MedicationRequest.dosageInstruction.asNeededCodeableConcept codes are maintained in Code Set 4005 Reason for Medication.

* MedicationRequest.dosageInstruction.site codes are maintained in Code Set 1028 Body Site.

* MedicationRequest.dosageInstruction.route codes are maintained in Code Set 4001 Medication Administration Route.

Medication

The contained Medication resource supports the following proprietary codes:

* Medication.form codes are maintained in Code Set 4002 Form.

Scheduling

Appointment

The Appointment resource supports the following proprietary codes:

* Appointment.cancelationReason codes are maintained in Code Set 14229 Scheduling Appointment Cancellation Reason.

* Appointment.serviceType codes are maintained in Code Set 14249 Scheduling Appointment Type Synonyms.

* Appointment.participant.type codes are maintained in Code Set 14250 Scheduling Resource Roles.

List of Code Sets

Code Set 2 Admission Source

This code set is similar to the HL7 value set but may have more specific display values such as Transfer from critical access hospital versus Transferred from other hospital.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/2,
  "code": "309194",
  "display": "Emergency Room",
  "userSelected": true
}
```

Code Set 3 Encounter Admission Type

This code set is typically small and similar to the HL7 value set.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/3",
  "code": "309203",
  "display": "Emergency",
  "userSelected": true
}
```

Code Set 4 Person Identifier (Alias) Types

This code set includes identifier types such as Medical Record Number and Driver's License Number.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4",
  "code": "10",
  "display": "MRN",
  "userSelected": true
}
```

Code Set 16 Courtesy

This code set is a one-element code set containing only Yes.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/16",
  "code": "4334139",
  "display": "Yes",
  "userSelected": true
}
```

Code Set 18 Diet

This code set is small and similar to the HL7 value set.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/18",
  "code": "301226",
  "display": "Low Sodium",
  "userSelected": true
}
```

Code Set 19 Discharge Disposition

The Centers for Medicare & Medicaid Services (CMS) maintains a minimum set of required values for documenting the disposition of patients upon discharge.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/19",
  "code": "638672",
  "display": "Home Care with Home Health",
  "userSelected": true
}
```

Code Set 34 Hospital Service

This code set maintains service types available in the facility such as Emergency Medicine, Neurology, and Pediatrics.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/34",
  "code": "313022",
  "display": "Pediatrics",
  "userSelected": true
}
```

Code Set 36 Languages

This code set is customized by customers and may include languages such as English and Chinese.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/36",
  "code": "151",
  "display": "English",
  "userSelected": true
}
```

Code Set 38 Marital Status

This code set may include marital statuses such as Divorced and Married.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/38",
  "code": "309236",
  "display": "Divorced",
  "userSelected": true
}
```

Code Set 40 Person Relationships

This code set is used to describe the related person's relationship to the patient.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/40",
  "code": "156",
  "display": "MOTHER",
  "userSelected": true
}
```

Code Set 52 Interpretation Result

This code set contains values that are used to interpret results such as Normal or High.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/52",
  "code": "214",
  "display": "Normal",
  "userSelected": true
}
```

Code Set 67 VIP

This code set is a one-element code set containing only Yes.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/67",
  "code": "4334139",
  "display": "Yes",
  "userSelected": true
}
```

Code Set 71 Visit Type

This code set is customer-definable for different patient types such an outpatient in a bed versus outpatient clinic visit. Encounter types can have different workflow and functional requirements.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/71",
  "code": "309314",
  "display": "Recurring",
  "userSelected": true
}
```

Code Set 72 Clinical Event Codes

This code set is extremely large and highly customized by customers. It maintains all the various clinical events such as vital signs, laboratory results, documents, and immunizations.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/72",
  "code": "2799031",
  "display": "Lyme disease vaccine",
  "userSelected": true
}
```

Code Set 73 Location Contributor Source

This code set maintains the identifying values for a location, such as SDV_STD_SRC.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/73",
  "code": "2343452",
  "display": "SDV_STD_SRC",
  "userSelected": true
}
```

Code Set 97 Medication Administration Site

This code set maintains medication administration sites such as left arm, right gluteus medius, or right deltoid.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/97",
  "code": "603",
  "display": "Right arm",
  "userSelected": true
}
```

Code Set 200 Order Catalog

This code set is extremely large and highly customized by customers. It maintains the entire catalog of orders defined by a customer.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/200",
  "code": "3976772",
  "userSelected": true
}
```

Code Set 222 Location Type

This code set maintains the location types, such as BUILDING, NURSEUNIT, BED, and so on.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/222",
  "code": "794",
  "display": "Nurse Unit(s)",
  "userSelected": true
}
```

Code Set 278 Organization Type

This code set maintains the classification of organizations, such as GOVT or INSURANCE.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/278",
  "code": "1077",
  "display": "govt",
  "userSelected": true
}
```

Code Set 319 Encounter Alias Type

This code set is small and currently only supports FIN, NBR, and VISITID.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/319",
  "code": "1077",
  "display": "FIN NBR",
  "userSelected": true
}
```

Code Set 333 Encounter/Personnel Relationship

This code set maintains the various personnel positions in the facility such as Attending Physician, ED Nurse Practitioner, and Case Manager.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/333",
  "code": "1119",
  "display": "Attending Physician",
  "userSelected": true
}
```

Code Set 334 Organization Alias Type

This code set maintains the identifying values for an organization, such as NPI, OID, and FederalTAXID.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/334",
  "code": "2343451",
  "display": "OID",
  "userSelected": true
}
```

Code Set 351 Person Relationship Types

This code set includes relationship types such as Guardian and Emergency Contact.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/351",
  "code": "1156",
  "display": "Guardian",
  "userSelected": true
}
```

Code Set 388 Procedure Personnel Relation Type

This code set contains the specific types of relationships you can establish between personnel and a procedure.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/388",
  "code": "1209",
  "display": "Surgeon",
  "userSelected": true
}
```

Code Set 1028 Body Site

This code set contains body sites such as Chest, Back, or Eye.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/1028",
  "code": "309163",
  "display": "Chest",
  "userSelected": true
}
```

Code Set 1306 Anatomic Pathology Specimen

This code set contains various codes that indicate the type of the specimen.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/1306",
  "code": "314172",
  "display": "Pleural Fl",
  "userSelected": true
}
```

Code Set 1309 Cancel Reasons

This code set contains the various reasons why an order was canceled or discontinued.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/1309",
  "code": "633908",
  "display": "Duplicate Order",
  "userSelected": true
}
```

Code Set 2051 Container Type

This code set contains various codes that indicate the type of container associated with the specimen.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/2051",
  "code": "309480",
  "display": "SST",
  "userSelected": true
}
```

Code Set 2052 General Laboratory Specimen Type

This code set contains various codes that indicate the type of the specimen.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/2052",
  "code": "1765",
  "display": "Blood",
  "userSelected": true
}
```

Code Set 4001 Medication Administration Route

This code set maintains medication administration routes such as ID or IM.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4001",
  "code": "318167",
  "display": "IM",
  "userSelected": true
}
```

Code Set 4002 Form

This code set contains medication forms such as Aerosol, Gel, or Tab.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4002",
  "code": "318231",
  "display": "Tab",
  "userSelected": true
}
```

Code Set 4003 Frequency

This code set contains an orders frequency such as BID, Daily, or q2hr.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4003",
  "code": "696528",
  "display": "BID",
  "userSelected": true
}
```

Code Set 4005 Reason for Medication

This code set contains reasons a medication is needed such as Nausea, Anxiety, or Pain.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4005",
  "code": "614498",
  "display": "pain",
  "userSelected": true
}
```

Code Set 4009 Order Stop Types

This code set contains the stop type of an order such as Physician Stop, Hard Stop, or Soft Stop.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4009",
  "code": "2336",
  "display": "Hard Stop",
  "userSelected": true
}
```

Code Set 4031 Reason for Medication

This code set contains the various reasons why the dispense was not performed.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4031",
  "code": "3874341",
  "display": "Drug-Allergy Interaction",
  "userSelected": true
}
```

Code Set 4500 Pharmacy Types

This code set contains the various codes that indicate the type of medication dispense.

```
{
   "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4500",
   "code": "638952",
   "display": "Inpatient",
   "userSelected": true
}
```

Code Set 6000 Catalog Type

This code set contains the catalog types of the order catalog.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/6000",
  "code": "2516",
  "display": "Pharmacy",
  "userSelected": true
}
```

Code Set 6102 Dietary Modifiers

This code set contains type of diet such as Halal, Vegan, or Kosher.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/6102",
  "code": "658486",
  "display": "Kosher",
  "userSelected": true
}
```

Code Set 6103 Beverage Modifiers

This code set contains type of beverage modifier such as No carbonated, caffeinated, and so on.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/6103",
  "code": "658489",
  "display": "No caffeinated beverages",
  "userSelected": true
}
```

Code Set 6107 Dietary Supplement

This code set contains the type of nutritional supplement.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/6107",
  "code": "658509",
  "display": "High protein pudding",
  "userSelected": true
}
```

Code Set 12022 Severity

This code set contains levels of severity (mild, moderate, severe) used by multiple Millennium Platform concepts including allergies, problems, diagnoses, and family history.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/12022",
  "code": "3294",
  "display": "Moderate"
}
```

Code Set 12033 Problem Classification

This code set contains problem classifications such as Medical or Patient Stated.

```
{
    "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/12033",
    "code": "15186888",
    "display": "Medical",
    "userSelected": true
}
```

Code Set 14002 Bill Code Schedule

This code set contains bill code schedules that drive billing behavior.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/14002",
  "code": "3693"
}
```

Code Set 14045 Surgical Procedure Modifiers

This code set contains the area of the body the surgery procedure is being performed.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/14045",
  "code": "3858",
  "display": "Left",
  "userSelected": true
}
```

Code Set 14229 Scheduling Appointment Cancellation Reason

This code set defines a set of reasons for the cancellation of an appointment.

```
 {
   "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/14229",
   "code": "2191414701",
   "display": "Scheduled by mistake",
   "userSelected": true
 }
```

Code Set 14249 Scheduling Appointment Type Synonyms

This code set is highly customized by customers and may include appointment types such as Office Visit, Office Visit - New, or Office Visit - Follow Up.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/14249,
  "code": "5038369",
  "display": "Office Visit - Return",
  "userSelected": true
}
```

Code Set 14250 Scheduling Resource Roles

This code set is customized by customers and defines exam rooms, surgery rooms, and generic resource roles such as anesthesiologist and radiology technician.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/14250,
  "code": "4573",
  "display": "Radiology Exam Room",
}
```

Code Set 16127 Scheduling Processing Options

This code set contains the various scheduling processing options such as diagnostic, follow-up, or primary.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/16127",
  "code": "22721463",
  "display": "DIAGNOSTIC"
  "userSelected": true
}
```

Code Set 18736 Account Types

This code set includes account types such as A/R and CASH.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/18736,
  "code": "18736",
  "display": "Cash",
  "userSelected": true
}
```

Code Set 18934 Currency Type

This code set includes currency types such as USD.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/18934,
  "code": "11074",
  "display": "USD",
  "userSelected": true
}
```

Code Set 24451 Benefit Order Status

This code set includes the statuses in the billing workflow such as In Process and Ready to Bill.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/24451,
  "code": "653931",
  "display": "In Process",
  "userSelected": true
}
```

Code Set 27137 Health Plan Service Type

This code set defines a set of codes that can be used to indicate a type of insurance plan.

```
{
  "system": "https://fhir.cerner.com/<EHR source id/codeSet/27137",
  "code": "4372138",
  "display": "Medical Service Plan",
  "userSelected": true
}
```

Code Set 28200 PFT Bill Alias Type

This code set includes bill alias types such as billalias, invalias, and stmtalias.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/28200,
  "code": "6678349",
  "display": "STMTALIAS",
  "userSelected": true
}
```

Code Set 30200 Result Source

This code set maintains the source of information for a result such as self, parent, clinician, or other record and not the documenting or verifying user.

```
{
   "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/30200",
   "code": "679976",
   "display": "Mother",
   "userSelected": true
}
```

Code Set 30440 Expire Reasons

This code set describes why an immunization was not administered when documented through the Health Maintenance model.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/30440",
  "code": "688466",
  "display": "Postpone due to refusal",
  "userSelected": true
}
```

Code Set 100123 Beverage Consistency

This code set describes the required consistency of liquids to be served to the patient.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/100123",
  "code": "46122603",
  "display": "Nectar Thick",
  "userSelected": true
}
```

Code Set 100197 Diet Consistency

This code set describes the texture modifications that should be made for the patient.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/100197",
  "code": "46122587",
  "display": "NDD2 (Ground)",
  "userSelected": true
}
```

Code Set 4001970 Void Order Reasons

This code set contains the various reasons why an order was voided.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4001970,
  "code": "1840873161",
  "display": "Ordered on wrong encounter",
  "userSelected": true
}
```

Code Set 4002640 Correspondence Status

This code set includes the statuses that reflect the current status of a correspondence within the statement workflow such as Pending and Delivered.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4002640,
  "code": "19177939",
  "display": "Delivered",
  "userSelected": true
}
```

Code Set 4003106 Vaccine Group

This code set includes the vaccine groups.

```
{
  "system": "https://fhir.cerner.com/{EHR source ID}/codeSet/4003106,
  "code": "2289043429",
```

```
  "display": "COVID-19",
  "userSelected": true
}
```

Proprietary Systems

Overview

The Oracle Health implementation of the HL7 R4 FHIR standard allows Millennium Platform proprietary systems to be used in addition to standard systems.

Financial

Account

The Account Resource supports the following proprietary system:

* Account.identifier.system is Account Number for financial accounts.

ChargeItem

The ChargeItem Resource supports the following proprietary system:

* ChargeItem.code, ChargeItem.reason, Modifier extension, Procedure extension, and Revenue Code extension codes are Bill Codes Types for charge items.

Medications

MedicationRequest

The MedicationRequest Resource supports the following proprietary systems:

* MedicationRequest.category is Medication Request Category for medication requests.

* MedicationRequest.medication[x] is Medication Request Synonym for medication requests.

List of Systems

Account Number

This system is the account number of a financial account.

```
{
  "use": "usual",
  "system": "https://fhir.<region>.cerner.com/{EHR source ID}/account-number",
  "value": "5646"
}
```

Bill Codes Types

This system is the bill code type for a charge item. Bill code type can be CDM_SCHED, CPT, HCPCS, ICD, PROCCODE, MODIFIER, or REVENUE.

```
{
  "system": "https://fhir.<region>.cerner.com/{EHR source ID}/CodeSystem/BillCodes-<Bill code type>",
  "code": "0310"
}
```

Medication Request Category

This system is the category and is only for a pharmacy charge-only order. The code system currently only contains the charge-only code. The code system may be expanded at a future date.

```
{
  "system": "https://fhir.cerner.com/medicationrequest-category",
  "code": "charge-only",
  "display": "Charge-Only"
}
```

Medication Request Synonym

This system is the synonym ID for an order and the ingredients.

```
{
  'system': 'https://fhir.<region>.cerner.com/{EHR source ID}/synonym',
  'code': '2762111',
  'display': 'lidocaine topical',
  'userSelected': true
}
```

Nomenclature

This system contains all nomenclature values configured in the domain.

```
{
  'system': 'https://fhir.<region>.cerner.com/{EHR source ID}/nomenclature',
  'code': '13249579',
  'display': 'Tension-type headache',
  'userSelected': false
}
```

Multi-Region Support

Overview

Proprietary codes and systems that are dependent on a specific EHR system may include an Oracle Health cloud region in their system value. Unless stated otherwise below, the system value format is https://fhir.cerner.com/{EHR source ID}/.

Region-specific Systems

The following regions override the format above with a region-specific system:

* Canada: https://fhir.ca.cerner.com/{EHR source ID}/

* Asia-Pacific: https://fhir.au.cerner.com/{EHR source ID}/

Exclusions

The proprietary systems that are not dependent on a EHR system do not include region in their system value, for example https://fhir.cerner.com/medicationrequest-category is applied for all regions.

Account

File: r4-rest-api-v32/api-account.html

Description

Account

This topic describes information for the Account resource.

Types

The Account resource acts as a central record against which charges, payments, and adjustments are applied. It contains information about which parties are responsible for payment of the account. The Account resource supports multiple account types and relationships to other accounts.

The account resource supports multiple account types.

charge-group - A grouping of charges for billing

financial-account - A top-level patient account

guarantor-balance - A self-pay balance account

insurance-balance - An insurance balance account

statement - A snapshot in time of a patient statement

Relationships

The following fields are returned if valued:

ID

Identifier

Status

Type

Subject

Service period

Owner

Guarantor

Part of

Extensions (for more information, see the Extensions section of this topic)

Terminology Bindings

Account.identifier

Description: A business identifier of the account.

Details: For more information, see Code Set 28200 PFT Bill Alias Type under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/statement-number

Details: For more information, see Account Number under the Proprietary Systems section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/statement-number

Account.type

Description: Categorizes the account for searching purposes.

Details: Account Types

System: http://terminology.hl7.org/CodeSystem/v3-ActCode

Details: For more information, see Code Set 18736 Account Types under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/18736

Account.extension[x].valueMoney.currency (for more information, see the Extensions section of this topic)

Description: Currency codes from ISO 4217 (see https://www.iso.org/iso-4217-currency-codes.html).

Details: Currencies

System: urn:iso:std:iso:4217

Details: For more information, see Code Set 18934 Currency Type under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/18934

Account.extension[x].valueCodeableConcept (for more information, see the Extensions section of this topic)

Description: The status of the account in a specific workflow. This binding is used in account-status extensions.

Details: For more information, see Code Set 24451 Benefit Order Status under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/24451

Details: For more information, see Code Set 4002640 Correspondence Status under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/4002640

Extensions

All URLs for custom extensions are defined as https://fhir-ehr.cerner.com/r4/StructureDefinition/{id}

Table - Extensions

ID | Value[x} Type | Description
account-related-parts | Reference | A reference to other related accounts.
account-balance | Money | Represents the account balance.
account-state | CodeableConcept | The status of the account in the billing or correspondence workflow.
associated-encounter | Reference | The encounter associated with the resource.

Account

The operations from the Account category.

Get a list of accounts

Method: get Path: /Account/

Get an account by ID

Method: get Path: /Account/{id}

Get a list of accounts

File: r4-rest-api-v32/op-account-get.html

Retrieves a list of accounts that meet supplied query parameters.

Note:

* The account-balance extension is only returned on statement, guarantor-balance, and insurance-benefit types.

* Account.subject is only returned on statement and financial-account types.

* You may search with one of the following parameters:

* _id

* -encounter and type=guarantor-balance

* patient, identifier, and type=statement

* -guarantor and type=financial-account

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Query Parameters

-encounter: string

The logical resource ID of the clinical encounter.

Example: -encounter=98028029

-guarantor: string

The parties responsible for balancing the account. This parmeter should contain a reference to a related person.

Example: -guarantor=6330015-6330017

_count: integer

The maximum number of results to return.

Example: _count=15

Default Value:

_id: array[string]

Minimum Number of Items:

The logical resource ID.

Example: _id=12345

identifier: string

The alias of the account. The system must be https://fhir.cerner.com/<EHR_source_id>/statement-number.

Example: identifier=https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/statement-number|500000078

patient: string

The entity that caused the expenses.

Example: patient=Patient/12345

type: string

The specific type of account.

Example: type=financial-account

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

Back to Top

Response

Supported Media Types

* application/fhir+json

200 Response

OK

Headers

X-Request-Id: string

Oracle troubleshooting identifier.

opc-request-id: string

Oracle troubleshooting identifier.

Body

Example Response (application/fhir+json)


```
{
    "resourceType":"Bundle",
    "id":"43d52c34-385f-4871-889d-f974b2422fab",
    "type":"searchset",
    "total":1,
    "link":[
        {
            "relation":"self",
            "url":"https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/Account?patient=6330017&identifier=https%3A%2F%2Ffhir.cerner.com%2Fec2458f2-1e24-41c8-b71b-
    0e701af7583d%2FcodeSet%2F28200%7C68002&type=statement"
        }
    ],
    "entry":[
        {
            "fullUrl":"https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Account/S2580833",
            "resource":{
                "resourceType":"Account",
                "id":"S2580833",
                "text":{
                    "status":"generated",
                    "div":"<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Account</b></p><p><b>Account Type</b>:
    statement</p><p><b>Service Period Start Date</b>: Aug 13, 2019  3:01 P.M. UTC</p><p><b>Statement Number</b>:
    68002</p><p><b>Guarantor</b>: 6330015-6330017</p></div>"
                },
                "extension":[
                    {
                        "url":"https://fhir-ehr.cerner.com/r4/StructureDefinition/account-balance",
                        "valueMoney":{
                            "value":"2000.00",
                            "currency":"USD"
                        }
                    },
                    {
                        "url":"https://fhir-ehr.cerner.com/r4/StructureDefinition/account-state",
                        "valueCodeableConcept":{
                            "coding":[
                                {

    "system":"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/4002640",
```

```
                                "code":"20752989",
                                "display":"Pending",
                                "userSelected":true
                            }
                        ],
                        "text":"Pending"
                    }
                },
                {
                    "url":"https://fhir-ehr.cerner.com/r4/StructureDefinition/account-related-parts",
                    "valueReference":{
                        "reference":"Account/G2572738"
                    }
                }
            ],
            "identifier":[
                {
                    "use":"usual",
                    "system":"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/statement-number",
                    "value":"68002"
                }
            ],
            "status":"active",
            "type":{
                "text":"statement"
            },
            "subject":[
                {
                    "reference":"Patient/6330017"
                }
            ],
            "servicePeriod":{
                "start":"2019-08-13T15:01:17Z"
            },
            "owner":{
                "reference":"Organization/1259855"
            },
            "guarantor":[
                {
                    "party":{
                        "reference":"RelatedPerson/6330015-6330017"
                    }
                }
            ]
        }
    }
]
}
```


Default Response

An describing any error that occurred.

OperationOutcome

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Body ()

Root Schema : schema

Type:

object

Show Source

* issue(required): array issue

* resourceType(required): string Allowed Values: ["OperationOutcome"]


```
{
    "type":"object",
    "required":[
        "resourceType",
        "issue"
    ],
    "properties":{
        "resourceType":{
            "type":"string",
            "enum":[
                "OperationOutcome"
```

```
            ]
        },
        "issue":{
            "type":"array",
            "items":{
                "type":"object",
                "required":[
                    "severity",
                    "code"
                ],
                "properties":{
                    "severity":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    },
                    "details":{
                        "type":"object",
                        "properties":{
                            "text":{
                                "type":"string"
                            },
                            "coding":{
                                "type":"array",
                                "items":{
                                    "type":"object",
                                    "properties":{
                                        "system":{
                                            "type":"string"
                                        },
                                        "code":{
                                            "type":"string"
                                        }
                                    }
                                }
                            }
                        }
                    },
                    "location":{
                        "type":"array",
                        "items":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    }
}
```

Nested Schema : issue

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "required":[
            "severity",
            "code"
        ],
        "properties":{
            "severity":{
                "type":"string"
            },
            "code":{
                "type":"string"
            },
            "details":{
                "type":"object",
                "properties":{
                    "text":{
                        "type":"string"
                    },
                    "coding":{
                        "type":"array",
                        "items":{
                            "type":"object",
                            "properties":{
                                "system":{
                                    "type":"string"
                                },
                                "code":{
```

```
                                    "type":"string"
                                }
                            }
                        }
                    }
                }
            },
            "location":{
                "type":"array",
                "items":{
                    "type":"string"
                }
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code(required): string

* details: object details

* location: array location

* severity(required): string

```
{
    "type":"object",
    "required":[
        "severity",
        "code"
    ],
    "properties":{
        "severity":{
            "type":"string"
        },
        "code":{
            "type":"string"
        },
        "details":{
            "type":"object",
            "properties":{
                "text":{
                    "type":"string"
                },
                "coding":{
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "system":{
                                "type":"string"
                            },
                            "code":{
                                "type":"string"
                            }
                        }
                    }
                }
            }
        },
        "location":{
            "type":"array",
            "items":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : details

Type:

object

Show Source

* coding: array coding

* text: string

```
{
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
```

```
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : location

Type:

array

Show Source

* Array of: string

```
{
    "type":"array",
    "items":{
        "type":"string"
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Back to Top

Get an account by ID

File: r4-rest-api-v32/op-account-id-get.html

Retrieves an account by the associated ID.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Path Parameters

id(required): string

The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

Back to Top

Response

Supported Media Types

* application/fhir+json

200 Response

OK

Headers

X-Request-Id: string

Oracle troubleshooting identifier.

opc-request-id: string

Oracle troubleshooting identifier.

Body

Example Response (application/fhir+json)


```
{
    "resourceType":"Account",
    "id":"G2572738",
    "text":{
        "status":"generated",
        "div":"<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Account</b></p><p><b>Account Type</b>: guarantor-
    balance</p><p><b>Service Period Start Date</b>: Aug  5, 2019  5:00 A.M. UTC</p><p><b>Service Period End Date</b>:
    Aug  6, 2019  4:59 A.M. UTC</p></div>"
    },
    "extension":[
        {
            "url":"https://fhir-ehr.cerner.com/r4/StructureDefinition/account-balance",
            "valueMoney":{
                "value":"1250.00",
                "currency":"USD"
            }
        },
        {
            "valueReference":{
                "reference":"Encounter/98028029"
            },
            "url":"https://fhir-ehr.cerner.com/r4/StructureDefinition/associated-encounter"
        },
        {
            "url":"https://fhir-ehr.cerner.com/r4/StructureDefinition/account-state",
            "valueCodeableConcept":{
                "coding":[
                    {
                        "system":"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/24451",
                        "code":"629234",
                        "display":"Ready to bill",
                        "userSelected":true
                    }
                ],
                "text":"Ready to bill"
            }
        }
    ],
    "status":"active",
    "type":{
        "text":"guarantor-balance"
    },
    "servicePeriod":{
        "start":"2019-08-05T05:00:00Z",
        "end":"2019-08-06T04:59:59Z"
    },
    "partOf":{
        "reference":"Account/F1131724"
    }
}
```

Default Response

An describing any error that occurred.

OperationOutcome

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Body ()

Root Schema : schema

Type:

object

Show Source

* issue(required): array issue

* resourceType(required): string Allowed Values: ["OperationOutcome"]


```
{
    "type":"object",
    "required":[
        "resourceType",
        "issue"
    ],
    "properties":{
        "resourceType":{
            "type":"string",
            "enum":[
                "OperationOutcome"
            ]
        },
        "issue":{
            "type":"array",
            "items":{
                "type":"object",
                "required":[
                    "severity",
                    "code"
                ],
                "properties":{
                    "severity":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    },
                    "details":{
                        "type":"object",
                        "properties":{
                            "text":{
                                "type":"string"
                            },
                            "coding":{
                                "type":"array",
                                "items":{
                                    "type":"object",
                                    "properties":{
                                        "system":{
                                            "type":"string"
                                        },
                                        "code":{
                                            "type":"string"
                                        }
                                    }
                                }
                            }
                        }
                    },
                    "location":{
                        "type":"array",
                        "items":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    }
```

```
}
```

Nested Schema : issue

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "required":[
            "severity",
            "code"
        ],
        "properties":{
            "severity":{
                "type":"string"
            },
            "code":{
                "type":"string"
            },
            "details":{
                "type":"object",
                "properties":{
                    "text":{
                        "type":"string"
                    },
                    "coding":{
                        "type":"array",
                        "items":{
                            "type":"object",
                            "properties":{
                                "system":{
                                    "type":"string"
                                },
                                "code":{
                                    "type":"string"
                                }
                            }
                        }
                    }
                }
            },
            "location":{
                "type":"array",
                "items":{
                    "type":"string"
                }
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code(required): string

* details: object details

* location: array location

* severity(required): string

```
{
    "type":"object",
    "required":[
        "severity",
        "code"
    ],
    "properties":{
        "severity":{
            "type":"string"
        },
        "code":{
            "type":"string"
        },
        "details":{
            "type":"object",
            "properties":{
                "text":{
                    "type":"string"
                },
```

```
                "coding":{
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "system":{
                                "type":"string"
                            },
                            "code":{
                                "type":"string"
                            }
                        }
                    }
                }
            }
        },
        "location":{
            "type":"array",
            "items":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : details

Type:

object

Show Source

* coding: array coding

* text: string

```
{
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : location

Type:

array

Show Source

* Array of: string

```
{
    "type":"array",
    "items":{
        "type":"string"
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
```

```
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Back to Top

AllergyIntolerance

File: r4-rest-api-v32/api-allergyintolerance.html

Description

AllergyIntolerance

The following topic describes information for the AllergyIntolerance resource.

Overview

The AllergyIntolerance resource provides the clinical assessment of a patient's allergy or intolerance when exposed to a specific substance, or class of substance, including information about the adverse reaction. Substances include, but are not limited to, medications, foods, environment (such as plants and animals), and insect bites. The allergy or intolerance list exists as a patient safety tool for clinical decision support when ordering medications and nutrition or guiding clinical treatments. This resource does not include adverse reactions or adverse events that are expected for the circumstance, such as an overdose or drug-drug interaction, or an error in the clinical process. References to implicitRules and modifierExtensions are not supported and fail a create or update request.

No Known Allergies (NKA) and No Known Medication Allergies (NKMA) are conveyed with predefined codes while Not Asked is conveyed through the absence of information (empty query response). Consumers can supply the negation codes (No known allergy (situation))(716186003) or No Known Medication Allergies (409137002) as long as the patient's profile contains no other active allergies. If the patient's profile has other active allergies and the consumer tries to add one of the codes above, the service returns an exception.

If NKA, NKMA, or both exist on the patient's allergy profile and a new allergy is added, the NKA and NKMA statuses are canceled.

If the consumer sends information that is deemed a duplicate (codified or free text), the service updates the existing allergy or reaction rather than adding a duplicate allergy or reaction.

With a patient safety or decision support use case, a consumer should avoid querying by status. The status field is not required and can ignore any entered-in-error allergies or intolerances.

This resource supports the US Core AllergyIntolerance Profile from HL7 FHIR US Core Implementation Guide STU 6.1.0.

The following fields are returned if valued:

AllergyIntolerance ID

Clinical Status

Verification Status

Allergy Type

Category (medication, food, environment)

Criticality/potential harm

Allergy Code

Patient with allergy/intolerance

Encounter

Date of allergy onset

Precision Extension (for more information, see the Extensions section of this topic)

Date/Time recorded

Who recorded

Reference (Practitioner)

Who reported

Reference (Patient)

Supports contained reference to PractitionerRole and RelatedPerson

Comment

Annotation

author

Reference (Practitioner)

text (markdown)

Adverse reaction (clinical symptoms/manifestation)

Adverse reaction (severity)

Terminology Bindings

AllergyIntolerance.clinicalStatus

Description: The clinical status of the allergy or intolerance.

Details: AllergyIntolerance Clinical Status Codes

System: http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical

AllergyIntolerance.verificationStatus

Description: The assertion about the certainty associated with the propensity, or potential risk, of a reaction to the identified substance (including pharmaceutical products).

Details: AllergyIntolerance Verification Status Codes

System: http://terminology.hl7.org/CodeSystem/allergyintolerance-verification

AllergyIntolerance.type

Description: The identification of the underlying physiological mechanism for the reaction risk.

Details: AllergyIntoleranceType

System: http://hl7.org/fhir/allergy-intolerance-type

AllergyIntolerance.category

Description: The category of the identified substance.

Details: AllergyIntoleranceCategory

System: http://hl7.org/fhir/allergy-intolerance-category

AllergyIntolerance.criticality

Description: The estimate of the potential clinical harm, or seriousness, of the reaction to the identified substance.

Details: AllergyIntoleranceCriticality

System: http://hl7.org/fhir/allergy-intolerance-criticality

AllergyIntolerance.code

Description: The code for an allergy or intolerance statement (either a positive or a negated or excluded statement). This code may be for a substance or pharmaceutical product that is considered responsible for the adverse reaction risk (for example, Latex), an allergy or intolerance condition (for example, Latex allergy), or a negated or excluded code for a specific substance or class (for example, No latex allergy) or a general or categorical negated statement (for example, No known allergy, No known drug allergies).

Details: RxNorm

System: http://www.nlm.nih.gov/research/umls/rxnorm

Details: Substance Code

System: http://hl7.org/fhir/ValueSet/substance-code

Details: SNOMED CT

System: http://snomed.info/sct

AllergyIntolerance.reaction.manifestation

Description: The clinical symptoms, signs, or both that are observed or associated with the adverse reaction event.

Details: SNOMED CT Clinical Findings

System: http://snomed.info/sct

AllergyIntolerance.reaction.severity

Description: The clinical assessment of the severity of a reaction event as a whole.

Details: AllergyIntoleranceSeverity

System: http://hl7.org/fhir/reaction-event-severity

Extensions

All URLs for custom extensions are defined as https://fhir-ehr.cerner.com/r4/StructureDefinition/{id}

Table - Extensions

ID | Value[x] Type | Description
precision | CodeableConcept | The indication of the precision of a given value.

AllergyIntolerance

The operations from the AllergyIntolerance category.

Create an allergy intolerance

Method: post Path: /AllergyIntolerance

Get a list of allergy intolerances

Method: get Path: /AllergyIntolerance

Get an allergy intolerance by ID

Method: get Path: /AllergyIntolerance/{ID}

Update an allergy intolerance

Method: put Path: /AllergyIntolerance/{ID}

Create an allergy intolerance

File: r4-rest-api-v32/op-allergyintolerance-post.html

Creates a new allergy intolerance.

Note: Only the body fields mentioned below are supported. Unsupported fields are ignored.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

The body of the create operation.

Root Schema : AllergyIntoleranceCreate

Type:

object

A summary representation of the create (POST) operation for the AllergyIntolerance resource.

Show Source

asserter: object

asserter

Indicates the source of information about the allergy. The asserter must be provided and linked to the contained resource if a contained resource is specified.

Note:

Example:

```
{
  "asserter":{
    "reference":"#638994"
  }
}
```

category: array

category

The category of the identified code.

Note:

* The category code of biologic is not supported.

* Only a single category is written to the allergy.

* When multiple categories are provided, the selected category is based on precedence (medication > food > environment).

Example:

```
{
  "category":[
    "environment",
    "food",
    "medication"
  ]
}
```

clinicalStatus(required): object

clinicalStatus

The clinical status of the allergy intolerance. A clinicalStatus must always be provided while creating an allergy.

Note:

Example:

```
{
  "clinicalStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical",
        "code": "resolved"
      }
    ]
  }
}
```

code(required): object

code

A code that identifies the allergy or intolerance. A code must always be provided while creating an allergy.

Note:

Example:

```
{
  "code":{
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "9220005"
      }
    ],
    "text": "Plant phenol oil"
  }
}
```

contained: string

Contained, inline resources. These resources should be either or resources that are relative references from the field. Contained RelatedPerson Contained PractitionerRole

Note:

PractitionerRole

RelatedPerson

asserter

Examples:

```
{
  "contained": [
    {
      "resourceType":"RelatedPerson",
      "id":"638996",
      "relationship":[
        {
          "coding":[
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
              "code": "PRN",
            }
          ]
        }
      ],
      "patient":{
        "reference":"Patient/12742400"
      }
    }
```

```
  ]
}
{
  "contained": [
    {
      "resourceType":"PractitionerRole",
      "id":"638994",
      "code":[
        {
          "coding":[
            {
              "system":"http://terminology.hl7.org/CodeSystem/practitioner-role",
              "code":"doctor"
            }
          ]
        }
      ]
    }
  ]
}
```

criticality: array

criticality

Values are , , and .

low

high

unable-to-assess

Example:

```
{
  "criticality": "high"
}
```

encounter: object

encounter

Indicates the encounter when the allergy or intolerance was asserted.

Example:

```
{
  "encounter": {
    "reference":"Encounter/1693915"
  }
}
```

note: array

note

Additional narrative about the allergy not captured in other fields. An author and text can be specified but note.time is always defaulted.

Note:

Example:

```
{
  "note": [
    {
      "authorReference": {
        "reference": "Practitioner/2578010"
      },
      "text": "Allergy reported by patient."
    }
  ]
}
```

onset[x]:

The estimated date, actual date, or date and time when the allergy began, in the opinion of the clinician.

Note:

* Only a type of dateTime is supported.

* The dateTime is converted to a GMT date.

Example:

```
{
  "onsetDateTime": "2015-10-14T13:13:20-06:00"
}
```

patient(required): object

patient

Indicates the patient who the sensitivity is for.

Example:

```
{
  "patient": {
    "reference": "Patient/631923"
  }
}
```

reaction: array

reaction

Adverse reaction events linked to exposure to substance

Example:

```
{
  "reaction":[
    {
      "manifestation":[
        {
          "coding":[
            {
              "system":"http://snomed.info/sct",
              "code":"414322003"
            }
          ],
          "text":"Blastobacter"
        }
      ],
      "severity":"severe"
    }
  ]
}
```

* resourceType(required): string Allowed Values: ["AllergyIntolerance"] The type of the FHIR resource.

type: string

The underlying mechanism (if known), either or .

allergy

intolerance

Example:

```
{
  "type": "allergy"
}
```

verificationStatus: object

verificationStatus

The verification status to support or decline the clinical status of an allergy. verificationStatus codes of and are not supported during AllergyIntolerance creates.

Note:

entered-in-error

refuted

Example:

```
{
  "verificationStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-verification",
        "code": "confirmed"
      }
    ]
  }
}
```

```
{
    "description":"A summary representation of the create (POST) operation for the AllergyIntolerance resource.",
    "type":"object",
    "required":[
        "resourceType",
        "clinicalStatus",
        "code",
        "patient",
        "reaction.manifestation"
    ],
    "properties":{
        "resourceType":{
            "description":"The type of the FHIR resource.\n",
            "type":"string",
            "enum":[
                "AllergyIntolerance"
            ]
        },
        "contained":{
            "description":"Contained, inline resources.\n\n<br><b>Note:</b> These resources should be either
    <code>PractitionerRole</code> or <a target=\"_blank\"
```

```
href=\"https://hl7.org/fhir/R4/relatedperson.html\"><code>RelatedPerson</code></a> resources that are relative
references from the <code>asserter</code> field.\n\n\n<br><b>Examples:</b>\n\n<br>Contained
RelatedPerson\n<pre><code>{\n  \"contained\": [\n    {\n      \"resourceType\":\"RelatedPerson\",\n
\"id\":\"638996\",\n      \"relationship\":[\n        {\n          \"coding\":[\n            {\n
\"system\": \"http://terminology.hl7.org/CodeSystem/v3-RoleCode\",\n              \"code\": \"PRN\",\n
}\n          ]\n        }\n      ],\n      \"patient\":{\n        \"reference\":\"Patient/12742400\"\n      }\n
}\n  ]\n}</code></pre>\n\nContained PractitionerRole\n<pre><code>{\n  \"contained\": [\n    {\n
\"resourceType\":\"PractitionerRole\",\n      \"id\":\"638994\",\n      \"code\":[\n        {\n
\"coding\":[\n            {\n              \"system\":\"http://terminology.hl7.org/CodeSystem/practitioner-role\",\n
              \"code\":\"doctor\"\n            }\n          ]\n        }\n      ]\n    }\n  ]\n}</code></pre>\n",
        "type":"string"
    },
    "clinicalStatus":{
        "description":"The clinical status of the allergy intolerance.\n\n<br><b>Note:</b> A clinicalStatus must
always be provided while creating an allergy.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"clinicalStatus\": {\n
\"coding\": [\n      {\n        \"system\": \"http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical\",\n
        \"code\": \"resolved\"\n      }\n    ]\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "verificationStatus":{
        "description":"The verification status to support or decline the clinical status of an
allergy.\n\n<br><b>Note:</b> verificationStatus codes of <code>entered-in-error</code> and <code>refuted</code> are
not supported during AllergyIntolerance creates.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"verificationStatus\":
{\n    \"coding\": [\n      {\n        \"system\": \"http://terminology.hl7.org/CodeSystem/allergyintolerance-
verification\",\n        \"code\": \"confirmed\"\n      }\n    ]\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "type":{
        "description":"The underlying mechanism (if known), either <code>allergy</code> or
<code>intolerance</code>.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"type\": \"allergy\"\n}</code></pre>\n",
        "type":"string"
    },
    "category":{
        "description":"The category of the identified code.\n\n<br><b>Note:</b>\n<ul>\n  <li> The category code of
<code>biologic</code> is not supported.</li>\n  <li> Only a single category is written to the allergy. </li>\n  <li>
 When multiple categories are provided, the selected category is based on precedence (medication > food >
environment). </li>\n</ul>\n\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"category\":[\n    \"environment\",\n
\"food\",\n    \"medication\"\n  ]\n}</code></pre>\n",
        "type":"array",
        "items":{
            "type":"string"
        }
    },
    "criticality":{
        "description":"Values are <code>low</code>, <code>high</code>, and <code>unable-to-
assess</code>.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"criticality\": \"high\"\n}</code></pre>\n",
        "type":"array",
        "items":{
            "type":"string"
        }
    },
```

```
    "code":{
        "description":"A code that identifies the allergy or intolerance.\n\n<br><b>Note:</b> A code must always be
provided while creating an allergy.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"code\":{\n    \"coding\": [\n
{\n        \"system\": \"http://snomed.info/sct\",\n        \"code\": \"9220005\"\n      }\n    ],\n    \"text\":
\"Plant phenol oil\"\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "patient":{
        "description":"Indicates the patient who the sensitivity is for.\n\n<br><b>Example:</b>\n\n<pre><code>{\n
\"patient\": {\n    \"reference\": \"Patient/631923\"\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "encounter":{
        "description":"Indicates the encounter when the allergy or intolerance was
asserted.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"encounter\": {\n    \"reference\":\"Encounter/1693915\"\n
}\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "onset[x]":{
        "description":"The estimated date, actual date, or date and time when the allergy began, in the opinion of
the clinician.\n\n<br><b>Note:</b>\n<ul>\n  <li> Only a type of <code>dateTime</code> is supported.</li>\n  <li> The
 <code>dateTime</code> is converted to a GMT date. </li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n
\"onsetDateTime\": \"2015-10-14T13:13:20-06:00\"\n}</code></pre>\n"
    },
    "asserter":{
        "description":"Indicates the source of information about the allergy.\n\n<br><b>Note:</b> The asserter must
be provided and linked to the contained resource if a contained resource is
specified.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"asserter\":{\n    \"reference\":\"#638994\"\n
}\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "note":{
        "description":"Additional narrative about the allergy not captured in other fields.\n<br><b>Note:</b> An
author and text can be specified but note.time is always  defaulted.\n<br><b>Example:</b>\n<pre><code>{\n  \"note\":
 [\n    {\n      \"authorReference\": {\n        \"reference\": \"Practitioner/2578010\"\n      },\n      \"text\":
\"Allergy reported by patient.\"\n    }\n  ]\n}</code></pre>\n",
        "type":"array",
        "items":{
            "type":"object",
            "properties":{
                "authorReference":{
                    "type":"object",
                    "properties":{
                        "reference":{
                            "type":"string"
                        }
                    }
                },
                "time":{
                    "type":"string"
                },
                "text":{
                    "type":"string"
                }
            }
```

```
            }
        },
        "reaction":{
            "description":"Adverse reaction events linked to exposure to
    substance\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"reaction\":[\n    {\n      \"manifestation\":[\n        {\n
              \"coding\":[\n            {\n              \"system\":\"http://snomed.info/sct\",\n
    \"code\":\"414322003\"\n           }\n          ],\n          \"text\":\"Blastobacter\"\n        }\n      ],\n
          \"severity\":\"severe\"\n    }\n  ]\n}</code></pre>\n",
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "reaction.manifestation":{
                        "description":"The clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b>
    Only one manifestation can be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n
    {\n        \"coding\":[\n          {\n            \"system\":\"http://snomed.info/sct\",\n
    \"code\":\"414322003\"\n          }\n        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n
    }\n}</code></pre>\n",
                        "type":"array",
                        "items":{
                            "type":"object",
                            "properties":{
                                "text":{
                                    "type":"string"
                                },
                                "coding":{
                                    "type":"array",
                                    "items":{
                                        "type":"object",
                                        "properties":{
                                            "system":{
                                                "type":"string"
                                            },
                                            "code":{
                                                "type":"string"
                                            }
                                        }
                                    }
                                }
                            }
                        }
                    },
                    "reaction.severity":{
                        "description":"Values are <code>mild</code>, <code>moderate</code>, and <code>severe</code> (of
    the event as a whole).\n<br><b>Example:</b>\n<pre><code>{\n  \"severity\":\"severe\"\n}</code></pre>  \n",
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : asserter

Type:

object

Indicates the source of information about the allergy. The asserter must be provided and linked to the contained resource if a contained resource is specified.

Note:

Example:

```
{
  "asserter":{
    "reference":"#638994"
  }
}
```

Show Source

* reference: string

```
{
    "description":"Indicates the source of information about the allergy.\n\n<br><b>Note:</b> The asserter must be
    provided and linked to the contained resource if a contained resource is
    specified.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"asserter\":{\n    \"reference\":\"#638994\"\n
    }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : category

Type:

array

The category of the identified code.

Note:

* The category code of biologic is not supported.

* Only a single category is written to the allergy.

* When multiple categories are provided, the selected category is based on precedence (medication > food > environment).

Example:

```
{
  "category":[
    "environment",
    "food",
    "medication"
  ]
}
```

Show Source

* Array of: string


```
{
    "description":"The category of the identified code.\n\n<br><b>Note:</b>\n<ul>\n  <li> The category code of
    <code>biologic</code> is not supported.</li>\n  <li> Only a single category is written to the allergy. </li>\n  <li>
     When multiple categories are provided, the selected category is based on precedence (medication > food >
    environment). </li>\n</ul>\n\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"category\":[\n    \"environment\",\n
    \"food\",\n    \"medication\"\n  ]\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"string"
    }
}
```


Nested Schema : clinicalStatus

Type:

object

The clinical status of the allergy intolerance. A clinicalStatus must always be provided while creating an allergy.

Note:

Example:

```
{
  "clinicalStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical",
        "code": "resolved"
      }
    ]
  }
}
```

Show Source

* coding: array coding

* text: string


```
{
    "description":"The clinical status of the allergy intolerance.\n\n<br><b>Note:</b> A clinicalStatus must always be
    provided while creating an allergy.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"clinicalStatus\": {\n    \"coding\":
     [\n      {\n        \"system\": \"http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical\",\n
    \"code\": \"resolved\"\n      }\n    ]\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```


Nested Schema : code

Type:

object

A code that identifies the allergy or intolerance. A code must always be provided while creating an allergy.

Note:

Example:

```
{
  "code":{
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "9220005"
      }
    ],
    "text": "Plant phenol oil"
  }
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"A code that identifies the allergy or intolerance.\n\n<br><b>Note:</b> A code must always be provided
     while creating an allergy.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"code\":{\n    \"coding\": [\n      {\n
           \"system\": \"http://snomed.info/sct\",\n        \"code\": \"9220005\"\n      }\n    ],\n    \"text\":
    \"Plant phenol oil\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : criticality

Type:

array

Values are , , and .

low

high

unable-to-assess

Example:

```
{
  "criticality": "high"
}
```

Show Source

* Array of: string

```
{
    "description":"Values are <code>low</code>, <code>high</code>, and <code>unable-to-
    assess</code>.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"criticality\": \"high\"\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"string"
    }
}
```

Nested Schema : encounter

Type:

object

Indicates the encounter when the allergy or intolerance was asserted.

Example:

```
{
  "encounter": {
    "reference":"Encounter/1693915"
  }
}
```


Show Source

* reference: string


```
{
    "description":"Indicates the encounter when the allergy or intolerance was
    asserted.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"encounter\": {\n    \"reference\":\"Encounter/1693915\"\n
    }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : note

Type:

array

Additional narrative about the allergy not captured in other fields. An author and text can be specified but note.time is always defaulted.

Note:

Example:


```
{
  "note": [
    {
      "authorReference": {
        "reference": "Practitioner/2578010"
      },
      "text": "Allergy reported by patient."
    }
  ]
}
```


Show Source

* Array of: object items


```
{
    "description":"Additional narrative about the allergy not captured in other fields.\n<br><b>Note:</b> An author and
    text can be specified but note.time is always  defaulted.\n<br><b>Example:</b>\n<pre><code>{\n  \"note\": [\n    {\n
          \"authorReference\": {\n        \"reference\": \"Practitioner/2578010\"\n      },\n      \"text\": \"Allergy
    reported by patient.\"\n    }\n  ]\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "authorReference":{
                "type":"object",
                "properties":{
                    "reference":{
                        "type":"string"
                    }
                }
            },
            "time":{
                "type":"string"
            },
            "text":{
                "type":"string"
            }
        }
    }
}
```


Nested Schema : patient

Type:

object

Indicates the patient who the sensitivity is for.

Example:


```
{
  "patient": {
    "reference": "Patient/631923"
  }
}
```


Show Source

* reference: string

```
{
    "description":"Indicates the patient who the sensitivity is for.\n\n<br><b>Example:</b>\n\n<pre><code>{\n
    \"patient\": {\n    \"reference\": \"Patient/631923\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : reaction

Type:

array

Adverse reaction events linked to exposure to substance

Example:


```
{
  "reaction":[
    {
      "manifestation":[
        {
          "coding":[
            {
              "system":"http://snomed.info/sct",
              "code":"414322003"
            }
          ],
          "text":"Blastobacter"
        }
      ],
      "severity":"severe"
    }
  ]
}
```


Show Source

* Array of: object items


```
{
    "description":"Adverse reaction events linked to exposure to substance\n\n<br><b>Example:</b>\n\n<pre><code>{\n
    \"reaction\":[\n    {\n      \"manifestation\":[\n        {\n          \"coding\":[\n            {\n
    \"system\":\"http://snomed.info/sct\",\n              \"code\":\"414322003\"\n            }\n          ],\n
              \"text\":\"Blastobacter\"\n        }\n      ],\n      \"severity\":\"severe\"\n    }\n
    ]\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "reaction.manifestation":{
                "description":"The clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b> Only one
    manifestation can be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n      {\n
            \"coding\":[\n          {\n            \"system\":\"http://snomed.info/sct\",\n
    \"code\":\"414322003\"\n          }\n        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n
    }\n}</code></pre>\n",
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "text":{
                            "type":"string"
                        },
                        "coding":{
                            "type":"array",
                            "items":{
                                "type":"object",
                                "properties":{
                                    "system":{
                                        "type":"string"
                                    },
                                    "code":{
                                        "type":"string"
                                    }
                                }
                            }
                        }
                    }
                }
            },
            "reaction.severity":{
                "description":"Values are <code>mild</code>, <code>moderate</code>, and <code>severe</code> (of the
    event as a whole).\n<br><b>Example:</b>\n<pre><code>{\n  \"severity\":\"severe\"\n}</code></pre>  \n",
                "type":"string"
            }
        }
    }
}
```

Nested Schema : verificationStatus

Type:

object

The verification status to support or decline the clinical status of an allergy. verificationStatus codes of and are not supported during AllergyIntolerance creates.

Note:

entered-in-error

refuted

Example:

```
{
  "verificationStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-verification",
        "code": "confirmed"
      }
    ]
  }
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"The verification status to support or decline the clinical status of an allergy.\n\n<br><b>Note:</b>
    verificationStatus codes of <code>entered-in-error</code> and <code>refuted</code> are not supported during
    AllergyIntolerance creates.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"verificationStatus\": {\n    \"coding\": [\n
          {\n        \"system\": \"http://terminology.hl7.org/CodeSystem/allergyintolerance-verification\",\n
    \"code\": \"confirmed\"\n      }\n    ]\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string


```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```


Nested Schema : coding

Type:

array

Show Source

* Array of: object items


```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```


Nested Schema : items

Type:

object

Show Source

* code: string

* system: string


```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```


Nested Schema : items

Type:

object

Show Source

* authorReference: object authorReference

* text: string

* time: string


```
{
    "type":"object",
    "properties":{
        "authorReference":{
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        },
        "time":{
            "type":"string"
        },
        "text":{
            "type":"string"
        }
    }
}
```

Nested Schema : authorReference

Type:

object

Show Source

* reference: string

```
{
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

reaction.manifestation: array

reaction.manifestation

The clinical symptoms or signs associated with the event. Only one manifestation can be provided.

Note:

Example:

```
{
  {
    "manifestation":[
      {
        "coding":[
          {
            "system":"http://snomed.info/sct",
            "code":"414322003"
          }
        ],
        "text":"Blastobacter"
      }
    ]
  }
}
```

reaction.severity: string

Values are , , and (of the event as a whole).

mild

moderate

severe

Example:

```
{
  "severity":"severe"
}
```

```
{
    "type":"object",
    "properties":{
        "reaction.manifestation":{
            "description":"The clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b> Only one
    manifestation can be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n      {\n
            \"coding\":[\n          {\n            \"system\":\"http://snomed.info/sct\",\n
    \"code\":\"414322003\"\n          }\n        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n
    }\n}</code></pre>\n",
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "text":{
                        "type":"string"
                    },
                    "coding":{
                        "type":"array",
                        "items":{
                            "type":"object",
                            "properties":{
                                "system":{
                                    "type":"string"
                                },
                                "code":{
                                    "type":"string"
                                }
                            }
```

```
                        }
                    }
                }
            }
        },
        "reaction.severity":{
            "description":"Values are <code>mild</code>, <code>moderate</code>, and <code>severe</code> (of the event as
     a whole).\n<br><b>Example:</b>\n<pre><code>{\n  \"severity\":\"severe\"\n}</code></pre>  \n",
            "type":"string"
        }
    }
}
```


Nested Schema : reaction.manifestation

Type:

array

The clinical symptoms or signs associated with the event. Only one manifestation can be provided.

Note:

Example:


```
{
  {
    "manifestation":[
      {
        "coding":[
          {
            "system":"http://snomed.info/sct",
            "code":"414322003"
          }
        ],
        "text":"Blastobacter"
      }
    ]
  }
}
```


Show Source

* Array of: object items


```
{
    "description":"The clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b> Only one manifestation
    can be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n      {\n
    \"coding\":[\n          {\n            \"system\":\"http://snomed.info/sct\",\n            \"code\":\"414322003\"\n
              }\n        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n  }\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    }
}
```


Nested Schema : items

Type:

object

Show Source

* coding: array coding

* text: string


```
{
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
```

```
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance
```

Example Request Body:

```
{
    'resourceType': 'AllergyIntolerance',
    'contained': [
      {
        'resourceType': 'PractitionerRole',
        'id': '638995',
        'code': [
          {
            'coding': [
              {
                'system': 'http://terminology.hl7.org/CodeSystem/practitioner-role',
                'code': 'nurse'
              }
            ]
          }
        ]
      }
    ],
    'clinicalStatus': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
          'code': 'active'
        }
      ]
    },
    'verificationStatus': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
          'code': 'confirmed'
        }
      ]
    },
    'type': 'allergy',
    'category': [
      'medication'
    ],
    'criticality': 'high',
    'code': {
      'coding': [
        {
          'system': 'http://www.nlm.nih.gov/research/umls/rxnorm',
          'code': '723'
        }
      ],
      'text': 'amoxicillin'
    },
    'patient': {
      'reference': 'Patient/12742399'
    },
    'encounter': {
      'reference': 'Encounter/97953523'
    },
    'onsetDateTime': '2019-09-11T05:00:00.000Z',
    'asserter': {
      'reference': '#638995'
    },
    'note': [
      {
```

```
        'authorReference': {
          'reference': 'Practitioner/12742399'
        },
        'text': 'Updated with additional details provided by patient.'
      }
    ],
    'reaction': [
      {
        'manifestation': [
          {
            'coding': [
              {
                'system': 'http://snomed.info/sct',
                'code': '271757001'
              }
            ],
            'text': 'Papular eruption'
          }
        ],
        'severity': 'severe'
      }
    ]
  }
```

Example Response:

```
  HTTP Status: 201 Created
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Wed, 14 Aug 2019 17:23:14 GMT
  Etag: W/"6767735"
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/6767735
  Last-Modified: Wed, 14 Aug 2019 17:23:14 GMT
  Vary: Origin
  X-Request-Id: 11111111111111111111111111111111
```

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of allergy intolerances

File: r4-rest-api-v32/op-allergyintolerance-get.html

Retrieves a list of allergy intolerances that meet supplied query parameters.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Query Parameters

_id: string

The logical resource ID. Example:

* This parameter is required if the patient parameter is not used.

* May not be provided with any other parameters except for _revinclude as indicated below.

_id=12345

_lastUpdated: string

The date range in which the allergy record was last updated. Example:

* This parameter may be provided up to two times, and must use the eq, ge, gt, le, or lt prefixes.

* When a value is provided without a prefix, an implied eq prefix is used.

* When provided twice, the lower value must have a ge or gt prefix and the higher value must have an le or lt prefix.

_lastUpdated=gt2014-09-24T12:00:00.000Z

_revinclude: string

The provenance resource entries to be returned as part of the bundle. Example:

* May be provided once with the Provenance:target value. Example: _revinclude=Provenance:target

* May be provided with the _id parameter. Example: _id=178866310&_revinclude=Provenance:target

* May be provided with the _patient parameter. Example: _patient=12742399&_revinclude=Provenance:target

* When _revinclude is provided in a request to the closed endpoint, the OAuth2 token must include the scope corresponding with the authorization type, such as user/Provenance.read, patient/Provenance.read, or system/Provenance.read.

_revinclude=Provenance:target

* clinical-status: string The clinical status of the allergy or intolerance. Example: active, inactive, resolved

* patient: string Who the sensitivity is for. This parameter is required if the _id parameter is not used. Example: patient=12345

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example search by patient.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance?patient=12742399
```

Example Response:


```
{
    'resourceType': 'Bundle',
    'id': '30e959ca-24f5-43a5-bf8d-46bbb1991b01',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance?patient=12742399'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/12760025',
        'resource': R4_ALLERGY_INTOLERANCE_ENTRY
      },
      {
        'fullUrl': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/12760007',
        'resource': {
          'resourceType': 'AllergyIntolerance',
          'id': '12760007',
          'meta': {
            'versionId': '12760007',
            'lastUpdated': '2020-03-04T20:13:51Z'
          },
          'text': {
            'status': 'generated',
            'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Allergy Intolerance</b></p><p><b>Patient</b>: SMART,
     SANDY A</p><p><b>Allergy</b>: Cow&#39;s milk (substance)</p><p><b>Verification Status</b>:
    Confirmed</p><p><b>Clinical Status</b>: Active</p><p><b>Criticality</b>: High Risk</p><p><b>Category</b>:
    Food</p><p><b>Reactions</b>: Hives</p><p><b>Onset</b>: Dec 14, 2019  6:00 P.M. CST</p></div>'
          },
          'contained': [
            {
              'resourceType': 'RelatedPerson',
              'id': '638993',
              'patient': {
                'reference': 'Patient/12742399',
                'display': 'SMART, SANDY A'
              },
              'relationship': [
                {
                  'coding': [
                    {
                      'system': 'http://snomed.info/sct',
                      'code': '35359004',
                      'display': 'Family (social concept)'
                    },
                    {
                      'system': 'http://terminology.hl7.org/CodeSystem/v3-RoleCode',
                      'code': 'FAMMEMB',
                      'display': 'family member'
```

```
                  }
                ],
                'text': 'family member'
              }
            ]
          }
        ],
        'clinicalStatus': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
              'code': 'active',
              'display': 'Active'
            }
          ],
          'text': 'Active'
        },
        'verificationStatus': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
              'code': 'confirmed',
              'display': 'Confirmed'
            }
          ],
          'text': 'Active'
        },
        'type': 'allergy',
        'category': [
          'food'
        ],
        'criticality': 'high',
        'code': {
          'coding': [
            {
              'system': 'http://snomed.info/sct',
              'code': '3718001',
              'display': "Cow's milk (substance)"
            }
          ],
          'text': "Cow's Milk"
        },
        'patient': {
          'reference': 'Patient/12742399',
          'display': 'SMART, SANDY A'
        },
        'encounter': {
          'reference': 'Encounter/97953523'
        },
        'onsetDateTime': '2019-12-15T00:00:00Z',
        'recordedDate': '2020-03-04T20:13:51Z',
        'recorder': {
          'reference': 'Practitioner/12724045',
          'display': 'Graham, Joshua'
        },
        'asserter': {
          'reference': '#638993'
        },
        'reaction': [
          {
            'id': '12760009',
            'manifestation': [
              {
                'coding': [
                  {
                    'system': 'http://snomed.info/sct',
                    'code': '247472004',
                    'display': 'Weal (disorder)'
                  }
                ],
                'text': 'Hives'
              }
            ]
          }
        ]
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-nil-clinicalStatus Response

Example search of allergy intolerance records where clinicalStatus is missing.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance?patient=19785380
```

Example Response:


```
{
    'resourceType': 'Bundle',
    'id': '8d48e45a-d247-4f93-8d38-b5302a64e7ba',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'http://localhost:3000/r4/91fd1841-fb25-42f3-a48e-1264a2c6b72a/AllergyIntolerance?patient=19785380'
      }
    ],
    'entry': [
      {
        'fullUrl': 'http://localhost:3000/r4/91fd1841-fb25-42f3-a48e-1264a2c6b72a/AllergyIntolerance/14891127',
        'resource': {
          'resourceType': 'AllergyIntolerance',
          'id': '14891127',
          'meta': {
            'versionId': '14892293',
            'lastUpdated': '2024-04-23T09:56:39Z'
          },
          'text': {
            'status': 'generated',
            'div': '<div xmlns=\???http://www.w3.org/1999/xhtml\???><p><b>Allergy Intolerance</b></p><p><b>Patient</b>:
    NEW, BORN</p><p><b>Allergy</b>: Aspirin</p><p><b>Verification Status</b>: Unconfirmed</p><p><b>Clinical Status</b>:
    Active</p><p><b>Category</b>: Medication</p></div>'
          },
          'clinicalStatus': {
            'coding': [
              {
                'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
                'code': 'active',
                'display': 'Active'
              }
            ],
            'text': 'Proposed'
          },
          'verificationStatus': {
            'coding': [
              {
                'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
                'code': 'unconfirmed',
                'display': 'Unconfirmed'
              }
            ],
            'text': 'Proposed'
          },
          'type': 'allergy',
          'category': [
            'medication'
          ],
          'code': {
            'coding': [
              {
                'system': 'http://www.nlm.nih.gov/research/umls/rxnorm',
                'code': '1191',
                'display': 'Aspirin'
              }
            ],
            'text': 'aspirin'
          },
          'patient': {
            'reference': 'Patient/19785380',
            'display': 'NEW, BORN'
          },
          'encounter': {
            'reference': 'Encounter/101540658'
          },
          'recordedDate': '2024-04-17T13:26:49Z',
          'recorder': {
            'reference': 'Practitioner/13990091',
            'display': 'PCCAC, UserOne'
          }
        },
        'search': {
          'mode': 'match'
        }
      },
      {
        'fullUrl': 'urn:uuid:2f511c7d-bc0e-42a5-af2d-97de95f7ea3a',
        'resource': {
          'resourceType': 'OperationOutcome',
          'issue': [
            {
```

```
            'severity': 'warning',
            'code': 'suppressed',
            'diagnostics': 'Other search results were found but could not be compliantly expressed and hence have been
     suppressed'
          }
        ]
      },
      'search': {
        'mode': 'outcome'
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-patient-auth Response

Example search using patient authorization.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance?patient=12742399
```

Example Response:

```
{
    "resourceType": 'Bundle',
    "id": '92a4b8d7-58dc-4b37-b387-bebeb68def51',
    "type": 'searchset',
    "link": [
      {
        "relation": 'self',
        "url": 'http://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance?patient=12724066'
      }
    ],
    "entry": [
      {
        'fullUrl': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/12766993',
        'resource': R4_ALLERGY_INTOLERANCE_PATIENT_ENTRY
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-revinclude Response

Example search while using the parameter.

_revinclude

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance?_id=74771957,S-
    75479691&_revinclude=Provenance:target
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': '65ee4c79-3514-4eab-b606-10ad56fb0d5d',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance?_id=74771957%2CS-
    75479691&_revinclude=Provenance%3Atarget'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/74771957',
        'resource': {
          'resourceType': 'AllergyIntolerance',
          'id': '74771957',
          'meta': {
            'versionId': '74771957',
            'lastUpdated': '2019-05-15T13:15:25Z'
          },
          'text': {
```

```
        'status': 'generated',
        'div': '<div xmlns=\'http://www.w3.org/1999/xhtml\'><p><b>Allergy Intolerance</b></p><p><b>Patient</b>:
John, Smith</p><p><b>Allergy</b>: Peanut - dietary (substance)</p><p><b>Verification Status</b>:
Confirmed</p><p><b>Clinical Status</b>: Active</p><p><b>Criticality</b>: High Risk</p><p><b>Category</b>:
Medication</p><p><b>Onset</b>: May 15, 2019  1:15 P.M. UTC</p></div>'
      },
      'clinicalStatus': {
        'coding': [
          {
            'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
            'code': 'active',
            'display': 'Active'
          }
        ],
        'text': 'Active'
      },
      'verificationStatus': {
        'coding': [
          {
            'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
            'code': 'confirmed',
            'display': 'Confirmed'
          }
        ],
        'text': 'Active'
      },
      'type': 'allergy',
      'category': [
        'medication'
      ],
      'criticality': 'high',
      'code': {
        'coding': [
          {
            'system': 'http://snomed.info/sct',
            'code': '256349002',
            'display': 'Peanut - dietary (substance)'
          }
        ],
        'text': 'Peanuts'
      },
      'patient': {
        'reference': 'Patient/150915497',
        'display': 'John, Smith'
      },
      'encounter': {
        'reference': 'Encounter/44324934'
      },
      'onsetDateTime': '2019-05-15T13:15:25Z',
      'recordedDate': '2019-05-15T13:15:25Z',
      'recorder': {
        'reference': 'Practitioner/8176589',
        'display': 'DIRECTORYSERVICEUSER, DIRECTORYSERVICEUSER'
      },
      'asserter': {
        'reference': 'Patient/150915497',
        'display': 'John, Smith'
      }
    },
    'search': {
      'mode': 'match'
    }
  },
  {
    'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/S-75479691',
    'resource': {
      'resourceType': 'AllergyIntolerance',
      'id': 'S-75479691',
      'meta': {
        'versionId': '1',
        'lastUpdated': '2020-03-19T20:47:44Z',
        'security': [
          {
            'system': 'http://terminology.hl7.org/CodeSystem/v3-ObservationValue',
            'code': 'UNCERTREL',
            'display': 'Uncertain Reliability'
          }
        ]
      },
      'text': {
        'status': 'generated',
        'div': '<div xmlns=\'http://www.w3.org/1999/xhtml\'><p><b>Allergy Intolerance</b></p><p><b>Patient</b>:
MARSTON, JACK</p><p><b>Meta Security</b>: Uncertain Reliability</p><p><b>Allergy</b>: Strawberry
(substance)</p><p><b>Verification Status</b>: Confirmed</p><p><b>Clinical Status</b>:
Active</p><p><b>Criticality</b>: High Risk</p><p><b>Category</b>: Medication</p><p><b>Onset</b>: Sep 11, 2019 12:00
A.M. CDT</p><p><b>Note</b>: Allergy reported by patient.</p></div>'
      },
      'contained': [
        {
```

```
          'resourceType': 'PractitionerRole',
          'id': '638995',
          'code': [
            {
              'coding': [
                {
                  'system': 'http://snomed.info/sct',
                  'code': '106292003',
                  'display': 'Professional nurse (occupation)'
                }
              ],
              'text': 'Professional nurse (occupation)'
            }
          ]
        }
      ],
      'clinicalStatus': {
        'coding': [
          {
            'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
            'code': 'active',
            'display': 'Active'
          }
        ],
        'text': 'Active'
      },
      'verificationStatus': {
        'coding': [
          {
            'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
            'code': 'confirmed',
            'display': 'Confirmed'
          }
        ],
        'text': 'Active'
      },
      'type': 'allergy',
      'category': [
        'medication'
      ],
      'criticality': 'high',
      'code': {
        'coding': [
          {
            'system': 'http://snomed.info/sct',
            'code': '102261002',
            'display': 'Strawberry (substance)'
          }
        ],
        'text': 'Strawberry'
      },
      'patient': {
        'reference': 'Patient/166045489',
        'display': 'MARSTON, JACK'
      },
      'onsetDateTime': '2019-09-11T05:00:00Z',
      'recorder': {
        'reference': 'Practitioner/1',
        'display': 'SYSTEM, SYSTEM'
      },
      'asserter': {
        'reference': '#638995'
      },
      'note': [
        {
          'authorReference': {
            'reference': 'Practitioner/2578010'
          },
          'text': 'Allergy reported by patient.'
        }
      ]
    },
    'search': {
      'mode': 'match'
    }
  },
  {
    'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/all-4957069',
    'resource': {
      'resourceType': 'Provenance',
      'id': 'all-4957069',
      'meta': {
        'versionId': '4957069',
        'lastUpdated': '2020-03-16T21:45:09Z'
      },
      'text': {
        'status': 'generated',
        'div': '<div xmlns=\'http://www.w3.org/1999/xhtml\'><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><li>All
ergyIntolerance/74771957</li></ul><p><b>Recorded</b>: Mar 16, 2020  4:45 P.M.
```

```
CDT</p><p><b>Agents</b>:</p><dl><dt>Unknown</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
Source</dd></dl><p><b>Entity Source</b>: DocumentReference/S-200</p></div>'
      },
      'target': [
        {
          'reference': 'AllergyIntolerance/74771957'
        }
      ],
      'recorded': '2020-03-16T21:45:09Z',
      'agent': [
        {
          'type': {
            'coding': [
              {
                'system': 'http://terminology.hl7.org/CodeSystem/provenance-participant-type',
                'code': 'author'
              }
            ],
            'text': 'Author'
          },
          'role': [
            {
              'coding': [
                {
                  'system': 'http://terminology.hl7.org/CodeSystem/contractsignertypecodes',
                  'code': 'SOURCE'
                }
              ],
              'text': 'Source'
            }
          ],
          'who': {
            'reference': 'Organization/40475456',
            'display': 'Unknown'
          }
        }
      ],
      'entity': [
        {
          'role': 'source',
          'what': {
            'reference': 'DocumentReference/S-200'
          }
        }
      ]
    },
    'search': {
      'mode': 'include'
    }
  },
  {
    'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/all-16897171',
    'resource': {
      'resourceType': 'Provenance',
      'id': 'all-16897171',
      'meta': {
        'versionId': '16897171',
        'lastUpdated': '2021-03-26T08:03:53Z'
      },
      'text': {
        'status': 'generated',
        'div': '<div xmlns=\'http://www.w3.org/1999/xhtml\'><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><li>All
ergyIntolerance/S-75479691</li></ul><p><b>Recorded</b>: Mar 25, 2021  9:57 A.M.
CDT</p><p><b>Agents</b>:</p><dl><dt>Baseline East Medical Center</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent
Role</b>: Source</dd></dl><p><b>Entity Source</b>: DocumentReference/S-201</p></div>'
      },
      'target': [
        {
          'reference': 'AllergyIntolerance/S-75479691'
        }
      ],
      'recorded': '2021-03-25T14:57:43Z',
      'agent': [
        {
          'type':
            {
              'coding': [
                {
                  'system': 'http://terminology.hl7.org/CodeSystem/provenance-participant-type',
                  'code': 'author'
                }
              ],
              'text': 'Author'
            },
          'role': [
            {
              'coding': [
                {
                  'system': 'http://terminology.hl7.org/CodeSystem/contractsignertypecodes',
```

```
                    'code': 'SOURCE'
                  }
                ],
                'text': 'Source'
              }
            ],
            'who': {
              'reference': 'Organization/619848',
              'display': 'Baseline East Medical Center'
            }
          }
        ],
        'entity': [
          {
            'role': 'source',
            'what': {
              'reference': 'DocumentReference/S-201'
            }
          }
        ]
      },
      'search': {
        'mode': 'include'
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get an allergy intolerance by ID

File: r4-rest-api-v32/op-allergyintolerance-id-get.html

Retrieves an individual allergy intolerance by the associated ID.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example retrieval.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/12760025
```

Example Response:

```
{
    'resourceType': 'AllergyIntolerance',
    'id': '12760025',
    'meta': {
      'versionId': '12760025',
      'lastUpdated': '2020-03-04T20:16:02Z'
    },
    'text': {
      'status': 'generated',
```

```
    'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Allergy Intolerance</b></p><p><b>Patient</b>: SMART, SANDY
     A</p><p><b>Allergy</b>: Eggs (edible) (substance)</p><p><b>Verification Status</b>: Confirmed</p><p><b>Clinical
    Status</b>: Active</p><p><b>Criticality</b>: High Risk</p><p><b>Category</b>: Food</p><p><b>Reactions</b>: Breathing
     abnormal</p><p><b>Onset</b>: Dec 14, 2019  6:00 P.M. CST</p></div>'
  },
  'clinicalStatus': {
    'coding': [
      {
        'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
        'code': 'active',
        'display': 'Active'
      }
    ],
    'text': 'Active'
  },
  'verificationStatus': {
    'coding': [
      {
        'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
        'code': 'confirmed',
        'display': 'Confirmed'
      }
    ],
    'text': 'Active'
  },
  'type': 'allergy',
  'category': [
    'food'
  ],
  'criticality': 'high',
  'code': {
    'coding': [
      {
        'system': 'http://snomed.info/sct',
        'code': '102263004',
        'display': 'Eggs (edible) (substance)'
      }
    ],
    'text': 'Egg'
  },
  'patient': {
    'reference': 'Patient/12742399',
    'display': 'SMART, SANDY A'
  },
  'encounter': {
    'reference': 'Encounter/97953523'
  },
  'onsetDateTime': '2019-12-15T00:00:00Z',
  '_onsetDateTime': {
    'extension': [
      {
        'url': 'https://fhir-ehr.cerner.com/StructureDefinition/precision',
        'valueCodeableConcept': {
          'coding': [
            {
              'system': 'https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/25320',
              'code': '639011',
              'display': 'After',
              'userSelected': true
            }
          ],
          'text': 'After'
        }
      }
    ]
  },
  'recordedDate': '2020-03-04T20:16:02Z',
  'recorder': {
    'reference': 'Practitioner/12724045',
    'display': 'Graham, Joshua'
  },
  'reaction': [
    {
      'id': '12760027',
      'manifestation': [
        {
          'coding': [
            {
              'system': 'http://snomed.info/sct',
              'code': '386813002',
              'display': 'Abnormal breathing (finding)'
            }
          ],
          'text': 'Breathing abnormal'
        }
      ]
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-nil-clinicalStatus Response

Example retrieval of an allergy intolerance record with a missing clinicalStatus.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/AllergyIntolerance/14891943
```

Example Response:

```
{
      "resourceType": "OperationOutcome",
      "issue": [
          {
              "severity": "error",
              "code": "not-found",
              "details": {
                  "text": "AllergyIntolerance.clinicalStatus is missing"
              }
          }
      ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-patient-auth-confirmed Response

Example retrieval of an allergy intolerance record with a status.

confirmed

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/12760025
```

Example Response:

```
{
    "resourceType": 'AllergyIntolerance',
    "id": '12766993',
    "meta": {
      "versionId": '12766993',
      "lastUpdated": '2020-10-14T19:24:57Z'
    },
    "text": {
      "status": 'generated',
      "div": '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Allergy Intolerance</b></p><p><b>Patient</b>: SMART,
    NANCY</p><p><b>Verification Status</b>: Entered in Error</p></div>'
    },
    "clinicalStatus": {
      "coding": [
        {
          "system": 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
          "code": 'active',
          "display": 'Active'
        }
      ],
      "text": 'Active'
    },
    "verificationStatus": {
      "coding": [
        {
          "system": 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
          "code": 'confirmed',
          "display": 'Confirmed'
        }
      ],
      "text": 'Active'
    },
    "type": 'allergy',
    "category": [
      'medication'
    ],
    "criticality": 'high',
    "code": {
      "coding": [
        {
          "system": 'http://snomed.info/sct',
          "code": '5711000146109',
```

```
          "display": 'Penicillium brevicompactum (organism)'
        }
      ],
      "text": 'Penicillium brevicompactum'
    },
    "patient": {
      "reference": 'Patient/12724066',
      "display": 'SMART, NANCY'
    },
    "encounter": {
      "reference": 'Encounter/97955410'
    },
    "recordedDate": '2020-10-14T19:24:57Z'
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-patient-auth-inerrored Response

Example retrieval of an allergy intolerance record with an status.

Entered in Error

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/12760051
```

Example Response:

```
{
    "resourceType": 'AllergyIntolerance',
    "id": '12760051',
    "meta": {
      "versionId": '12765897',
      "lastUpdated": '2020-09-21T07:48:43Z'
    },
    "text": {
      "status": 'generated',
      "div": '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Allergy Intolerance</b></p><p><b>Patient</b>: SMART,
    NANCY</p><p><b>Verification Status</b>: Entered in Error</p></div>'
    },
    "verificationStatus": {
      "coding": [
        {
          "system": 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
          "code": 'entered-in-error',
          "display": 'Entered in Error'
        }
      ],
      "text": 'Canceled'
    },
    "code": {
      "coding": [
        {
          "system": 'http://terminology.hl7.org/CodeSystem/data-absent-reason',
          "code": 'error',
          "display": 'Error'
        }
      ],
      "text": 'Error'
    },
    "patient": {
      "reference": 'Patient/12724066',
      "display": 'SMART, NANCY'
    }
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Update an allergy intolerance

File: r4-rest-api-v32/op-allergyintolerance-id-put.html

Updates an allergy intolerance.

Note: Missing fields are interpreted as nulling out or removing data from the resource. See FHIR Update for additional details about update operations.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* If-Match(required): string The current version of the AllergyIntolerance resource.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

The body of the update operation.

Root Schema : AllergyIntoleranceUpdate

Type:

object

Show Source

asserter: object

asserter

Indicates the source of information about the allergy. The asserter must be provided and linked to the contained resource if a contained resource is specified.

Note:

Example:

```
{
  "asserter":{
    "reference":"#638994"
  }
}
```

category: array

category

The category of the identified code.

Note:

* The category code of biologic is not supported.

* Only a single category is written to the allergy.

* When multiple categories are provided, the selected category is based on precedence (medication > food > environment).

Example:

```
{
  "category":[
    "environment",
    "food",
    "medication"
  ]
}
```

clinicalStatus: object

clinicalStatus

The clinical status of the allergy intolerance.

Example:

```
{
  "clinicalStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical",
        "code": "resolved"
      }
    ]
  }
}
```

code(required): object

code

A code that identifies the allergy or intolerance. A code must always be provided while creating an allergy.

Note:

Example:

```
{
  "code":{
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "9220005"
      }
    ],
    "text": "Plant phenol oil"
  }
}
```

contained: string

Contained, inline resources. These resources should be either or resources that are relative references from the field. Contained RelatedPerson Contained PractitionerRole

Note:

PractitionerRole

RelatedPerson

asserter

Examples:

```
{
  "contained": [
    {
      "resourceType":"RelatedPerson",
      "id":"638996",
      "relationship":[
        {
          "coding":[
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
              "code": "PRN",
            }
          ]
        }
      ],
      "patient":{
        "reference":"Patient/12742400"
      }
    }
  ]
}
```

```
{
  "contained": [
    {
      "resourceType":"PractitionerRole",
      "id":"638994",
      "code":[
        {
          "coding":[
            {
              "system":"http://terminology.hl7.org/CodeSystem/practitioner-role",
              "code":"doctor"
            }
          ]
        }
      ]
    }
  ]
}
```

criticality: array

criticality

Values are , , and .

low

high

unable-to-assess

Example:

```
{
  "criticality": "high"
}
```

encounter: object

encounter

Indicates the encounter when the allergy or intolerance was asserted.

Example:

```
{
  "encounter": {
    "reference":"Encounter/1693915"
  }
}
```

note: array

note

Additional narrative about the allergy not captured in other fields. Updates do not allow an author to be specified. One is inferred from the authorization token. If an ID is not provided with the note, the system assumes that the note is new and writes it as such. If an ID is provided, the system assumes that the note is existing and does not update or re-create it.

Note:

Example:

```
 {
  "note": [
    {
      "text": "Updated with additional details provided by patient."
    }
  ]
}
```

onset[x]:

The estimated date, actual date, or date and time when the allergy began, in the opinion of the clinician.

Note:

* Only a type of dateTime is supported.

* The dateTime is converted to a GMT date.

Example:

```
{
  "onsetDateTime": "2015-10-14T13:13:20-06:00"
}
```

patient(required): object

patient

Indicates the patient who the sensitivity is for.

Example:

```
{
  "patient": {
    "reference": "Patient/631923"
  }
}
```

reaction: array

reaction

Adverse reaction events linked to exposure to substance.

Example:

```
{
  "reaction":[
    {
      "manifestation":[
        {
          "coding":[
            {
              "system":"http://snomed.info/sct",
              "code":"414322003"
            }
          ],
          "text":"Blastobacter"
        }
      ],
      "severity":"severe"
    }
  ]
}
```

* resourceType(required): string Allowed Values: ["AllergyIntolerance"] The type of the FHIR resource.

type: string

The underlying mechanism (if known), either or .

allergy

intolerance

Example:

```
{
  "type": "allergy"
}
```

verificationStatus: object

verificationStatus

The verification status to support or decline the clinical status of the allergy. The verificationStatus code of is not supported during AllergyIntolerance updates.

Note:

refuted

Example:

```
{
  "verificationStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-verification",
        "code": "confirmed"
      }
    ]
  }
}
```

```
{
    "type":"object",
    "required":[
        "resourceType",
        "code",
        "patient",
        "reaction.manifestation"
    ],
    "properties":{
        "resourceType":{
            "description":"The type of the FHIR resource.\n",
            "type":"string",
            "enum":[
                "AllergyIntolerance"
            ]
        },
        "contained":{
            "description":"Contained, inline resources.\n<br><b>Note:</b> These resources should be either
    <code>PractitionerRole</code> or <a target=\"_blank\"
    href=\"https://hl7.org/fhir/R4/relatedperson.html\"><code>RelatedPerson</code></a> resources that are relative
    references from the <code>asserter</code> field.\n<br><b>Examples:</b>\n<br>Contained RelatedPerson\n<pre><code>{\n
      \"contained\": [\n    {\n      \"resourceType\":\"RelatedPerson\",\n      \"id\":\"638996\",\n
    \"relationship\":[\n        {\n          \"coding\":[\n            {\n              \"system\":
    \"http://terminology.hl7.org/CodeSystem/v3-RoleCode\",\n                 \"code\": \"PRN\",\n            }\n
    ]\n        }\n      ],\n      \"patient\":{\n        \"reference\":\"Patient/12742400\"\n      }\n    }\n
    ]\n}</code></pre>\n\nContained PractitionerRole\n<pre><code>{\n  \"contained\": [\n    {\n
    \"resourceType\":\"PractitionerRole\",\n      \"id\":\"638994\",\n      \"code\":[\n        {\n
    \"coding\":[\n           {\n              \"system\":\"http://terminology.hl7.org/CodeSystem/practitioner-role\",\n
                \"code\":\"doctor\"\n            }\n          ]\n        }\n      ]\n    }\n  ]\n}</code></pre>\n",
            "type":"string"
        },
        "clinicalStatus":{
            "description":"The clinical status of the allergy intolerance.\n\n<br><b>Example:</b>\n\n<pre><code>{\n
    \"clinicalStatus\": {\n    \"coding\": [\n      {\n        \"system\":
    \"http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical\",\n        \"code\": \"resolved\"\n      }\n
        ]\n  }\n}</code></pre>\n",
            "type":"object",
            "properties":{
                "text":{
                    "type":"string"
                },
                "coding":{
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "system":{
                                "type":"string"
                            },
                            "code":{
                                "type":"string"
                            }
                        }
                    }
                }
            }
        },
        "verificationStatus":{
            "description":"The verification status to support or decline the clinical status of the
    allergy.\n<br><b>Note:</b> The verificationStatus code of <code>refuted</code> is not supported during
```

```
AllergyIntolerance updates.\n<br><b>Example:</b>\n<pre><code>{\n  \"verificationStatus\": {\n    \"coding\": [\n
      {\n        \"system\": \"http://terminology.hl7.org/CodeSystem/allergyintolerance-verification\",\n
\"code\": \"confirmed\"\n      }\n    ]\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "type":{
        "description":"The underlying mechanism (if known), either <code>allergy</code> or
<code>intolerance</code>.\n<br><b>Example:</b>\n<pre><code>{\n  \"type\": \"allergy\"\n}</code></pre>\n",
        "type":"string"
    },
    "category":{
        "description":"The category of the identified code.\n\n<br><b>Note:</b>\n<ul>\n  <li> The category code of
<code>biologic</code> is not supported.</li>\n  <li> Only a single category is written to the allergy. </li>\n  <li>
 When multiple categories are provided, the selected category is based on precedence (medication > food >
environment). </li>\n</ul>\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"category\":[\n    \"environment\",\n
\"food\",\n    \"medication\"\n  ]\n}</code></pre>\n",
        "type":"array",
        "items":{
            "type":"string"
        }
    },
    "criticality":{
        "description":"Values are <code>low</code>, <code>high</code>, and <code>unable-to-
assess</code>.\n<br><b>Example:</b>\n<pre><code>{\n  \"criticality\": \"high\"\n}</code></pre>\n",
        "type":"array",
        "items":{
            "type":"string"
        }
    },
    "code":{
        "description":"A code that identifies the allergy or intolerance.\n\n<br><b>Note:</b> A code must always be
provided while creating an allergy.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"code\":{\n    \"coding\": [\n
{\n        \"system\": \"http://snomed.info/sct\",\n        \"code\": \"9220005\"\n      }\n    ],\n    \"text\":
\"Plant phenol oil\"\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "patient":{
        "description":"Indicates the patient who the sensitivity is for.\n\n<br><b>Example:</b>\n\n<pre><code>{\n
\"patient\": {\n    \"reference\": \"Patient/631923\"\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "encounter":{
        "description":"Indicates the encounter when the allergy or intolerance was
asserted.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"encounter\": {\n    \"reference\":\"Encounter/1693915\"\n
}\n}</code></pre>\n",
        "type":"object",
```

```
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "onset[x]":{
        "description":"The estimated date, actual date, or date and time when the allergy began, in the opinion of
the clinician.\n<br><b>Note:</b> <ul>\n  <li> Only a type of <code>dateTime</code> is supported.</li>\n  <li> The
<code>dateTime</code> is converted to a GMT date. </li>\n</ul>\n<br><b>Example:</b>\n<pre><code>{\n
\"onsetDateTime\": \"2015-10-14T13:13:20-06:00\"\n}</code></pre>\n"
    },
    "asserter":{
        "description":"Indicates the source of information about the allergy.\n<br><b>Note:</b> The asserter must be
 provided and linked to the contained resource if a contained resource is
specified.\n<br><b>Example:</b>\n<pre><code>{\n  \"asserter\":{\n    \"reference\":\"#638994\"\n
}\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "note":{
        "description":"Additional narrative about the allergy not captured in other fields.\n<br><b>Note:</b>
Updates do not allow an author to be specified. One is inferred from the authorization token. If an ID is not
provided with the note, the system assumes that the note is new and writes it as such. If an ID is provided, the
system assumes that the note is existing and does not update or re-create it.\n<br><b>Example:</b>\n<pre><code> {\n
  \"note\": [\n    {\n      \"text\": \"Updated with additional details provided by patient.\"\n    }\n
]\n}</code></pre>\n",
        "type":"array",
        "items":{
            "type":"object",
            "properties":{
                "authorReference":{
                    "type":"object",
                    "properties":{
                        "reference":{
                            "type":"string"
                        }
                    }
                },
                "time":{
                    "type":"string"
                },
                "text":{
                    "type":"string"
                }
            }
        }
    },
    "reaction":{
        "description":"Adverse reaction events linked to exposure to
substance.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"reaction\":[\n    {\n      \"manifestation\":[\n        {\n
          \"coding\":[\n            {\n              \"system\":\"http://snomed.info/sct\",\n
\"code\":\"414322003\"\n            }\n          ],\n          \"text\":\"Blastobacter\"\n        }\n      ],\n
      \"severity\":\"severe\"\n    }\n  ]\n}</code></pre>\n",
        "type":"array",
        "items":{
            "type":"object",
            "properties":{
                "reaction.manifestation":{
                    "description":"Clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b> Only
one manifestation can be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n      {\n
        \"coding\":[\n          {\n            \"system\":\"http://snomed.info/sct\",\n
\"code\":\"414322003\"\n          }\n        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n
}\n}</code></pre>\n",
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "text":{
                                "type":"string"
                            },
                            "coding":{
                                "type":"array",
                                "items":{
                                    "type":"object",
                                    "properties":{
                                        "system":{
                                            "type":"string"
                                        },
                                        "code":{
                                            "type":"string"
                                        }
                                    }
                                }
                            }
```

```
                        }
                    }
                },
                "reaction.severity":{
                    "description":"Vlaues are <code>mild</code>, <code>moderate</code>, and <code>severe</code> (of
    event as a whole).\n<br><b>Example:</b>\n<pre<<code>{\n  \"severity\":\"severe\"\n}</code></pre>\n",
                    "type":"string"
                }
            }
        }
    }
}
```


Nested Schema : asserter

Type:

object

Indicates the source of information about the allergy. The asserter must be provided and linked to the contained resource if a contained resource is specified.

Note:

Example:


```
{
  "asserter":{
    "reference":"#638994"
  }
}
```


Show Source

* reference: string


```
{
    "description":"Indicates the source of information about the allergy.\n<br><b>Note:</b> The asserter must be
    provided and linked to the contained resource if a contained resource is
    specified.\n<br><b>Example:</b>\n<pre><code>{\n  \"asserter\":{\n    \"reference\":\"#638994\"\n
    }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : category

Type:

array

The category of the identified code.

Note:

* The category code of biologic is not supported.

* Only a single category is written to the allergy.

* When multiple categories are provided, the selected category is based on precedence (medication > food > environment).

Example:


```
{
  "category":[
    "environment",
    "food",
    "medication"
  ]
}
```


Show Source

* Array of: string


```
{
    "description":"The category of the identified code.\n\n<br><b>Note:</b>\n<ul>\n  <li> The category code of
    <code>biologic</code> is not supported.</li>\n  <li> Only a single category is written to the allergy. </li>\n  <li>
     When multiple categories are provided, the selected category is based on precedence (medication > food >
    environment). </li>\n</ul>\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"category\":[\n    \"environment\",\n
    \"food\",\n    \"medication\"\n  ]\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"string"
    }
}
```


Nested Schema : clinicalStatus

Type:

object

The clinical status of the allergy intolerance.

Example:

```
{
  "clinicalStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical",
        "code": "resolved"
      }
    ]
  }
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"The clinical status of the allergy intolerance.\n\n<br><b>Example:</b>\n\n<pre><code>{\n
    \"clinicalStatus\": {\n    \"coding\": [\n      {\n        \"system\":
    \"http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical\",\n        \"code\": \"resolved\"\n      }\n
        ]\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : code

Type:

object

A code that identifies the allergy or intolerance. A code must always be provided while creating an allergy.

Note:

Example:

```
{
  "code":{
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "9220005"
      }
    ],
    "text": "Plant phenol oil"
  }
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"A code that identifies the allergy or intolerance.\n\n<br><b>Note:</b> A code must always be provided
     while creating an allergy.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"code\":{\n    \"coding\": [\n      {\n
            \"system\": \"http://snomed.info/sct\",\n        \"code\": \"9220005\"\n      }\n    ],\n    \"text\":
    \"Plant phenol oil\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
```

```
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : criticality

Type:

array

Values are , , and .

low

high

unable-to-assess

Example:

```
{
  "criticality": "high"
}
```

Show Source

* Array of: string

```
{
    "description":"Values are <code>low</code>, <code>high</code>, and <code>unable-to-
    assess</code>.\n<br><b>Example:</b>\n<pre><code>{\n  \"criticality\": \"high\"\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"string"
    }
}
```

Nested Schema : encounter

Type:

object

Indicates the encounter when the allergy or intolerance was asserted.

Example:

```
{
  "encounter": {
    "reference":"Encounter/1693915"
  }
}
```

Show Source

* reference: string

```
{
    "description":"Indicates the encounter when the allergy or intolerance was
    asserted.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  \"encounter\": {\n    \"reference\":\"Encounter/1693915\"\n
    }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : note

Type:

array

Additional narrative about the allergy not captured in other fields. Updates do not allow an author to be specified. One is inferred from the authorization token. If an ID is not provided with the note, the system assumes that the note is new and writes it as such. If an ID is provided, the system assumes that the note is existing and does not update or re-create it.

Note:

Example:

```
 {
  "note": [
    {
      "text": "Updated with additional details provided by patient."
    }
  ]
}
```

Show Source

* Array of: object items


```
{
    "description":"Additional narrative about the allergy not captured in other fields.\n<br><b>Note:</b> Updates do not
     allow an author to be specified. One is inferred from the authorization token. If an ID is not provided with the
    note, the system assumes that the note is new and writes it as such. If an ID is provided, the system assumes that
    the note is existing and does not update or re-create it.\n<br><b>Example:</b>\n<pre><code> {\n  \"note\": [\n
    {\n      \"text\": \"Updated with additional details provided by patient.\"\n    }\n  ]\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "authorReference":{
                "type":"object",
                "properties":{
                    "reference":{
                        "type":"string"
                    }
                }
            },
            "time":{
                "type":"string"
            },
            "text":{
                "type":"string"
            }
        }
    }
}
```


Nested Schema : patient

Type:

object

Indicates the patient who the sensitivity is for.

Example:


```
{
  "patient": {
    "reference": "Patient/631923"
  }
}
```


Show Source

* reference: string


```
{
    "description":"Indicates the patient who the sensitivity is for.\n\n<br><b>Example:</b>\n\n<pre><code>{\n
    \"patient\": {\n    \"reference\": \"Patient/631923\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : reaction

Type:

array

Adverse reaction events linked to exposure to substance.

Example:


```
{
  "reaction":[
    {
      "manifestation":[
        {
          "coding":[
            {
              "system":"http://snomed.info/sct",
              "code":"414322003"
            }
          ],
          "text":"Blastobacter"
        }
      ],
      "severity":"severe"
    }
  ]
}
```


Show Source

* Array of: object items


```
{
    "description":"Adverse reaction events linked to exposure to substance.\n\n<br><b>Example:</b>\n\n<pre><code>{\n
```

```
    \"reaction\":[\n    {\n      \"manifestation\":[\n        {\n          \"coding\":[\n            {\n
    \"system\":\"http://snomed.info/sct\",\n              \"code\":\"414322003\"\n            }\n          ],\n
              \"text\":\"Blastobacter\"\n        }\n      ],\n      \"severity\":\"severe\"\n    }\n
    ]\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "reaction.manifestation":{
                "description":"Clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b> Only one
    manifestation can be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n      {\n
            \"coding\":[\n          {\n            \"system\":\"http://snomed.info/sct\",\n
    \"code\":\"414322003\"\n          }\n        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n
    }\n}</code></pre>\n",
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "text":{
                            "type":"string"
                        },
                        "coding":{
                            "type":"array",
                            "items":{
                                "type":"object",
                                "properties":{
                                    "system":{
                                        "type":"string"
                                    },
                                    "code":{
                                        "type":"string"
                                    }
                                }
                            }
                        }
                    }
                }
            },
            "reaction.severity":{
                "description":"Vlaues are <code>mild</code>, <code>moderate</code>, and <code>severe</code> (of event as
     a whole).\n<br><b>Example:</b>\n<pre<code>{\n  \"severity\":\"severe\"\n}</code></pre>\n",
                "type":"string"
            }
        }
    }
}
```


Nested Schema : verificationStatus

Type:

object

The verification status to support or decline the clinical status of the allergy. The verificationStatus code of is not supported during AllergyIntolerance updates.

Note:

refuted

Example:


```
{
  "verificationStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-verification",
        "code": "confirmed"
      }
    ]
  }
}
```


Show Source

* coding: array coding

* text: string


```
{
    "description":"The verification status to support or decline the clinical status of the allergy.\n<br><b>Note:</b>
    The verificationStatus code of <code>refuted</code> is not supported during AllergyIntolerance
    updates.\n<br><b>Example:</b>\n<pre><code>{\n  \"verificationStatus\": {\n    \"coding\": [\n      {\n
    \"system\": \"http://terminology.hl7.org/CodeSystem/allergyintolerance-verification\",\n        \"code\":
    \"confirmed\"\n      }\n    ]\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
```

```
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* authorReference: object authorReference

* text: string

* time: string

```
{
    "type":"object",
    "properties":{
        "authorReference":{
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        },
        "time":{
            "type":"string"
        },
        "text":{
            "type":"string"
        }
    }
}
```

Nested Schema : authorReference

Type:

object

Show Source

* reference: string

```
{
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

reaction.manifestation: array

reaction.manifestation

Clinical symptoms or signs associated with the event. Only one manifestation can be provided.

Note:

Example:

```
{
  {
    "manifestation":[
      {
        "coding":[
          {
            "system":"http://snomed.info/sct",
            "code":"414322003"
          }
        ],
        "text":"Blastobacter"
      }
```

```
    ]
  }
}
```

reaction.severity: string

Vlaues are , , and (of event as a whole).

mild

moderate

severe

Example:

```
{
  "severity":"severe"
}
```

```
{
    "type":"object",
    "properties":{
        "reaction.manifestation":{
            "description":"Clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b> Only one
    manifestation can be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n      {\n
            \"coding\":[\n          {\n            \"system\":\"http://snomed.info/sct\",\n
    \"code\":\"414322003\"\n          }\n        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n
    }\n}</code></pre>\n",
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "text":{
                        "type":"string"
                    },
                    "coding":{
                        "type":"array",
                        "items":{
                            "type":"object",
                            "properties":{
                                "system":{
                                    "type":"string"
                                },
                                "code":{
                                    "type":"string"
                                }
                            }
                        }
                    }
                }
            }
        },
        "reaction.severity":{
            "description":"Vlaues are <code>mild</code>, <code>moderate</code>, and <code>severe</code> (of event as a
    whole).\n<br><b>Example:</b>\n<pre<<code>{\n  \"severity\":\"severe\"\n}</code></pre>\n",
            "type":"string"
        }
    }
}
```

Nested Schema : reaction.manifestation

Type:

array

Clinical symptoms or signs associated with the event. Only one manifestation can be provided.

Note:

Example:

```
{
  {
    "manifestation":[
      {
        "coding":[
          {
            "system":"http://snomed.info/sct",
            "code":"414322003"
          }
        ],
        "text":"Blastobacter"
      }
    ]
  }
}
```

Show Source

* Array of: object items

```
{
    "description":"Clinical symptoms or signs associated with the event.\n\n<br><b>Note:</b> Only one manifestation can
```

```
    be provided.\n\n<br><b>Example:</b>\n\n<pre><code>{\n  {\n    \"manifestation\":[\n      {\n        \"coding\":[\n
          {\n            \"system\":\"http://snomed.info/sct\",\n            \"code\":\"414322003\"\n          }\n
        ],\n        \"text\":\"Blastobacter\"\n      }\n    ]\n  }\n}</code></pre>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* coding: array coding

* text: string

```
{
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example Request:

```
PUT https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/AllergyIntolerance/12760025
```

Example Request Body:

```
{
    'resourceType': 'AllergyIntolerance',
    'id': '12760025',
    'clinicalStatus': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical',
          'code': 'active'
        }
      ]
    },
    'verificationStatus': {
      'coding': [
```

```
      {
        'system': 'http://terminology.hl7.org/CodeSystem/allergyintolerance-verification',
        'code': 'unconfirmed'
      }
    ]
  },
  'category': [
    'food'
  ],
  'code': {
    'coding': [
      {
        'system': 'http://snomed.info/sct',
        'code': '102263004',
        'display': 'Eggs (edible) (substance)'
      }
    ],
    'text': 'Egg'
  },
  'patient': {
    'reference': 'Patient/12742399'
  },
  'recordedDate': '2019-02-08T00:00:00Z',
  'recorder': {
    'reference': 'Practitioner/12724045'
  },
  'note': [
    {
      'text': 'Updated with additional details provided by patient.'
    }
  ]
}
```

Example Response:

```
HTTP Status: 200 OK
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/json
Date: Thu, 05 Dec 2019 17:21:08 GMT
Etag: W/"8167765"
Last-Modified: Thu, 05 Dec 2019 17:21:08 GMT
X-Request-Id: 11111111111111111111111111111111
Vary: Origin
```

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Appointment

File: r4-rest-api-v32/api-appointment.html

Description

Appointment

The following topic describes information for the Appointment resource.

Overview

The Appointment resource provides the ability to retrieve information about appointments, write new appointments, and update the status of existing appointments.

When integrating your application with a client's environments, work with the client to determine the practitioner and location IDs (Millennium personnel and location codes, respectively) that they want to make available to third-party applications for enabling scheduling functionality.

Appointment types for use in FHIR scheduling workflows must be resource list based. The ability to retrieve slots and book appointments that are order role based are not supported in FHIR workflows.

The status of arrived does not change the state of the Millennium appointment. Instead, the patient tracking status is updated to a value of Arrived.

When updating an appointment, the resource provides the ability to change the Appointment.status in the following sequences:

From proposed to booked or cancelled

From booked to arrived, checked-in, or cancelled

arrived to checked-in or cancelled

From checked-in to fulfilled or cancelled

Video Visit functionality requires additional licensing, configuration, and application support.

The following fields are returned if valued:

ID

Status

Cancelation reason

Service category

Service type

Slot

Participant

Reason Code

Description

Start Date/Time

End Date/Time

Duration in minutes

Comment

Patient instruction

Requested period

Extensions (for more information, see the Extensions section of this topic)

Terminology Bindings

Appointment.cancelationReason

Description: The coded reason for the appointment being canceled.

Details: Appointment cancellation reason

System: https://terminology.hl7.org/CodeSystem-appointment-cancellation-reason.html

Details: For more information, see Code Set 14229 Scheduling Appointment Cancellation Reason under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/14229

Appointment.serviceCategory

Description: Additional details about the categorization of the service.

Details: SNOMED CT

System: http://snomed.info/sct

Details: appointmentReason

System: http://terminology.hl7.org/CodeSystem/v2-0276

Details: For more information, see Code Set 16127 Schedule Processing Options under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/16127

Appointment.serviceType

Description: Additional details about where the content was created (for example, clinical specialty).

Details: Practice Setting Code Value Set

System: http://snomed.info/sct

Details: For more information, see Code Set 14249 Scheduling Appointment Type Synonyms under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/14249

Appointment.reasonCode

Description: A coded reason why this appointment is scheduled.

Currently not bound to any terminology.

Note:

Appointment.participant.type

Description: The role of participant in the appointment.

Details: For more information, see Code Set 14250 Scheduling Resource Roles under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/14250

Extensions

All URLs for custom extensions are defined as https://fhir-ehr.cerner.com/r4/StructureDefinition/{id}

Table - Extensions

ID | Value[x} Type | Description
action-comment | string | The comment to be associated with the action performed on the resource.
group-appointment-id | string | The ID of the appointment group that this appointment is part of.
is-cancelable | boolean | An indication of whether the appointment can be canceled.
is-reschedulable | boolean | An indication of whether the appointment can be rescheduled.
reschedule-reason | CodeableConcept | The coded reason for the appointment being rescheduled.
associated-encounter | Reference | A reference to the encounter associated with the appointment.

Appointment

The operations from the Appointment category.

Create an appointment

Method: post Path: /Appointment

Get a list of appointments

Method: get Path: /Appointment

Get an appointment by ID

Method: get Path: /Appointment/{ID}

Patch an appointment

Method: patch Path: /Appointment/{ID}

Create an appointment

File: r4-rest-api-v32/op-appointment-post.html

Creates a new appointment.

Note:

* Only the body fields mentioned below are supported. Unsupported fields are ignored, or can result in errors.

* Appointment.status must be set to proposed or booked.

* Appointment.reasonCode, if set, must be a list containing exactly one CodeableConcept.

* When Appointment.status is set to proposed:

must be a list containing a single period. Both and must be set.

* Appointment.serviceType must be a list containing exactly one CodeableConcept.

* Appointment.participant must be a list containing exactly one patient participant and at least one location participant.

* Appointment.participant.actor must be a reference to a patient or a location.

* Appointment.participant.status must be set to needs-action.

Appointment.requestedPeriod

Appointment.requestedPeriod.start

Appointment.requestedPeriod.end

* When Appointment.status is set to booked:

* Appointment.slot must be a list containing exactly one reference to the Slot in which this appointment is being booked. Appointment.slot[0].reference specifies an availability in the scheduling system, which indicates details such as practitioner, location, and time.

* Appointment.participant must be a list containing exactly one patient participant.

* Appointment.participant.actor must be a reference to a patient.

* Appointment.participant.status must be set to accepted.

* Appointment.participant.type must not be set.

* The ETag response header indicates the current If-Match version to use on subsequent updates.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.
* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.
* content-type(required): string Specifies the content type of the request entity body.

Body ()

The body of the create operation.

Root Schema : AppointmentCreate

Type:

object

Show Source

comment: string

Additional text to aid in facilitating the appointment.

Example:

Further explain MRI results

participant(required): array

participant

Minimum Number of Items:

Participants involved in appointment.

The Participant.type must not be set.

reasonCode: array

reasonCode

Minimum Number of Items:

Maximum Number of Items:

Coded reason this appointment is scheduled.

requestedPeriod: array

requestedPeriod

Minimum Number of Items:

Potential date and time intervals requested to allocate the appointment within.

Required when Appointment.status is set to proposed.

resourceType(required): string

Allowed Values:

["Appointment"]

The type of the FHIR resource.

serviceCategory: object

serviceCategory

A CodeableConcept representing the service that is to be performed during this appointment.

serviceType: array

serviceType

Minimum Number of Items:

Maximum Number of Items:

The specific service that is to be performed during this appointment.

Required when Appointment.status is set to proposed.

slot: array

slot

Minimum Number of Items:

Maximum Number of Items:

The availability to which the appointment is booked.

Required when Appointment.status is set to booked.

status(required): string

Allowed Values:

["booked", "proposed"]

A code representing the status of the new appointment.

{

```
"type":"object",
"required":[
    "resourceType",
    "status",
    "participant"
],
"properties":{
    "resourceType":{
        "description":"<p>The type of the FHIR resource.</p>\n",
        "type":"string",
        "enum":[
            "Appointment"
        ]
    },
    "status":{
        "description":"<p>A code representing the status of the new appointment.</p>\n",
        "type":"string",
        "enum":[
            "booked",
            "proposed"
        ]
    },
    "serviceCategory":{
        "description":"<p>A CodeableConcept representing the service that is to be performed during this
appointment.</p>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "serviceType":{
        "description":"<p>The specific service that is to be performed during this appointment.</p>\n<p>Required
when <code>Appointment.status</code> is set to <code>proposed</code>.</p>\n",
        "type":"array",
        "minItems":1,
        "maxItems":1,
        "items":{
            "type":"object",
            "properties":{
                "text":{
                    "type":"string",
                    "example":"General medical practice"
                },
                "coding":{
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "system":{
                                "type":"string",
                                "example":"http://snomed.info/sct"
                            },
                            "code":{
                                "type":"string",
                                "example":"408443003"
                            },
                            "display":{
                                "type":"string",
                                "example":"General medical practice"
                            },
                            "userSelected":{
                                "type":"boolean"
                            }
                        }
                    }
                }
            }
        }
    },
    "reasonCode":{
        "description":"<p>Coded reason this appointment is scheduled.</p>\n",
        "type":"array",
        "minItems":1,
```

```
        "maxItems":1,
        "items":{
            "type":"object",
            "required":[
                "text"
            ],
            "properties":{
                "text":{
                    "type":"string",
                    "example":"I have a cramp"
                },
                "coding":{
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "system":{
                                "type":"string"
                            },
                            "code":{
                                "type":"string"
                            }
                        }
                    }
                }
            }
        }
    },
    "slot":{
        "description":"<p>The availability to which the appointment is booked.</p>\n<p>Required when
<code>Appointment.status</code> is set to <code>booked</code>.</p>\n",
        "type":"array",
        "minItems":1,
        "maxItems":1,
        "items":{
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string",
                    "example":"Slot/21265426-633867-6828001-60"
                }
            }
        }
    },
    "participant":{
        "description":"<p>Participants involved in appointment.</p>\n<p>The <code>Participant.type</code> must not
be set.</p>\n",
        "type":"array",
        "minItems":1,
        "items":{
            "type":"object",
            "required":[
                "actor",
                "status"
            ],
            "properties":{
                "actor":{
                    "type":"object",
                    "description":"<p>A patient or location that is participating in the appointment.</p>\n",
                    "properties":{
                        "reference":{
                            "type":"string",
                            "example":"Patient/4704007"
                        },
                        "display":{
                            "type":"string",
                            "example":"Smart, Barney R"
                        }
                    }
                },
                "status":{
                    "description":"<p>Participation status of the patient or location.</p>\n<p>When creating a new
appointment with a status of <code>booked</code>, this value must be <code>accepted</code>. When creating a new
appointment with a status of <code>proposed</code>, this value must be <code>needs-action</code>.</p>\n",
                    "type":"string",
                    "enum":[
                        "accepted",
                        "needs-action"
                    ]
                }
            }
        }
    },
    "comment":{
        "description":"<p>Additional text to aid in facilitating the appointment.</p>\n",
        "type":"string",
        "example":"Further explain MRI results"
    },
    "requestedPeriod":{
```

```
            "description":"<p>Potential date and time intervals requested to allocate the appointment
    within.</p>\n<p>Required when <code>Appointment.status</code> is set to <code>proposed</code>.</p>\n",
            "type":"array",
            "minItems":1,
            "items":{
                "type":"object",
                "required":[
                    "start",
                    "end"
                ],
                "properties":{
                    "start":{
                        "type":"string",
                        "example":"2015-02-07T13:28:17-05:00"
                    },
                    "end":{
                        "type":"string",
                        "example":"2016-02-07T13:28:17-05:00"
                    }
                }
            }
        }
    },
    "example":{
        "resourceType":"Appointment",
        "status":"booked",
        "slot":[
            {
                "reference":"Slot/24477854-21304876-62852027-0"
            }
        ],
        "participant":[
            {
                "actor":{
                    "reference":"Patient/12724066"
                },
                "status":"accepted"
            }
        ],
        "reasonCode":[
            {
                "text":"I have a cramp"
            }
        ]
    }
}
```


Example:


```
{
    "resourceType":"Appointment",
    "status":"booked",
    "slot":[
        {
            "reference":"Slot/24477854-21304876-62852027-0"
        }
    ],
    "participant":[
        {
            "actor":{
                "reference":"Patient/12724066"
            },
            "status":"accepted"
        }
    ],
    "reasonCode":[
        {
            "text":"I have a cramp"
        }
    ]
}
```


Nested Schema : participant

Type:

array

Minimum Number of Items:

Participants involved in appointment.

The Participant.type must not be set.

Show Source

* Array of: object items


```
{
    "description":"<p>Participants involved in appointment.</p>\n<p>The <code>Participant.type</code> must not be
    set.</p>\n",
    "type":"array",
    "minItems":1,
```

```
    "items":{
        "type":"object",
        "required":[
            "actor",
            "status"
        ],
        "properties":{
            "actor":{
                "type":"object",
                "description":"<p>A patient or location that is participating in the appointment.</p>\n",
                "properties":{
                    "reference":{
                        "type":"string",
                        "example":"Patient/4704007"
                    },
                    "display":{
                        "type":"string",
                        "example":"Smart, Barney R"
                    }
                }
            },
            "status":{
                "description":"<p>Participation status of the patient or location.</p>\n<p>When creating a new
    appointment with a status of <code>booked</code>, this value must be <code>accepted</code>. When creating a new
    appointment with a status of <code>proposed</code>, this value must be <code>needs-action</code>.</p>\n",
                "type":"string",
                "enum":[
                    "accepted",
                    "needs-action"
                ]
            }
        }
    }
}
```

Nested Schema : reasonCode

Type:

array

Minimum Number of Items:

Maximum Number of Items:

Coded reason this appointment is scheduled.

Show Source

* Array of: object items

```
{
    "description":"<p>Coded reason this appointment is scheduled.</p>\n",
    "type":"array",
    "minItems":1,
    "maxItems":1,
    "items":{
        "type":"object",
        "required":[
            "text"
        ],
        "properties":{
            "text":{
                "type":"string",
                "example":"I have a cramp"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    }
}
```

Nested Schema : requestedPeriod

Type:

array

Minimum Number of Items:

Potential date and time intervals requested to allocate the appointment within.

Required when Appointment.status is set to proposed.

Show Source

* Array of: object items


```
{
    "description":"<p>Potential date and time intervals requested to allocate the appointment within.</p>\n<p>Required
    when <code>Appointment.status</code> is set to <code>proposed</code>.</p>\n",
    "type":"array",
    "minItems":1,
    "items":{
        "type":"object",
        "required":[
            "start",
            "end"
        ],
        "properties":{
            "start":{
                "type":"string",
                "example":"2015-02-07T13:28:17-05:00"
            },
            "end":{
                "type":"string",
                "example":"2016-02-07T13:28:17-05:00"
            }
        }
    }
}
```


Nested Schema : serviceCategory

Type:

object

A CodeableConcept representing the service that is to be performed during this appointment.

Show Source

* coding: array coding

* text: string


```
{
    "description":"<p>A CodeableConcept representing the service that is to be performed during this
    appointment.</p>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```


Nested Schema : serviceType

Type:

array

Minimum Number of Items:

Maximum Number of Items:

The specific service that is to be performed during this appointment.

Required when Appointment.status is set to proposed.

Show Source

* Array of: object items


```
{
    "description":"<p>The specific service that is to be performed during this appointment.</p>\n<p>Required when
    <code>Appointment.status</code> is set to <code>proposed</code>.</p>\n",
    "type":"array",
    "minItems":1,
    "maxItems":1,
    "items":{
        "type":"object",
        "properties":{
```

```
            "text":{
                "type":"string",
                "example":"General medical practice"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string",
                            "example":"http://snomed.info/sct"
                        },
                        "code":{
                            "type":"string",
                            "example":"408443003"
                        },
                        "display":{
                            "type":"string",
                            "example":"General medical practice"
                        },
                        "userSelected":{
                            "type":"boolean"
                        }
                    }
                }
            }
        }
    }
}
```

Nested Schema : slot

Type:

array

Minimum Number of Items:

Maximum Number of Items:

The availability to which the appointment is booked.

Required when Appointment.status is set to booked.

Show Source

* Array of: object items

```
{
    "description":"<p>The availability to which the appointment is booked.</p>\n<p>Required when
    <code>Appointment.status</code> is set to <code>booked</code>.</p>\n",
    "type":"array",
    "minItems":1,
    "maxItems":1,
    "items":{
        "type":"object",
        "properties":{
            "reference":{
                "type":"string",
                "example":"Slot/21265426-633867-6828001-60"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

actor(required): object

actor

A patient or location that is participating in the appointment.

status(required): string

Allowed Values:

["accepted", "needs-action"]

Participation status of the patient or location.

When creating a new appointment with a status of booked, this value must be accepted. When creating a new appointment with a status of proposed, this value must be needs-action.

```
{
    "type":"object",
    "required":[
        "actor",
        "status"
```

```
    ],
    "properties":{
        "actor":{
            "type":"object",
            "description":"<p>A patient or location that is participating in the appointment.</p>\n",
            "properties":{
                "reference":{
                    "type":"string",
                    "example":"Patient/4704007"
                },
                "display":{
                    "type":"string",
                    "example":"Smart, Barney R"
                }
            }
        },
        "status":{
            "description":"<p>Participation status of the patient or location.</p>\n<p>When creating a new appointment
    with a status of <code>booked</code>, this value must be <code>accepted</code>. When creating a new appointment with
     a status of <code>proposed</code>, this value must be <code>needs-action</code>.</p>\n",
            "type":"string",
            "enum":[
                "accepted",
                "needs-action"
            ]
        }
    }
}
```


Nested Schema : actor

Type:

object

A patient or location that is participating in the appointment.

Show Source

* display: string Example: Smart, Barney R

* reference: string Example: Patient/4704007


```
{
    "type":"object",
    "description":"<p>A patient or location that is participating in the appointment.</p>\n",
    "properties":{
        "reference":{
            "type":"string",
            "example":"Patient/4704007"
        },
        "display":{
            "type":"string",
            "example":"Smart, Barney R"
        }
    }
}
```


Nested Schema : items

Type:

object

Show Source

* coding: array coding

* text(required): string Example: I have a cramp


```
{
    "type":"object",
    "required":[
        "text"
    ],
    "properties":{
        "text":{
            "type":"string",
            "example":"I have a cramp"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
```

```
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* end(required): string Example: 2016-02-07T13:28:17-05:00

* start(required): string Example: 2015-02-07T13:28:17-05:00

```
{
    "type":"object",
    "required":[
        "start",
        "end"
    ],
    "properties":{
        "start":{
            "type":"string",
            "example":"2015-02-07T13:28:17-05:00"
        },
        "end":{
            "type":"string",
            "example":"2016-02-07T13:28:17-05:00"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
```

```
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* coding: array coding

* text: string Example: General medical practice

```
{
    "type":"object",
    "properties":{
        "text":{
            "type":"string",
            "example":"General medical practice"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string",
                        "example":"http://snomed.info/sct"
                    },
                    "code":{
                        "type":"string",
                        "example":"408443003"
                    },
                    "display":{
                        "type":"string",
                        "example":"General medical practice"
                    },
                    "userSelected":{
                        "type":"boolean"
                    }
                }
            }
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string",
                "example":"http://snomed.info/sct"
```

```
            },
            "code":{
                "type":"string",
                "example":"408443003"
            },
            "display":{
                "type":"string",
                "example":"General medical practice"
            },
            "userSelected":{
                "type":"boolean"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string Example: 408443003

* display: string Example: General medical practice

* system: string Example: http://snomed.info/sct

* userSelected: boolean

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string",
            "example":"http://snomed.info/sct"
        },
        "code":{
            "type":"string",
            "example":"408443003"
        },
        "display":{
            "type":"string",
            "example":"General medical practice"
        },
        "userSelected":{
            "type":"boolean"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* reference: string Example: Slot/21265426-633867-6828001-60

```
{
    "type":"object",
    "properties":{
        "reference":{
            "type":"string",
            "example":"Slot/21265426-633867-6828001-60"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

The response header indicates the current version to use on a subsequent update.

Example creation for a proposed appointment.

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment
```

Example Request Body:

```
{
    'resourceType': 'Appointment',
    'status': 'proposed',
    'serviceType': [
```

```
      {
        'coding': [
          {
            'code': '408443003',
            'system': 'http://snomed.info/sct'
          }
        ]
      }
    ],
    'reasonCode': [
      {
        'text': 'I have a cramp'
      }
    ],
    'comment': 'Appointment request comment',
    'participant': [
      {
        'actor': {
          'reference': 'Patient/12724066'
        },
        'status': 'needs-action'
      },
      {
        'actor': {
          'reference': 'Location/21304876',
          'display': 'MX Clinic 1'
        },
        'status': 'needs-action'
      }
    ],
    'requestedPeriod': [
      {
        'start': '2020-02-07T13:28:17-05:00',
        'end': '2021-02-07T13:28:17-05:00'
      }
    ]
  }
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 12 May 2020 20:25:01 GMT
  Etag: W/"0"
  Last-Modified: Tue, 12 May 2020 20:25:01 GMT
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/6427746
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-create-booked Response

The response header indicates the current version to use on a subsequent update.

Example creation for a booked appointment.

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment
```

Example Request Body:

```
{
    'resourceType': 'Appointment',
    'status': 'booked',
    'slot': [
      {
        'reference': 'Slot/24477854-21304876-62852027-0'
      }
    ],
    'participant': [
      {
        'actor': {
          'reference': 'Patient/12724066'
        },
```

```
      'status': 'accepted'
    }
  ],
  'reasonCode': [
    {
      'text': 'I have a cramp'
    }
  ]
}
```

Example Response:

```
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Thu, 30 May 2019 19:49:25 GMT
Etag: W/"0"
Last-Modified: Thu, 30 May 2019 19:49:23 GMT
Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/20465903
Vary: Origin
X-Request-Id: 11111111-1111-1111-1111-111111111111
opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of appointments

File: r4-rest-api-v32/op-appointment-get.html

Retrieves a list of appointments that meet supplied query parameters.

Note:

* Valid IDs for the practitioner and location search parameters are determined by the customer and provided when integrating your application with the customer's environment. See the Appointment resource information for details.

* The patient, practitioner, and location parameters may be included only once and may not be used in combination. For example, patient=1234,5678 is supported but patient=1234&patient=5678, and patient=1234&location=5678 are not.

* Search by date returns appointments with a status other than proposed that start within the date range provided.

* Search by -date-or-req-period returns the same appointments as the date parameter, but also returns appointments with a status of proposed that are requested to start or end between the dates provided.

* The retrieved appointments are sorted by start date in ascending order (earliest first).

* When searching with a patient authorization type, sensitive appointments will not be returned.

Authorization Types

This operation supports the following authorization types:

* Patient

* Provider

* System

Request

Query Parameters

-date-or-req-period: string

The appointment start date and time with offset or the appointment requested period date and time with offset. This parameter or date is required if the patient, practitioner, or location parameters are used.

This parameter returns appointments with a status other than proposed that start or end within the date range provided, and returns appointments with a status of proposed that are requested to start or end between the dates provided.

May be provided:

* Once with a prefix and time component to indicate a specific date and time. Example: &date=ge2019-12-07T22:22:16.270Z, &date=lt2019-12-14T22:22:16.270Z.

* Twice with the prefixes ge and lt to indicate a specific range. The date and prefix pairs must define an upper and lower bound. Example: &date=ge2019-12-07T22:22:16.270Z&date=lt2019-12-14T22:22:16.270Z.

Example: -date-or-req-period=ge2019-06-07T22:22:16.000Z

_count: integer

Minimum Value:

The maximum number of results to return.

Example: _count=15

_id: string

The logical resource ID. This parameter is required if the patient, practitioner, and location parameters are not used.

Example: _id=12345

date: string

The appointment start date and time with offset. This parameter or -date-or-req-period is required if the patient, practitioner, or location parameters are used.

This parameter returns appointments with a status other than proposed that start or end within the date range provided.

May be provided:

* Once with a prefix and time component to indicate a specific date and time. Example: &date=ge2019-12-07T22:22:16.270Z, &date=lt2019-12-14T22:22:16.270Z.

* Twice with the prefixes ge and lt to indicate a specific range. The date and prefix pairs must define an upper and lower bound. Example: &date=ge2019-12-07T22:22:16.270Z&date=lt2019-12-14T22:22:16.270Z.

Example: date=ge2019-06-07T22:22:16.000Z

location: string

The logical resource ID of the location associated with the appointment. This parameter is required if the _id, patient, and practitioner parameters are not used.

Example: location=21304876

patient: string

The logical resource ID of the patient associated with the appointment. This parameter is required if the _id, practitioner, and location parameters are not used.

Example: patient=12724066

practitioner: string

The logical resource ID of the practitioner associated with the appointment. This parameter is required if the _id, patient, and location parameters are not used.

Example: practitioner=593923

status: array[string]

Minimum Number of Items:

The status of the appointment. See the AppointmentStatus definition for more details.

Example: status=arrived

* Allowed Values: ["proposed", "pending", "booked", "arrived", "fulfilled", "cancelled", "noshow", "entered-in-error", "checked-in", "waitlist"]

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example search for an appointment.

Example Request:

```
GET https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment?patient=12724066&date=ge2020-01-01T22:22:16.270Z
```

Example Response:

```
{
    "resourceType": "Bundle",
    "id": "c12c5555-b7db-4f1c-a21a-ad4f2bffbfd0",
    "type": "searchset",
    "link": [
      {
        "relation": "self",
```

```
    "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment?date=ge2020-01-
01T22%3A22%3A16.270Z&patient=12724066"
  }
],
"entry": [
  {
    "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4822366",
    "resource": {
      "resourceType": "Appointment",
      "id": "4822366",
      "meta": {
        "versionId": "2",
        "lastUpdated": "2021-04-22T12:21:26Z"
      },
      "text": {
        "status": "generated",
        "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Appointment</b></p><p><b>Status</b>:
Cancelled</p><p><b>Service Type</b>: Surgery Rapid</p><p><b>Start</b>: Jan 23, 2020 10:10 P.M. UTC</p><p><b>End</b>:
 Jan 23, 2020 11:10 P.M. UTC</p><p><b>Participants</b>:</p><dl><dd><b>Location</b>: Endoscopy</dd><dd><b>Other
Resource</b>: EN Add-On</dd><dd><b>Patient</b>: SMARTS SR., NANCYS II</dd></dl></div>"
      },
      "extension": [
        {
          "valueBoolean": false,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-cancelable"
        },
        {
          "valueBoolean": false,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-reschedulable"
        }
      ],
      "status": "cancelled",
      "cancelationReason": {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14229",
            "code": "0",
            "userSelected": true
          }
        ]
      },
      "serviceType": [
        {
          "coding": [
            {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14249",
              "code": "4047611",
              "display": "Surgery Rapid",
              "userSelected": true
            },
            {
              "system": "http://snomed.info/sct",
              "code": "394576009",
              "display": "Accident & emergency (qualifier value)",
              "userSelected": false
            }
          ],
          "text": "Surgery Rapid"
        }
      ],
      "reasonCode": [
        {
          "text": "I have a cramp"
        }
      ],
      "description": "Surgery Rapid",
      "start": "2020-01-23T22:10:00Z",
      "end": "2020-01-23T23:10:00Z",
      "minutesDuration": 60,
      "participant": [
        {
          "actor": {
            "reference": "Location/32216049",
            "display": "Endoscopy"
          },
          "required": "required",
          "status": "accepted"
        },
        {
          "type": [
            {
              "coding": [
                {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
                  "code": "269829903",
                  "display": "Endoscopy Rooms",
                  "userSelected": true
                }
              ],
```

```
                "text": "Endoscopy Rooms"
              },
              {
                "coding": [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
                    "code": "PPRF",
                    "display": "primary performer"
                  }
                ]
              }
            ],
            "actor": {
              "display": "EN Add-On"
            },
            "required": "required",
            "status": "accepted"
          },
          {
            "type": [
              {
                "coding": [
                  {
                    "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
                    "code": "4572",
                    "display": "Patient",
                    "userSelected": true
                  }
                ],
                "text": "Patient"
              }
            ],
            "actor": {
              "reference": "Patient/12724066",
              "display": "SMARTS SR., NANCYS II"
            },
            "required": "required",
            "status": "accepted",
            "period": {
              "start": "2020-01-23T22:10:00Z",
              "end": "2020-01-23T23:10:00Z"
            }
          }
        ],
        "requestedPeriod": [
          {
            "start": "2020-01-23T22:10:00Z",
            "end": "2020-01-23T23:10:00Z"
          }
        ]
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-search-booked Response

Example search for a booked appointment.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment?patient=12507979&date=ge2021-01-
    22T19:00:00.000Z&status=booked
```

Example Response:


```
{
    "resourceType": "Bundle",
    "id": "5f5f8642-bfd4-4b21-bbeb-0538b9e3ec64",
    "type": "searchset",
    "link": [
      {
        "relation": "self",
        "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment?date=ge2021-01-
    22T19%3A00%3A00.000Z&patient=12507979&status=booked"
      }
    ],
    "entry": [
      {
        "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4823974",
        "resource": {
          "resourceType": "Appointment",
          "id": "4823974",
```

```
      "meta": {
        "versionId": "1",
        "lastUpdated": "2021-01-22T17:25:37Z"
      },
      "text": {
        "status": "generated",
        "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Appointment</b></p><p><b>Status</b>:
Booked</p><p><b>Service Type</b>: Established Patient</p><p><b>Start</b>: Jan 22, 2021 10:15 P.M.
UTC</p><p><b>End</b>: Jan 22, 2021 10:30 P.M. UTC</p><p><b>Slot Id</b>:
24477854-21304876-63231945-495</p><p><b>Participants</b>:</p><dl><dd><b>Location</b>: MX Clinic
1</dd><dd><b>Patient</b>: SMITHY, UPDATED_LAST_NAME UPDATED_FIRST_NAME</dd><dd><b>Practitioner</b>: Applegate MD,
Christina</dd></dl></div>"
      },
      "extension": [
        {
          "valueBoolean": false,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-cancelable"
        },
        {
          "valueBoolean": false,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-reschedulable"
        }
      ],
      "status": "booked",
      "serviceType": [
        {
          "coding": [
            {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14249",
              "code": "24477854",
              "display": "Established Patient",
              "userSelected": true
            },
            {
              "system": "http://snomed.info/sct",
              "code": "408443003",
              "display": "General medical practice (qualifier value)",
              "userSelected": false
            }
          ],
          "text": "Established Patient"
        }
      ],
      "description": "Established Patient",
      "start": "2021-01-22T22:15:00Z",
      "end": "2021-01-22T22:30:00Z",
      "minutesDuration": 15,
      "slot": [
        {
          "reference": "Slot/24477854-21304876-63231945-495"
        }
      ],
      "participant": [
        {
          "actor": {
            "reference": "Location/21304876",
            "display": "MX Clinic 1"
          },
          "required": "required",
          "status": "accepted"
        },
        {
          "type": [
            {
              "coding": [
                {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
                  "code": "4572",
                  "display": "Patient",
                  "userSelected": true
                }
              ],
              "text": "Patient"
            }
          ],
          "actor": {
            "reference": "Patient/12507979",
            "display": "SMITHY, UPDATED_LAST_NAME UPDATED_FIRST_NAME"
          },
          "required": "required",
          "status": "tentative",
          "period": {
            "start": "2021-01-22T22:15:00Z",
            "end": "2021-01-22T22:30:00Z"
          }
        },
        {
          "type": [
            {
```

```
                "coding": [
                  {
                    "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
                    "code": "0",
                    "userSelected": true
                  }
                ]
              },
              {
                "coding": [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
                    "code": "PPRF",
                    "display": "primary performer"
                  }
                ]
              }
            ],
            "actor": {
              "reference": "Practitioner/593923",
              "display": "Applegate MD, Christina"
            },
            "required": "required",
            "status": "accepted"
          }
        ],
        "requestedPeriod": [
          {
            "start": "2021-01-22T22:15:00Z",
            "end": "2021-01-22T22:30:00Z"
          }
        ]
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get an appointment by ID

File: r4-rest-api-v32/op-appointment-id-get.html

Retrieves an appointment by the associated appointment ID.

Authorization Types

This operation supports the following authorization types:

* Patient

* Provider

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example retrieval of an appointment.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4822366
```

Example Response:

```
{
    "resourceType": "Appointment",
    "id": "4822366",
    "meta": {
      "versionId": "2",
      "lastUpdated": "2021-04-22T12:21:26Z"
    },
    "text": {
      "status": "generated",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Appointment</b></p><p><b>Status</b>:
    Cancelled</p><p><b>Service Type</b>: Surgery Rapid</p><p><b>Start</b>: Jan 23, 2020 10:10 P.M. UTC</p><p><b>End</b>:
     Jan 23, 2020 11:10 P.M. UTC</p><p><b>Participants</b>:</p><dl><dd><b>Location</b>: Endoscopy</dd><dd><b>Other
    Resource</b>: EN Add-On</dd><dd><b>Patient</b>: SMARTS SR., NANCYS II</dd></dl></div>"
    },
    "extension": [
      {
        "valueBoolean": false,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-cancelable"
      },
      {
        "valueBoolean": false,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-reschedulable"
      }
    ],
    "status": "cancelled",
    "cancelationReason": {
      "coding": [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14229",
          "code": "0",
          "userSelected": true
        }
      ]
    },
    "serviceType": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14249",
            "code": "4047611",
            "display": "Surgery Rapid",
            "userSelected": true
          },
          {
            "system": "http://snomed.info/sct",
            "code": "394576009",
            "display": "Accident & emergency (qualifier value)",
            "userSelected": false
          }
        ],
        "text": "Surgery Rapid"
      }
    ],
    "reasonCode": [
      {
        "text": "I have a cramp"
      }
    ],
    "description": "Surgery Rapid",
    "start": "2020-01-23T22:10:00Z",
    "end": "2020-01-23T23:10:00Z",
    "minutesDuration": 60,
    "participant": [
      {
        "actor": {
          "reference": "Location/32216049",
          "display": "Endoscopy"
        },
        "required": "required",
        "status": "accepted"
      },
      {
        "type": [
          {
            "coding": [
              {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
                "code": "269829903",
                "display": "Endoscopy Rooms",
                "userSelected": true
              }
            ],
            "text": "Endoscopy Rooms"
          },
          {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
                "code": "PPRF",
```

```
              "display": "primary performer"
            }
          ]
        }
      ],
      "actor": {
        "display": "EN Add-On"
      },
      "required": "required",
      "status": "accepted"
    },
    {
      "type": [
        {
          "coding": [
            {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
              "code": "4572",
              "display": "Patient",
              "userSelected": true
            }
          ],
          "text": "Patient"
        }
      ],
      "actor": {
        "reference": "Patient/12724066",
        "display": "SMARTS SR., NANCYS II"
      },
      "required": "required",
      "status": "accepted",
      "period": {
        "start": "2020-01-23T22:10:00Z",
        "end": "2020-01-23T23:10:00Z"
      }
    }
  ],
  "requestedPeriod": [
    {
      "start": "2020-01-23T22:10:00Z",
      "end": "2020-01-23T23:10:00Z"
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-retrieve-booked Response

Example retrieval of a booked appointment.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4874055
```

Example Response:


```
{
    "resourceType": "Appointment",
    "id": "4874055",
    "meta": {
      "versionId": "3",
      "lastUpdated": "2023-02-15T20:26:52Z"
    },
    "text": {
      "status": "generated",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Appointment</b></p><p><b>Status</b>:
    Cancelled</p><p><b>Service Type</b>: Client Billing</p><p><b>Start</b>: Feb 15, 2023  9:00 P.M.
    UTC</p><p><b>End</b>: Feb 15, 2023  9:15 P.M. UTC</p><p><b>Participants</b>:</p><dl><dd><b>Location</b>: MX Clinic
    2</dd><dd><b>Other Resource</b>: Favreau, Bastien MD</dd><dd><b>Patient</b>: ODSchedulingCancel,
    55681cfa-0084-48a1-93eb-0a9f89ad5d60</dd></dl></div>"
    },
    "extension": [
      {
        "valueBoolean": false,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-cancelable"
      },
      {
        "valueBoolean": false,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-reschedulable"
      }
    ],
    "status": "cancelled",
    "cancelationReason": {
      "coding": [
```

```
    {
      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14229",
      "code": "0",
      "userSelected": true
    }
  ]
},
"serviceType": [
  {
    "coding": [
      {
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14249",
        "code": "2554801993",
        "display": "Client Billing",
        "userSelected": true
      }
    ],
    "text": "Client Billing"
  }
],
"description": "Client Billing",
"start": "2023-02-15T21:00:00Z",
"end": "2023-02-15T21:15:00Z",
"minutesDuration": 15,
"participant": [
  {
    "actor": {
      "reference": "Location/21251399",
      "display": "MX Clinic 2"
    },
    "required": "required",
    "status": "accepted"
  },
  {
    "type": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
            "code": "0",
            "userSelected": true
          }
        ]
      },
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
            "code": "PPRF",
            "display": "primary performer"
          }
        ]
      }
    ],
    "actor": {
      "display": "Favreau, Bastien MD"
    },
    "required": "required",
    "status": "accepted"
  },
  {
    "type": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
            "code": "4572",
            "display": "Patient",
            "userSelected": true
          }
        ],
        "text": "Patient"
      }
    ],
    "actor": {
      "reference": "Patient/12822932",
      "display": "ODSchedulingCancel, 55681cfa-0084-48a1-93eb-0a9f89ad5d60"
    },
    "required": "required",
    "status": "accepted",
    "period": {
      "start": "2023-02-15T21:00:00Z",
      "end": "2023-02-15T21:15:00Z"
    }
  }
],
"requestedPeriod": [
  {
    "start": "2023-02-15T21:00:00Z",
```

```
        "end": "2023-02-15T21:15:00Z"
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-retrieve-with-video-visit Response

Example retrieval of an appointment with a video visit.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817572
```

Example Response:

```
{
    "resourceType": "Appointment",
    "id": "4817572",
    "meta": {
      "versionId": "2-1",
      "lastUpdated": "2020-07-11T05:05:01Z"
    },
    "text": {
      "status": "generated",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Appointment</b></p><p><b>Status</b>: No
    Show</p><p><b>Service Type</b>: Video Visit</p><p><b>Start</b>: Jul 10, 2020  1:00 P.M. UTC</p><p><b>End</b>: Jul
    10, 2020  1:15 P.M. UTC</p><p><b>Slot Id</b>:
    2572307911-21304876-63048470-0</p><p><b>Participants</b>:</p><dl><dd><b>Location</b>: MX Clinic
    1</dd><dd><b>Patient</b>: SMARTS SR., NANCYS II</dd><dd><b>Practitioner</b>: Applegate MD,
    Christina</dd></dl><p><b>Video Visit</b>: Yes</p></div>"
    },
    "contained": [
      {
        "resourceType": "HealthcareService",
        "id": "28",
        "type": [
          {
            "text": "Patient Virtual Meeting Room"
          }
        ],
        "telecom": [
          {
            "system": "url",
            "value": "http://patientlink.vmr.net"
          }
        ]
      },
      {
        "resourceType": "HealthcareService",
        "id": "31",
        "type": [
          {
            "text": "Provider Virtual Meeting Room"
          }
        ],
        "telecom": [
          {
            "system": "url",
            "value": "http://patientlink.vmr.net"
          }
        ]
      }
    ],
    "extension": [
      {
        "valueBoolean": false,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-cancelable"
      },
      {
        "valueBoolean": false,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/is-reschedulable"
      }
    ],
    "status": "noshow",
    "serviceType": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14249",
            "code": "2572307911",
            "display": "Video Visit",
            "userSelected": true
          },
```

```
      {
        "system": "http://snomed.info/sct",
        "code": "394581000",
        "display": "Community medicine (qualifier value)",
        "userSelected": false
      }
    ],
    "text": "Video Visit"
  }
],
"reasonCode": [
  {
    "text": "Testing Video Visit"
  }
],
"description": "Video Visit",
"start": "2020-07-10T13:00:00Z",
"end": "2020-07-10T13:15:00Z",
"minutesDuration": 15,
"slot": [
  {
    "reference": "Slot/2572307911-21304876-63048470-0"
  }
],
"participant": [
  {
    "actor": {
      "reference": "Location/21304876",
      "display": "MX Clinic 1"
    },
    "required": "required",
    "status": "accepted"
  },
  {
    "type": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
            "code": "4572",
            "display": "Patient",
            "userSelected": true
          }
        ],
        "text": "Patient"
      }
    ],
    "actor": {
      "reference": "Patient/12724066",
      "display": "SMARTS SR., NANCYS II"
    },
    "required": "required",
    "status": "accepted",
    "period": {
      "start": "2020-07-10T13:00:00Z",
      "end": "2020-07-10T13:15:00Z"
    }
  },
  {
    "type": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14250",
            "code": "4574",
            "display": "Resource",
            "userSelected": true
          }
        ],
        "text": "Resource"
      },
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
            "code": "PPRF",
            "display": "primary performer"
          }
        ]
      }
    ],
    "actor": {
      "reference": "Practitioner/593923",
      "display": "Applegate MD, Christina"
    },
    "required": "required",
    "status": "accepted"
  },
  {
```

```
        "type": [
          {
            "text": "Patient Virtual Meeting Room"
          }
        ],
        "actor": {
          "reference": "#28"
        },
        "status": "accepted"
      },
      {
        "type": [
          {
            "text": "Provider Virtual Meeting Room"
          }
        ],
        "actor": {
          "reference": "#31"
        },
        "status": "accepted"
      }
    ],
    "requestedPeriod": [
      {
        "start": "2020-07-10T13:00:00Z",
        "end": "2020-07-10T13:15:00Z"
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Patch an appointment

File: r4-rest-api-v32/op-appointment-id-patch.html

Patches an existing appointment.

Note:

* Only the body fields mentioned below are supported. Unsupported fields are ignored, or can result in errors.

* Video Visit functionality requires additional licensing, configuration, and application support.

* For Video Visit link patch operations, both Appointment.read and Appointment.write scopes are required.

* This implementation follows the JSON PATCH specification.

* Only operations on the paths listed below are supported.

* For Video Visit link patch operation paths, contained index 0 represents the provider link and contained index 1 represents the patient link.

Errors

In addition to the common errors and operation outcomes, the following errors may be returned:

* Updating an Appointment resource with the incorrect version returns a 409 (Conflict) response.

* Updating an Appointment resource without sending the If-Match header returns a 412 (Precondition Failed) response.

* Updating an Appointment resource that is currently being modified returns a 423 (Locked) response.

* If the Appointment resource could not be updated because of an operation that is necessary for the update (for example, encounter association), a 424 (Failed Dependency) response is returned.

* Patching a Video Visit Appointment with add operations that has previously been patched for Video Visit links returns a 409 (Conflict) response.

* Mixing add and replace patch operations is not supported while patching a Video Visit Appointment and returns a 422 (Unprocessable Entity) response.

* Patching a Video Visit Appointment with any missing required patch operations returns a 422 (Unprocessable Entity) response.

* Patching an Appointment with a participant status other than accepted returns a 422 (Unprocessable Entity) response.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Patch Operations

Path | Operation | Value Type

/status | replace | code

Description: The status of the appointment Example: { "op": "replace", "path": "/status", "value": "cancelled" } Note: Only arrived, checked-in, cancelled, booked, and fulfilled are supported This patch operation must be accompanied by the add Slot patch operation when updating status to booked

/slot | add | Reference (Slot)

Description: The slot that this appointment is filling Example: { "op": "add", "path": "/slot", "value": [{ "reference":"Slot/1986119705-4048128-15648907-60" }] } Note: When present, this patch operation must be accompanied by the replace Status patch operation with a value of booked Only one Slot reference may be provided in the value array

/slot | replace | Reference (Slot)

Description: The Slot that this appointment is filling Example: { "op": "replace", "path": "/slot", "value": [{ "reference":"Slot/1986119705-4048128-15648907-60" }] } Note: Not dependent on any other patch Operation Only one Slot reference may be provided in the value array

/reasonCode | add | List of CodeableConcept

Description: The clinical reason for why this appointment is being scheduled Example: { "op": "add", "path": "/reasonCode", "value": [{ "text": "I have a headache" }] } Note: When present, this patch operation must be accompanied by the replace Status patch operation with a value of booked Only one CodeableConcept may be provided in the value array CodeableConcept.text is required and CodeableConcept.coding, if present, will be ignored When the value array is empty, any existing reasonCode will be removed

/cancelationReason | add | CodeableConcept

Description: The coded reason for the appointment being cancelled Example: { "op": "add", "path": "/cancelationReason", "value": { "coding": [{ "system": "https://terminology.hl7.org/CodeSystem-appointment-cancellation-reason.html", "code": "oth-err" }] } } Note: When present, this patch operation must be accompanied by the replace Status patch operation with a value of cancelled Only one coding may be provided in the value The cancellation reason value.coding can be from either the standard or proprietary system CodeableConcept.coding is required and CodeableConcept.text, if present, will be ignored

/contained/0/telecom/0/value | add | string

Description: The provider Video Visit link Example: { "op": "add", "path": "/contained/0/telecom/0/value", "value": "http://providerlink.vmr.net" } Note: This patch operation may only be used for Cerner Video Visit appointments This patch operation must be accompanied by all other Video Visit link patch operations with an op of add The URL length must be less than or equal to 255 characters

/contained/1/telecom/0/value | add | string

Description: The patient Video Visit link Example: { "op": "add", "path": "/contained/1/telecom/0/value", "value": "http://patientlink.vmr.net" } Note: This patch operation may only be used for Cerner Video Visit appointments This patch operation must be accompanied by all other Video Visit link patch operations with an op of add The URL length must be less than or equal to 255 characters

/contained/0/telecom/0/period/start | add | datetime

Description: The start datetime for the Video Visit Example: { "op": "add", "path": "/contained/0/telecom/0/period/start", "value": "2019-07-13T08:00:00.000Z" } Note: This patch operation may only be used for Cerner Video Visit appointments The value for this patch operation will be applied to both the provider Video Visit link and the patient Video Visit link This patch operation must be accompanied by all other Video Visit link patch operations with an op of add

/contained/0/telecom/0/period/end | add | datetime

Description: The end datetime for the Video Visit Example: { "op": "add", "path": "/contained/0/telecom/0/period/end", "value": "2019-07-13T08:30:00.000Z" } Note: This patch operation may only be used for Cerner Video Visit appointments The value for this patch operation will be applied to both the provider Video Visit link and the patient Video Visit link This patch operation must be accompanied by all other Video Visit link patch operations with an op of add

/contained/0/telecom/0/value | replace | string

Description: The provider Video Visit link Example: { "op": "replace", "path": "/contained/0/telecom/0/value", "value": "http://providerlink.vmr.net" } Note: This patch operation may only be used for Cerner Video Visit appointments This patch operation must be accompanied by all other Video Visit link patch operations with an op of replace The URL length must be less than or equal to 255 characters

/contained/1/telecom/0/value | replace | string

Description: The patient Video Visit link Example: { "op": "replace", "path": "/contained/1/telecom/0/value", "value": "http://patientlink.vmr.net" } Note: This patch operation may only be used for Cerner Video Visit appointments This patch operation must be accompanied by all other Video Visit link patch operations with an op of replace The URL length must be less than or equal to 255 characters

/contained/0/telecom/0/period/start | replace | datetime

Description: The start datetime for the Video Visit Example: { "op": "replace", "path": "/contained/0/telecom/0/period/start", "value": "2019-07-13T08:30:00.000Z" } Note: This patch operation may only be used for Cerner Video Visit appointments The value for this patch operation will be applied to both the provider Video Visit link and the patient Video Visit link This patch operation must be accompanied by all other Video Visit link patch operations with an op of replace

/contained/0/telecom/0/period/end | replace | datetime

Description: The end datetime for the Video Visit Example: { "op": "replace", "path": "/contained/0/telecom/0/period/end", "value": "2019-07-14T08:30:00.000Z" } Note: This patch operation may only be used for Cerner Video Visit appointments The value for this patch operation will be applied to both the provider Video Visit link and the patient Video Visit link This patch operation must be accompanied by all other Video Visit link patch operations with an op of replace

/patient-status | replace | code

Description: The participant status on Patient participant types Example: { "op": "replace", "path": "/patient-status", "value": "accepted" } Note: This patch operation may be used only for appointments with a booked status This patch operation may be used only for Patient participants with a tentative status

/extension | replace | Extension

Description: The comment to be associated with the action performed on the resource Example: { "op": "replace", "path": "/extension", "value": [{ "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/action-comment", "valueString": "not required, cancelled" }] } Note: When present, this patch operation must be accompanied by add cancellation reason and replace status patch operation when updating the status to cancelled When present, this patch operation must be accompanied by replace slot when rescheduling the appointment. Only one value may be provided in the value array

/comment | replace | string

Description: Additional text to aid in facilitating the appointment Example: { "op": "replace", "path": "/comment", "value": "Arrived" } Note: When present, this patch operation must be accompanied by the replace Slot patch operation

/extension | add | Extension

Description: The coded reason for the appointment being rescheduled Example: { "op": "add", "path": "/extension", "value": { "coding": [{ "system": "https://terminology.hl7.org/CodeSystem-appointment-cancellation-reason.html", "code": "oth-err" }] } } Note: When present, this patch operation must be accompanied by replace slot operation Only one value may be provided in the value array

Request

Supported Media Types

* application/json-patch+json

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* If-Match(required): string The current version of the Appointment resource.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

content-type(required): string

Specifies the content type of the request entity body.

Example: application/json-patch+json

Body ()

The body of the patch operation

Root Schema : AppointmentPatch

Type:

array

Minimum Number of Items:

Show Source

* Array of: object items

```
{
    "type":"array",
    "minItems":1,
    "items":{
        "type":"object",
        "required":[
            "op",
            "path",
            "value"
        ],
        "properties":{
            "op":{
                "type":"string",
                "enum":[
                    "add",
                    "replace"
                ]
            },
            "path":{
                "type":"string"
            },
            "value":{
                "description":"<p>The new value to add or update. See the examples for proper formats.</p>\n"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* op(required): string Allowed Values: ["add", "replace"]

* path(required): string

value(required):

The new value to add or update. See the examples for proper formats.

```
{
    "type":"object",
    "required":[
        "op",
        "path",
        "value"
    ],
    "properties":{
        "op":{
            "type":"string",
            "enum":[
                "add",
```

```
                "replace"
            ]
        },
        "path":{
            "type":"string"
        },
        "value":{
            "description":"<p>The new value to add or update. See the examples for proper formats.</p>\n"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment to booked status.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
      'op': 'add',
      'path': '/slot',
      'value': [
        {
          'reference': 'Slot/24477854-21304876-62852027-0'
        }
      ]
    },
    {
      'op': 'replace',
      'path': '/status',
      'value': 'booked'
    }
  ]
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 26 Mar 2019 15:42:29 GMT
  Etag: W/"10"
  Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-add-cancelationReason Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment to add a cancelationReason.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
      'op': 'replace',
      'path': '/status',
      'value': 'cancelled'
    },
```

```
  {
    'op': 'add',
    'path': '/cancelationReason',
    'value': {
      'coding': [
        {
          'system': 'https://terminology.hl7.org/CodeSystem-appointment-cancellation-reason.html',
          'code': 'oth-err'
        }
      ]
    }
  }
]
```

Example Response:

```
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Tue, 26 Mar 2019 15:42:29 GMT
Etag: W/"1"
Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
Vary: Origin
X-Request-Id: 11111111-1111-1111-1111-111111111111
opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-add-rescheduleReason Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment to add a rescheduleReason.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
      'op': 'replace',
      'path': '/slot',
      'value': [
        {
          'reference': 'Slot/2582093771-22784981-63303788-60'
        }
      ]
    },
    {
      "op": 'add',
      "path": '/extension',
      "value": [
        {
          "url": 'https://fhir-ehr.cerner.com/r4/StructureDefinition/reschedule-reason',
          "valueCodeableConcept": {
            "coding": [
              {
                "system": 'https://terminology.hl7.org/CodeSystem-appointment-cancellation-reason.html',
                "code": 'oth-err'
              }
            ]
          }
        }
      ]
    }
  ]
```

Example Response:

```
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Tue, 26 Mar 2019 15:42:29 GMT
Etag: W/"1"
Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
Vary: Origin
X-Request-Id: 11111111-1111-1111-1111-111111111111
```

```
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-add-video-visit-links Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment to add video visit links.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4627745
```

Example Request Body:

```
[
    {
      'op': 'add',
      'path': '/contained/0/telecom/0/value',
      'value': 'http://providerlink.vmr.net'
    },
    {
      'op': 'add',
      'path': '/contained/1/telecom/0/value',
      'value': 'http://patientlink.vmr.net'
    },
    {
      'op': 'add',
      'path': '/contained/0/telecom/0/period/start',
      'value': '2019-07-13T08:00:00.000Z'
    },
    {
      'op': 'add',
      'path': '/contained/0/telecom/0/period/end',
      'value': '2019-07-13T08:10:00.000Z'
    }
  ]
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 26 Mar 2019 15:42:29 GMT
  Etag: W/"10-1"
  Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-replace-slot Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment to replace the slot.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
```

```
    'op': 'replace',
    'path': '/slot',
    'value': [
      {
        'reference': 'Slot/2582093771-22784981-63303788-60'
      }
    ]
  }
]
```

Example Response:

```
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Tue, 26 Mar 2019 15:42:29 GMT
Etag: W/"1"
Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
Vary: Origin
X-Request-Id: 11111111-1111-1111-1111-111111111111
opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-replace-video-visit-links Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment to replace video visit links.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4627745
```

Example Request Body:

```
[
    {
      'op': 'replace',
      'path': '/contained/0/telecom/0/value',
      'value': 'http://providerlink.vmr.net'
    },
    {
      'op': 'replace',
      'path': '/contained/1/telecom/0/value',
      'value': 'http://patientlink.vmr.net'
    },
    {
      'op': 'replace',
      'path': '/contained/0/telecom/0/period/start',
      'value': '2019-07-13T08:00:00.000Z'
    },
    {
      'op': 'replace',
      'path': '/contained/0/telecom/0/period/end',
      'value': '2019-07-13T08:10:00.000Z'
    }
  ]
```

Example Response:

```
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Tue, 26 Mar 2019 15:42:29 GMT
Etag: W/"10-1"
Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
Vary: Origin
X-Request-Id: 11111111-1111-1111-1111-111111111111
opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-update-action-comment-and-replace-status Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment with an updated action comment and replace status.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
      'op': 'replace',
      'path': '/extension',
      'value': [
        {
          'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/action-comment',
          'valueString': 'not required cancelled'
        }
      ]
    },
    {
      'op': 'replace',
      'path': '/status',
      'value': 'cancelled'
    },
    {
      'op': 'add',
      'path': '/cancelationReason',
      'value': {
        'coding': [
          {
            'system': 'https://terminology.hl7.org/CodeSystem-appointment-cancellation-reason.html',
            'code': 'oth-err'
          }
        ]
      }
    }
  ]
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Fri, 11 Aug 2023 15:42:29 GMT
  Etag: W/"10"
  Last-Modified: Fri, 11 Aug 2023 15:42:29 GMT
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-update-action-comment-and-slot Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment with an updated action comment and replaced slot.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
      "op": 'replace',
      "path": '/slot',
      "value": [
        {
```

```
        "reference": 'Slot/2592955413-2581440805-96118899-0'
      }
    ]
  },
  {
    'op': 'replace',
    'path': '/extension',
    'value': [
      {
        'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/action-comment',
        'valueString': 'Rescheduling Appointment'
      }
    ]
  }
]
```

Example Response:

```
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Fri, 11 Aug 2023 15:42:29 GMT
Etag: W/"10"
Last-Modified: Fri, 11 Aug 2023 15:42:29 GMT
Vary: Origin
X-Request-Id: 11111111-1111-1111-1111-111111111111
opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-update-participant-status Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment with updated participant status.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
      'op': 'replace',
      'path': '/patient-status',
      'value': 'accepted'
    }
  ]
```

Example Response:

```
Cache-Control: no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Tue, 26 Mar 2019 15:42:29 GMT
Etag: W/"10"
Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
Vary: Origin
X-Request-Id: 11111111-1111-1111-1111-111111111111
opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patch-update-reasonCode Response

The response header indicates the current version to use on a subsequent update.

Example patch for an appointment with updated reasonCode.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Appointment/4817517
```

Example Request Body:

```
[
    {
      'op': 'add',
      'path': '/slot',
      'value': [
        {
          'reference': 'Slot/24477854-21304876-62852027-0'
        }
      ]
    },
    {
      'op': 'replace',
      'path': '/status',
      'value': 'booked'
    },
    {
      'op': 'add',
      'path': '/reasonCode',
      'value': [
        {
          'text': 'I have a headache'
        }
      ]
    }
  ]
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 26 Mar 2019 15:42:29 GMT
  Etag: W/"1"
  Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Binary

File: r4-rest-api-v32/api-binary.html

Description

Binary

This topic describes information for the Binary resource.

Overview

Terminology Bindings

The Binary resource can contain any clinical content such as text, images, and PDFs. This resource is currently limited to Continuity of Care Documents (CCDs), clinical documents, diagnostic reports, and communication message content.

Examples of supported diagnostic report types include anatomic pathology, cardiology, microbiology, and radiology.

This list is not exhaustive and subject to change as the list of clinical events that may qualify can be customized by customers.

Oracle recommends requesting Binary resources only after obtaining links to the resources through references from DiagnosticReport or DocumentReference. Starting a workflow with Binary resources is not recommended.

The consumer must populate the Accept header with application/fhir+json or the format returned in the attachment.contentType of the referring resource. If the Accept header is application/fhir+json, a FHIR Binary resource is returned with the raw data populated in Binary.data. If the Accept header is anything else, the raw data is returned instead of a FHIR Binary resource. For more information, see the HL7 FHIR Binary documentation.

To retrieve documents with the content type, Clinical Reporting XR must be installed for the customer site that you are loading data from. For additional information about Clinical Reporting XR, see the .

Note:

application/pdf

Clinical Reporting XR Reference Pages

The examples provided here are non-normative and replaying them in the public sandbox is not guaranteed to yield the results shown on the site. The field is present only for confidential resources.

Note:

meta.security

The following fields are returned if valued:

* Binary id

* Content type

* Content

Binary.meta.security

* Description: These tags connect specific resources to the overall security policy and infrastructure.

* Details: ValueSet

* System: http://terminology.hl7.org/CodeSystem/v3-ActCode

Binary

The operations from the Binary category.

Get a binary CCD

Method: get Path: /Binary/$autogen-ccd-if

Get a binary document by ID

Method: get Path: /Binary/{ID}

Get a binary CCD

File: r4-rest-api-v32/op-binary-autogen-ccd-if-get.html

Retrieves the Continuity of Care Document (CCD) as binary for the supplied query parameters.

Note: This document is usually linked from DocumentReference, DiagnosticReport, or Communication and should be accessed using the exact link given in the referring resource. Modifying the link has undefined consequences.

Headers

By default, the Accept header is set to application\fhir+json.

You can supply an Accept header of application/xml instead if you want to retrieve the XML Binary resource instead of the JSON data.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

This operation requires the appropriate Binary.read and DocumentReference.read scopes to be granted to the caller.

Request

Query Parameters

* encounter: string A reference to the encounter that is the subject of the CCD. Example: encounter=12345

* end: string The end of the date range for which the CCD is to be generated. Must be a valid dateTime value with a time component. No prefix is required. If this parameter is not provided, then all records up to the current date are included. Example: 2016-09-24T12:00:00.000Z

* patient(required): string A reference to the patient that is the subject of the CCD. Example: 12345

* start: string The start of the date range for which the CCD is to be generated. Must be a valid dateTime value with a time component. No prefix is required. If this parameter is not provided, then all records from the beginning of time are included. Example: 2014-09-24T12:00:00.000Z

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

* application/xml

Default Response

Example CCD search by patient.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/$autogen-ccd-if?patient=1694010
```

Example Response:


```
{
    'resourceType': 'Binary',
    'id': '087d18d8-fd94-4c4f-9058-278ee7985ae7',
    'meta': {
      'lastUpdated': '2020-12-10T00:27:34Z'
    },
    'contentType': 'aapplication/xml',
    'data': 'JVBERi0xLjQKJeLjz9MKMSAwIG9iago8PC9TdWJ0eXBlL1R5cGUxL1R5cGUvRm9udC9CYXNlRm9udC9IZWx2ZXRpY2EvRW5jb2Rpbmcvv2l
    uQW5zaUVuY29kaW5nPj4KZW5kb2JqCjIgMCBvYmoKPDwvRmlsdGVyL0ZsYXRlRGVjb2RlL0xlbmd0aCAxMD4+c3RyZWFtCnicK+QCAADuAHwKZW5kc3R
    yZWFtCmVuZG9iagozIDAgb2JqCjw8L0ZpbHRlci9GbGF0ZURlY29kZS9MZW5ndGggNzA+PnN0cmVhbQp4nFMI5Crk0o/INFQwNFAISeNyCuEyVDAAQkM
    FI3MDPWMzBRMLPQMLhZBcLo2AxPRUBSOF/DQFI82QLC7XEK5ALgCzZg3JCmVuZHN0cmVhbQplbmRvYmoKNCAwIG9iago8PC9GaWx0ZXIvRmxhdGVEZWN
    vZGUvTGVuZ3RoIDEwPj5zdHJlYW0KeJwr5AIAAO4AfAplbmRzdHJlYW0KZW5kb2JqCjUgMCBvYmoKPDwvRmlsdGVyL0ZsYXRlRGVjb2RlL0xlbmd0aCA
    2OT4+c3RyZWFtCnicUwjkKuTSj8g0UDA0UAhJ43IK4TJUMABCQwUjM2M9M0MFEws9AwuFkFwujYDE9FSgeH6agpFmSBaXawhXIBcAsycNxwplbmRzdHJ
    lYW0KZW5kb2JqCjYgMCBvYmoKPDwvUGFnZU1vZGUvVXNlTm9uZS9OYW1lcyA3IDAgUi9UeXBlL0NhdGFsb2cvT3V0bGluZXMgOCAwIFIvUGFnZXMgOSA
    wIFIvVmlld2VyUHJlZmVyZW5jZXMgMTAgMCBSPj4KZW5kb2JqCjkgMCBvYmoKPDwvS2lkc1sxMSAwIFJdL1R5cGUvUGFnZXMvQ291bnQgMi9JVFhUKDI
    uMS43KT4+CmVuZG9iago4IDAgb2JqCjw8L0NvdW50IDEvRmlyc3QgMTIgMCBSL0xhc3QgMTIgMCBSPj4KZW5kb2JqCjEzIDAgb2JqClsvSUNDQmFzZWQ
    gMTQgMCBSXQplbmRvYmoKMTQgMCBvYmoKPDwvRmlsdGVyL0ZsYXRlRGVjb2RlL0xlbmd0aCAyNTk2L04gMz4+c3RyZWFtCnicnZZ3VFPZFofPvTe9UJI
    QipTQa2hSAkgNvUiRLioxCRBKwJAAIjZEVHBEUZGmCDIo4ICjQ5GxIoqFAVGx6wQZRNRxcBQblklkrRnfvHnvzZvfH/d+a5+9z91n733WugCQ/IMFwkx
    YCYAMoVgU4efFiI2LZ2AHAQzwAANsAOBws7NCFvhGApkCfNiMbJkT+Be9ug4g+fsq0z+MwQD/n5S5WSIxAFCYjOfy+NlcGRfJOD1XnCW3T8mYtjRNzjB
    KziJZgjJWk3PyLFt89pllDznzMoQ8GctzzuJl8OTcJ+ONORK+jJFgGRfnCPi5Mr4mY4N0SYZAxm/ksRl8TjYAKJLcLuZzU2RsLWOSKDKCLeN5AOBIyV/
    w0i9YzM8Tyw/FzsxaLhIkp4gZJlxTho2TE4vhz89N54vFzDAON40j4jHYmRlZHOFyAGbP/FkUeW0ZsiI72Dg5ODBtLW2+KNR/Xfybkvd2ll6Ef+4ZRB/
    4w/ZXfpkNALCmZbXZ+odtaRUAXesBULv9h81gLwCKsr51Dn1xHrp8XlLE4ixnK6vc3FxLAZ9rKS/o7/qfDn9DX3zPUr7d7+VhePOTOJJ0MUNeN25meqZ
    ExMjO4nD5DOafh/gfB/51HhYR/CS+iC+URUTLpkwgTJa1W8gTiAWZQoZA+J+a+A/D/qTZuZaJ2vgR0JZYAqUhGkB+HgAoKhEgCXtkK9DvfQvGRwP5zYv
    RmZid+8+C/n1XuEz+yBYkf45jR0QyuBJRzuya/FoCNCAARUAD6kAb6AMTwAS2wBG4AA/gAwJBKIgEcWAx4IIUkAFEIBcUgLWgGJSCrWAnqAZ1oBE0gzZ
    wGHSBY+A0OAcugctgBNwBUjAOnoAp8ArMQBCEhcgQFVKHdCBDyByyhViQG+QDBUMRUByUCCVDQkgCFUDroFKoHKqG6qFm6FvoKHQaugANQ7egUWgS+hV
    6ByMwCabBWrARbAWzYE84CI6EF8HJ8DI4Hy6Ct8CVcAN8EO6ET8OX4BFYCj+BpxGAEBE6ooswERbCRkKReCQJESGrkBKkAmlA2pAepB+5ikiRp8hbFAZ
    FRTFQTJQLyh8VheKilqFWoTajqlEHUJ2oPtRV1ChqCvURTUZros3RzugAdCw6GZ2LLkZXoJvQHeiz6BH0OPoVBoOhY4wxjhh/TBwmFbMCsxmzG9OOOYU
    ZxoxhprFYrDrWHOuKDcVysGJsMbYKexB7EnsFO459gyPidHC2OF9cPE6IK8RV4FpwJ3BXcBO4GbwS3hDvjA/F8/DL8WX4RnwPfgg/jp8hKBOMCa6ESEI
    qYS2hktBGOEu4S3hBJBL1iE7EcKKAuIZYSTxEPE8cJb4lUUhmJDYpgSQhbSHtJ50i3SK9IJPJRmQPcjxZTN5CbiafId8nv1GgKlgqBCjwFFYr1Ch0Klx
    ReKaIVzRU9FRcrJivWKF4RHFI8akSXslIia3EUVqlVKN0VOmG0rQyVdlGOVQ5Q3mzcovyBeVHFCzFiOJD4VGKKPsoZyhjVISqT2VTudR11EbqWeo4DUM
    zpgXQUmmltG9og7QpFYqKnUq0Sp5KjcpxFSkdoRvRA+jp9DL6Yfp1+jtVLVVPVb7qJtU21Suqr9XmqHmo8dVK1NrVRtTeqTPUfdTT1Lepd6nf00BpmGm
    Ea+Rq7NE4q/F0Dm2OyxzunJI5h+fc1oQ1zTQjNFdo7tMc0JzW0tby08rSqtI6o/VUm67toZ2qvUP7hPakDlXHTUegs0PnpM5jhgrDk5HOqGT0MaZ0NXX
    9dSW69bqDujN6xnpReoV67Xr39An6LP0k/R36vfpTBjoGIQYFBq0Gtw3xhizDFMNdhv2Gr42MjWKMNhh1GT0yVjMOMM43bjW+a0I2cTdZZtJgcs0UY8o
    yTTPdbXrZDDazN0sxqzEbMofNHcwF5rvNhy3QFk4WQosGixtMEtOTmcNsZY5a0i2DLQstuyyfWRlYxVtts+q3+mhtb51u3Wh9x4ZiE2hTaNNj86utmS3
    Xtsb22lzyXN+5q+d2z31uZ27Ht9tjd9Oeah9iv8G+1/6Dg6ODyKHNYdLRwDHRsdbxBovGCmNtZp13Qjt5Oa12Oub01tnBWex82PkXF6ZLmkuLy6N5xvP
    48xrnjbnquXJc612lbgy3RLe9blJ3XXeOe4P7Aw99D55Hk8eEp6lnqudBz2de1l4irw6v12xn9kr2KW/E28+7xHvQh+IT5VPtc99XzzfZt9V3ys/eb4X
    fKX+0f5D/Nv8bAVoB3IDmgKlAx8CVgX1BpKAFQdVBD4LNgkXBPSFwSGDI9pC78w3nC+d3hYLQgNDtoffCjMOWhX0fjgkPC68JfxhhE1EQ0b+AumDJgpY
    FryK9Issi70SZREmieqMVoxOim6Nfx3jHlMdIY61iV8ZeitOIE8R1x2Pjo+Ob4qcX+izcuXA8wT6hOOH6IuNFeYsuLNZYnL74+BLFJZwlRxLRiTGJLYn
    vOaGcBs700oCltUunuGzuLu4TngdvB2+S78ov508kuSaVJz1Kdk3enjyZ4p5SkfJUwBZUC56n+qfWpb5OC03bn/YpPSa9PQOXkZhxVEgRpgn7MrUz8zK
    Hs8yzirOky5yX7Vw2JQoSNWVD2Yuyu8U02c/UgMREsl4ymuOWU5PzJjc690iecp4wb2C52fJNyyfyffO/XoFawV3RW6BbsLZgdKXnyvpV0Kqlq3pX668
    uWj2+xm/NgbWEtWlrfyi0LiwvfLkuZl1PkVbRmqKx9X7rW4sVikXFNza4bKjbiNoo2Di4ae6mqk0fS3glF0utSytK32/mbr74lc1XlV992pK0ZbDMoWz
    PVsxW4dbr29y3HShXLs8vH9sesr1zB2NHyY6XO5fsvFBhV1G3i7BLsktaGVzZXWVQtbXqfXVK9UiNV017rWbtptrXu3m7r+zx2NNWp1VXWvdur2DvzXq
    /+s4Go4aKfZh9OfseNkY39n/N+rq5SaOptOnDfuF+6YGIA33Njs3NLZotZa1wq6R18mDCwcvfeH/T3cZsq2+nt5ceAockhx5/m/jt9cNBh3uPsI60fWf
    4XW0HtaOkE+pc3jnVldIl7Y7rHj4aeLS3x6Wn43vL7/cf0z1Wc1zleNkJwomiE59O5p+cPpV16unp5NNjvUt675yJPXOtL7xv8GzQ2fPnfM+d6ffsP3n
    e9fyxC84Xjl5kXey65HCpc8B+oOMH+x86Bh0GO4cch7ovO13uGZ43fOKK+5XTV72vnrsWcO3SyPyR4etR12/eSLghvcm7+ehW+q3nt3Nuz9xZcxd9t+S
    e0r2K+5r3G340/bFd6iA9Puo9OvBgwYM7Y9yxJz9l//R+vOgh+WHFhM5E8yPbR8cmfScvP174ePxJ1pOZp8U/K/9c+8zk2Xe/ePwyMBU7Nf5c9PzTr5t
    fqL/Y/9LuZe902PT9VxmvZl6XvFF/c+At623/u5h3EzO577HvKz+Yfuj5GPTx7qeMT59+A/eE8/sKZW5kc3RyZWFtCmVuZG9iagoxNSAwIG9iago8PC9
    Db250ZW50c1s0IDAgUiAxNiAwIFIgNSAwIFJdL1R5cGUvUGFnZS9SZXNvdXJjZXM8PC9Db2xvclNwYWNlPDwvRGVmYXVsdFJHQiAxMyAwIFI+Pi9Qcm9
    jU2V0IFsvUERGIC9UZXh0IC9JbWFnZUIgL0ltYWdlQyAvSW1hZ2VJXS9Gb250PDwvSGVCTyAxNyAwIFIvSGVCbyAxOCAwIFIvSGVsdiAxOSAwIFIvVGk
    wIDEgMCBSPj4+Pi9QYXJlbnQgMTEgMCBSL01lZGlhQm94WzAgMCA2MTIgNzkyXT4+CmVuZG9iagoxMSAwIG9iago8PC9LaWRzWzE1IDAgUiAyMCAwIFJ
    dL1R5cGUvUGFnZXMvQ291bnQgMi9QYXJlbnQgOSAwIFI+PgplbmRvYmoKMTYgMCBvYmoKPDwvRmlsdGVyL0ZsYXRlRGVjb2RlL0xlbmd0aCAzMjg3Pj5
    zdHJlYW0KeJzNXFtz27gVft9fwaeONLOCARAggbw5yaZxm4tre7bdaTodRqZt7lKiY1HJen99D0CABClRIkFlp/HEFmHynO/cDy508CUgAYYvEtAYhRH
    GmAQxZyiiPFiugpc3wdnb9GUREBzc3DX3hgwxBveKYBEj+H6z+vfsfXGb5vNgQWMRzN4Wm8esTPL5f4Kbv/0QBD/d/BD844dgLztGEKnZYYTr/0/3inv
    +tcudhohTjrF0uEc0jizzq2I5Dyie/fYEI4TPsq9wyWfpk73hdecXQ1BSORIliRAOASVzUP49WW+SjYXxKiuf5/AYnv1oh95/tJ8iRki8GIAskiES8Qh
    k2AF0OQ8YniVllq7LF73MCCYoIoO47fiKy+36/fmVtszNPBCO1B/OP7z6ZYioAqPQV9T3Vx+GSTiFCa7+gZZwL6+QxCjCUgo+jdfrpEytBos7++lau3m
    IZ1+zZdovcCjFSUAQekajM4qJHGK/KPJ31TcXA+03hUllPsIlJ4PsN4XX5VMB0c/BULfWZsPsNYXpqyoL8tm6SYcQjQSCMt2UP85nlw/zAJA8b7Jllqz
    tLYt5ndKzTTkIJVSR06Ac4Fc8nBBGH1+end+nZ9epFvz3YU42haM4I+SMSNGfIkhETyJbKK0Bn3XeTZOnTb8+ocSJEzB9o/WYrpJ8SGGNhD+n/37ffwP
    QT3Hyq/SxUG4OBbisW5f0yxbi0F5evD7gjZRYc01BEUpCIxH3h3RMbEhPYXNpW651LZyqX2c32epAlWKcnoJ5fBZDiaLYcib4BWV1F/b6ZoibhqCGmGF
    Cmr5Y8aSK58EH1UcJMtgHsf4y3dJHQ6F+jnMUyQgT6BohlZJI479YJapPnN1n6/sdrA7TCFEaSSk7aBcMkTAEcSmi8MtVwBGNIjAHRTLI7VX1I7d3V9/
    z4AFIfwv+GaxB2VH9/+qv8IPD/RjIVZ8WRCCiKRD96LfgWgEciJGDfanAmEqDC4aiEG6QJGRgoefuoEXoPmqF6EXNuUASnoe2XEF3Lifid5W42otpD/T
    Bug4WlZIVZYk4izAldswP8K5T7FV31yx5x3kOQVZ9UgexHtoHeE/gYAp3AYzIs64Xy+0qbdKN6XKeHw91xTiazPcquc2KvLh/bnJ6k+cPVN+mpkg8CUB
    rBjAi2Srhp/J2pgM21/IXIa9z7fWQXMtjMc0C6Wab13a/LpNyuzki9kSO57rl2ZYPlumn2c96ipvasneXpbef5kOEh+7+lG5/vf38a7o8MLnX8k9ken6
    7yjabrKjnC2/th7/YD5fNVMLGRR0oA7TC2bSYyO5rbBfrO22uwswxVkkJyI8oaCL/00y7bBTtIfapN/QOisWm5TqI5wNOHUq4MWLafhRqFY4bRofbJ/d
    JAgUsxubJLxV7hmPVd+gvqDUhR3EooE20v8tVFeLx3gpzgPYOHZeHQJQR9dREHl06Do+YIyZCqLYTeezQcXnECNrp6XLs0HF4EIKRlPF0QXYJtbiEiEk
    5XZRdQi4XxhCXoZRsEpdu418EshNUEWIRredKkBiKz7rpz9PVfBbMZ+8gA5xd6iyRQC5QQ+/T22yZ5PrzW/i1zmjwiM2onWg+Emexb4RicLcYXFociFC
    GxjtDi25HgQCtX4Ef1/dFM1U6qgVGuOXJJIMmGIw2gOVCujw/FDbtftlCtr57VgDMyG1SJh4mgRiGOS9R3t+v2Fi10qq9H6fcNu0xym0cDdqaZb3FM0r
    LcYgwMIdZ7v+Bmv1rE+PHaxOnCGZc41Nhm/aY9FFlBdXTbHycjvvmAcYG5QFOw/GVuk17jLterB+r7S0fPw2nZ4NkWdbbjGYoqyGZgdU0i9HjaYJC/sX
```

```
    hWKVT7xxRrFIffZMT5IU9Cn9QcE6ia/9cEcoBfWyMhPDoMdu0x+SK8zxXcwhI5fdZ6qMQ9dFTIcI3pA/aOlESeQozwbqRaDJFTwhGiJOxTWSHbpuGS1x
    ClYk8PKdDv0vGYRFhRMgk+mMc87qAefBpOtswkkgqq442KpTCo/0XTB1Cj+lUm/YY7zfLBsXnZLksfNTB4uFJtm2TVfGb026VBoK53G7SF/bzm/YCS7N
    MsQES1U4kDHHnCMiXbTa4QrvChAcy30FhVsVTnTPKh2bJJcRNO2mWZOrUcl/o4zKoXmChO9urn2abT3P0o48o1Dcf7pzB+JNyHj6e8wQiavo+OjrapHf
    IuAEIBKUYPwHqsNgh42Y+gmLpMcdqsRiT/N5ob0pWWa5L8/Np0iD2TINUjkhV7a7sLUREZ4c7KcvEHM974SEFlRIRLBow30cMxlCMQ90yt8zC1WG5B3f
    Z9fXvjWT2UywgB/y5wokRSb1jo+fH1BopXW+cpfBR0IVA4O8NgO8DnUkUij/dLv45EmrT0a4/okhQjwzWpj0mv1ysVjoCt+vsD++pEI3JWKVIUj3JIRN
    x0SwUwFXc+g681VOColAl3hiShkEk5sFTGtzt6IQJgjDXvjeYNIOcTulhulwdNA715vdgunBfyKul5EOkXT0yAVYH0ny0HqFjCJUF5Ag9YiSOa3Eo4Vq
    LvVRdHQ6l6uqwHy6miFl/EgCjp3PqBgKEchhSTbwJiJ/nML2B2eQyWw9ft4D5K7deNwJAhKRgLnN9jncgUw6tELYuOYIp+KLAXamrnfHB8qrTj9ZlgYh
    izce2qtn6Lt+m6z8Sm5K/ZmYp2Q9IyFFEfWZR1aqBsbhqsuqZSN55K2CAIzBQbuUI3ooZ071zGttDOf4Mr9Jl8XSb3vpoXa0mqsIzZF20xbRMSzXTgg5
    2u2mmkdW52yIbjsXRuDcWIgX10bg3w6Ea318lIgwdqS1AixBBZVkQpivMKmCI61wJbpBXF+pbbu7T39pHtRrW+iSfOoFbneQLNV2oF7oLgYv9p8p6kcW
    yLjXCgIP+jkaiqj4RwkxKfbSsGY411taTtAPY9koCqgmJ1f6BgttcTYFc6wsIkhpqpUDI8QaUUeJAjaqzeWElvcJYkayG/EAuYm3iWn+9at0xAAih1Fl
    f7dEqNvproT2uUSagT4VuXIVhC2wIcwHmeABTZxBpG6cZq2zfPNBneEarxRGiDd9cTYFJtV4qyzNcQazMDtM/hcfanOijxyOMrvHRQRbvRWdj3DH5Pj2
    2da2inwy2toV5XIeqjSOc6wTYQsm5amdsr4aV8BFDNDRDzMBoxowWnecqlfeqVa07Y2kt31xNQe1afgfJDtbx9gdmzNAc4AK9MPe4QBQ3+na8gNNa5z6
    O4OAdl0hbcxcDFwpkZGsSdNssrosSrcK7uq9S6piyRCk0vCMSaAuckxeJ0ACdBEojA7MZM9Z2HqsUOq4sTYJc5XyDbT/erlQ22ZuL/UY3oFrZfghQN1W
    1gIbCTAPVYXqd/zgSrMJJlPGry9CEgr19N6COZvtJMBeh8SOFagdkR4g8MMFnL4/o0ubSIQjdgG8hdHKRiZxWOtWR5SYoG0PuczsldGA6nQTchr71VSd
    N1b7q5CjjniZFDXNWJ0eNjSoKs0RBTctukyqMNb1zDLOoU6UpmGtLb3ROQIcGoNvoScDJuv3zaVLVJNhdpTZ9sx3L3ea6pW57caiwAjjeyVjV0OBM0IJ
    rmyar4rqxcvRrxoxy7RMHNNvfog7QbC9U03w4/lr1po1ebetq9Vg1N2O0WveBx1XqZoAWTicFVazbjaAF+31y1xAN9yLf0fA+3Dvi+ejZbbP6VH3a7Qc
    cIXj64PYDlEFJYo/thw7tHTouD6gVRI4/9rfDo0vH4QEBJNUazdi95jaPMdsorzPzWua62JTZUu/SVu8eee2n4Bh8wcfKRHKohyBBOHZJ6l+LK3PIwa7
    Gna9/y9NmF82e871/KD/NffYFiWBgFp8FylfvLj5cvDp/V79SdHF9o49ffLzS+32/6DX7+siJORbzLduU6a0ddODXu4GVgO6K72OSrX1Ei1Ux8Fl8zur
    TJr8W2fCTqS7vCHpZ6rUKWWxLveZtjrssvmap3gz85igNnFq9nHWvP5nrx4d6ybb5ayPlQ3pU1x7SQavYG5IHpfumsabN0Z7icwnWTW/RJ8rqkz3NAcJ
    lsXpMLPJN8/7aXZavanEboh6i6C0yn9hMtFXMPkWWJ5/1dROc7ktslSmyGrH5UxbJKlvr/d2O9PWLb4MP77sShdgzohMAU6wgUdZHNbP7tfuu4l6/cj4
    mbnLalHbnaFlun6qQruT0kAkqrF8oN650Z+LEoDES1ea5zTZ5UR08rs+B1/bapGnbRi+L4RuRrhxYeqYF8JTUCJCbQwG7MNeO5/QEVH3e58FGVdk8n/n
    URSkgFxD1hv5IkYrPm/pN6GpHr64LTQJ2vEvnYp/jITAT0xux+/7Cw+F3E95fXv10fX3x8UN9ohDti9IeXe/1uI5THRTnf5p8pocKZW5kc3RyZWFtCmV
    uZG9iagoxOSAwIG9iago8PC9OYW1lL0hlbHYvU3VidHlwZS9UeXBlbLM9UeXBlL0ZvbnQvQmFzZUZvbnQvSGVsdmV0aWNhL0VuY29kaW5nL1dpbkFuc2l
    FbmNvZGluZz4+CmVuZG9iagoxOCAwIG9iago8PC9OYW1lL0hlQm8vU3VidHlwZS9UeXBlMS9UeXBlL0ZvbnQvQmFzZUZvbnQvSGVsdmV0aWNhLUJvbGQ
    vRW5jb2RpbmcvV2luQW5zaUVuY29kaW5nPj4KZW5kb2JqCjE3IDAgb2JqCjw8L05hbWUvSGVCTy9TdWJ0eXBlL1R5cGUvL1R5cGUvRm9udC9CYXNlRm9
    udC9IZWx2ZXRpY2EtQm9sZE9iYWdlL1Jlc291cmNlcw8L0NvbG9yU3BhY2U8PC9EZWZhdWx0UkdCIDEzIDAgUj4+L1Byb2NTZXQgWy9QREYgL1RleHQ
    xIDAgUiAzIDAgUl0vVHlwZS9QYWdlL1Jlc291cmNlcw8L0NvbG9yU3BhY2U8PC9EZWZhdWx0UkdCIDEzIDAgUj4+L1Byb2NTZXQgWy9QREYgL1RleHQ
    gL0ltYWdlQiAvSW1hZ2VDIC9JbWFnZUldL0ZvbnQ8PC9IZUJvIDE4IDAgUi9IZUJPIDE3IDAgUi9IZWx2IDE5IDAgUi9YaTEgMSAwIFI+Pj4+L1BhcmV
    udCAxMSAwIFIvTWVkaWFCb3hbMCAwIDYxMiA3OTJdPj4KZW5kb2JqCjIxIDAgb2JqCjw8L0ZpbHRlci9GbGF0ZURlY29kZS9MZW5ndGggNzg2Pj5zdHJ
    lYW0KeJy1V1tv2jAUfu+v8GMiFefYjm99K72snUTLINI0TdMU0ZRGCtAC69Z/v5MEB0QJjQhNlMQ2tr/v3HwO5IUwAngzwjUVCgAY0TKkiksympBuRIK
    bpDsjDEj0uJ4rQhqGONeQjqb4jiY/vd7sIcl80uHaEO9mtnhOl3Hm/yLR1xNCrqIT8u2E7ITDzYR2cECheubjHD173UKHDdC+T0Lw4mWaTJcO+y6eJGe
    1wAwYVaw98rB3PvCJAC/yCePgnVbw53cXP5rIzYGaQ9F7g7tmIrYBgfJSVkAtloCQMrDWyHZYl/EycRqcPbrWMJljE5X8mo722FQYeRQSjAdcBRyYbWI
    /0Id7z/VtQ/u1ASnNx6SVrJH92mD15zOMA4mGenA2a2avNqAXBRSX3rRs5C6zCsdksTz1vf5TEaJvi3SUxlM3peNX5lO6WDZhqaw8EsuP/QrDrUUY3Xe
    D83ESDJNC8H+NnKwVogkYC5g19UcEU/wosgnrDPjmk9zE8XxRr09uqTkC6HWhx2QSZ0kT25nD3eT3Z18N+GPmP1hTg+R5ljs65uMqFQ+Slz8Yia57e7n
    HHzlzBmvDQljGldH1Qa3R7cugbgPTzyXF4y5dlx15BguidF/tEUpLhWwNrgONSYqDQ2ZwxkPXubiMmjiq5pRpBpyty7wck+eYexcqTY0xjnhxl5S796v
    l1SIpqbIKWEg6Bs8aVZC/ncR4QoM3Tqfjd0Q3EBXlXFlrt6h2MF0JgbJyyvHHCZGUK4W24NSSzPXKT+Zml++MPOHWf8l3MkVNq+oZfMGPxPmA25WtDjO
    UFTuwYulfMswJNuQo0bjcAHC74oVDSlClLaASHPVsc9Ax3FzqhKhlLaWhFtdDWFDf6Lbkv6nEyU5OO6g31jXplErOd7ZUhiqHXY0dRvi9U+xU97ZZsi3
    n2UeZabrNuBjaRXhH1HAMAIHNAyP+KktGy/lsmo7iLHurquN0PE0eqqq5qm/KMpZV6RLEmZCu0+81OR6YasX3E1OUwoK1DbWPakanpprKcev/bbpObvV
    l3n8+kGDNCmVuZHN0cmVhbQplbmRvYmoKMTAgMCBvYmoKPDw+PgplbmRvYmoKNyAwIG9iago8PC9EZXN0cyAyMiAwIFI+PgplbmRvYmoKMjMgMCBvYmo
    KPDwvRFsxNSAwIFIvWFlaIDM5NyAzMzggbnVsbF0+PgplbmRvYmoKMjQgMCBvYmoKPDwvRFsxNSAwIFIvWFlaIDI3IDY4MSBudWxsXT4+CmVuZG9iago
    yNSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU2NyBudWxsXT4+CmVuZG9iagoyNiAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDM1OSBudWxsXT4
    +CmVuZG9iagoyNyAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDI1NyBudWxsXT4+CmVuZG9iagoyOCAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU
    3MCBudWxsXT4+CmVuZG9iagoyOSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDI1NyBudWxsXT4+CmVuZG9iagozMCAwIG9iago8PC9EWzE1IDAgUi9
    YWVogMzk3IDUwNyBudWxsXT4+CmVuZG9iagozMSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDM0OSBudWxsXT4+CmVuZG9iagozMiAwIG9iago8PC9
    EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9iagozMyAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDQ0NyBudWxsXT4+CmVuZG9iagozNCA
    wIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9iagozNSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDQwOSBudWxsXT4+CmV
    uZG9iagozNiAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDI5OCBudWxsXT4+CmVuZG9iagozNyAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCB
    udWxsXT4+CmVuZG9iagozOCAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDMyMSBudWxsXT4+CmVuZG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDM0OSB
    udWxsXT4+CmVuZG9iago0MCAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9iago0MyAwIG9iago8PC9EWzE1IDAgUi9YWVo
    1IDAgUi9YWVogMzk3IDQxOSBudWxsXT4+CmVuZG9iago0MiAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDM0OSBudWxsXT4+CmVuZG9iago0NCAwIG9
    iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9iago0NSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9
    iagoyMiAwIG9iago8PC9OYW1lc0XzRFNDcyNDI0LTUwODQtNDVGMC04QTNCLUMxQkE2NEVFNzI0QykgMjMgMCBSKENMSU4gRE9DIC0gSW1hZ2luZyk
    gMjQgMCBSKF9CRDQwMzI0Qi1ENjYyLTQ3RDktOEIxQi1EREFENkQ3NkFDMDUpIDI1IDAgUihfM0M3NzkzREYtRjc3Mi00OEZGLUIyRkItRkVCMzk5N0M
```

```
    5QTQyKSAyNiAwIFIoXzZCMzFFRjdFLUU3OEEtNDczMy04RkRGLUMyMTQ3NDQyRTg5NykgMjcgMCBSKF9GQTA5NzE3QS1FMTM4LTQ5QkQtQjYyOC02MzF
    CRjYzNTJGNDMpIDI4IDAgUihfNjE1MDBBQTYtNDA2OC00MjFCLTlBQzUtQ0EzMjk0MDk4NTk4KSAyOSAwIFIoXzExREZCM0JFLUJFRUQtNDNENy04REI
    1LTE0RUI0RkYzNEJGMSkgMzAgMCBSKF9FNUQ3MkNDQy1BM0MwLTQzQkQtOTlFMy0yNDY1OEYxQzZERDQpIDMxIDAgUihfODFGMEZGNzYtQzA1RS00MkZ
    ELUE2MzMtNTU0QjNFNkQwOUI5KSAzMiAwIFIoX0ZBRTk0MjY1LTA2REItNDhGNC05NjdCLUQ1MDE1MTEzQzI5RCkgMzMgMCBSKF81MkQ4MTM2MS00RTB
    CLTRFOEEtOTlENS0xQjBGNzk0RjQ2MzcpIDM0IDAgUihfNURGQUNBNDYtNkRBRS00RENGLUFGRTItRDJBNzFBRkUwMTUxKSAzNSAwIFIoX0QzMEI0QUJ
    CLUExRDktNDQxRC05QURBLTFBQzU1QkQ2QjJCRCkgMzYgMCBSKF84RTZDMjRFNS1BQzFCLTQ5NDctOTI4MS01MEY3MjEzNDE0MjQpIDM3IDAgUihfQTB
    BQUQwNTctMkMyOC00Qzg5LTkwNTgtNzI5RDg0REU3OTIyKSAzOCAwIFIoXzRBNzA1MEU3LUFGMDEtNEE0Ny04QjhDLTk0MkRERjNFQUIxNSkgMzkgMCB
    SKF85RDg0NDJCQi1GNDQxLTRERDAtOERCOS03Qzc4MTU5RTdGMEQpIDQwIDAgUihfODcxQzIwQjgtRkRDMi00NzAyLUI3OTgtNDM0N0U3MUM4NzQ4KSA
    0MSAwIFIoX0I4QTU4QkNDLTY1RDAtNDQ2MC04NTk0LTc4ODM0MDE4QTZCNikgNDIgMCBSKF9FNTQxMkE3MS1BNDRGLTQ2MkMtQUMzNi0yMDA3MTY4Mzg
    wMzkpIDQzIDAgUihfMkVEMjRFNTgtRTQwQi00OTQ1LUEyNzItQkVCREMxQ0Q4MEZDKSA0NCAwIFJdPj4KZW5kb2JqCjEyIDAgb2JqCjw8L0Rlc3QoQ0x
    JTiBET0MgLSBJbWFnaW5nKS9UaXRsZTxmZWZmMDA0OTAwNmQwMDYxMDA2NzAwNjkwMDZlMDA2Nz4vUGFyZW50IDggMCBSPj4KZW5kb2JqCjQ1IDAgb2J
    qCjw8L01vZERhdGUoRDoyMDIwMDcwNzEwMjQwNS0wNScwMCcpL0NyZWF0aW9uRGF0ZShEOjIwMjAwNzA3MTAyNDA1Ky01JzAwJykvUHJvZHVjZXIoSWJ
    leCBQREYgQ3JlYXRvciAoLjkuMC4xNS84NDM4IFtKQVZBXVAvUjsgbW9kaWZpZWQgdXNpbmcgaVRleHQgMi4xLjcgYnkgMVQzWFQpPj4KZW5kb2JqCnh
    yZWYKMCA0NgowMDAwMDAwMDAwIDY1NTM1IGYgCjAwMDAwMDAwMTUgMDAwMDAgbiAKMDAwMDEwMyAwMDAwMCBuIAowMDAwMDAwMTc5IDAwMDAwIG4
    gCjAwMDAwMDAzMTUgMDAwMDAgbiAKMDAwMDAwMDM5MSAwMDAwMCBuIAowMDAwMDAwNTI2IDAwMDAwIG4gCjAwMDAwMDg1NjUgMDAwMDAgbiAKMDAwMDA
    wMDcwNCAwMDAwMCBuIAowMDAwMDAwNjQwIDAwMDAwIG4gCjAwMDAwMDg1NDQgMDAwMDAgbiAKMDAwMDAwMzcwNCAwMDAwMCBuIAowMDAwMDEwNjc1IDA
    wMDAwIG4gCjAwMDAwMDA3NTcgMDAwMDAgbiAKMDAwMDAwMDc5MiAwMDAwMCBuIAowMDAwMDAzNDYxIDAwMDAwIG4gCjAwMDAwMDM3NzcgMDAwMDAgbiA
    KMDAwMDAwNzMzNiAwMDAwMCBuIAowMDAwMDA3MjMyIDAwMDAwIG4gCjAwMDAwMDcxMzMgMDAwMDAgbiAKMDAwMDAwNzQ0NyAwMDAwMCBuIAowMDAwMDA
    3NjkwIDAwMDAwIG4gCjAwMDAwMDk2NTMgMDAwMDAgbiAKMDAwMDAwODU0CAwMDAwMCBuIAowMDAwMDg1NzcgMDAwMDAgbiAKMDAwMDAwODg4NSAwMDAwMCBuIAo
    wMDAwMDA4OTMzIDAwMDAwIG4gCjAwMDAwMDg5ODEgMDAwMDAgbiAKMDAwMDAwOTAyOSAwMDAwMCBuIAowMDAwMDA5MDc3IDAwMDAwIG4gCjAwMDAwMDk
    xMjUgMDAwMDAgbiAKMDAwMDAwOTE3MyAwMDAwMCBuIAowMDAwMDA5MjIxIDAwMDAwIG4gCjAwMDAwMDkyNjgMDAwMDAgbiAKMDAwMDAwOTMxNyAwMDA
    wMCBuIAowMDAwMDA5MzY1IDAwMDAwIG4gCjAwMDAwMDk0MTMgMDAwMDAgbiAKMDAwMDAwOTQ2MSAwMDAwMCBuIAowMDAwMDA5NTA5IDAwMDAwIG4gCjA
    wMDAwMDk1NTcgMDAwMDAgbiAKMDAwMDAwOTYwNSAwMDAwMCBuIAowMDAwMDEwNzc0IDAwMDAwIG4gCnRyYWlsZXIKPDwvSW5mbyA0NSAwIFIvSUQgWzx
    lY2MwYzUxNWQ4ODYzZTc5NDM3MTg1MDBiZGQ0Mjg3ND48MWQ5ZjkwOTk4YjU3MTcwNzA4ZDg2ZTA0ZDBkM2Y3NDU+XS9Sb290IDYgMCBSL1NpemUgNDY
    +PgpzdGFydHhyZWYKMTA5NTQKJSVFT0YK'
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-request-Id, if present.

x-CCD-search-by-encounter Response

Example CCD search by patient and encounter.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/$autogen-ccd-
    if?patient=12458002&encounter=97697440
```

Example Response:

```
{
    'resourceType': 'Binary',
    'id': '59e6e734-b1b7-4a19-95db-d8c62c7df203',
    'meta': {
      'lastUpdated': '2024-01-31T05:44:34Z'
    },
    'contentType': 'aapplication/xml',
    'data': 'PD94bWwgdmVyc2lvbj0iMS4wIiBlbmNvZGluZz0iVVRGLTgiPz48P3htbC1zdHlsZXNoZWV0IHR5cGU9InRleHQveHNsIiBocmVmPSJodHR
    wOi8vd3d3LmNlcm5lci5jb20vY2RhX3N0eWxlc2hlZXQvIj8+PENsaW5pY2FsRG9jdW1lbnQgeG1sbnM9InVybjobDctb3JnOnYzIiB4bWxuczp4c2k
    9Imh0dHA6Ly93d3cudzMub3JnLzIwMDEvWE1MU2NoZW1hLWluc3RhbmNlIiB4bWxuczpzZHRjPSJ1cm46aGw3LW9yZzpzZHRjIiB4c2k6c2NoZW1hTG9
    jYXRpb249InVybjpobDctb3JnOnYzIC4uLy4uLy4uL0NEQSUyMFIyL2NkYS1zY2hlbWFzLWFuZC1zYW1wbGVzL2luZnJhc3RydWN0dXJlL2NkYS9DREE
    ueHNkIiBjbGFzc0NvZGU9IkRPQ0NMSU4iIG1vb2RDb2RlPSJFVk4iPjxyZWFsbUNvZGUgY29kZT0iVVMiLz48dHlwZUlkIHJvb3Q9IjIuMTYuODQwLjE
    uMTEzODgzLjEuMyIgZXh0ZW5zaW9uPSJQT0NEX0hEMDAwMDQwIi8+PHRlbXBsYXRlSWQgcm9vdD0iMi4xNi44NDAuMS4xMTM4ODMuMTAuMjAuMjIuMS4
    xIi8+PHRlbXBsYXRlSWQgcm9vdD0iMi4xNi44NDAuMS4xMTM4ODMuMTAuMjAuMjIuMS4xIiBleHRlbnNpb249IjIwMTUtMDgtMDEiLz48dGVtcGxhdGV
    JZCByb290PSIyLjE2Ljg0MC4xLjExMzg4My4xMC4yMi4xLjIiIGV4dGVuc2lvbj0iMjAxNS0wOC0wMSIvPjxpZCByb290PSJFMTY5MzFCRS02MkV
    DLTQ2OTEtOUIzMS0xNEQ0OUE2NzI5RDkiLz48Y29kZSBjb2RlPSIzNDEzMy05IiBjb2RlU3lzdGVtPSIyLjE2Ljg0MC4xLjExMzg4My42LjEiIGRpc3B
    sYXlOYW1lPSJTdW1tYXJpemF0aW9uIG9mIEVwaXNvZGUgTm90ZSIvPjx0aXRsZT5Db250aW51aXR5IG9mIENhcmUgRG9jdW1lbnQ8L3RpdGxlPjxlZmZ
    lY3RpdmVUaW1lIHZhbHVlPSIyMDI0MDEzMTA1NDQzMiswMDAwIi8+PGNvbmZpZGVudGlhbGl0eUNvZGUgY29kZT0iTiIgZGlzcGxheU5hbWU9Ik5vcm1
    hbCIgY29kZVN5c3RlbT0iMi4xNi44NDAuMS4xMTM4ODMuNS4yNSIvPjxsYW5ndWFnZUNvZGUgY29kZT0iZW4tVVMiLz48cmVjb3JkVGFyZ2V0IHR5cGV
    Db2RlPSJSQ1QiIGNvbnRleHRDb250cm9sQ29kZT0iT1AiPjxwYXRpZW50Um9sZSBjbGFzc0NvZGU9IlBBVCI+PHN0YXRlPk1PPC9zdGF0ZT48cG9zdGF
    sQ29kZT42NDExMjwvcG9zdGFsQ29kZT48Y291bnRyeT5VUzwvY291bnRyeT48dXNlYWJsZVBlcmlvZCB4c2k6dHlwZT0iSVZMX1RTIj48bG93IHZhbHV
    lPSIyMDE2MTIwODIyNDM0NSswMDAwIi8+PC91c2VhYmxlUGVyaW9kPjwvYWRkcj48dGVsZWNvbSB1c2U9IkhQIiB2YWx1ZT0idGVsOig0NDQpNDQ0LTQ
    0NDQiLz48cGF0aWVudCBjbGFzc0NvZGU9IlBTTiIgZGV0ZXJtaW5lckNvZGU9IklOU1RBTkNFIj48bmFtZSB1c2U9IkwiPjxnaXZlbj5URVNUVFdPPC9
    naXZlbj48ZmFtaWx5PlJBRElPTE9HTwvZmFtaWx5PjwvbmFtZT48bmFtZT48Z2l2ZW4gbnVsbEZsYXZvcj0iTkEiLz48ZmFtaWx5PlJBRElPTE9HTw
    vZmFtaWx5Pjx2YWxpZFRpbWU+PGxvdyB2YWx1ZT0iMjAxNjEyMDgyMjUxMTQrMDAwMCIvPjwvdmFsaWRUaW1lPjwvbmFtZT48Y8YXRpdmV
    HZW5kZXJDb2RlIGNvZGU9IkYiIGNvZGVTeXN0ZW09IjIuMTYuODQwLjEuMTEzODgzLjUuMSIgY29kZVN5c3RlbU5hbWU9ImFkbWluaXN0cmF0aXZlR2V
    uZGVyIiBkaXNwbGF5TmFtZT0iRmVtYWxlIj48b3JpZ2luYWxUZXh0PkZlbWFsZTwvb3JpZ2luYWxUZXh0PjwvYWRtaW5pc3RyYXRpdmVHZW5kZXJDb2R
    lPjxiaXJ0aFRpbWUgdmFsdWU9IjE5NjcwNDEzIi8+PG1hcml0YWxTdGF0dXNDb2RlIGNvZGU9IkQiIGNvZGVTeXN0ZW09IjIuMTYuODQwLjEuMTEzODg
    zLjUuMiIgY29kZVN5c3RlbU5hbWU9Ik1hcml0YWxTdGF0dXMiIGRpc3BsYXlOYW1lPSJEaXZvcmNlZCI+PG9yaWdpbmFsVGV4dD5EaXZvcmNlZDwvb3J
    pZ2luYWxUZXh0PjwvbWFyaXRhbFN0YXR1c0NvZGU+PHJhY2VDb2RlIGNvZGU9IjIwNTQtNSIgY29kZVN5c3RlbT0iMi4xNi44NDAuMS4xMTM4ODMuNi4
    yMzgiIGNvZGVTeXN0ZW1OYW1lPSJSYWNlIGFuZCBFdGhuaWNpdHkgLSBDREMiIGRpc3BsYXlOYW1lPSJCbGFjayBvciBBZnJpY2FuIEFtZXJpY2FuIj4
    8b3JpZ2luYWxUZXh0PkJsYWNrIG9yIEFmcmljYW4gQW1lcmljYW48L29yaWdpbmFsVGV4dD48L3JhY2VDb2RlPjxldGhuaWNHcm91cENnVzGUgY29kZT0
    iMjE4Ni01IiBjb2RlU3lzdGVtPSIyLjE2Ljg0MC4xLjExMzg4My42LjIzOCIgY29kZVN5c3RlbU5hbWU9IlJhY2UgYW5kIEV0aG5pY2l0eSAtIENEQyI
    gZGlzcGxheU5hbWU9Ik5vdCBIaXNwYW5pYyBvciBMYXRpbm8iPjxvcmlnaW5hbFRleHQ+Tm90IEhpc3BhbmljLCBMYXRpbm8sIG9yIFNwYW5pc2ggT3J
    pZ2luPC9vcmlnaW5hbFRleHQ+PC9ldGhuaWNHcm91cENnVzGU+PGxhbmd1YWdlQ29tbXVuaWNhdGlvbj48bGFuZ2VhZ2VDb2RlIGNvZGU9ImVuIi8+PC9
    sYW5ndWFnZUNvbW11bmljYXRpb24+PC9wYXRpZW50PjwvcGF0aWVudFJvbGU+PC9yZWNvcmRUYXJnZXQ'
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-confidential-response Response

Example CCD search by patient with confidential information.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/$autogen-ccd-if?patient=1694010
```

Example Response:

```
  {
    "resourceType": "Binary",
    "id": "087d18d8-fd94-4c4f-9058-278ee7985ae7",
    "meta":
    {
      "lastUpdated": "2020-12-10T00:27:34Z",
      "security":
        [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
            "code": "PRS",
            "display": "patient requested information sensitivity",
            "userSelected": false
          },
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
            "code": "PHY",
            "display": "physician requested information sensitivity",
            "userSelected": false
          }
        ]
    },
    "contentType": "aapplication/xml",
    "data": "JVBERi0xLjQKJeLjz9MKMSAwIG9iago8PC9TdWJ0eXBlL1R5cGUvL1R5cGUvRm9udC9CYXNlRm9udC9IZWx2ZXRpY2EvRW5jb2Rpbmcvv2l
    uQW5zaUVuY29kaW5nPj4KZW5kb2JqCjIgMCBvYmoKPDwvRmlsdGVyL0ZsYXRlRGVjb2RlL0xlbmd0aCAxMD4+c3RyZWFtCnicK+QCAADuAHwKZW5kc3R
    yZWFtCmVuZG9iagozIDAgb2JqCjw8L0ZpbHRlci9GbGF0ZURlY29kZS9MZW5ndGggNzA+PnN0cmVhbQp4nFMI5Crk0o/INFQwNFAISeNyCuEyVDAAQkM
```



```
/0Id7z/VtQ/u1ASnNx6SVrJH92mD15zOMA4mGenA2a2avNqAXBRSX3rRs5C6zCsdksTz1vf5TEaJvi3SUxlM3peNX51O6WDZhqaw8EsuP/QrDrUUY3Xe
D83ESDJNC8H+NnKwVogkYC5g19UcEU/wosgnrDPjmk9zE8XxRr09uqTkC6HWhx2QSZ0kT25nD3eT3Z18N+GPmP1hTg+R5ljs65uMqFQ+Slz8Yia57e7n
HHzlzBmvDQljGldH1Qa3R7cugbgPTzyXF4y5dlx15BguidF/tEUpLhWwNrgONSYqDQ2ZwxkPXubiMmjiq5pRpBpyty7wck+eYexcqTY0xjnhxl5S796v
l1SIpqbIKWEg6Bs8aVZC/ncR4QoM3Tqfjd0Q3EBXlXFlrt6h2MF0JgbJyyvHHCZGUK4W24NSSzPXKT+Zml++MPOHWf8l3MkVNq+oZfMGPxPmA25WtDjO
UFTuwYulfMswJNuQo0bjcAHC74oVDSlClLaASHPVsc9Ax3FzqhKhlLaWhFtdDWFDf6Lbkv6nEyU5OO6g31jXplErOd7ZUhiqHXY0dRvi9U+xU97ZZsi3

n2UeZabrNuBjaRXhH1HAMAIHNAyP+KktGy/lsmo7iLHurquN0PE0eqqq5qm/KMpZV6RLEmZCu0+81OR6YasX3E1OUwoK1DbWPakanpprKcev/bbpObvV
l3n8+kGDNCmVuZHN0cmVhbQplbmRvYmoKMTAgMCBvYmoKPDw+PgplbmRvYmoKNyAwIG9iago8PC9EZXN0cyAyMiAwIFI+PgplbmRvYmoKMjMgMCBvYmo
KPDwvRFsxNSAwIFIvWFlaIDM5NyAzMzggbnVsbF0+PgplbmRvYmoKMjQgMCBvYmoKPDwvRFsxNSAwIFIvWFlaIDI3IDY4MSBudWxsXT4+CmVuZG9iago
yNSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU2NyBudWxsXT4+CmVuZG9iagoyNiAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDM1OSBudWxsXT4
+CmVuZG9iagoyNyAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDI5OCBudWxsXT4+CmVuZG9iagoyOCAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU
3MCBudWxsXT4+CmVuZG9iagoyOSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDI1NyBudWxsXT4+CmVuZG9iagozMCAwIG9iago8PC9EWzE1IDAgUi9
YWVogMzk3IDUwNyBudWxsXT4+CmVuZG9iagozMSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDI1NyBudWxsXT4+CmVuZG9iagozMiAwIG9iago8PC9
EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9iagozMyAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDQxOSBudWxsXT4+CmVuZG9iagozNCA
wIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDM0OSBudWxsXT4+CmVuZG9iagozNSAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDI1NyBudWxsXT4+CmV
udWxsXT4+CmVuZG9iagozOCAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDMyMSBudWxsXT4+CmVuZG9iagozOSAwIG9iago8PC9EWzE1IDAgUi9YWVo
gMzk3IDM0OSBudWxsXT4+CmVuZG9iago0MCAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9iago0MSAwIG9iago8PC9EWzE
1IDAgUi9YWVogMzk3IDQxOSBudWxsXT4+CmVuZG9iago0MiAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9iago0MyAwIG9
iago8PC9EWzE1IDAgUi9YWVogMzk3IDM0OSBudWxsXT4+CmVuZG9iago0NCAwIG9iago8PC9EWzE1IDAgUi9YWVogMzk3IDU3MCBudWxsXT4+CmVuZG9
iagoyMiAwIG9iago8PC9OYW1lc1soXzRFNDcyNDI0LTUwODQtNDVGMC04QTNCLUMxQkE2NEVFNzI0QykgMjMgMCBSKENMSU4gRE9DIC0gSW1hZ2luZyk
gMjQgMCBSKF9CRDQwMzI0Qi1ENjYyLTQ3RDktOEIxQi1EREFENkQ3NkFDMDUpIDI1IDAgUihfM0M3NzkzREYtRjc3Mi00OEZGLUIyRkItRkVCMzk5N0M
5QTQyKSAyNiAwIFIoXzZCMzFFRjdFLUU3OEEtNDczMy04RkRGLUMyMTQ3NDQyRTg5NykgMjcgMCBSKF9GQTA5NzE3QS1FMTM4LTQ5QkQtQjYyOC02MzF
CRjYzNTJGNDMpIDI4IDAgUihfNjE1MDBBQTYtNDA2OC00MjFCLTlBQzUtQ0EzMjk0MDk4NTk4KSAyOSAwIFIoXzExREZCM0JFLUJFRUQtNDNENy04REI
1LTE0RUI0RkYzNEJGMSkgMzAgMCBSKF9FNUQ3MkNDQy1BM0MwLTQzQkQtOTlFMy0yNDY1OEYxQzZERDQpIDMxIDAgUihfODFGMEZGNzYtQzA1RS00MkZ
ELUE2MzMtNTU0QjNFNkQwOUI5KSAzMiAwIFIoX0ZBRTk0MjY1LTA2REItNDhGNC05NjdCLUQ1MDE1MTEzQzI5RCkgMzMgMCBSKF81MkQ4MTM2MS00RTB
CLTRFOEEtOTlENS0xQjBGNzk0RjQ2MzcpIDM0IDAgUihfNURGQUNBNDYtNkRBRS00RENGLUFGRTItRDJBNzFBRkUwMTUxKSAzNSAwIFIoX0QzMEI0QUJ
CLUExRDktNDQxRC05QURBLTFBQzU1QkQ2QjJCRCkgMzYgMCBSKF84RTZDMjRFNS1BQzFCLTQ5NDctOTI4MS01MEY3MjEzNDE0MjQpIDM3IDAgUihfQTB
BQUQwNTctMkMyOC00Qzg5LTkwNTgtNzI5RDg0REU3OTIyKSAzOCAwIFIoXzRBNzA1MEU3LUFGMDEtNEE0Ny04QjhDLTk0MkRERjNFQUIxNSkgMzkgMCB
SKF85RDg0NDJCQi1GNDQxLTRERDAtOERCOS03Qzc4MTU5RTdGMEQpIDQwIDAgUihfODcxQzIwQjgtRkRDMi00NzAyLUI3OTgtNDM0N0U3MUM4NzQ4KSA
0MSAwIFIoX0I4QTU4QkNDLTY1RDAtNDQ2MC04NTk0LTc4ODM0MDE4QTZCNikgNDIgMCBSKF9FNTQxMkE3MS1BNDRGLTQ2MkMtQUMzNi0yMDA3MTY4Mzg
wMzkpIDQzIDAgUihfMkVEMjRFNTgtRTQwQi00OTQ1LUEyNzItQkVCREMxQ0Q4MEZDKSA0NCAwIFJdPj4KZW5kb2JqCjEyIDAgb2JqCjw8L0Rlc3QoQ0x
JTiBET0MgLSBJbWFnaW5nKS9UaXRsZTxmZWZmMDA0OTAwNmQwMDYxMDA2NzAwNjkwMDZlMDA2Nz4vUGFyZW50IDggMCBSPj4KZW5kb2JqCjQ1IDAgb2J
qCjw8L01vZERhdGUoRDoyMDIwMDcwNzEwMjQwNS0wNScwMCcpL0NyZWF0aW9uRGF0ZShEOjIwMjAwNzA3MTAyNDA1Ky01JzAwJykvUHJvZHVjZXIoSWJ
leCBQREYgQ3JlYXRvciA0LjkuMC4xNS84NDM4IFtKQVZBXVAvUjsgbW9kaWZpZWQgdXNpbmcgaVRleHQgMi4xLjcgYnkgMVQzWFQpPj4KZW5kb2JqCnh
yZWYKMCA0NgowMDAwMDAwIDY1NTM1IGYgCjAwMDAwMDAwMTUgMDAwMDAgbiAKMDAwMDEwMyAwMDAwMCBuIAowMDAwMDAwMTc5IDAwMDAwIG4
gCjAwMDAwMDAzMTUgMDAwMDAgbiAKMDAwMDAwMDM5MSAwMDAwMCBuIAowMDAwMDAwNTI2IDAwMDAwIG4gCjAwMDAwMDg1NjUgMDAwMDAgbiAKMDAwMDA
wMDcwNCAwMDAwMCBuIAowMDAwMDAwNjQwIDAwMDAwIG4gCjAwMDAwMDg1NDQgMDAwMDAgbiAKMDAwMDAwMzcwNCAwMDAwMCBuIAowMDAwMDEwNjc1IDA
wMDAwIG4gCjAwMDAwMDA3NTcgMDAwMDAgbiAKMDAwMDAwMDc5MiAwMDAwMCBuIAowMDAwMDAzNDYxIDAwMDAwIG4gCjAwMDAwMDM3NzcgMDAwMDAgbiA
KMDAwMDAwNzMzNiAwMDAwMCBuIAowMDAwMDA3MjMyIDAwMDAwIG4gCjAwMDAwMDcxMzMgMDAwMDAgbiAKMDAwMDAwNzQ0NyAwMDAwMCBuIAowMDAwMDA
3NjkwIDAwMDAwIG4gCjAwMDAwMDk2NTMgMDAwMDAgbiAKMDAwMDAwODU5OCAwMDAwMCBuIAowMDAwMDA4NjQ2IDAwMDAwIG4gCjAwMDAwMDg2OTMgMDA
wMDAgbiAKMDAwMDAwODc0MSAwMDAwMCBuIAowMDAwMDA4Nzg5IDAwMDAwIG4gCjAwMDAwMDg4MzcgMDAwMDAgbiAKMDAwMDAwODg4NSAwMDAwMCBuIAo
wMDAwMDA4OTMzIDAwMDAwIG4gCjAwMDAwMDg5ODEgMDAwMDAgbiAKMDAwMDAwOTAyOSAwMDAwMCBuIAowMDAwMDA5MDc3IDAwMDAwIG4gCjAwMDAwMDk
xMjUgMDAwMDAgbiAKMDAwMDAwOTE3MyAwMDAwMCBuIAowMDAwMDA5MjIxIDAwMDAwIG4gCjAwMDAwMDkyNjkgMDAwMDAgbiAKMDAwMDAwOTMxNyAwMDA
wMCBuIAowMDAwMDA5MzY1IDAwMDAwIG4gCjAwMDAwMDk0MTMgMDAwMDAgbiAKMDAwMDAwOTQ2MSAwMDAwMCBuIAowMDAwMDA5NTA5IDAwMDAwIG4gCjA
wMDAwMDk1NTcgMDAwMDAgbiAKMDAwMDAwOTYwNSAwMDAwMCBuIAowMDAwMDEwNzc0IDAwMDAwIG4gCnRyYWlsZXIKPDwvSW5mbyA0NSAwIFIvSUQgWzx
lY2MwYzUxNWQ4ODYzZTc5NDM3MTg1MDBiZGQ0Mjg3ND48MWQ5ZjkwOTk4YjU3MTcwNzA4ZDg2ZTA0ZDBkM2Y3NDU+XS9Sb290IDYgMCBSL1NpemUgNDY
+PgpzdGFydHhyZWYKMTA5NTQKJSVFT0YK"
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a binary document by ID

File: r4-rest-api-v32/op-binary-id-get.html

Retrieves an individual document by the associated document ID.

Note:

* This document is usually linked from DocumentReference, DiagnosticReport, or Communication and should be accessed using the exact link given in the referring resource. Modifying the link has undefined consequences.

* Documents containing URL sections are unsupported with a contentType of application/pdf.

* The Binary.read scope is required in addition to one of the following scopes: Communication.read, DiagnosticReport.read, or DocumentReference.read.

Headers

Use DocumentReference.content.attachment.contentType or DiagnosticReport.presentedForm.contentType to set the Accept header.

You can supply an Accept header of application/fhir+json instead if you want to retrieve the JSON Binary resource instead of the raw data.

This resource does not accept the application/json mime type unless the underlying binary data is JSON.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

* application/xml

* text/html

Default Response

An example with an header of .

Accept


application/fhir+json

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/TR-21961261
```

Example Response:

```
{
    'resourceType': 'Binary',
    'id': 'TR-21961261',
    'meta': {
      'lastUpdated': '2021-03-12T22:35:03.000Z'
    },
    'contentType': 'text/html',
    'data': 'PCFET0NUWVBFIGh0bWwKICBTWVNURU0gImFib3V0OmxlZ2FjeS1jb21wYXQiPgo8aHRtbD48aGVhZD48bWV0YSBodHRwLWVxdWl2PSJDb25
    0ZW50LVR5cGUiIGNvbnRlbnQ9InRleHQvaHRtbDsgY2hhcnNldD1VVEYtOCI+PHRpdGxlPkFkbWlzc2lvbiBIICZhbXA7IFA8L3RpdGxlPjwvaGVhZD4
    8Ym9keSBtYXJnaW53aWR0aD0iNiIgbWFyZ2luaGVpZ2h0PSI2IiBsZWZ0bWFyZ2luPSI2IiB0b3BtYXJnaW49IjYiPjxkaXYgdmFsaWduPSJ0b3AiPgo
    8ZGl2IGNsYXNzPSJzdGF0dXNfYmFubmVyIiBzdHlsZT0idGV4dC1hbGlnbjogY2VudGVyOyBmb250LXNpemU6IDE0cHQ7IGZvbnQtd2VpZ2h0OiBib2x
    kOyBmb250LWZhbWlseTogdGFob21hLGFyaWFsOyB3aGl0ZS1zcGFjZTogcHJlLXdyYXA7Ij4qIEZpbmFsIFJlcG9ydCAqCjxkaXYgc3R5bGU9IndoaXR
    lLXNwYWNlOiBwcmUtd3JhcDsiPiAKPC9kaXY+PC9kaXY+CjxkaXYgY2xhc3M9InNlY3Rpb24iIGRhdGEtZG9jLXN0YXR1cz0iQVVUSCIgZGF0YS1zZXJ
    2aWNlLWRhdGUtdGltZT0iMjAyMS0wMy0xMlQyMjozNTowMy4wMDBaIiBkYXRhLWlzLWFkZGVuZHVtPSJmYWxzZSIgZGF0YS1ldmVudC1pZD0iMjE5NjE
    yNjMiIGRhdGEtZXZlbnQtY2Q9IjI4MjA1MDciIGRhdGEtc2VjdGlvbi1zZXF1ZW5jZT0iMSI+CjxkaXYgY2xhc3M9ImNvbnRlbnQiIHN0eWxlPSJmb25
    0LWZhbWlseTogVGltZXMsc2VyaWYsTHVjaWRhIFNhbnMgVW5pY29kZTsgZm9udC1zaXplOiAxMnB0OyBmb250LXdlaWdodDogbm9ybWFsOyBmb250LXN
    0eWxlOiBub3JtYWw7IHRleHQtZGVjb3JhdGlvbjogbm9uZTsgY29sb3I6IHJnYigwLDAsMCk7IG1hcmdpbi10b3A6IDBwdDsgbWFyZ2luLWJvdHRvbTo
    gMHB0OyB0ZXh0LWluZGVudDogMC4waW47IG1hcmdpbi1sZWZ0OiAwLjBpbjsgbWFyZ2luLXJpZ2h0OiAwLjBpbjsgdGV4dC1hbGlnbjogbGVmdDsgYm9
    yZGVyLXN0eWxlOiBub25lOyBib3JkZXItd2lkdGg6IDBwdDsgYm9yZGVyLWNvbG9yOiByZ2IoMCwwLDApOyBwYWRkaW5nOiAwcHQ7Ij48ZGl2PjxkaXY
    gc3R5bGU9ImZvbnQtZmFtaWx5OiB0YWhvbWEsSGVsdmV0aWNhLHNhbnMtc2VyaWYsTHVjaWRhIFNhbnMgVW5pY29kZTsgZm9udC1zaXplOiA5cHQ7Ij4
    KPHRhYmxlIHN0eWxlPSJib3JkZXI6IDFwdDsgdGFibGUtbGF5b3V0OiBmaXhlZDsgYm9yZGVyLWNvbGxhcHNlOiBjb2xsYXBzZTsiIHZhbGlnbj0idG9
    wIiB3aWR0aD0iMTAwJSI+PGNvbCB3aWR0aD0iNjYlIj48Y29sIHdpZHRoPSIzNCUiPjx0Ym9keSBzdHlsZT0ibWFyZ2luLWxlZnQ6IDBwdDsgbWFyZ2l
    uLXJpZ2h0OiAwcHQ7IHRleHQtaW5kZW50OiAwcHQ7IHRleHQtYWxpZ246IGxlZnQ7Ij48dHI+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgcGFkZGluZzo
    gMXB0OyBmb250LXNpemU6IDIwdDsiIHZhbGlnbj0idG9wIiBjbGFzcz0iZGFuPSIxIiByb3dzcGFuPSIxIj48ZGl2PjxkaXY+PHNwYW4gc3R5bGU9ImZ
    xYy00MzQ2LWIyOTYtNmYwMWZlMDZiNThlIj48L2E+PGRpdiBzdHlsZT0icGFkZGluZzogNHB4OyI+PHNwYW4gc3R5bGU9ImZvbnQtd2VpZ2h0OiBib2x
    kOyB0ZXh0LWRlY29yYXRpb246IHVuZGVybGluZTsiPkNoaWVmIENvbXBsYWludDwvc3Bhbj4gPGEgbmFtZT0iZmFmaWx0ZXh0LWNhNS1iYzZ
    kLTMxNGQzOWU1NjMxNSI+PC9hPjxkaXY+IDxhIG5hbWU9Il9kYzNmZmRjOS00NGE4LTQxMjItYTU2Yi03YWUwMWU3NDNlZDQiPjwvYT48ZGl2PmZhdGl
    ndXJlLCBhbmQgY29uZnVzaW9uPC9kaXY+IDwvZGl2PiA8L2Rpdj4gPGEgbmFtZT0iXzRkNmNlNTE1LTUwZjEtNDRhNy04ODZlLTkxYTAwNzA1NzBlNiI
    +PC9hPjxkaXYgc3R5bGU9InBhZGRpbmc6IDRweDsiPjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgdGV4dC1kZWNvcmF0aW9uOiB1bmRlcmx
    pbmU7Ij5IaXN0b3J5IG9mIFByZXNlbnQgSWxsbmVzczwvc3Bhbj4gPGEgbmFtZT0iXzNmZDRhOTY0LWNkZDctNDIyMy04MmE3LTQ0MzY0ZWMwOTFkMyI
    +PC9hPjxkaXY+IDxhIG5hbWU9Il85NWZiY2Y4YS02ODc2LTRkNGEtYjgzZC1iOGU4Y2E4YjZmNTkiPjwvYT48ZGl2PiA8YSBuYW1lPSJfOTQyZTE2OTQ
    tNDdjNC00ODIzLWE2MGEtOGU3OTU1NGMyYmNlIj48L2E+PGRpdj4gPGEgbmFtZT0iXzlhODkyZTlhLThjZmUtNDdkZC05ZWFmLWZmOWQ2ZDBmNjlhNCI
    +PC9hPjxkaXY+UGF0aWVudCBwcmVzZW50cyB3aXRoIGluY3JlYXNlZCBmYXRpZ3VlIGFuZCBjb25mdXNpb24gYW5kIGVsZXZhdGVkIGJsb29kIGdsdWN
    vc2UgbGV2ZWwuPC9kaXY+IDwvZGl2PiA8L2Rpdj4gPC9kaXY+IDwvZGl2PiAgIDxhIG5hbWU9Il8zY2NhMThlMS0xOWNhLTRkNTgtOTNjMy03YjQ1ODd
    kYWViMzkiPjwvYT48ZGl2IHN0eWxlPSJwYWRkaW5nOiAwcHg7Ij48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ7IHRleHQtZGVjb3JhdGlvbjo
    gdW5kZXJsaW5lOyI+QXNzZXNzbWVudC9QbGFuPC9zcGFuPiA8YSBuYW1lPSJfMDRmZTQ5Y2ItZTM0NS00NzRiLWJlMzAtZGZmYTM1ZDBkZDU4Ij48L2E
    +PGRpdj4gPGEgbmFtZT0iXzdiMTcxNzI2LTBjMzEtNDdjMC1hMzA1LTczYWNhYmIyZWM3ZCI+PC9hPjxkaXY+IDxhIG5hbWU9Il9lZmExNmMzZC00YjI
    xLTQ5MjctOGIyZS04MzE5NDg2YTQ4OGYiPjwvYT48ZGl2PiA8YSBuYW1lPSJfNjc4YWNjZmMtYmY0Ni00Njk2LTg1ODgtZDM5YTlmYjYwOWVhIj48L2E
    +PGRpdj4gPGEgbmFtZT0iXzEwYWUxZTAwLTJhZjMtNDA0My1iMjU1LWE2Nzc1ZDYwNTNhNSI+PC9hPjxkaXYgc3R5bGU9ImNsZWFyOiBib3RoOyI+T3J
    kZXJzOiA8ZGl2IHN0eWxlPSJwYWRkaW5nLWxlZnQ6IDhweDsiPiA8YSBuYW1lPSJfNzM5NzFiMDAtMDc3Ny00NDBiLWE5ZmYtZDQwNzUxM2RlNDhjIj4
    8L2E+PGRpdj5nbHlCVVJJREUtbWV0Rk9STUlOLCBPcmFsLCBUYWIsIEJJRCwgRmlyc3QgRG9zZTogMDMvMTIvMjEgMTY6Mjg6MDAsIDEgdGFiczwvZGl
    2PiA8L2Rpdj4gPC9kaXY+IDwvZGl2PiA8YSBuYW1lPSJfZjRkMGI1ZjEtODM4Zi00NGRhLWI0NWYtYTU2M2EyOTYyOWE1Ij48L2E+PGRpdj48aSK
    gPC9kaXY+IEFkbWl0IHBhdGllbnQgdG8gbW9uaXRvciBibG9vZCBnbHVjb3NlIGxldmVscyBhbmQgdXBkYXRlIG1lZGljYXRpb24gcmVnaW1lbi48L2R
    pdj4gPC9kaXY+IDwvZGl2PiA8L2Rpdj4gPC9kaXY+IDwvZGl2PjwvdGQ+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgcGFkZGluZzogMXB0OyBmb250LXN
    pemU6IDlwdDsiIHZhbGlnbj0idG9wIiBjbGFzcz0iZGFuPSIxIiByb3dzcGFuPSIxIj48ZGl2PjxkaXY+PHNwYW4gc3R5bGU9ImZvbnQtd2VpZ2h0OiBib2xkOyB0ZXh0LWRlY29
    yYXRpb246IHVuZGVybGluZTsiPlByb2JsZW0gTGlzdC9QYXN0IE1lZGljYWwgSGlzdG9yeTwvc3Bhbj4gPGEgbmFtZT0iXzYwZTg4ZGU4LTM4MjMtNGI
    2Mi05ZmM2LWQ3YzZjYzQ5ZjIzOSI+PC9hPjxkaXY+IDxhIG5hbWU9Il8wMTVhYTA1OS04YjQ4LTQyM2YtYTlkOS1lZTU2NDRlZmM1OGYiPjwvYT48ZGl
    2PjxzcGFuIHN0eWxlPSJ0ZXh0LWRlY29yYXRpb246IHVuZGVybGluZTsiPk9uZ29pbmc8L3NwYW4+IDxhIG5hbWU9Il83OTNlOTU3Ni0wMDQzLTQxMGI
    tYWU0MC02Y2FkZTQxZjM3MzUiPjwvYT48ZGl2IHN0eWxlPSJtYXJnaW4tbGVmdDogMWVtOyI+RGlhYmV0ZXMgdHlwZSBJIDwvZGl2PiA
    8L2Rpdj4gPGEgbmFtZT0iX2QwODhiNTI3LTExYjEtNDEwMy1iNjRiLTcwOWVkNDk1MDhkMCI+PC9hPjxkaXY+IDxhIG5hbWU9Il9hYjkxNTY4LWI4Y
```



```
    zcGFuPSIxIj48ZGl2Pk1hcmNoIDEyLCAyMDIxIDE2OjMxPC9kaXY+PC90ZD48L3RyPjx0cj48dGQgc3R5bGU9ImZvbnQtd2VpZ2h0OiBub3JtYWw7IHR
    leHQtYWxpZ246IGxlZnQ7IGJvcmRlcjogMXB0OyBwYWRkaW5nOiAwcHggMjVweCAwcHggMHB4OyB3b3JkLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ24
    9InRvcCIgY29sc3Bhbj0iMSIgcm93c3Bhbj0iMSI+PGRpdj5SZXN1bHQgc3RhdHVzOjwvZGl2PjwvdGQ+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgcGF
    kZGluZzogMHB4IDI1cHggMHB4IDBweDsgd29yZC13cmFwOiBicmVhay13b3JkOyIgdmFsaWduPSJ0b3AiIGNvbHNwYW49IjEiIHJvd3NwYW49IjEiPjx
    kaXY+QXV0aCAoVmVyaWZpZWQpPC9kaXY+PC90ZD48L3RyPjx0cj48dGQgc3R5bGU9ImZvbnQtd2VpZ2h0OiBub3JtYWw7IHRleHQtYWxpZ246IGxlZnQ
    7IGJvcmRlcjogMXB0OyBwYWRkaW5nOiAwcHggMHB4OyB3b3JkLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm93c
    mSIgcm93c3Bhbj0iMSI+PGRpdj5SZXN1bHQgdGl0bGU6PC9kaXY+PC90ZD48dGQgc3R5bGU9ImZvbnQtd2VpZ2h0OiBub3JtYWw7IHRleHQtYWxpZ
    0OyBwYWRkaW5nOiAwcHggMHB4OyB3b3JkLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm93c3Bhbj0iMSI+PGRpdj
    mYW1wOyBQPC9kaXY+PC90ZD48L3RyPjx0cj48dGQgc3R5bGU9ImZvbnQtd2VpZ2h0OiBub3JtYWw7IHRleHQtYWxpZ246IGxlZnQ7IGJvcmRlcjogMXB
    0OyBwYWRkaW5nOiAwcHggMHB4OyB3b3JkLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm93c3Bhbj0
    iMSI+PGRpdj5QZXJmb3JtZWQgYnk6PC9kaXY+PC90ZD48dGQgc3R5bGU9ImJvcmRlcjogMXB0OyBwYWRkaW5nOiAwcHg7IHZlcmJvc2UgaWQ9InRvcCIgY
    kLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm93c3Bhbj0iMSI+PGRpdj5QaXZvbmthLCBGcmFuIG9uIE1hcmNoIDE
    yLCAyMDIxIDE2OjM1PC9kaXY+PC90ZD48L3RyPjx0cj48dGQgc3R5bGU9ImZvbnQtd2VpZ2h0OiBub3JtYWw7IHRleHQtYWxpZ246IGxlZnQ7IGJvcmR
    lcjogMXB0OyBwYWRkaW5nOiAwcHggMHB4OyB3b3JkLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm9
    3c3Bhbj0iMSI+PGRpdj5WZXJpZmllZCBieTo8L2Rpdj48L3RkPjx0ZCBzdHlsZT0iYm9yZGVyOiAxcHQ7IHBhZGRpbmc6IDBweCAyNXB4IDBweCAwcHg
    7IHdvcmQtd3JhcDogYnJlYWstd29yZDsiIHZhbGlnbj0idG9wIiBjb2xzcGFuPSIxIiByb3dzcGFuPSIxIj48ZGl2PlBpdm9ua2EsIEZyYW4gb24gTWF
    yY2ggMTIsIDIwMjEgMTY6MzU8L2Rpdj48L3RkPjwvdHI+PHRyPjx0ZCBzdHlsZT0iZm9udC13ZWlnaHQ6IG5vcm1hbDsgdGV4dC1hbGlnbjogbGVmdDs
    gYm9yZGVyOiAxcHQ7IHBhZGRpbmc6IDBweCAyNXB4IDBweCAwcHg7IHdvcmQtd3JhcDogYnJlYWstd29yZDsiIHZhbGlnbj0idG9wIiBjb2xzcGFuPSI
    xIiByb3dzcGFuPSIxIj48ZGl2PkVuY291bnRlciBpbmZvOjwvZGl2PjwvdGQ+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgcGFkZGluZzogMHB4IDI1cHg
    gMHB4IDBweDsgd29yZC13cmFwOiBicmVhay13b3JkOyIgdmFsaWduPSJ0b3AiIGNvbHNwYW49IjEiIHJvd3NwYW49IjEiPjxkaXY+Rk46MDAwLTAzLTE
    yMCwgQmFzZWxpbmUgV2VzdCwgSW5wYXRpZW50LCAxMi8zMS8yMDE0IC0gPC9kaXY+PC90ZD48L3RyPjx0cj48dGQgc3R5bGU9ImZvbnQtd2VpZ2h0OiBub3JtYWw7IHRleHQtYWxpZ246IGxlZnQ7IGJvcmRlcjogMXB0OyBwYWRkaW5nOiAwcHggMHB4OyB3b3JkLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm93c3Bhbj0iMSI+PGRpdj5BZG1pc3Npb24gSCA
```

x-confidential-response Response

A confidential binary example with an header of .

Accept

application/fhir+json


Note: The confidentiality feature is only supported for the following concepts: physdoc, anatomic-pathology, and radiology.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/TR-21961261
```

Example Response:


```
{
  "resourceType": "Binary",
  "id": "TR-21961261",
  "meta":
  {
    "lastUpdated": "2021-03-12T22:35:03.000Z",
    "security": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
        "code": "PRS",
        "display": "patient requested information sensitivity",
        "userSelected": false
      },
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
        "code": "PHY",
        "display": "physician requested information sensitivity",
        "userSelected": false
      }
    ]
  },
  "contentType": "text/html",
  "data": "PCFET0NUWVBFIGh0bWwKICBTWVNURU0gImFib3V0OmxlZ2FjeS1jb21wYXQiPgo8aHRtbD48aGVhZD48bWV0YSBodHRwLWVxdWl2PSJDb25
  0ZW50LVR5cGUiIGNvbnRlbnQ9InRleHQvaHRtbDsgY2hhcnNldD1VVEYtOCI+PHRpdGxlPkFkbWlzc2lvbiBIICZhbXA7IFA8L3RpdGxlPjwvaGVhZD4
  8Ym9keSBtYXJnaW53aWR0aD0iNiIgbWFyZ2luaGVpZ2h0PSI2IiBsZWZ0bWFyZ2luPSI2IiB0b3BtYXJnaW49IjYiPjxkaXYgdmFsaWduPSJ0b3AiPgo
  8ZGl2IGNsYXNzPSJzdGF0dXNfYmFubmVyIiBzdHlsZT0idGV4dC1hbGlnbjogY2VudGVyOyBmb250LXNpemU6IDE0cHQ7IGZvbnQtd2VpZ2h0OiBib2x
  kOyBmb250LWZhbWlseTogdGFob21hLGFyaWFsOyB3aGl0ZS1zcGFjZTogcHJlLXdyYXA7Ij4qIEZpbmFsIFJlcG9ydCAqCjxkaXYgc3R5bGU9IndoaXR
  lLXNwYWNlOiBwcmUtd3JhcDsiPiAKPC9kaXY+PC9kaXY+CjxkaXYgY2xhc3M9InNlY3Rpb24iIGRhdGEtZG9jLXN0YXR1cz0iQVVUSCIgZGF0YS1zZXJ
  2aWNlLWRhdGUtdGltZT0iMjAyMS0wMy0xMlQyMjozNTowMy4wMDBaIiBkYXRhLWlzLWFkZGVuZHVtPSJmYWxzZSIgZGF0YS1ldmVudC1pZD0iMjE5NjE
  yNjMiIGRhdGEtZXZlbnQtY2Q9IjI4MjA1MDciIGRhdGEtc2VjdGlvbi1zZXF1ZW5jZT0iMSI+CjxkaXYgYgY2xhc3M9ImNvbnRlbnQiIHN0eWxlPSJmb25
  0LWZhbWlseTogVGltZXMsc2VyaWYsTHVjaWRhIFNhbnMgVW5pY29kZTsgZm9udC1zaXplOiAxMnB0OyBmb250LXN
  0eWxlOiBub3JtYWw7IHRleHQtZGVjb3JhdGlvbjogbm9uZTsgY29sb3I6IHJnYigwLDAsMCk7IG1hcmdpbi10b3A6IDBwdDsgbWFyZ2luLWJvdHRvbTo
  gMHB0OyB0ZXh0LWluZGVudDogMC4waW47IG1hcmdpbi1sZWZ0OiAwLjBpbjsgbWFyZ2luLXJpZ2h0OiAwLjBpbjsgdGV4dC1hbGlnbjogbGVmdDsgYm9
  yZGVyLXN0eWxlOiBub25lOyBib3JkZXItd2lkdGg6IDBwdDsgYm9yZGVyLWNvbG9yOiByZ2IoMCwwLDApOyBwYWRkaW5nOiAwcHQ7Ij48ZGl2PjxkaXY
  gc3R5bGU9ImZvbnQtZmFtaWx5OiB0YWhvbWEsSGVsdmV0aWNhLHNhbnMtc2VyaWYsTHVjaWRhIFNhbnMgVW5pY29kZTsgZm9udC1zaXplOiA5cHQ7Ij4
  KPHRhYmxlIHN0eWxlPSJib3JkZXI6IDFwdDsgdGFibGUtbGF5b3V0OiBmaXhlZDsgYm9yZGVyLWNvbGxhcHNlOiBjb2xsYXBzZTsiIHZhbGlnbj0idG9
  wIiB3aWR0aD0iMTAwJSI+PGNvbCB3aWR0aD0iNjYlIj48Y29sIHdpZHRoPSIzNCUiPjx0Ym9keSBzdHlsZT0ibWFyZ2luLWxlZnQ6IDBwdDsgbWFyZ2l
  uLXJpZ2h0OiAwcHQ7IHRleHQtaW5kZW50OiAwcHQ7IHRleHQtYWxpZ246IGxlZnQ7Ij48dHI+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgcGFkZGluZzo
  gMXB0OyBmb250LXNpemU6IDIwpDsiIHZhbGlnbj0idG9wIiBjb2xzcGFuPSIxIiByb3dzcGFuPSIxIj48ZGl2PiA8YSBuYW1lPSJfOWM2YTdkYjMtZGM
  xYy00MzQ2LWIyOTYtNmYwMWZlMDZiNThlIj48L2E+PGRpdiBzdHlsZT0icGFkZGluZzogNHB4OyI+PHNwYW4gc3R5bGU9ImZvbnQtd2VpZ2h0OiBib2x
  kOyB0ZXh0LWRlY29yYXRpb246IG5vbmU7IGxpbmUtaGVpZ2h0OiAxLjI7IiBjb2xzcGFuPSIxIj48ZGl2PiA8YSBuYW1lPSJfOWM2YTdkYjMtZGM
  kLTMxNGQzOWU1NjMxNSI+PC9hPjxkaXY+IDxhIG5hbWU9Il9kYzNmZmRjOS00NGE4LTQxMjItYTU2Yi03YWUwMWU3NDNlZDQiPjwvYT48ZGl2PmZhdGl
  ndXJlLCBhbmQgY29uZnVzaW9uPC9kaXY+IDwvZGl2PiA8L2Rpdj4gPGEgbmFtZT0iXzRkNmNlNTE1LTUwZjEtNDRhNy04ODZlLTkxYTAwNzA1NzBlNiI
  +PC9hPjxkaXYgc3R5bGU9InBhZGRpbmc6IDRweDsiPjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgdGV4dC1kZWNvcmF0aW9uOiB1bmRlcmx
  pbmU7Ij5IaXN0b3J5IG9mIFByZXNlbnQgSWxsbmVzczwvc3Bhbj4gPGEgbmFtZT0iXzNmZDRhOTY0LWNkZDctNDIyMy04MmE3LTQ0MzY0ZWMwOTFkMyI
  +PC9hPjxkaXY+IDxhIG5hbWU9Il85NWZiY2Y4YS02ODc2LTRkNGEtYjgzZC1iOGU4Y2E4YjZmNTkiPjwvYT48ZGl2PiA8YSBuYW1lPSJfOTQyZTE2OTQ
  tNDdjNC00ODIzLWE2MGEtOGU3OTU1NGMyYmNlIj48L2E+PGRpdj4gPGEgbmFtZT0iXzlhODkyZTlhLThjZmUtNDdkZC05ZWFmLWZmOWQ2ZDBmNjlhNCI
  +PC9hPjxkaXY+UGF0aWVudCBwcmVzZW50cyB3aXRoIGluY3JlYXNlZCBmYXRpZ3VlIGFuZCBjb25mdXNpb24gYW5kIGVsZXZhdGVkIGJsb29kIGdsdWN
  vc2UgbGV2ZWwuPC9kaXY+IDwvZGl2PiA8L2Rpdj4gPC9kaXY+IDwvZGl2PiAgIDxhIG5hbWU9Il8zY2NhMThlMS0xOWNhLTRkNTgtOTNjMy03YjQ1ODd
  kYWViMzkiPjwvYT48ZGl2IHN0eWxlPSJwYWRkaW5nOiAwcHg7Ij48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ7IHRleHQtZGVjb3JhdGlvbjo
  gdW5kZXJsaW5lOyI+QXNzZXNzbWVudC9QbGFuPC9zcGFuPiA8YSBuYW1lPSJfMDRmZTQ5Y2ItZTM0NS00NzRiLWJlMzAtZGZmYTM1ZDBkZDU4Ij48L2E
  +PGRpdj4gPGEgbmFtZT0iXzdiMTcxNzI2LTBjMzEtNDdjMC1hMzA1LTczYWNhYmIyZWM3ZCI+PC9hPjxkaXY+IDxhIG5hbWU9Il9lZmExNmMzZC00YjI
  xLTQ5MjctOGIyZS04MzE5NDg2YTQ4OGYiPjwvYT48ZGl2PiA8YSBuYW1lPSJfNjc4YWNjZmMtYmY0Ni00Njk2LTg1ODgtZDM5YTlmYjYwOWVhIj48L2E
  +PGRpdj4gPGEgbmFtZT0iXzEwYWUxZTAwLTJhZjMtNDA0My1iMjU1LWE2Nzc1ZDYwNTNhNSI+PC9hPjxkaXYgc3R5bGU9ImNsZWFyOiBib3RoOyI+T3J
  kZXJzOiA8ZGl2IHN0eWxlPSJwYWRkaW5nLWxlZnQ6IDhweDsiPiA8YSBuYW1lPSJfNzM5NzFiMDAtMDc3Ny00NDBiLWE5ZmYtZDQwNzUxM2RlNDhjIj4
  8L2E+PGRpdj5nbHlCVVJJREUtbWV0Rk9STUlOLCBPcmFsLCBUYWIsIEJJRCwgRmlyc3QgRG9zZTogMDMvMTIvMjEgMTY6Mjg6MDAsIDEgdGFiczwvZGl
  2PiA8L2Rpdj4gPC9kaXY+IDwvZGl2PiA8YSBuYW1lPSJfZjRkMGI1ZjEtODM4Zi00NGRhLWI0NWYtYTU2M2EyOTYyOWE1Ij48L2E+PGRpdj48aGVhZGV
  gPC9kaXY+IEFkbWl0IHBhdGllbnQgdG8gbW9uaXRvciBibG9vZCBnbHVjb3NlIGxldmVscyBhbmQgdXBkYXRlIG1lZGljYXRpb24gcmVnaW1lbi48L2R
  pdj4gPC9kaXY+IDwvZGl2PiA8L2Rpdj4gPC9kaXY+IDwvZGl2PjwvdGQ+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgcGFkZGluZzogMXB0OyBmb250LXN
  pemU6IDlwdDsiIHZhbGlnbj0idG9wIiBjb2xzcGFuPSIxIiByb3dzcGFuPSIxIj48ZGl2PiA8YSBuYW1lPSJfODVjMTcyZmItY2U2Yy00MzFkLTkyNTE
  tZTQ5N2FhZTg0ODIwIj48L2E+PGRpdiBzdHlsZT0icGFkZGluZzogNHB4OyI+PHNwYW4gc3R5bGU9ImZvbnQtd2VpZ2h0OiBib2xkOyB0ZXh0LWRlY29
  yYXRpb246IHVuZGVybGluZTsiPlByb2JsZW0gTGlzdC9QYXN0IE1lZGljYWwgSGlzdG9yeTwvc3Bhbj4gPGEgbmFtZT0iXzIwZTg4ZGU4LTM4MjMtNGI
  2Mi05ZmM2LWQ3YzZjYzQ5ZjIzOSI+PC9hPjxkaXY+IDxhIG5hbWU9Il8wMTVhYTA1OS04YjQ4LTQyM2YtYTlkOS1lZTU2NDRlZmM1OGYiPjwvYT48ZGl
  2PjxzcGFuIHN0eWxlPSJ0ZXh0LWRlY29yYXRpb246IHVuZGVybGluZTsiPk9uZ29pbmc8L3NwYW4+IDxhIG5hbWU9Il83OTNlOTU3Ni0wMDQzLTQxMGI
  tYWU0MC02Y2FkZTQxZjM3MzUiPjwvYT48ZGl2IHN0eWxlPSJtYXJnaW4tbGVmdDogMWVtOyI+RGlhYmV0ZXMgbWVsbGl0dXMgdHlwZSBJSTwvZGl2PiA
  8L2Rpdj4gPGEgbmFtZT0iX2QwODhiNTI3LTExYjEtNDEwMy1iNjRiLTcwOWVkNDk1MDhkMCI+PC9hPjxkaXY+IDxhIG5hbWU9Il9kYzNmZmRjOS00NG
  hdGlvbjogdW5kZXJsaW5lOyI+SGlzdG9yaWNhbDwvc3Bhbj4gPGRpdiBzdHlsZT0idGV4dC1pbmRlbnQ6IC0xZW07IHBhZGRpbmctbGVmdDogMWVtOyB
  tYXJnaW4tbGVmdDogMWVtOyI+Tm8gcXVhbGlmeWluZyBkYXRhPC9kaXY+IDwvZGl2PiA8L2Rpdj4gPC9kaXY+IDxhIG5hbWU9Il8wYzMyYTdkOC0wYWI
  1LTRmODMtOGQzNC0zYTM2MDAxYWRlMmUiPjwvYT48ZGl2IHN0eWxlPSJwYWRkaW5nOiAwcHg7Ij48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ
  7IHRleHQtZGVjb3JhdGlvbjogdW5kZXJsaW5lOyI+UHJvY2VkdXJlL1N1cmdpY2FsIEhpc3RvcnK8L3NwYW4+IDxhIG5hbWU9Il81YzRkYzhjMC04MGM
  xLTRlMTctOWY5Ni1kY2Y0MWJlY2NkNzMiPjwvYT48ZGl2IHN0eWxlPSJwYWRkaW5nOiAwcHg7Ij48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ
  6IDBweDsgcGFkZGluZy1sZWZ0OiAxNXB4OyI+PHRhYmxlIHdpZHRoPSIxMDAlIj48dHI+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgcGFkZGluZy1sZWZ0O
  gcmlnaHQ7IHdoaXRlLXNwYWNlOiBub3dyYXA7IiB3aWR0aD0iMjQiPjxkaXY+IDxhIG5hbWU9Il9kYzNmZmRjOS00NGE4LTQxMjItYTU2Yi03YWUwMWU
  8L2Rpdj48L3RkPjx0ZCB3aWR0aD0iOCI+wqA8L3RkPjx0ZCB2YWxpZ249InRvcCI+PGRpdj5QZXJpLXByb2NlZHVyYWwgZGV2aWNlIGV2YWx1YXRpb24
  gKGluIHBlcnNvbikgYW5kIHByb2dyYW1taW5nIG9mIGFyYW1ldGVycyBiZWZvcmUgb3IgYWZ0ZXIgYSBzdXJnZXJ5LCBwcm9
```



```
    iMSI+PGRpdj5QZXJmb3JtZWQgYnk6PC9kaXY+PC90ZD48dGQgc3R5bGU9ImJvcmRlcjogMXB0OyBwYWRkaW5nOiAwcHggMjVweCAwcHggMHB4OyB3b3J
    kLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm93c3Bhbj0iMSI+PGRpdj5QaXZvbmthLCBGcmFuIG9uIE1hcmNoIDE
    yLCAyMDIxIDE2OjM1PC9kaXY+PC90ZD48L3RyPjx0cj48dGQgc3R5bGU9ImZvbnQtd2VpZ2h0OiBub3JtYWw7IHRleHQtYWxpZ246IGxlZnQ7IGJvcmR
    lcjogMXB0OyBwYWRkaW5nOiAwcHggMjVweCAwcHggMHB4OyB3b3JkLXdyYXA6IGJyZWFrLXdvcmQ7IiB2YWxpZ249InRvcCIgY29sc3Bhbj0iMSIgcm9
    3c3Bhbj0iMSI+PGRpdj5WZXJpZmllZCBieTo8L2Rpdj48L3RkPjx0ZCBzdHlsZT0iYm9yZGVyOiAxcHQ7IHBhZGRpbmc6IDBweCAyNXB4IDBweCAwcHg
    7IHdvcmQtd3JhcDogYnJlYWstd29yZDsiIHZhbGlnbj0idG9wIiBjb2xzcGFuPSIxIiByb3dzcGFuPSIxIj48ZGl2PlBpdm9ua2EsIEZyYW4gb24gTWF
    yY2ggMTIsIDIwMjEgMTY6MzU8L2Rpdj48L3RkPjwvdHI+PHRyPjx0ZCBzdHlsZT0iZm9udC13ZWlnaHQ6IG5vcm1hbDsgdGV4dC1hbGlnbjogbGVmdDs
    gYm9yZGVyOiAxcHQ7IHBhZGRpbmc6IDBweCAyNXB4IDBweCAwcHg7IHdvcmQtd3JhcDogYnJlYWstd29yZDsiIHZhbGlnbj0idG9wIiBjb2xzcGFuPSI
    xIiByb3dzcGFuPSIxIj48ZGl2PkVuY291bnRlciBpbmZvOjwvZGl2PjwvdGQ+PHRkIHN0eWxlPSJib3JkZXI6IDFwdDsgGFkZGluZzogMHB4IDI1cHg
    gMHB4IDBweDsgd29yZC13cmFwOiBicmVhay13b3JkOyIgdmFsaWduPSJ0b3AiIGNvbHNwYW49IjEiIHJvd3NwYW49IjEiPjxkaXY+Rk46MDAwLTAzLTE
    yMCwgQmFzZWxpbmUgV2VzdCwgSW5wYXRpZW50LCAxMi8zMS8yMDE0IC0gPC9kaXY+PC90YWJsZT48L2Rpdj4KPGRpdiB
    zdHlsZT0id2hpdGUtc3BhY2U6IHByZS13cmFwOyI+IAo8L2Rpdj48L2Rpdj48L2Rpdj4KICA8L2Rpdj48L2Rpdj4KICA8L2Rpdj4KICA8L2JvZHk+PC9odG1sPg=="
  }
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-html Response

An example with an header of .

Accept

text/html

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/TR-21961261
```

Example Response:

```
'<!DOCTYPE html SYSTEM "about:legacy-compat">
  <html>

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Admission H & P</title>
  </head>

  <body marginwidth="6" marginheight="6" leftmargin="6" topmargin="6">
    <div valign="top">
      <div class="status_banner"
        style="text-align: center; font-size: 14pt; font-weight: bold; font-family: tahoma,arial; white-space: pre-
    wrap;">
        * Final Report *
        <div style="white-space: pre-wrap;">
        </div>
      </div>
      <div class="section" data-doc-status="AUTH" data-service-date-time="2021-03-12T22:35:03.000Z"
        data-is-addendum="false" data-event-id="21961263" data-event-cd="2820507" data-section-sequence="1">
        <div class="content"
          style="font-family: Times,serif,Lucida Sans Unicode; font-size: 12pt; font-weight: normal; font-style: normal;
     text-decoration: none; color: rgb(0,0,0); margin-top: 0pt; margin-bottom: 0pt; text-indent: 0.0in; margin-left:
    0.0in; margin-right: 0.0in; text-align: left; border-style: none; border-width: 0pt; border-color: rgb(0,0,0);
    padding: 0pt;">
          <div>
            <div style="font-family: tahoma,Helvetica,sans-serif,Lucida Sans Unicode; font-size: 9pt;">
              <table style="border: 1pt; table-layout: fixed; border-collapse: collapse;" valign="top"
                width="100%">
                <col width="66%">
                <col width="34%">
                <tbody style="margin-left: 0pt; margin-right: 0pt; text-indent: 0pt; text-align: left;">
                  <tr>
                    <td style="border: 1pt; padding: 1pt; font-size: 9pt;" valign="top" colspan="1"
                      rowspan="1">
                      <div> <a name="_9c6a7db3-dc1c-4346-b296-6f01fe06b58e"></a>
                        <div style="padding: 4px;">
                          <span style="font-weight: bold; text-decoration: underline;">Chief Complaint</span>
                          <a name="_27e244aa-880c-4ea5-bc6d-314d39e56315"></a>
                          <div> <a name="_dc3ffdc9-44a8-4122-a56b-7ae01e743ed4"></a>
                            <div>fatigure, and confusion</div>
                          </div>
                        </div> <a name="_4d6ce515-50f1-44a7-886e-91a0070570e6"></a>
                      <div style="padding: 4px;">
                        <span style="font-weight: bold; text-decoration: underline;">History of Present Illness</span>
                        <a name="_3fd4a964-cdd7-4223-82a7-44364ec091d3"&gt
                        lt;/a>
                        <div> <a name="_95fbcf8a-6876-4d4a-b83d-b8e8ca8b6f59"></a>
                          <div> <a name="_942e1694-47c4-4823-a60a-8e79554c2bce"></a>
                            <div> <a name="_9a892e9a-8cfe-47dd-9eaf-ff9d6d0f69a4"></a>
                              <div>Patient presents with increased fatigue and confusion
                                and elevated blood glucose level.</div>
                            </div>
                          </div>
                        </div>
                      </div> <a name="_3cca18e1-19ca-4d58-93c3-7b4587daeb39"></a>
                      <div style="padding: 4px;">
```

```
                    <span style="font-weight: bold; text-decoration: underline;">Assessment/Plan</span>
                    <a name="_04fe49cb-e345-474b-be30-dffa35d0dd58"></a>
                    <div> <a name="_7b171726-0c31-47c0-a305-73acabb2ec7d"></a>
                      <div> <a name="_efa16c3d-4b21-4927-8b2e-8319486a488f"></a>
                        <div> <a name="_678accfc-bf46-4696-8588-d39a9fb609ea"></a>
                          <div> <a name="_10ae1e00-2af3-4043-b255-a6775d6053a5"></a>
                            <div style="clear: both;">Orders: <div
                                style="padding-left: 8px;"> <a
                                  name="_73971b00-0777-440b-a9ff-d407513de48c"></a>
                                <div>glyBURIDE-metFORMIN, Oral, Tab, BID, First
                                  Dose: 03/12/21 16:28:00, 1 tabs</div>
                              </div>
                            </div>
                          </div> <a name="_f4d0b5f1-838f-44da-b45f-a563a29629a5"></a>
                          <div>
                            <div> </div> Admit patient to monitor blood glucose
                            levels and update medication regimen.
                          </div>
                        </div>
                      </div>
                    </div>
                  </div>
                </td>
                <td style="border: 1pt; padding: 1pt; font-size: 9pt;" valign="top" colspan="1"
                  rowspan="1">
                  <div> <a name="_85c172fb-ce6c-431d-9251-e497aae84820"></a>
                    <div style="padding: 4px;">
                      <span style="font-weight: bold; text-decoration: underline;">Problem List/Past Medical
History</span>
                      <a name="_f0e88de8-3823-4b62-9fc6-d7c6cc49f239"></a>
                      <div> <a name="_015aa059-8b48-423f-a9d9-ee5644efc58f"></a>
                        <div><span style="text-decoration: underline;">Ongoing</span> <a
                            name="_793e9576-0043-410b-ae40-6cade41f3735"></a>
                          <div style="margin-left: 1em;">Diabetes mellitus type II</div>
                        </div> <a name="_d088b527-11b1-4103-b64b-709ed49508d0"></a>
                        <div><span style="text-decoration: underline;">Historical</span>
                          <div
                            style="text-indent: -1em; padding-left: 1em; margin-left: 1em;">
                            No qualifying data</div>
                        </div>
                      </div>
                    </div> <a name="_0c32a7d8-0ab5-4f83-8d34-3a36001ade2e"></a>
                    <div style="padding: 4px;">
                      <span style="font-weight: bold; text-decoration: underline;">Procedure/Surgical History</span>
                      <a name="_5c4dc8c0-80c1-4e17-9f96-dcf41beccd73"></a>
                      <div>
                        <table style="border-collapse: collapse;" valign="top">
                          <tbody>
                            <tr>
                              <td valign="top">
                                <div
                                  style="margin-top: 1em; margin-bottom: 1em; margin: 0px; padding-left: 15px;">
                                  <table width="100%">
                                    <tr>
                                      <td valign="top"
                                        style="text-align: right; white-space: nowrap;"
                                        width="24">
                                        <div>
                                          <span style="font: 1em serif;">???</span>
                                        </div>
                                      </td>
                                      <td width="8"> </td>
                                      <td valign="top">
                                        <div>Peri-procedural device
                                          evaluation (in person) and
                                          programming of device system
                                          parameters before or after a
                                          surgery, procedure, or test with
                                          analysis, review and report by a
                                          physician or other qualified
                                          health care professional;
                                          single, dual, or multiple (1987)
                                        </div>
                                      </td>
                                    </tr>
                                  </table>
                                </div>
                              </td>
                            </tr>
                          </tbody>
                        </table>
                      </div>
                    </div> <a name="_bdbfb070-dac7-476d-b733-79657efa9337"></a>
                    <div style="padding: 4px;">
                      <span style="font-weight: bold; text-decoration: underline;">Medications</span>
                      <a name="_04fff0ba-9f3e-4853-8b26-13b47d9e024b"></a>
                      <div> <a name="_3be42839-c378-410f-a0b9-07850e6d3e1f"></a>
                        <div><span style="text-decoration: underline;">Home</span> <a
```

```
                        name="_d5ca8884-cf41-42bc-8568-9e7ba66c21b3"></a>
                      <div
                        style="text-indent: -1em; padding-left: 1em; margin-left: 1em;">
                        Cough & Sore Throat Nighttime oral liquid, 30 mL, q6hr
                      </div>
                    </div>
                  </div>
                </div> <a name="_bc071fde-da84-4738-b263-0096784512b1"></a>
                <div style="padding: 4px;">
                  <span style="font-weight: bold; text-decoration: underline;">Allergies</span>
                  <a name="_25c82702-60a2-438e-b34c-393c6eaa0ffd"></a>
                  <div> <a name="_84abc82b-49dd-457e-8767-b476f343b29d"></a>
                    <div>sulfa drugs</div>
                  </div>
                </div> <a name="_7a70471e-85d7-4675-81f5-ff039535eacd"></a>
                <div style="padding: 4px;">
                  <span style="font-weight: bold; text-decoration: underline;">Social History</span>
                  <a name="_17283d6c-a602-4a1f-ad4e-6b193c862802"></a>
                  <div> <a name="_34ce0f1e-092a-43f6-b1ae-e4143240fb67"></a>
                    <div>
                      <div><span style="text-decoration: underline;">Alcohol</span> -
                        Medium Risk</div> <a
                        name="_06ac4321-737d-4832-a127-72f5be65e012"></a>
                      <div style="margin-left: 1em;">
                        <div style="margin-left: 0em;">Current, Beer, Wine, 1-2
                          times per week, Started age 12 Y. Alcohol use interferes
                          with work or home: Yes.</div>
                      </div>
                    </div> <a name="_7be9b488-d0c2-4353-b488-b67e2a0d1fee"></a>
                    <div>
                      <div><span style="text-decoration: underline;">Exercise</span> -
                        Occasional exercise</div> <a
                        name="_fe8f1160-38de-445f-93cb-e95437e33f5a"></a>
                      <div style="margin-left: 1em;">
                        <div style="margin-left: 0em;">Exercise duration: 20.
                          Exercise frequency: 1-2 times/week. Exercise type:
                          Walking.</div>
                      </div>
                    </div> <a name="_033d61e5-0903-4ded-b5a0-6adb3cab6501"></a>
                    <div>
                      <div><span style="text-decoration: underline;">Tobacco</span>
                      </div> <a name="_208044b7-7677-4d00-ad3a-0589fda9159c"></a>
                      <div style="margin-left: 1em;">
                        <div style="margin-left: 0em;">Current every day smoker,
                          Cigarettes, Total pack years: 12. Previous treatment:
                          Counseling.</div>
                      </div>
                    </div>
                  </div>
                </div> <a name="_e50cead8-3403-4ce7-8a76-5db5994be5c1"></a>
                <div style="padding: 4px;">
                  <span style="font-weight: bold; text-decoration: underline;">Immunizations</span>
                  <a name="_78d928aa-0ecf-4ea4-8c51-9f67efd15aa1"></a>
                  <div>
                    <table
                      style="border: 1px solid rgb(0, 0, 0); table-layout: fixed; border-collapse: collapse;"
                      valign="top">
                      <col>
                      <col>
                      <col>
                      <thead
                        style="margin-left: 0pt; margin-right: 0pt; text-indent: 0pt; text-align: left;">
                        <tr>
                          <td style="font-weight: bold; text-align: center; border: 1pt; padding: 0px 5px 0px 6px;
 border-bottom-color: rgb(0, 0, 0)
                            border-bottom-width: 1px; border-bottom-style: solid; background-color: rgb(244, 244,
244);"
                            valign="top" colspan="1" rowspan="1">
                            <div>Vaccine</div>
                          </td>
                          <td style="font-weight: bold; text-align: center; border: 1pt; padding: 0px 5px 0px 6px;
 border-bottom-color: rgb(0, 0, 0); border-left-color: rgb(0, 0, 0); border-bottom-width: 1px; border-left-width:
1px; border-bottom-style: solid; border-left-style: solid; background-color: rgb(244, 244, 244);"
                            valign="top" colspan="1" rowspan="1">
                            <div>Date</div>
                          </td>
                          <td style="font-weight: bold; text-align: center; border: 1pt; padding: 0px 5px 0px 6px;
 border-bottom-color: rgb(0, 0, 0); border-left-color: rgb(0, 0, 0); border-bottom-width: 1px; border-left-width:
1px; border-bottom-style: solid; border-left-style: solid; background-color: rgb(244, 244, 244);"
                          valign="top" colspan="1" rowspan="1">
                            <div>Status</div>
                          </td>
                        </tr>
                      </thead>
                      <tbody
                        style="margin-left: 0pt; margin-right: 0pt; text-indent: 0pt; text-align: left;">
                        <tr
                          style="border-top-color: rgb(0, 0, 0); border-top-width: 1px; border-top-style: solid;">
                          <td style="border: 1pt; padding: 1pt;" valign="top"
```

```
                              colspan="3" rowspan="1">
                              <div>
                                <table
                                  style="border: 1pt; table-layout: fixed; width: 100%; border-collapse: collapse;"
                                  valign="top">
                                  <col width="34%">
                                  <col width="33%">
                                  <col width="33%">
                                  <tbody
                                    style="margin-left: 0pt; margin-right: 0pt; text-indent: 0pt; text-align:
left;">
                                    <tr>
                                      <td style="border: 1pt; padding: 1pt; padding-left: 6px; border-right-color:
rgb(0, 0, 0); border-right-width: 1px
                                          border-right-style: solid;"
                                        valign="top" colspan="1"
                                        rowspan="1">
                                        <div>measles/mumps/rubella virus
                                          vaccine</div>
                                      </td>
                                      <td style="border: 1pt; padding: 1pt; padding-left: 6px; border-right-color:
rgb(0, 0, 0); border-right-width: 1px
                                        border-right-style: solid;"
                                        valign="top" colspan="1"
                                        rowspan="1">
                                        <div>10/22/2020</div>
                                      </td>
                                      <td style="border: 1pt; padding: 1pt; padding-left: 6px;"
                                        valign="top" colspan="1"
                                        rowspan="1">
                                        <div>Given</div>
                                      </td>
                                    </tr>
                                  </tbody>
                                </table>
                              </div>
                            </td>
                          </tr>
                        </tbody>
                      </table>
                    </div>
                  </div>
                </div>
              </td>
            </tr>
          </tbody>
        </table>
      </div>
      <div
        style="font-family: tahoma,Helvetica,sans-serif,Lucida Sans Unicode; font-size: 9pt; margin-top: 1em;">
      </div>
    </div>
    <div style="white-space: pre-wrap;">
    </div>
  </div>
  <div class="sign-line-header"
    style="font-family: tahoma,arial; font-size: 10pt; font-weight: bold; white-space: pre-wrap;">Signature
    Line<div class="sign-line"
      style="font-family: tahoma,arial; font-weight: normal; font-size: 10pt; white-space: pre-wrap;">
      Electronically signed by
      _____
      Braus, Sasha 03.12.2021 16:35</div>
    <div style="white-space: pre-wrap;">
    </div>
    </div>
  </div>
  <div class="heading">
    <div class="content"
      style="font-family: Times,serif,Lucida Sans Unicode; font-size: 12pt; font-weight: normal; font-style: normal;
 text-decoration: none; color: rgb(0,0,0); margin-top: 0pt; margin-bottom: 0pt; text-indent: 0.0in; margin-left:
0.0in; margin-right: 0.0in; text-align: left; border-style: none; border-width: 0pt; border-color: rgb(0,0,0);
padding: 0pt;">
      <div>
        <table
          style="border: 1pt; table-layout: fixed; font-family: tahoma,Helvetica,sans-serif,Lucida Sans Unicode;
font-size: 10pt; border-collapse: collapse;"
          valign="top">
          <tbody style="margin-left: 0pt; margin-right: 0pt; text-indent: 0pt; text-align: left;">
            <tr>
              <td style="font-weight: normal; text-align: left; border: 1pt; padding: 0px 25px 0px 0px; word-wrap:
break-word;"
                valign="top" colspan="1" rowspan="1">
                <div>Result type:</div>
              </td>
              <td style="border: 1pt; padding: 0px 25px 0px 0px; word-wrap: break-word;" valign="top"
                colspan="1" rowspan="1">
                <div>Admission Note-Physician</div>
              </td>
            </tr>
```

```
            <tr>
              <td style="font-weight: normal; text-align: left; border: 1pt; padding: 0px 25px 0px 0px; word-wrap:
    break-word;"
                valign="top" colspan="1" rowspan="1">
                <div>Result date:</div>
              </td>
              <td style="border: 1pt; padding: 0px 25px 0px 0px; word-wrap: break-word;" valign="top"
                colspan="1" rowspan="1">
                <div>March 12, 2021 16:31</div>
              </td>
            </tr>
            <tr>
              <td style="font-weight: normal; text-align: left; border: 1pt; padding: 0px 25px 0px 0px; word-wrap:
    break-word;"
                valign="top" colspan="1" rowspan="1">
                <div>Result status:</div>
              </td>
              <td style="border: 1pt; padding: 0px 25px 0px 0px; word-wrap: break-word;" valign="top"
                colspan="1" rowspan="1">
                <div>Auth (Verified)</div>
              </td>
            </tr>
            <tr>
              <td style="font-weight: normal; text-align: left; border: 1pt; padding: 0px 25px 0px 0px; word-wrap:
    break-word;"
                valign="top" colspan="1" rowspan="1">
                <div>Result title:</div>
              </td>
              <td style="border: 1pt; padding: 0px 25px 0px 0px; word-wrap: break-word;" valign="top"
                colspan="1" rowspan="1">
                <div>Admission H & P</div>
              </td>
            </tr>
            <tr>
              <td style="font-weight: normal; text-align: left; border: 1pt; padding: 0px 25px 0px 0px; word-wrap:
    break-word;"
                valign="top" colspan="1" rowspan="1">
                <div>Performed by:</div>
              </td>
              <td style="border: 1pt; padding: 0px 25px 0px 0px; word-wrap: break-word;" valign="top"
                colspan="1" rowspan="1">
                <div>Braus, Sasha on March 12, 2021 16:35</div>
              </td>
            </tr>
            <tr>
              <td style="font-weight: normal; text-align: left; border: 1pt; padding: 0px 25px 0px 0px; word-wrap:
    break-word;"
                valign="top" colspan="1" rowspan="1">
                <div>Verified by:</div>
              </td>
              <td style="border: 1pt; padding: 0px 25px 0px 0px; word-wrap: break-word;" valign="top"
                colspan="1" rowspan="1">
                <div>Braus, Sasha on March 12, 2021 16:35</div>
              </td>
            </tr>
            <tr>
              <td style="font-weight: normal; text-align: left; border: 1pt; padding: 0px 25px 0px 0px; word-wrap:
    break-word;"
                valign="top" colspan="1" rowspan="1">
                <div>Encounter info:</div>
              </td>
              <td style="border: 1pt; padding: 0px 25px 0px 0px; word-wrap: break-word;" valign="top"
                colspan="1" rowspan="1">
                <div>FN:000-03-120, Baseline West, Inpatient, 12/31/2014 - </div>
              </td>
            </tr>
          </tbody>
        </table>
      </div>
      <div style="white-space: pre-wrap;">
      </div>
    </div>
  </div>
</body>

</html>'
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Bundle

File: r4-rest-api-v32/api-bundle.html

Description

Bundle

This topic describes information for the Bundle resource.

Overview

The Bundle resource is used to perform bulk create operations of Provenance resources in a single batch request.

References to implicitRules and modifierExtensions are not supported. Using these fields cause the batch create request to fail.

The following fields are returned in a Bundle.entry.response:

* For each successfully created Provenance resource:

* Status

* Location

* Etag

* LastModified

* For each failed Provenance create operation:

* Outcome

Terminology Bindings

Bundle.type

Description: Indicates the purpose of a bundle or how it is intended to be used.

Bundle.entry.request.method

Description: HTTP verbs (in the HTTP command line). See RFC 7231 - Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content for more information.

Bundle

The operations from the Bundle category.

Run a FHIR batch (or FHIR transaction) bundle

Method: post Path: /

Run a FHIR batch (or FHIR transaction) bundle

File: r4-rest-api-v32/op--post.html

Create a new provenance. The resource should follow the same rules as when creating a single .

Perform a set of independent operations on the server.

Supported Batch Operations

Create Provenance

Description:

Authorization Scope | Request Method | Request URL | Resource Required?
Provenance.write | POST | Provenance | true

Resource Type:

Provenance

Example :

Bundle.entry

```
{
  "request": {
    "method": "POST",
    "url": "Provenance"
  }
  "resource": {
    "resourceType": "Provenance",
    "target": [
      {
       "reference": "DocumentReference/881049"
      }
    ],
    "recorded": "2019-10-25T14:57:43Z",
    "agent": [
      {
        "type": {
          "coding": [
            {
```

```
              "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-provenance-participant-type",
              "code": "transmitter"
            }
          ]
        },
        "role": [
          {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                "code": "SOURCE"
              }
            ]
          }
        ],
        "who": {
          "reference": "Organization/619848"
        }
      }
    ],
    "entity": [
      {
        "role": "source",
        "what": {
          "reference": "DocumentReference/S-201"
        }
      }
    ]
  }
}
```

Note:

provenance

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Note: Only the body fields mentioned below are supported. Unsupported fields are ignored or can result in errors.

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

The FHIR batch (or FHIR transaction) bundle.

Root Schema : BatchTransactionBundle

Type:

object

A summary representation of a batch or transaction bundle.

Show Source

* entry(required): array entry Minimum Number of Items: 1 An entry in the bundle.

* resourceType(required): string Allowed Values: ["Bundle"] The type of the FHIR resource.

* type(required): string Allowed Values: ["batch"] Indicates the purpose of this bundle.

```
{
    "description":"A summary representation of a batch or transaction bundle.",
    "type":"object",
    "required":[
        "resourceType",
        "type",
        "entry"
    ],
    "properties":{
        "resourceType":{
            "description":"The type of the FHIR resource.\n",
            "type":"string",
            "enum":[
                "Bundle"
            ]
```

```
        },
        "type":{
            "description":"Indicates the purpose of this bundle.\n",
            "type":"string",
            "enum":[
                "batch"
            ]
        },
        "entry":{
            "description":"An entry in the bundle.\n",
            "type":"array",
            "minItems":1,
            "items":{
                "type":"object",
                "required":[
                    "entry.request"
                ],
                "properties":{
                    "entry.request":{
                        "description":"Additional information about how this entry should be processed as part of a
    batch or transaction.\n",
                        "type":"object",
                        "required":[
                            "method",
                            "url"
                        ],
                        "properties":{
                            "method":{
                                "description":"The HTTP action to be performed for this entry.\n",
                                "type":"string",
                                "enum":[
                                    "POST"
                                ]
                            },
                            "url":{
                                "description":"The URL for this entry, relative to the root (the address to which the
    request is posted).\n",
                                "type":"string",
                                "example":"Provenance"
                            }
                        }
                    },
                    "entry.resource":{
                        "description":"The resource for the entry. The <a
    href=\"https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/op-provenance-post.html#request-
    bodyparam-definitions-ProvenanceCreate\">Provenance</a> resource is supported.\n",
                        "type":"object",
                        "example":"{\n    \"resourceType\": \"Provenance\",\n    \"target\": [\n      {\n
    \"reference\": \"DocumentReference/881049\"\n      }\n    ],\n    \"recorded\": \"2019-10-25T14:57:43Z\",\n
    \"agent\": [\n      {\n        \"type\": {\n        \"coding\": [\n          {\n            \"system\":
    \"http://hl7.org/fhir/us/core/CodeSystem/us-core-provenance-participant-type\",\n            \"code\":
    \"transmitter\"\n          }\n        ]\n      },\n      \"role\": [\n        {\n          \"coding\": [\n
                {\n              \"system\": \"http://terminology.hl7.org/CodeSystem/contractsignertypecodes\",\n
                  \"code\": \"SOURCE\"\n            }\n          ]\n        }\n      ],\n      \"who\": {\n
    \"reference\": \"Organization/619848\"\n      }\n    }\n  ],\n  \"entity\": [\n    {\n      \"role\": \"source\",\n
          \"what\": {\n        \"reference\": \"DocumentReference/S-201\"\n      }\n    }\n  ]\n}\n"
                        }
                    }
                }
            }
        },
        "example":"{\n  \"resourceType\": \"Bundle\",\n  \"type\": \"batch\",\n  \"entry\": [\n    {\n      \"request\": {\n
                \"method\": \"POST\",\n        \"url\": \"Provenance\"\n      },\n      \"resource\": {\n
        \"resourceType\": \"Provenance\",\n        \"target\": [\n          {\n            \"reference\":
        \"DocumentReference/881049\"\n          }\n        ],\n        \"recorded\": \"2019-10-25T14:57:43Z\",\n
        \"agent\": [\n          {\n            \"type\": {\n              \"coding\": [\n                {\n
                        \"system\": \"http://hl7.org/fhir/us/core/CodeSystem/us-core-provenance-participant-type\",\n
                        \"code\": \"transmitter\"\n                }\n              ]\n            },\n
        \"role\": [\n              {\n                \"coding\": [\n                  {\n                    \"system\":
        \"http://terminology.hl7.org/CodeSystem/contractsignertypecodes\",\n                    \"code\": \"SOURCE\"\n
                        }\n                ]\n              }\n            ],\n            \"who\": {\n
        \"reference\": \"Organization/619848\"\n            }\n          }\n        ],\n        \"entity\": [\n          {\n
                \"role\": \"source\",\n            \"what\": {\n              \"reference\":
        \"DocumentReference/S-201\"\n            }\n          }\n        ]\n      }\n    },\n    {\n      \"request\": {\n
                \"method\": \"POST\",\n        \"url\": \"Provenance\"\n      },\n      \"resource\": {\n
        \"resourceType\": \"Provenance\",\n        \"target\": [\n          {\n            \"reference\":
        \"Observation/BP-206839089-206839091\"\n          }\n        ],\n        \"recorded\": \"2024-09-18T10:58:13Z\",\n
                \"agent\": [\n          {\n            \"type\": {\n              \"coding\": [\n                {\n
                        \"system\": \"http://terminology.hl7.org/CodeSystem/provenance-participant-type\",\n
                        \"code\": \"author\"\n              }\n            ]\n          },\n          \"role\":
        [\n            {\n              \"coding\": [\n                {\n                  \"system\":
        \"http://terminology.hl7.org/CodeSystem/contractsignertypecodes\",\n                  \"code\": \"SOURCE\"\n
                        }\n              ]\n            }\n          ],\n          \"who\": {\n
        \"reference\": \"Organization/1054423\",\n          }\n        }\n      ]\n    }\n  ]\n}\n"
}
```


Example:


```
{
  "resourceType": "Bundle",
```

```
"type": "batch",
"entry": [
  {
    "request": {
      "method": "POST",
      "url": "Provenance"
    },
    "resource": {
      "resourceType": "Provenance",
      "target": [
        {
          "reference": "DocumentReference/881049"
        }
      ],
      "recorded": "2019-10-25T14:57:43Z",
      "agent": [
        {
          "type": {
            "coding": [
              {
                "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-provenance-participant-type",
                "code": "transmitter"
              }
            ]
          },
          "role": [
            {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                  "code": "SOURCE"
                }
              ]
            }
          ],
          "who": {
            "reference": "Organization/619848"
          }
        }
      ],
      "entity": [
        {
          "role": "source",
          "what": {
            "reference": "DocumentReference/S-201"
          }
        }
      ]
    }
  },
  {
    "request": {
      "method": "POST",
      "url": "Provenance"
    },
    "resource": {
      "resourceType": "Provenance",
      "target": [
        {
          "reference": "Observation/BP-206839089-206839091"
        }
      ],
      "recorded": "2024-09-18T10:58:13Z",
      "agent": [
        {
          "type": {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                "code": "author"
              }
            ]
          },
          "role": [
            {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                  "code": "SOURCE"
                }
              ]
            }
          ],
          "who": {
            "reference": "Organization/1054423",
          }
        }
      ]
    }
```

```
    }
  ]
}
```

Nested Schema : entry

Type:

array

Minimum Number of Items:

An entry in the bundle.

Show Source

* Array of: object items

```
{
    "description":"An entry in the bundle.\n",
    "type":"array",
    "minItems":1,
    "items":{
        "type":"object",
        "required":[
            "entry.request"
        ],
        "properties":{
            "entry.request":{
                "description":"Additional information about how this entry should be processed as part of a batch or
    transaction.\n",
                "type":"object",
                "required":[
                    "method",
                    "url"
                ],
                "properties":{
                    "method":{
                        "description":"The HTTP action to be performed for this entry.\n",
                        "type":"string",
                        "enum":[
                            "POST"
                        ]
                    },
                    "url":{
                        "description":"The URL for this entry, relative to the root (the address to which the request is
     posted).\n",
                        "type":"string",
                        "example":"Provenance"
                    }
                }
            },
            "entry.resource":{
                "description":"The resource for the entry. The <a
    href=\"https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/op-provenance-post.html#request-
    bodyparam-definitions-ProvenanceCreate\">Provenance</a> resource is supported.\n",
                "type":"object",
                "example":"{\n    \"resourceType\": \"Provenance\",\n    \"target\": [\n      {\n        \"reference\":
    \"DocumentReference/881049\"\n      }\n    ],\n    \"recorded\": \"2019-10-25T14:57:43Z\",\n    \"agent\": [\n
    {\n        \"type\": {\n        \"coding\": [\n          {\n            \"system\":
    \"http://hl7.org/fhir/us/core/CodeSystem/us-core-provenance-participant-type\",\n            \"code\":
    \"transmitter\"\n          }\n        ]\n      },\n      \"role\": [\n        {\n          \"coding\": [\n
                {\n              \"system\": \"http://terminology.hl7.org/CodeSystem/contractsignertypecodes\",\n
                  \"code\": \"SOURCE\"\n            }\n          ]\n        }\n      ],\n      \"who\": {\n
    \"reference\": \"Organization/619848\"\n      }\n    }\n  ],\n  \"entity\": [\n    {\n      \"role\": \"source\",\n
          \"what\": {\n        \"reference\": \"DocumentReference/S-201\"\n      }\n    }\n  ]\n}\n"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* entry.request(required): object entry.request Additional information about how this entry should be processed as part of a batch or transaction.

* entry.resource: object entry.resource The resource for the entry. The Provenance resource is supported.

```
{
    "type":"object",
    "required":[
        "entry.request"
    ],
    "properties":{
        "entry.request":{
            "description":"Additional information about how this entry should be processed as part of a batch or
    transaction.\n",
            "type":"object",
```

```
            "required":[
                "method",
                "url"
            ],
            "properties":{
                "method":{
                    "description":"The HTTP action to be performed for this entry.\n",
                    "type":"string",
                    "enum":[
                        "POST"
                    ]
                },
                "url":{
                    "description":"The URL for this entry, relative to the root (the address to which the request is
    posted).\n",
                    "type":"string",
                    "example":"Provenance"
                }
            }
        },
        "entry.resource":{
            "description":"The resource for the entry. The <a
    href=\"https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/op-provenance-post.html#request-
    bodyparam-definitions-ProvenanceCreate\">Provenance</a> resource is supported.\n",
            "type":"object",
            "example":"{\n    \"resourceType\": \"Provenance\",\n    \"target\": [\n      {\n        \"reference\":
    \"DocumentReference/881049\"\n      }\n    ],\n    \"recorded\": \"2019-10-25T14:57:43Z\",\n    \"agent\": [\n
    {\n        \"type\": {\n        \"coding\": [\n          {\n            \"system\":
    \"http://hl7.org/fhir/us/core/CodeSystem/us-core-provenance-participant-type\",\n            \"code\":
    \"transmitter\"\n          }\n        ]\n      },\n      \"role\": [\n        {\n          \"coding\": [\n
                {\n            \"system\": \"http://terminology.hl7.org/CodeSystem/contractsignertypecodes\",\n
                  \"code\": \"SOURCE\"\n            }\n          ]\n        }\n      ],\n      \"who\": {\n
    \"reference\": \"Organization/619848\"\n      }\n    }\n  ],\n  \"entity\": [\n    {\n      \"role\": \"source\",\n
          \"what\": {\n        \"reference\": \"DocumentReference/S-201\"\n      }\n    }\n  ]\n}\n"
        }
    }
}
```

Nested Schema : entry.request

Type:

object

Additional information about how this entry should be processed as part of a batch or transaction.

Show Source

* method(required): string Allowed Values: ["POST"] The HTTP action to be performed for this entry.

* url(required): string The URL for this entry, relative to the root (the address to which the request is posted). Example: Provenance

```
{
    "description":"Additional information about how this entry should be processed as part of a batch or
    transaction.\n",
    "type":"object",
    "required":[
        "method",
        "url"
    ],
    "properties":{
        "method":{
            "description":"The HTTP action to be performed for this entry.\n",
            "type":"string",
            "enum":[
                "POST"
            ]
        },
        "url":{
            "description":"The URL for this entry, relative to the root (the address to which the request is
    posted).\n",
            "type":"string",
            "example":"Provenance"
        }
    }
}
```

Nested Schema : entry.resource

Type:

object

The resource for the entry. The resource is supported.

Provenance

Example:

```
{
    "resourceType": "Provenance",
    "target": [
      {
```

```
        "reference": "DocumentReference/881049"
      }
    ],
    "recorded": "2019-10-25T14:57:43Z",
    "agent": [
      {
        "type": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-provenance-participant-type",
            "code": "transmitter"
          }
        ]
      },
      "role": [
        {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
              "code": "SOURCE"
            }
          ]
        }
      ],
      "who": {
        "reference": "Organization/619848"
      }
    }
  ],
  "entity": [
    {
      "role": "source",
      "what": {
        "reference": "DocumentReference/S-201"
      }
    }
  ]
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example bundle with .

batch-response

Example Request:

```
POST https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d
```

Example Response:

```
{
  "resourceType": "Bundle",
  "id": "0fad2fbb-ca1f-4508-9fb3-0eb6784f6e95",
  "type": "batch-response",
  "entry": [
    {
      "response": {
        "status": "201 Created",
        "location": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/doc-185643",
        "etag": "W/\"185643\"",
        "lastModified": "2024-11-12T19:03:54.730Z"
      }
    },
    {
      "response": {
        "status": "201 Created",
        "location": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/doc-185646",
        "etag": "W/\"185646\"",
        "lastModified": "2024-11-12T19:03:54.730Z"
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

CapabilityStatement

File: r4-rest-api-v32/api-capabilitystatement.html

Description

CapabilityStatement

This topic describes information for the CapabilityStatement resource.

Overview

The CapabilityStatement resource documents the functionality implemented from the HL7 FHIR standard. Unlike most resources, this resource is found at :serviceRootURL/metadata instead of by its resource name.

CapabilityStatement

The operations from the CapabilityStatement category.

Get metadata

Method: get Path: /metadata

Get well-known SMART configuration

Method: get Path: /.well-known/smart-configuration

Get metadata

File: r4-rest-api-v32/op-metadata-get.html

Retrieves the capabilities and configurations of this implementation and deployment of the FHIR standard.

Note: Resource actions that are still under development are returned in the capability statement with documentation for the interaction explaining that the resource action is still under development and should not be used in production. These resource actions are labeled as under development on Oracle Help Center.

Authorization Types

Authorization is not required.

Request

Header Parameters

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/metadata
```

Example Response:


```
{
  "resourceType": "CapabilityStatement",
  "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/metadata",
  "name": "OracleHealthCapabilityStatement",
  "title": "Oracle Health Capability Statement",
  "status": "active",
  "date": "2023-11-21",
  "publisher": "Oracle Health",
  "description": "Oracle Health implementation of FHIR on top of Millennium",
  "kind": "instance",
  "instantiates": [
    "http://hl7.org/fhir/us/core/CapabilityStatement/us-core-server"
  ],
  "implementation": {
    "description": "Oracle Health implementation of FHIR on top of Millennium",
    "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d"
  },
  "fhirVersion": "4.0.1",
  "format": [
    "json",
    "application/fhir+json"
  ],
  "patchFormat": [
    "application/json-patch+json"
  ],
  "rest": [
    {
      "mode": "server",
      "documentation": "Oracle Health implementation of FHIR on top of Millennium",
      "security": {
```

```
    "cors": true
  },
  "resource": [
    {
      "type": "CapabilityStatement",
      "interaction": [
        {
          "code": "read"
        }
      ]
    },
    {
      "type": "Account",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Account ids. It is a required field if the
-guarantor or patient fields are not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Account-patient",
          "type": "reference",
          "documentation": "The entity that caused the expenses. It is a required field if the _id or -guarantor
fields are not given. Must be set with identifier."
        },
        {
          "name": "-encounter",
          "type": "reference",
          "documentation": "The encounter associated with the resource."
        },
        {
          "name": "-guarantor",
          "type": "reference",
          "documentation": "The entity that responsible for payment. It is a required field if the _id or patient
fields are not given."
        },
        {
          "name": "type",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Account-type",
          "type": "token",
          "documentation": "The identifier for the account. Required in every search request."
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Account-identifier",
          "type": "token",
          "documentation": "Statement Account number. Must be set with patients"
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set."
        }
      ]
    },
    {
      "type": "AllergyIntolerance",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-allergyintolerance"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of AllergyIntolerance ids. It is a required field if
```

```
the patient field is not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-allergyintolerance-patient",
          "type": "reference",
          "documentation": "Who the sensitivity is for. It is a required field if the _id field is not given."
        },
        {
          "name": "clinical-status",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-allergyintolerance-clinical-status",
          "type": "token",
          "documentation": "Certainty of the allergy or intolerance."
        }
      ]
    },
    {
      "type": "Appointment",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Appointment ids. Either the '_id' parameter or one
of the 'patient', 'practitioner' or 'location' parameters must be set."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set."
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Appointment-date",
          "type": "date",
          "documentation": "A date or date range from which to find appointments. This or the '-date-or-req-period'
parameter must be set when using patient, practitioner or location. The 'date' parameter may be provided once
without a prefix or time component to imply a date range or once without a prefix and with a time component to
search for appointments at a specific time. Alternately it may be provided twice with 'le' and 'gt' prefixes to
search for appointments within a specific range. The date prefix pair must create a closed range."
        },
        {
          "name": "-date-or-req-period",
          "type": "date",
          "documentation": "A start date or requested period from which to find appointments. This or the 'date'
parameter must be set when using patient, practitioner or location. The '-date-or-req-period' parameter may be
provided once without a prefix or time component to imply a date range or once without a prefix and with a time
component to search for appointments at a specific time. Alternately it may be provided twice with 'le' and 'gt'
prefixes to search for appointments within a specific range. The date prefix pair must create a closed range."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Appointment-patient",
          "type": "reference",
          "documentation": "One of the individuals of the appointment is this patient. Either the '_id' parameter or
 one of the 'patient', 'practitioner' or 'location' parameters must be set."
        },
        {
          "name": "practitioner",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Appointment-practitioner",
          "type": "reference",
          "documentation": "One of the individuals of the appointment is this practitioner. Either the '_id'
parameter or one of the 'patient', 'practitioner' or 'location' parameters must be set."
        },
        {
          "name": "location",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Appointment-location",
          "type": "reference",
          "documentation": "This location is listed in the participants of the appointment. Either the '_id'
parameter or one of the 'patient', 'practitioner' or 'location' parameters must be set."
        },
        {
          "name": "status",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Appointment-status",
          "type": "token",
          "documentation": "The overall status of the appointment."
        }
      ]
    },
    {
```

```
      "type": "Binary",
      "interaction": [
        {
          "code": "read"
        }
      ],
      "operation": [
        {
          "name": "autogen-ccd-if",
          "definition": "https://fhir-ehr.cerner.com/r4/OperationDefinition/binary-autogen-ccd-if",
          "documentation": "Generate Continuity of Care Document (CCD)"
        }
      ]
    },
    {
      "type": "CarePlan",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-careplan"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of CarePlan ids."
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-careplan-date",
          "type": "date",
          "documentation": "A date range with which to find CarePlans. If used, the 'date' parameter must be
provided twice. Once with a 'ge' prefix representing the earliest date, and once with a 'le' prefix representing the
 latest date. The date prefix pair must create a closed range."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-careplan-patient",
          "type": "reference",
          "documentation": "Who the careplan is for. It is a required field if the _id field is not given."
        },
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-careplan-category",
          "type": "token",
          "documentation": "The category of the careplan. Category assess-plan is supported as of now."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return. Not honored when '_id' is set."
        }
      ]
    },
    {
      "type": "CareTeam",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-careteam"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "CareTeam id supports only the single id. It is a required field if the patient or
encounter fields are not given."
        },
```

```
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/CareTeam-category",
          "type": "token",
          "documentation": "The category of the careteam. Category Longitudinal (patient level) or Encounter is
supported as of now."
        },
        {
          "name": "encounter",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-encounter",
          "type": "reference",
          "documentation": "The Encounter level CareTeam are displayed."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-careteam-patient",
          "type": "reference",
          "documentation": "Who the careteam is for. It is a required field if the _id field is not given."
        },
        {
          "name": "status",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-careteam-status",
          "type": "token",
          "documentation": "The status of the CareTeam."
        }
      ]
    },
    {
      "type": "ChargeItem",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "ChargeItem id supports only the single id. It is a required field if the account or
context fields are not given."
        },
        {
          "name": "context",
          "type": "reference",
          "documentation": "Encounter associated with the ChargeItem. If provided, the '-status' parameter must also
 be provided. It is a required field if the _id or account fields are not given."
        },
        {
          "name": "account",
          "type": "reference",
          "documentation": "Account associated with the ChargeItem. If provided, the '-status' parameter must also
be provided. It is a required field if the _id or context fields are not given."
        },
        {
          "name": "-status",
          "type": "token",
          "documentation": "The status of the ChargeItem. Must be set to 'billable'. Must be provided with the
context and account parameter."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set."
        }
      ],
      "operation": [
        {
          "name": "credit",
          "definition": "https://fhir-ehr.cerner.com/r4/OperationDefinition/charge-item-credit",
          "documentation": "Creates an offsetting ChargeItem for an existing debit ChargeItem."
        },
        {
          "name": "modify",
          "definition": "https://fhir-ehr.cerner.com/r4/OperationDefinition/charge-item-modify",
          "documentation": "Modifies an existing ChargeItem resulting in a newly created ChargeItem."
        }
      ]
    },
    {
      "type": "Communication",
      "interaction": [
        {
          "code": "read"
        },
```

```
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Communication ids. It is a required field if the
category, -email-status, received and recipient fields are not given."
        },
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Communication-category",
          "type": "token",
          "documentation": "The message category. It is a required field if the _id field is not given. Must be set
with received, recipient and -email-status."
        },
        {
          "name": "received",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Communication-received",
          "type": "date",
          "documentation": "When the message is received. It is a required field if the _id field is not given. Must
 be set with category, recipient and -email-status. If used, the 'received' parameter may be provided once or twice.
 Once with a 'ge' prefix representing the earliest received date, and/or once with a 'le' prefix representing the
latest received date."
        },
        {
          "name": "recipient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Communication-recipient",
          "type": "reference",
          "documentation": "The recipient of the message. It is a required field if the _id field is not given. Must
 be set with category, recipient and -email-status."
        },
        {
          "name": "-email-status",
          "type": "token",
          "documentation": "The email status of the message. It is a required field if the _id field is not given.
Must be set with category, received and recipient."
        }
      ]
    },
    {
      "type": "Condition",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-condition"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Condition ids. It is a required field if the patient
 or subject fields are not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-condition-patient",
          "type": "reference",
          "documentation": "Who has the condition. It is a required field if the subject or _id fields are not
given."
        },
        {
          "name": "encounter",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Condition-encounter",
          "type": "reference",
          "documentation": "The encounter of the patient. Only encounter-diagnosis are returned."
        },
        {
          "name": "subject",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Condition-subject",
          "type": "reference",
          "documentation": "Who has the condition. It is a required field if the patient or _id fields are not
given."
        },
        {
          "name": "clinical-status",
```

```
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-condition-clinical-status",
          "type": "token",
          "documentation": "The clinical status of the condition."
        },
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-condition-category",
          "type": "token",
          "documentation": "The category of the condition. Currently, the problem-list-item, encounter-diagnosis,
health-concern, and sdoh categories are supported."
        }
      ]
    },
    {
      "type": "Consent",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchInclude": [
        "Consent:actor",
        "Consent:patient"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Consent ids."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "Who the consent applies to. It is a required field if the _id field is not given."
        },
        {
          "name": "actor",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Consent-actor",
          "type": "reference",
          "documentation": "Resource for the actor (or group, by role). It is a required field if the _id field is
not given."
        },
        {
          "name": "patient.identifier",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Consent-patient.identifier",
          "type": "token",
          "documentation": "The patient.identifier allows to search by patient aliases. Federated Person Principle,
SSN, MRN etc... are supported as of now. It is a required field if the _id field is not given."
        },
        {
          "name": "actor.identifier",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Consent-actor.identifier",
          "type": "token",
          "documentation": "The actor.identifier allows to search by related person aliases. Federated Person
Principle is the only supported alias as of now. It is a required field if the _id field is not given."
        }
      ]
    },
    {
      "type": "Coverage",
      "interaction": [
        {
          "code": "search-type"
        },
        {
          "code": "delete"
        }
      ],
      "searchParam": [
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Coverage-patient",
          "type": "reference",
          "documentation": "Retrieve coverages for a patient."
        },
        {
          "name": "-encounter",
          "type": "reference",
          "documentation": "Retrieve coverages for an encounter."
        }
      ]
    },
    {
      "type": "Device",
```

```
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-implantable-device"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Device ids. It is a required field if the patient
field is not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-device-patient",
          "type": "reference",
          "documentation": "The patient to whom Device is affixed. It is a required field if the _id field is not
given."
        }
      ]
    },
    {
      "type": "DiagnosticReport",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-diagnosticreport-note",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-diagnosticreport-lab"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of DiagnosticReport ids. It is a required field if the
patient field is not given."
        },
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-diagnosticreport-category",
          "type": "token",
          "documentation": "Which diagnostic discipline/department created the report."
        },
        {
          "name": "code",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-diagnosticreport-code",
          "type": "token",
          "documentation": "The code for the report."
        },
        {
          "name": "encounter",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-encounter",
          "type": "reference",
          "documentation": "The Encounter when the report was made."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-diagnosticreport-patient",
          "type": "reference",
          "documentation": "The subject of the report. It is a required field."
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-diagnosticreport-date",
          "type": "date",
          "documentation": "A date range with which to find Documents. A date parameter may be provided once with or
 without prefix and time component to imply a date range. Alternately it may be provided twice with 'le', 'lt',
'ge', or 'gt'  prefixes and time component to search for procedures within a specific range. The date and prefix
pairs must create a closed range. Must be set with patient or subject."
        },
```

```
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page."
        }
      ]
    },
    {
      "type": "DocumentReference",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-documentreference"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-documentreference-id",
          "type": "token",
          "documentation": "A single or comma separated list of DocumentReference ids. It is a required field if the
 patient field is not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-documentreference-patient",
          "type": "reference",
          "documentation": "The patient the document is about. It is a required field if the subject field is not
given."
        },
        {
          "name": "encounter",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-encounter",
          "type": "reference",
          "documentation": "The Encounter in which the document was created."
        },
        {
          "name": "period",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-documentreference-period",
          "type": "date",
          "documentation": "A date range with which to find Documents. If used, the 'period' parameter must be
provided twice. Once with a 'ge' prefix representing the earliest date, and once with a 'lt' prefix representing the
 latest date. The period prefix pair must create a closed range and cannot be equal to each other."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page."
        },
        {
          "name": "type",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-documentreference-type",
          "type": "token",
          "documentation": "The kind of document (LOINC if possible)."
        },
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-documentreference-category",
          "type": "token",
          "documentation": "The categorization of document."
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-documentreference-date",
          "type": "date",
          "documentation": "It must be provided  once with a prefix to imply a date  range or without a prefix to
search for document(s) at a specific date. Alternately it may be provided twice with `le`, `lt`, `ge`, or `gt`
prefixes to search for document(s) within specific range. The date and prefix pairs must create a closed range. For
a single 'date' occurrence, `time` component is optional but for two `date` occurrences, must include `time`
component."
        }
      ],
      "operation": [
        {
          "name": "USCoreFetchDocumentReferences",
          "definition": "http://hl7.org/fhir/us/core/OperationDefinition/docref",
          "documentation": "US Core Fetch DocumentReferences"
        }
      ]
```

```
    },
    {
      "type": "Encounter",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-encounter"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-encounter-id",
          "type": "token",
          "documentation": "A single or comma separated list of Encounter ids. It is a required field if the account
 or identifier or -pageContext or patient or subject fields are not given."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-encounter-patient",
          "type": "reference",
          "documentation": "The patient present at the encounter. It is a required field if the account or _id or
identifier or -pageContext or subject fields are not given."
        },
        {
          "name": "subject",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Encounter-subject",
          "type": "reference",
          "documentation": "The patient present at the encounter. It is a required field if the account or _id or
identifier or -pageContext or patient fields are not given."
        },
        {
          "name": "status",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-encounter-status",
          "type": "token",
          "documentation": "The status of the encounter. Must be set with patient."
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-encounter-date",
          "type": "date",
          "documentation": "A date parameter may be provided once with a prefix and time component to imply a date
range. Alternately it may be provided twice with 'le', 'lt', 'ge', or 'gt' prefixes and time component to search for
 encounters within a specific range. The date and prefix pairs must create a closed range. Must be set with patient
or subject."
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-encounter-identifier",
          "type": "token",
          "documentation": "An encounter's identifier. It is a required field if the account or _id or -pageContext
or patient or subject fields are not given."
        }
      ]
    },
    {
      "type": "FamilyMemberHistory",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of FamilyMemberHistory ids. It is a required field if
the patient field is not given."
        },
        {
          "name": "patient",
```

```
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "Who the family member history is for. It is a required field if the _id field is not
given. It is a required field if the status parameter is provided."
        },
        {
          "name": "status",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/status",
          "type": "token",
          "documentation": "The status of the FamilyMemberHistory."
        }
      ]
    },
    {
      "type": "Goal",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-goal"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "Goal id supports only the single id. It is a required field if the patient field is not
given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-goal-patient",
          "type": "reference",
          "documentation": "Who has the goal is for. It is a required field if the _id field is not given."
        },
        {
          "name": "target-date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-goal-target-date",
          "type": "date",
          "documentation": "A date or date range from which to find Goals."
        }
      ]
    },
    {
      "type": "Immunization",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-immunization"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Immunization ids. It is a required field if the
patient field is not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-immunization-patient",
          "type": "reference",
          "documentation": "The patient for the vaccination record. It is a required field if the _id field is not
given."
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-immunization-date",
          "type": "date",
          "documentation": "Vaccination (non)-Administration Date."
        },
        {
```

```
          "name": "target-disease",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-immunization-target-disease",
          "type": "token",
          "documentation": "A single or comma separated list of target diseases the dose is being administered
against."
        }
      ]
    },
    {
      "type": "InsurancePlan",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of InsurancePlan ids."
        },
        {
          "name": "owned-by",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/InsurancePlan-owned-by",
          "type": "reference",
          "documentation": "The organization that is providing the health insurance product."
        }
      ]
    },
    {
      "type": "Location",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-location"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Location ids. It is a required field if the
-physicalType field is not given"
        },
        {
          "name": "-physicalType",
          "type": "token",
          "documentation": "The Location's physical type. It is a required field if the _id field is not given"
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-location-identifier",
          "type": "token",
          "documentation": "A location's identifier."
        },
        {
          "name": "address",
          "type": "string",
          "documentation": "A (part of the) address of the location"
        },
        {
          "name": "address-city",
          "type": "string",
          "documentation": "A city specified in an address. It is a required field if the address-state or address-
postalcode fields are not given"
        },
        {
          "name": "address-state",
          "type": "string",
          "documentation": "A state specified in an address"
        },
        {
          "name": "address-postalcode",
          "type": "string",
          "documentation": "A postal code specified in an address"
        },
        {
          "name": "name",
          "type": "string",
```

```
          "documentation": "A portion of the location's name or alias"
        },
        {
          "name": "organization",
          "type": "reference",
          "documentation": "Searches for locations that are managed by the provided organization"
        }
      ]
    },
    {
      "type": "Media",
      "interaction": [
        {
          "code": "read"
        }
      ]
    },
    {
      "type": "MedicationAdministration",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of MedicationAdministration ids."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/medicationadministration-patient",
          "type": "reference",
          "documentation": "The identity of a patient to list administrations for. It is a required field if the _id
 field is not given."
        },
        {
          "name": "status",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/medicationadministration-status",
          "type": "token",
          "documentation": "MedicationAdministration event status."
        },
        {
          "name": "performer",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/medicationadministration-performer",
          "type": "reference",
          "documentation": "The identity of the individual who administered the medication."
        },
        {
          "name": "effective-time",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/medicationadministration-effective-time",
          "type": "date",
          "documentation": "A effective-time parameter may be provided once with 'le' or 'lt' or 'ge' or 'gt' prefix
 and time component to imply a date range. Alternately it may be provided twice with 'le', 'lt', 'ge', or 'gt'
prefixes and time component to search for medications administered within a specific range. The date and prefix
pairs must create a closed range."
        }
      ]
    },
    {
      "type": "MedicationRequest",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-medicationrequest"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of MedicationRequest ids."
        },
        {
          "name": "patient",
```

```
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-medicationrequest-patient",
          "type": "reference",
          "documentation": "The patient to return MedicationRequests for. It is a required field if the _id field is
 not given."
        },
        {
          "name": "intent",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-medicationrequest-intent",
          "type": "token",
          "documentation": "The intent of the MedicationRequest."
        },
        {
          "name": "status",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-medicationrequest-status",
          "type": "token",
          "documentation": "The status of the MedicationRequest."
        },
        {
          "name": "_lastUpdated",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-lastUpdated",
          "type": "date",
          "documentation": "When the resource version last changed."
        },
        {
          "name": "-timing-boundsPeriod",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-dosageInstruction-timing-repeat-
boundsPeriod",
          "type": "date",
          "documentation": "The date-time within the period the medication should be given to the patient. Must be
prefixed by 'ge'."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set."
        }
      ]
    },
    {
      "type": "NutritionOrder",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of NutritionOrder ids."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "The patient to return NutritionOrders for. It is a required field if the _id field is
not given."
        },
        {
          "name": "status",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/NutritionOrder-status",
          "type": "token",
          "documentation": "The status of the NutritionOrder."
        },
        {
          "name": "_lastUpdated",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-lastUpdated",
          "type": "date",
          "documentation": "When the resource version last changed."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set."
        }
      ]
    },
    {
      "type": "Observation",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-observation-lab",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-bmi",
        "http://hl7.org/fhir/us/core/StructureDefinition/pediatric-weight-for-height",
```

```
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-pulse-oximetry",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-smokingstatus",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-blood-pressure",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-body-height",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-body-weight",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-heart-rate",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-respiratory-rate",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-body-temperature",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-head-circumference",
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-vital-signs",
        "http://hl7.org/fhir/us/core/StructureDefinition/pediatric-bmi-for-age",
        "http://hl7.org/fhir/us/core/StructureDefinition/head-occipital-frontal-circumference-percentile"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Observation ids. It is a required field if the
patient field is not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-observation-patient",
          "type": "reference",
          "documentation": "The patient the observation is about. It is a required field if the subject field is not
 given."
        },
        {
          "name": "subject",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Observation-subject",
          "type": "reference",
          "documentation": "The patient subject the observation is about. It is a required field if the patient
field is not given."
        },
        {
          "name": "category",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-observation-category",
          "type": "token",
          "documentation": "A single or comma separated list of classifications of the type of observation."
        },
        {
          "name": "code",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-observation-code",
          "type": "token",
          "documentation": "A single or comma separated list of observation types."
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-observation-date",
          "type": "date",
          "documentation": "A date or date range from which to find observations. The 'date' parameter may be
provided once without a prefix or time component to imply a date range or once without a prefix and with a time
component to search for observations at a specific time. Alternately it may be provided twice with 'le', 'lt', 'ge',
 or 'gt' prefixes to search for observations within a specific range. The date and prefix pairs must create a closed
 range."
        },
        {
          "name": "_lastUpdated",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-lastUpdated",
          "type": "date",
          "documentation": "A date or date range used to search for observations which were last updated in that
period. The '_lastUpdated' parameter may be provided once without a prefix or time component to imply a date range
or once without a prefix and with a time component to search for observations at a specific time. Alternately it may
 be provided twice with 'le', 'lt', 'ge', or 'gt' prefixes to search for observations within a specific range. The
date and prefix pairs must create a closed range."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page."
        }
      ]
    },
    {
      "type": "OperationDefinition",
      "interaction": [
```

```
        {
          "code": "read"
        }
      ]
    },
    {
      "type": "Organization",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-organization"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Organization ids."
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Organization-identifier",
          "type": "token",
          "documentation": "The Organization's Identifier."
        },
        {
          "name": "type",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Organization-type",
          "type": "token",
          "documentation": "The Organization's type."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Organization-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page."
        },
        {
          "name": "name",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Organization-name",
          "type": "string",
          "documentation": "The Organization's name."
        },
        {
          "name": "address",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Organization-address",
          "type": "string",
          "documentation": "The Organization's address."
        }
      ],
      "operation": [
        {
          "name": "get-cg-for-mrcu",
          "definition": "https://fhir-ehr.cerner.com/r4/OperationDefinition/organization-get-cg-for-mrcu",
          "documentation": "Retrieves details for a caregiver organization given a care unit organization id."
        }
      ]
    },
    {
      "type": "Patient",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-patient"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-patient-id",
          "type": "token",
          "documentation": "A single or comma separated list of Patient ids. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
```

```
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-patient-identifier",
          "type": "token",
          "documentation": "A patient identifier. Either the '_id' parameter, or a combination of 'identifier',
'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email' parameters must be provided."
        },
        {
          "name": "name",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-patient-name",
          "type": "string",
          "documentation": "The beginning of any name of the patient. Either the '_id' parameter, or a combination
of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email' parameters must
be provided."
        },
        {
          "name": "given",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-patient-given",
          "type": "string",
          "documentation": "The beginning of the given name of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "family",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-patient-family",
          "type": "string",
          "documentation": "The beginning of the family name of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "address-postalcode",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-address-postalcode",
          "type": "string",
          "documentation": "The postal code of the address of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "birthdate",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-patient-birthdate",
          "type": "date",
          "documentation": "The date of birth of the patient. Either the '_id' parameter, or a combination of
'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email' parameters must be
provided."
        },
        {
          "name": "phone",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-phone",
          "type": "token",
          "documentation": "The value of the phone number of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "email",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-email",
          "type": "token",
          "documentation": "The value of the email address of the patient. Either the '_id' parameter, or a
combination of 'identifier', 'birthdate', 'name', 'given', 'family', 'address-postalcode', 'phone', or 'email'
parameters must be provided."
        },
        {
          "name": "gender",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-patient-gender",
          "type": "token",
          "documentation": "The administrative gender of the patient. Gender may only be provided if another
parameter other than '_id' is provided"
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' or
'identifier' are set."
        }
      ],
      "operation": [
        {
          "name": "health-cards-issue",
          "definition": "https://spec.smarthealth.cards/artifacts/operation-patient-i-health-cards-issue.json",
          "documentation": "Issues verifiable health cards for the patient."
        }
      ]
    },
    {
      "type": "Person",
      "interaction": [
```

```
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Person ids. It is a required field if the identifier
 field is not given"
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Person-identifier",
          "type": "token",
          "documentation": "A person's Identifier. It is a required field if the _id field is not given"
        }
      ]
    },
    {
      "type": "Practitioner",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-practitioner"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Practitioner ids. Either the '_id', 'identifier',
'name', 'active' or 'family' parameter, or a combination of 'given' and 'family' parameters must be provided."
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-practitioner-identifier",
          "type": "token",
          "documentation": "A practitioner's Identifier. Either the '_id', 'identifier', 'name', 'active' or
'family' parameter, or a combination of 'given' and 'family' parameters must be provided."
        },
        {
          "name": "given",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-given",
          "type": "string",
          "documentation": "The beginning of the given name of the practitioner. Either the '_id', 'identifier',
'name', 'active' or 'family' parameter, or a combination of 'given' and 'family' parameters must be provided."
        },
        {
          "name": "family",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-family",
          "type": "string",
          "documentation": "The beginning of the family name of the practitioner. Either the '_id', 'identifier',
'name', 'active' or 'family' parameter, or a combination of 'given' and 'family' parameters must be provided."
        },
        {
          "name": "name",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/individual-name",
          "type": "string",
          "documentation": "The beginning of the first, last or middle name of the practitioner. Either the '_id',
'identifier', 'name', 'active' or 'family' parameter, or a combination of 'given' and 'family' parameters must be
provided."
        },
        {
          "name": "active",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-active",
          "type": "token",
          "documentation": "Whether the practitioner record is active. Either the '_id', 'identifier', 'name',
'active' or 'family' parameter, or a combination of 'given' and 'family' parameters must be provided."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set. Either
 the '_id', 'identifier', 'name', 'active' or 'family' parameter, or a combination of 'given' and 'family'
parameters must be provided."
        }
      ]
```

```
    },
    {
      "type": "Procedure",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-procedure"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchRevInclude": [
        "Provenance:target"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Procedure ids. It is a required field if the patient
 or subject fields are not given"
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-procedure-patient",
          "type": "reference",
          "documentation": "Search by subject - a patient. It is a required field if the _id or subject fields are
not given"
        },
        {
          "name": "subject",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "Search by subject. It is a required field if the _id or patient fields are not given"
        },
        {
          "name": "date",
          "definition": "http://hl7.org/fhir/us/core/SearchParameter/us-core-procedure-date",
          "type": "date",
          "documentation": "A date parameter may be provided once without a prefix or time component to imply a date
 range or once without a prefix and with a time component. Alternately it may be provided twice with 'le', 'lt',
'ge', or 'gt' prefixes to search for procedures within a specific range. The date and prefix pairs must create a
closed range. Must be set with patient or subject."
        }
      ]
    },
    {
      "type": "Provenance",
      "supportedProfile": [
        "http://hl7.org/fhir/us/core/StructureDefinition/us-core-provenance"
      ],
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Provenance ids. It is a required field if the target
 field is not given"
        },
        {
          "name": "target",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Provenance-target",
          "type": "reference",
          "documentation": "The resource(s) the Provenance is associated with. It is a required field if the _id
field is not given"
        }
      ]
    },
    {
      "type": "Questionnaire",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
```

```
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Questionnaire ids."
        }
      ]
    },
    {
      "type": "QuestionnaireResponse",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of QuestionnaireResponse ids. It is a required field if
 the patient field is not given."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/QuestionnaireResponse-patient",
          "type": "reference",
          "documentation": "The patient that is the subject of the questionnaire response. It is a required field if
 the _id field is not given"
        }
      ]
    },
    {
      "type": "RelatedPerson",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of RelatedPerson ids. It is a required field if the
identifier or patient or -encounter fields are not given."
        },
        {
          "name": "identifier",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Patient-identifier",
          "type": "token",
          "documentation": "An Identifier of the RelatedPerson. It is a required field if the id or patient or
-encounter fields are not given"
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "The patient this related person is related to. It is a required field if the id or
identifier or -encounter fields are not given"
        },
        {
          "name": "-encounter",
          "type": "reference",
          "documentation": "The encounter this related person is related to. It is a required field if the id or
identifier or patient fields are not given"
        },
        {
          "name": "-relationship-level",
          "type": "token",
          "documentation": "The resource's relationship to either the patient or encounter level. Must be provided
with Patient and Identifier searches."
        }
      ]
    },
    {
      "type": "Schedule",
      "interaction": [
        {
          "code": "read"
        },
        {
```

```
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Schedule ids. The '_id' parameter must be set."
        }
      ]
    },
    {
      "type": "ServiceRequest",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of ServiceRequest ids."
        },
        {
          "name": "patient",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-patient",
          "type": "reference",
          "documentation": "The patient to return ServiceRequests for. It is a required field if the subject or _id
fields are not given."
        },
        {
          "name": "subject",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/ServiceRequest-subject",
          "type": "reference",
          "documentation": "Individual or Entity the service is ordered for. It is a required field if the patient
or _id fields are not given."
        },
        {
          "name": "code",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/clinical-code",
          "type": "token",
          "documentation": "What is being requested/ordered."
        },
        {
          "name": "_lastUpdated",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-lastUpdated",
          "type": "date",
          "documentation": "When the resource version last changed."
        },
        {
          "name": "_count",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
          "type": "number",
          "documentation": "The maximum number of results to return in a page. Not honored when '_id' is set."
        }
      ]
    },
    {
      "type": "Slot",
      "interaction": [
        {
          "code": "read"
        },
        {
          "code": "search-type"
        }
      ],
      "searchInclude": [
        "Slot:schedule",
        "Schedule:actor:Practitioner"
      ],
      "searchParam": [
        {
          "name": "_id",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
          "type": "token",
          "documentation": "A single or comma separated list of Slot ids. Either the '_id' parameter or 'service-
type' must be set."
        },
        {
          "name": "start",
          "definition": "http://hl7.org/fhir/R4/SearchParameter/Slot-date",
          "type": "date",
```

```
            "documentation": "A date or date range from which the slots are to be retrieved. The 'start' parameter is
    required when service-type, schedule.actor, -location is provided. When provided, must use both 'lt' and 'ge'
    prefixes to search for slots within a specific range. Time component should be provided for both the instances. The
    date and prefix pairs must create a closed range."
          },
          {
            "name": "service-type",
            "definition": "http://hl7.org/fhir/R4/SearchParameter/Service-type",
            "type": "token",
            "documentation": "A single or comma separated list of appointment types that can be booked into the slot.
    Either the '_id' parameter or 'service-type' must be set."
          },
          {
            "name": "schedule.actor",
            "definition": "http://hl7.org/fhir/R4/SearchParameter/Slot-schedule.actor",
            "type": "reference",
            "documentation": "A single or comma separated list of schedule actors. Must be Practitioner actors."
          },
          {
            "name": "-location",
            "definition": "http://hl7.org/fhir/R4/SearchParameter/Slot-location",
            "type": "reference",
            "documentation": "A single or comma separated list of Location references."
          },
          {
            "name": "_count",
            "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-count",
            "type": "number",
            "documentation": "The maximum number of results to return in a page. This value should be in the range
    [5,200]. If no value is provided, a default page size of 50 will be used."
          }
        ]
      },
      {
        "type": "Specimen",
        "interaction": [
          {
            "code": "read"
          },
          {
            "code": "search-type"
          }
        ],
        "searchParam": [
          {
            "name": "_id",
            "definition": "http://hl7.org/fhir/R4/SearchParameter/Resource-id",
            "type": "token",
            "documentation": "A single or comma-separated list of specimen IDs."
          }
        ]
      },
      {
        "type": "StructureDefinition",
        "interaction": [
          {
            "code": "read"
          }
        ]
      }
    ]
  }
]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get well-known SMART configuration

File: r4-rest-api-v32/op-well-known-smart-configuration-get.html

Retrieves the SMART authorization endpoints and launch capabilities.

Note: The configuration information is not accessible through the Open Endpoint (fhir-open.cerner.com).

Authorization Types

Authorization is not required.

Request

Header Parameters

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/.well-known/smart-configuration
```

Example Response:


```
{
  "authorization_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/protocols/oauth2/profiles/smart-v1/personas/provider/authorize",
  "token_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/protocols/oauth2/profiles/smart-v1/token",
  "revocation_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/protocols/oauth2/profiles/smart-v1/token/revoke",
  "token_endpoint_auth_methods_supported": [
      "client_secret_basic",
      "private_key_jwt"
  ],
  "token_endpoint_auth_signing_alg_values_supported": [
      "RS384",
      "ES384"
  ],
  "jwks_uri": "https://authorization.cerner.com/jwk",
  "grant_types_supported": [
      "authorization_code",
      "client_credentials"
  ],
  "scopes_supported": [
      "launch",
      "profile",
      "fhirUser",
      "openid",
      "online_access",
      "offline_access",
      "user/Account.read",
      "patient/Account.read",
      "system/Account.read",
      "user/AllergyIntolerance.read",
      "patient/AllergyIntolerance.read",
      "system/AllergyIntolerance.read",
      "user/AllergyIntolerance.write",
      "patient/AllergyIntolerance.write",
      "system/AllergyIntolerance.write",
      "user/Appointment.read",
      "patient/Appointment.read",
      "system/Appointment.read",
      "user/Appointment.write",
      "patient/Appointment.write",
      "system/Appointment.write",
      "user/Basic.write",
      "patient/Basic.write",
      "system/Basic.write",
      "user/Binary.read",
      "patient/Binary.read",
      "system/Binary.read",
      "user/CarePlan.read",
      "patient/CarePlan.read",
      "system/CarePlan.read",
      "user/CareTeam.read",
      "patient/CareTeam.read",
      "system/CareTeam.read",
      "user/ChargeItem.read",
      "patient/ChargeItem.read",
      "system/ChargeItem.read",
      "user/ChargeItem.write",
      "patient/ChargeItem.write",
      "system/ChargeItem.write",
      "user/Communication.read",
      "patient/Communication.read",
      "system/Communication.read",
      "user/Communication.write",
      "patient/Communication.write",
      "system/Communication.write",
      "user/Condition.read",
      "patient/Condition.read",
      "system/Condition.read",
      "user/Condition.write",
      "patient/Condition.write",
      "system/Condition.write",
      "user/Consent.read",
```

```
"patient/Consent.read",
"system/Consent.read",
"user/Coverage.read",
"patient/Coverage.read",
"system/Coverage.read",
"user/Coverage.write",
"patient/Coverage.write",
"system/Coverage.write",
"user/Device.read",
"patient/Device.read",
"system/Device.read",
"user/DiagnosticReport.read",
"patient/DiagnosticReport.read",
"system/DiagnosticReport.read",
"user/DocumentReference.read",
"patient/DocumentReference.read",
"system/DocumentReference.read",
"user/DocumentReference.write",
"patient/DocumentReference.write",
"system/DocumentReference.write",
"user/Encounter.read",
"patient/Encounter.read",
"system/Encounter.read",
"user/Encounter.write",
"patient/Encounter.write",
"system/Encounter.write",
"user/FamilyMemberHistory.read",
"patient/FamilyMemberHistory.read",
"system/FamilyMemberHistory.read",
"user/FamilyMemberHistory.write",
"patient/FamilyMemberHistory.write",
"system/FamilyMemberHistory.write",
"user/Goal.read",
"patient/Goal.read",
"system/Goal.read",
"user/Immunization.read",
"patient/Immunization.read",
"system/Immunization.read",
"user/Immunization.write",
"patient/Immunization.write",
"system/Immunization.write",
"user/InsurancePlan.read",
"patient/InsurancePlan.read",
"system/InsurancePlan.read",
"user/Location.read",
"system/Location.read",
"user/Media.read",
"patient/Media.read",
"system/Media.read",
"user/MedicationAdministration.read",
"patient/MedicationAdministration.read",
"system/MedicationAdministration.read",
"user/MedicationRequest.read",
"patient/MedicationRequest.read",
"system/MedicationRequest.read",
"user/MedicationRequest.write",
"patient/MedicationRequest.write",
"system/MedicationRequest.write",
"user/NutritionOrder.read",
"patient/NutritionOrder.read",
"system/NutritionOrder.read",
"user/Observation.read",
"patient/Observation.read",
"system/Observation.read",
"user/Observation.write",
"patient/Observation.write",
"system/Observation.write",
"user/Organization.read",
"system/Organization.read",
"user/Organization.write",
"system/Organization.write",
"user/Patient.read",
"patient/Patient.read",
"system/Patient.read",
"user/Patient.write",
"patient/Patient.write",
"system/Patient.write",
"user/Person.read",
"patient/Person.read",
"system/Person.read",
"user/Practitioner.read",
"system/Practitioner.read",
"user/Practitioner.write",
"system/Practitioner.write",
"user/Procedure.read",
"patient/Procedure.read",
"system/Procedure.read",
"user/Procedure.write",
"patient/Procedure.write",
```

```
      "system/Procedure.write",
      "user/Provenance.read",
      "patient/Provenance.read",
      "system/Provenance.read",
      "user/Provenance.write",
      "patient/Provenance.write",
      "system/Provenance.write",
      "user/Questionnaire.read",
      "patient/Questionnaire.read",
      "system/Questionnaire.read",
      "user/QuestionnaireResponse.read",
      "patient/QuestionnaireResponse.read",
      "system/QuestionnaireResponse.read",
      "user/QuestionnaireResponse.write",
      "patient/QuestionnaireResponse.write",
      "system/QuestionnaireResponse.write",
      "user/RelatedPerson.read",
      "patient/RelatedPerson.read",
      "system/RelatedPerson.read",
      "user/RelatedPerson.write",
      "patient/RelatedPerson.write",
      "system/RelatedPerson.write",
      "user/Schedule.read",
      "patient/Schedule.read",
      "system/Schedule.read",
      "user/ServiceRequest.read",
      "patient/ServiceRequest.read",
      "system/ServiceRequest.read",
      "user/Slot.read",
      "patient/Slot.read",
      "system/Slot.read",
      "user/Slot.write",
      "patient/Slot.write",
      "system/Slot.write",
      "system/FinancialTransaction.write"
  ],
  "response_types_supported": [
      "code"
  ],
  "management_endpoint":
    "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/personas/provider/my-authorizations",
  "introspection_endpoint": "https://authorization.cerner.com/tokeninfo",
  "capabilities": [
      "authorize-post",
      "launch-ehr",
      "launch-standalone",
      "client-public",
      "client-confidential-symmetric",
      "sso-openid-connect",
      "context-banner",
      "context-style",
      "context-ehr-patient",
      "context-ehr-encounter",
      "permission-patient",
      "permission-user",
      "permission-offline",
      "permission-online",
      "permission-v1",
      "health-cards"
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

CarePlan

File: r4-rest-api-v32/api-careplan.html

Description

CarePlan

This topic describes information for the CarePlan resource.

Overview

The R4 CarePlan resource can be used to represent care plans.

The CarePlan resource describes the intentions of how one or more practitioners plan to deliver care to a specific patient. Care plans are used in a variety of areas and scopes ranging from encounter or visit specific to cross-visits. Care plans are used to group activities, goals and/or practitioners to create context. Care plans are intended to be specific to the patient. It is

possible for a planned activity to stand alone without a care plan such as a scheduled appointment.

This resource supports the US Core CarePlan Profile from HL7 FHIR US Core Implementation Guide STU 6.1.0.

The following fields are returned if valued:

* CarePlan Id

* Status

* Intent (plan)

* Category (assess-plan)

* Title

* Subject (Patient Only)

* Encounter

* Effective Period

Author

* Reference (Practitioner)

Terminology Bindings

CarePlan.status

Description: Indicates whether the plan is currently being acted upon, represents future intentions or is now a historical record.

Details: Request Status

System: http://hl7.org/fhir/request-status

CarePlan.intent

Description: Codes indicating the degree of authority/intentionality associated with a care plan. Currently "plan" is the only status binding which is supported.

Details: Request Intent

System: http://hl7.org/fhir/R4/codesystem-request-intent.html

CarePlan.category

Description: Identifies what "kind" of plan this is to support differentiation between multiple co-existing plans; e.g. "Home health", "psychiatric", "asthma", "disease management", etc. Currently "assess-plan" is the only category binding which is supported.

Details: Request Category

System: http://hl7.org/fhir/us/core/CodeSystem/careplan-category

CarePlan

The operations from the CarePlan category.

Get a care plan by ID

Method: get Path: /CarePlan/{ID}

Get a list of care plans

Method: get Path: /CarePlan

Get a care plan by ID

File: r4-rest-api-v32/op-careplan-id-get.html

Retrieves an individual care plan by the associated care plan ID.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example retrieval.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/17463459
```

Example Response:


```
{
    'resourceType': 'CarePlan',
    'id': '17463459',
    'meta': {
      'versionId': '1',
      'lastUpdated': '2016-03-10T13:43:45.000-06:00'
    },
    'text': {
      'status': 'additional',
      'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Plan</b></p><p><b>Patient</b>: Houde, Harry
    Potter</p><p><b>Title</b>: History and Physical Note</p><p><b>Description</b>: Chief Complaint&#10;History of
    Present Illness&#10;Review of Systems&#10;Medical History&#10;Ongoing&#10;Active silicosis&#10;Allergy testing - no
    reaction&#10;Breast wound&#10;hidden display as&#10;Housebound&#10;Locking knee&#10;Minimal shared activities&#10;No
     significant medical problems&#10;Preop testing&#10;pTX stage&#10;Pyogenic Arthritis Involving Multiple
    Sites&#10;Reality testing&#10;something spooky&#10;T activation syndrome&#10;Taste-blindness&#10;Test diet&#10;Test
    distance for visual acuity&#10;Testicular failure&#10;Toe Flexion&#10;Visual testing normal&#10;Vitamin D
    deficiency&#10;Water slide activities&#10;Resolved&#10;Active labor&#10;Inconsistent results on voice
    testing&#10;Marital problems&#10;O/E - tuning fork testing&#10;Z deformity of thumb&#10;Surgical History&#10;Tone
    deafness (2006),  Tonsil biopsy sample (Week of 05/17/1989),  ADA - Adenosine deaminase (1989).&#10;Family
    History&#10;Patient was adopted&#10;Social History&#10;Alcohol&#10;Current, Beer, Wine, Liquor, Home made hard
    stuff, Several times per day, 5 drinks/episode average. 10 drinks/episode maximum. Started age 8 Years. Previous
    treatment: None. Alcohol use interferes with work or home: Yes. Drinks more than intended: Yes. Others hurt by
    drinking: No. Ready to change: No. Household alcohol concerns: No.&#10;Employment/School&#10;Employed, Work/School
    description: Desk Job. Activity level: Desk/Office. Operates hazardous equipment: No.&#10;Exercise&#10;Exercise
    duration: 30. Exercise frequency: 3-4 times/week. Self assessment: Fair condition. Exercise type: Walking,
    Swimming.&#10;Home/Environment - Low Risk&#10;Lives with Alone. Living situation: Home/Independent. Alcohol abuse in
     household: Yes. Substance abuse in household: Yes. Smoker in household: No. Injuries/Abuse/Neglect in household:
    No. Feels unsafe at home: No. Safe place to go: Yes. Agency(s)/Others notified: No. Family/Friends available for
    support: Yes. Concern for family members at home: No. Major illness in household: No. Financial concerns: No.
    TV/Computer concerns: No. Risks in environment: Does not wear helmet, Pets/Animal exposure,
    Stairs.&#10;Nutrition/Health&#10;Type of diet: Generl. Wants to lose weight: No. Sleeping concerns: No. Feels highly
     stressed: Yes.&#10;Sexual&#10;Sexually active: No. History of sexual abuse: No.&#10;Substance Abuse - Medium
    Risk&#10;Current, Amphetamines, Cocaine, Ecstasy, Hallucinogens/LSD, Heroin, Inhalants/Glues/Solvents, Marijuana,
    Methamphetamines, Prescription medications, Daily, Previous treatment: Treatment center, Inpatient, Outpatient.
    Started age 8 Years. IV drug use: Yes. Drug use interferes with work/home: Yes. Ready to change: No. Household
    substance abuse concerns: No.&#10;Tobacco&#10;Current every day smoker, Cigars, hand, Household tobacco concerns:
    Yes&#10;Allergies&#10;oxyCODONE&#10;Peanuts&#10;sulfa drugs&#65533;&#65533;(Anaphylactic
    reaction)&#10;uranium&#10;iodine&#65533;&#65533;(Hives, Sneezing)&#10;penicillin V
    potassium&#65533;&#65533;(Hives)&#10;skin test antigens, multiple&#10;Home Medication List&#10;Aceon 2 mg oral
    tablet, 1 tab(s), Oral, Daily, 11 refills&#10;acetaminophen-tramadol&#10;Physical Exam&#10;Vitals &amp;
    Measurements&#10;Lab Results&#10;Radiology Results&#10;Assessment/Plan</p><p><b>Status</b>:
    Active</p><p><b>Intent</b>: Plan</p><p><b>Category</b>: Assessment and Plan of Treatment</p><p><b>Author</b>: Shaik,
     Faiz Ahmed</p><p><b>Effective Period</b>: Mar 10, 2016  7:43 P.M. UTC</p></div>'
    },
    'status': 'active',
    'intent': 'plan',
    'category': [
      {
        'coding': [
          {
            'system': 'http://hl7.org/fhir/us/core/CodeSystem/careplan-category',
            'code': 'assess-plan',
            'display': 'Assessment and Plan of Treatment'
          }
        ],
        'text': 'Assessment and Plan of Treatment'
      }
    ],
    'title': 'History and Physical Note',
    'subject': {
      'reference': 'Patient/1316020',
      'display': 'Houde, Harry Potter'
    },
    'encounter': {
      'reference': 'Encounter/1721945'
    },
    'period': {
      'start': '2016-03-10T13:43:32.000-06:00'
    },
    'author': {
      'reference': 'Practitioner/1830018',
      'display': 'Shaik, Faiz Ahmed'
    }
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-entered-in-error-status Response

Example retrieval of a care plan with an status, using patient authorization.

Entered in Error

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/5814234
```

Example Response:

```
{
    'resourceType': 'CarePlan',
    'id': '5814234',
    'meta': {
      'versionId': '2',
      'lastUpdated': '2014-03-18T20:34:50.000Z'
    },
    'text': {
      'status': 'additional',
      'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Plan</b></p><p><b>Patient</b>: Houde, Harry
    Potter</p><p><b>Description</b>: well, Addendum added</p><p><b>Status</b>: Entered in Error</p><p><b>Intent</b>:
    Plan</p><p><b>Category</b>: Assessment and Plan of Treatment</p></div>'
    },
    'status': 'entered-in-error',
    'intent': 'plan',
    'category': [
      {
        'coding': [
          {
            'system': 'http://hl7.org/fhir/us/core/CodeSystem/careplan-category',
            'code': 'assess-plan',
            'display': 'Assessment and Plan of Treatment'
          }
        ],
        'text': 'Assessment and Plan of Treatment'
      }
    ],
    'subject': {
      'reference': 'Patient/1316020',
      'display': 'Houde, Harry Potter'
    }
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-unknown-status Response

Example retrieval of a care plan with an status, using patient authorization.

Unknown

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/5814234
```

Example Response:

```
{
    'resourceType': 'CarePlan',
    'id': '5814234',
    'meta': {
      'versionId': '2',
      'lastUpdated': '2014-03-18T20:34:50.000Z'
    },
    'text': {
      'status': 'additional',
      'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Plan</b></p><p><b>Patient</b>: Houde, Harry
    Potter</p><p><b>Description</b>: well, Addendum added</p><p><b>Status</b>: Unknown</p><p><b>Intent</b>:
    Plan</p><p><b>Category</b>: Assessment and Plan of Treatment</p></div>'
    },
    'status': 'unknown',
    'intent': 'plan',
    'category': [
      {
        'coding': [
          {
            'system': 'http://hl7.org/fhir/us/core/CodeSystem/careplan-category',
```

```
          'code': 'assess-plan',
          'display': 'Assessment and Plan of Treatment'
        }
       ],
       'text': 'Assessment and Plan of Treatment'
     }
   ],
   'subject': {
     'reference': 'Patient/1316020',
     'display': 'Houde, Harry Potter'
   }
 }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-patient-auth Response

Example retrieval of a care plan using patient authorization.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/197286315
```

Example Response:

```
{
    'resourceType': 'CarePlan',
    'id': '197286315',
    'meta': {
      'versionId': '1',
      'lastUpdated': '2020-04-05T04:00:46.000Z'
    },
    'text': {
      'status': 'additional',
      'div': '<div xmlns='http://www.w3.org/1999/xhtml'><p><b>Care Plan</b></p><p><b>Patient</b>: SMART,
    NANCY</p><p><b>Title</b>: Pregnancy Summary Document</p><p><b>Description</b>: SMART, NANCY\nDOB: 08/11/1980\tAge:
    39 Years\tMRN: 00000006930\n------------------------------------------------------\n\t\t\t\tSMART, NANCY DOB:
    08/11/80\nPregnancy Summary (Date of Report: 04/04/20)\n\nG 1 P 0 (0,0,0,0)\nGestation: --\tLMP (from pt. history):
    --\nEDD: --\tEDD/EGA Method: Date of Conception\tEGA: --\n\n------------------------------\n\t\t\t\tSMART, NANCY
    DOB: 08/11/80\nAntepartum Note\n\n\tNo antepartum notes have been
    documented\n\n-------------------------------------\n\t\t\t\tSMART, NANCY DOB: 08/11/80\nProblems (Active Problems
    Only)\nGestational diabetes mellitus, class A>1< (Related to Pregnant problem) (SNOMED CT: 124602011, Onset:
    03/05/20)\n\tComment: Problem added by Discern Expert (SYSTEM, SYSTEM Cerner on 03/05/20)\n\nGestational
    hypertension (Related to Pregnant problem) (SNOMED CT: 495022012, Onset: 03/05/20)\n\tComment: Problem added by
    Discern Expert (SYSTEM, SYSTEM Cerner on 03/05/20)\n\nPregnant (SNOMED CT: 191073013, Onset:
    06/12/19)\n\n----------------------\n\t\t\t\tSMART, NANCY DOB: 08/11/80\nRisk Factors and Genetic Screening\nRisk
    Factors (Current Pregnancy)\nRisk Factors: Diabetes, gestational, type A1, Gestational hypertension\nRisk Factors
    Comments: --\n\nEthnic Screening\n***** END OF REPORT *****</p><p><b>Status</b>: Active</p><p><b>Intent</b>:
    Plan</p><p><b>Category</b>: Assessment and Plan of Treatment</p><p><b>Author</b>: SYSTEM, SYSTEM
    Cerner</p><p><b>Effective Period</b>: Apr  5, 2020  4:00 A.M. UTC</p></div>'
    },
    'status': 'active',
    'intent': 'plan',
    'category': [
      {
        'coding': [
          {
            'system': 'http://hl7.org/fhir/us/core/CodeSystem/careplan-category',
            'code': 'assess-plan',
            'display': 'Assessment and Plan of Treatment'
          }
        ],
        'text': 'Assessment and Plan of Treatment'
      }
    ],
    'title': 'Pregnancy Summary Document',
    'subject': {
      'reference': 'Patient/12724066',
      'display': 'SMART, NANCY'
    },
    'period': {
      'start': '2020-04-05T04:00:45.000Z'
    },
    'author': {
      'reference': 'Practitioner/1',
      'display': 'SYSTEM, SYSTEM Cerner'
    }
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of care plans

File: r4-rest-api-v32/op-careplan-get.html

Retrieves a list of care plans that meet supplied query parameters.

Note:

* The CarePlan.activity element is not supported and not returned. As a result, the CarePlan.activity.detail.status and CarePlan.activity.detail.prohibited modifier elements are not returned.

* The description of the care plan is included in the CarePlan.text.div element as ASCII text.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Query Parameters

* _count: string The number of results per page.

_id: string

The logical resource ID. Example:

* This parameter is required if the patient and category parameters are not used.

* May not be provided with any other parameters except for _revinclude as indicated below.

* When provided, _count is ignored.

_id=12345

_revinclude: string

The Provenance resource entries to be returned as part of the bundle. Example:

* May be provided once with the Provenance:target value. Example: _revinclude=Provenance:target

* May be provided with the _id or patient parameter. Example: _id=178866310&_revinclude=Provenance:target

* When _revinclude is provided in a request to the closed endpoint, the OAuth2 token must include the scope corresponding with the authorization type, such as user/Provenance.read, patient/Provenance.read, or system/Provenance.read.

_revinclude=Provenance:target

category: string

The scope of the care plan being searched for. Example:

* This parameter is required if the _id parameter is not used.

* Only supports the assess-plan code.

* Can be combined with the patient parameter.

category=assess-plan

date: string

The time period that the plan covers. Example: or

* When provided, must use both ge and le prefixes in the same search.

* The lower value must have the ge prefix and the higher value must have the le prefix.

* The date precision must be consistent.

* May be combined with the patient and category parameters.

date=ge2016&date=le2017 (Jan 1, 2016 - Dec 31, 2017)

date=ge2016-08-24T12:00:00.000Z&date=le2017-01-24T12:00:00.000Z

* patient: string Who the care plan is for. This parameter is required if the _id parameter is not used. Example: patient=12345

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example search.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan?patient=12742400&category=assess-plan
```

Example Response:


```
{
    'resourceType': 'Bundle',
    'id': '8c34294c-ba46-492d-bb8e-9937db0ddd5b',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan?patient=1316020&category=assess-plan'
      },
      {
        'relation': 'next',
        'url': 'https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan?patient=1316020&category=assess-plan&-
    pageContext=eNqdU21r2zAQ_isrGfvkiJNfE0Mhjq0OQ2cbWwnbvhgjq5nAloLslHX0x09OM9Y2dKwBgXS6e-7R6e5hqkeMa8k16od7hlgnpGBNx--
    5HFHTN7-URPtmJ-QORUeraHY8VnLkP8fZ6or9E98qduinA9Ni5Fo0qOSjFsa5fiBTRMXH-OS6Ws0OWoZPycJetCHXPdpzPSgZtlO-
    HRJ7ZE4nPsnHEDvYBxsMFi8DmAM2iwKEx4UA4Ltx2SZiDv7cDih4oeOGLkYL_-jCcE7LlOZIq47vtboTHX-
    TnF7fWmlyjU0Keeg6s62jKo3riNIyXW8oqcwVubkhMU23pE4iSszFXdMN_II9ansxDELJD5ka-bz48TAIJho5cXwp6Lf6Nq3oy2qYak3f3ny_cfPQgU-
    z1Tsx9vL9GMe7AONegMEX1ONN_2u6lGd1UebbNCHl6299YYz6MLXEzH9CqphkSZp9_n8xnFR1LoXcTHszmhZ_fJLaecQkvr_8GflK63hTVvn0XHthgwe
    B5S0wmIm3sLN0F7br2EYGYMGzUSpKsk3zTXWOxYHrO663tLDrBb6zBGz_AZv6HmeP8BuKWGNn&-pageDirection=NEXT'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/17463459',
        'resource': R4_CARE_PLAN_ENTRY
      },
      {
        'fullUrl': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/13435120',
        'resource': {
          'resourceType': 'CarePlan',
          'id': '13435120',
          'meta': {
            'versionId': '1',
            'lastUpdated': '2015-10-23T10:28:03.000-05:00'
          },
          'text': {
            'status': 'additional',
            'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Plan</b></p><p><b>Patient</b>: Houde, Harry
    Potter</p><p><b>Title</b>: Admission H &amp;amp; P</p><p><b>Status</b>: Active</p><p><b>Intent</b>:
    Plan</p><p><b>Category</b>: Assessment and Plan of Treatment</p><p><b>Author</b>: Koester, Oliver</p><p><b>Effective
     Period</b>: Oct 23, 2015  3:25 P.M. UTC</p></div>'
          },
          'status': 'active',
          'intent': 'plan',
          'category': [
            {
              'coding': [
                {
                  'system': 'http://hl7.org/fhir/us/core/CodeSystem/careplan-category',
                  'code': 'assess-plan',
                  'display': 'Assessment and Plan of Treatment'
                }
              ],
              'text': 'Assessment and Plan of Treatment'
            }
          ],
          'title': 'Admission H & P',
          'subject': {
            'reference': 'Patient/1316020',
            'display': 'Houde, Harry Potter'
          },
          'encounter': {
            'reference': 'Encounter/1693915'
          },
          'period': {
            'start': '2015-10-23T10:25:00.000-05:00'
          },
          'author': {
            'reference': 'Practitioner/1830030',
            'display': 'Koester, Oliver'
          }
        }
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-_revinclude Response

Example search for a care plan while using the parameter.

_revinclude

Example Request:

```
GET https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan?_id=178866310&_revinclude=Provenance:target
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': '627a14f6-0eda-42ab-ad21-e860f5780a20',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan?_id=178866310&_revinclude=Provenance%3Atarget'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/178866310',
        'resource': {
          'resourceType': 'CarePlan',
          'id': '178866310',
          'meta': {
            'versionId': '1',
            'lastUpdated': '2020-02-03T19:37:47.000Z'
          },
          'text': {
            'status': 'additional',
            'div': '<div xmlns=\'http://www.w3.org/1999/xhtml\'><p><b>Care Plan</b></p><p><b>Patient
            </b>: SMITH, MORGAN</p><p><b>Description</b>: unknown</p><p><b>Status</b>: Active</p><p>
            <b>Intent</b>: Plan</p><p><b>Category</b>: Assessment and Plan of Treatment</p>
            <p><b>Effective Period</b>: Feb  3, 2020  7:39 P.M. UTC</p></div>'
          },
          'status': 'active',
          'intent': 'plan',
          'category': [
            {
              'coding': [
                {
                  'system': 'http://hl7.org/fhir/us/core/CodeSystem/careplan-category',
                  'code': 'assess-plan',
                  'display': 'Assessment and Plan of Treatment'
                }
              ],
              'text': 'Assessment and Plan of Treatment'
            }
          ],
          'subject': {
            'reference': 'Patient/725944',
            'display': 'SMITH, MORGAN'
          },
          'encounter': {
            'reference': 'Encounter/953887'
          },
          'period': {
            'start': '2020-02-03T19:39:33.000Z'
          }
        },
        'search': {
          'mode': 'match'
        }
      },
      {
        'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/INT.doc-178866310',
        'resource': {
          'resourceType': 'Provenance',
          'id': 'INT.doc-178866310',
          'meta': {
            'versionId': '178866310',
            'lastUpdated': '2020-02-03T19:39:31Z'
          },
          'text': {
            'status': 'generated',
            'div': '<div xmlns=\'http://www.w3.org/1999/xhtml\'><p><b>Provenance</b></p>
            <p><b>Target</b>:</p><ul><li>CarePlan/178866310</li></ul><p>
```

```
            <b>Recorded</b>: Feb  3, 2020  1:39 P.M. CST</p>
            <p><b>Agents</b>:</p><dl><dt>DEVENG-DEFAULT-PROV</dt><dd>
            <b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>: Source</dd></dl></div>'
          },
          'target': [
            {
              'reference': 'CarePlan/178866310'
            }
          ],
          'recorded': '2020-02-03T19:39:31Z',
          'agent': [
            {
              'type': {
                'coding': [
                  {
                    'system': 'http://terminology.hl7.org/CodeSystem/provenance-participant-type',
                    'code': 'author'
                  }
                ],
                'text': 'Author'
              },
              'role': [
                {
                  'coding': [
                    {
                      'system': 'http://terminology.hl7.org/CodeSystem/contractsignertypecodes',
                      'code': 'SOURCE'
                    }
                  ],
                  'text': 'Source'
                }
              ],
              'who': {
                'reference': 'Organization/57535538',
                'display': 'DEVENG-DEFAULT-PROV'
              }
            }
          ]
        },
        'search': {
          'mode': 'include'
        }
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-patient-auth Response

Example search for a care plan using patient authorization.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan?patient=12724066&category=assess-plan
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': '013ed260-cdd4-4ffc-947e-aeadb699d3d4',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan?patient=12724066&category=assess-plan'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/197375407',
        'resource': R4_CARE_PLAN_PATIENT_ENTRY
      },
      {
        'fullUrl': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CarePlan/197286315',
        'resource': {
          'resourceType': 'CarePlan',
          'id': '197286315',
          'meta': {
            'versionId': '1',
            'lastUpdated': '2020-04-05T04:00:46.000Z'
          },
          'text': {
            'status': 'additional',
```

```
        'div': '<div xmlns='http://www.w3.org/1999/xhtml'><p><b>Care Plan</b></p><p><b>Patient</b>: SMART,
    NANCY</p><p><b>Title</b>: Pregnancy Summary Document</p><p><b>Description</b>: SMART, NANCY\nDOB: 08/11/1980\tAge:
    39 Years\tMRN: 00000006930\n----------------------------------------------------\n\t\t\t\tSMART, NANCY DOB:
    08/11/80\nPregnancy Summary (Date of Report: 04/04/20)\n\nG 1 P 0 (0,0,0,0)\nGestation: --\tLMP (from pt. history):
    --\nEDD: --\tEDD/EGA Method: Date of Conception\tEGA: --\n\n------------------------------\n\t\t\t\tSMART, NANCY
    DOB: 08/11/80\nAntepartum Note\n\n\tNo antepartum notes have been
    documented\n\n----------------------------------\n\t\t\t\tSMART, NANCY DOB: 08/11/80\nProblems (Active Problems
    Only)\nGestational diabetes mellitus, class A>1< (Related to Pregnant problem) (SNOMED CT: 124602011, Onset:
    03/05/20)\n\tComment: Problem added by Discern Expert (SYSTEM, SYSTEM Cerner on 03/05/20)\n\nGestational
    hypertension (Related to Pregnant problem) (SNOMED CT: 495022012, Onset: 03/05/20)\n\tComment: Problem added by
    Discern Expert (SYSTEM, SYSTEM Cerner on 03/05/20)\n\nPregnant (SNOMED CT: 191073013, Onset:
    06/12/19)\n\n-----------------\n\t\t\t\tSMART, NANCY DOB: 08/11/80\nRisk Factors and Genetic Screening\nRisk Factors
     (Current Pregnancy)\nRisk Factors: Diabetes, gestational, type A1, Gestational hypertension\nRisk Factors Comments:
     --\n\nEthnic Screening\n***** END OF REPORT *****</p><p><b>Status</b>: Active</p><p><b>Intent</b>:
    Plan</p><p><b>Category</b>: Assessment and Plan of Treatment</p><p><b>Author</b>: SYSTEM, SYSTEM
    Cerner</p><p><b>Effective Period</b>: Apr  5, 2020  4:00 A.M. UTC</p></div>'
          },
          'status': 'active',
          'intent': 'plan',
          'category': [
            {
              'coding': [
                {
                  'system': 'http://hl7.org/fhir/us/core/CodeSystem/careplan-category',
                  'code': 'assess-plan',
                  'display': 'Assessment and Plan of Treatment'
                }
              ],
              'text': 'Assessment and Plan of Treatment'
            }
          ],
          'title': 'Pregnancy Summary Document',
          'subject': {
            'reference': 'Patient/12724066',
            'display': 'SMART, NANCY'
          },
          'period': {
            'start': '2020-04-05T04:00:45.000Z'
          },
          'author': {
            'reference': 'Practitioner/1',
            'display': 'SYSTEM, SYSTEM Cerner'
          }
        }
      }
    ]
  }
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

CareTeam

File: r4-rest-api-v32/api-careteam.html

Description

CareTeam

This topic describes information for the CareTeam resource.

Overview

The R4 CareTeam resource represents a patient's care team members. Care team members or participants include practitioners (physicians, nurses, technicians, and so on), family members, friends, guardians, and the patient. The care team can be specific to an encounter or to the patient across all encounters (longitudinal).

This resource supports the US Core CareTeam Profile from HL7 FHIR US Core Implementation Guide STU 6.1.0.

The following fields are returned if valued:

* Care Team ID

* Status (Active)

* Category (Longitudinal or Encounter)

* Name (Encounter-Level Only)

Subject

* Reference (Patient)

* Encounter (Encounter-Level Only)

Participant

* Role

Member

* Reference (Practitioner | RelatedPerson)

* Period

Terminology Bindings

CareTeam.status

Description: The current state of the care team.

Details: Request Status

System: http://hl7.org/fhir/request-status

CareTeam.category

Description: The type of team. This element supports differentiation between multiple coexisting teams, such as a care plan team, episode of care team, and longitudinal care team.

Details: Request Category

System: http://hl7.org/fhir/us/core/CodeSystem/careteam-category

CareTeam.participant.role

Description: The role of a participant in the care team.

Details: Participant Role

System: http://hl7.org/fhir/r4/valueset-participant-role.html

CareTeam

The operations from the CareTeam category.

Get a care team by ID

Method: get Path: /CareTeam/{ID}

Get a list of care teams

Method: get Path: /CareTeam

Get a care team by ID

File: r4-rest-api-v32/op-careteam-id-get.html

Retrieves an individual care team by the associated care team ID.

Note: The CareTeam resource returns the active care teams only.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example retrieval.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam/CARE_TEAM-119078440-34768489-17490349-
    4048128-0-22554767
```

Example Response:

```
{
```

```
    'resourceType': 'CareTeam',
    'id': 'CARE_TEAM-119078440-34768489-17490349-4048128-0-22554767',
    'meta': {
      'versionId': '1584980008',
      'lastUpdated': '2020-03-23T16:13:28Z'
    },
    'text': {
      'status': 'generated',
      'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Team</b></p><p><b>Patient</b>: FHIR,
    FIRE3</p><p><b>Care Team Name</b>: Psychology;Blue Team</p><p><b>Status</b>: Active</p><p><b>Category</b>:
    Encounter-focused care team</p><p><b>Encounter</b>: 34768489</p><p><b>Participant</b>:</p><ul><li>Name: Dickey, Bo;
    Role: Psychologist (occupation)</li></ul></div>'
    },
    'status': 'active',
    'category': [
      {
        'coding': [
          {
            'system': 'http://loinc.org',
            'code': 'LA27976-2',
            'display': 'Encounter-focused care team'
          }
        ],
        'text': 'Encounter-focused care team'
      }
    ],
    'name': 'Psychology;Blue Team',
    'subject': {
      'reference': 'Patient/119078440',
      'display': 'FHIR, FIRE3'
    },
    'encounter': {
      'reference': 'Encounter/34768489'
    },
    'participant': [
      {
        'role': [
          {
            'coding': [
              {
                'system': 'http://snomed.info/sct',
                'code': '59944000',
                'display': 'Psychologist (occupation)'
              }
            ],
            'text': 'Psychologist (occupation)'
          }
        ],
        'member': {
          'reference': 'Practitioner/17490349',
          'display': 'Dickey, Bo'
        },
        'period': {
          'start': '2020-06-22T10:05:08Z',
          'end': '2100-12-31T00:00:00Z'
        }
      }
    ]
  }
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-patient-auth Response

Example retrieval of a care team using patient authorization.

Example Request:

```
GET https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam/LIFETIME_PROVIDER-4169494-0-3038500-0-0-0
```

Example Response:


```
{
    'resourceType': 'CareTeam',
    'id': 'LIFETIME_PROVIDER-4169494-0-3038500-0-0-0',
    'meta': {
      'versionId': '1606410852',
      'lastUpdated': '2020-11-26T17:14:12Z'
    },
    'text': {
      'status': 'generated',
      'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Team</b></p><p><b>Patient</b>: SHEPARD,
    JACK</p><p><b>Status</b>: Active</p><p><b>Category</b>: Longitudinal-focused care
    team</p><p><b>Participant</b>:</p><ul><li>Name: BASE, TEST123; Role: Primary Care Physician</li></ul></div>'
```

```
    },
    'status': 'active',
    'category': [
      {
        'coding': [
          {
            'system': 'http://loinc.org',
            'code': 'LA28865-6',
            'display': 'Longitudinal-focused care team'
          }
        ],
        'text': 'Longitudinal-focused care team'
      }
    ],
    'subject': {
      'reference': 'Patient/4169494',
      'display': 'SHEPARD, JACK'
    },
    'participant': [
      {
        'role': [
          {
            'text': 'Primary Care Physician'
          }
        ],
        'member': {
          'reference': 'Practitioner/3038500',
          'display': 'BASE, TEST123'
        },
        'period': {
          'start': '2020-06-22T10:05:08Z',
          'end': '2100-12-31T00:00:00Z'
        }
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of care teams

File: r4-rest-api-v32/op-careteam-get.html

Retrieves a list of care teams that meet supplied query parameters.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Query Parameters

* _id(required): string The logical resource ID. This parameter is required if patient and encounter paremeters are not provided. Example: _id=12345

_revinclude: string

Provenance resource entries to be returned as part of the bundle. Example:

* May be provided once with the Provenance:target value. Example: _revinclude=Provenance:target

* May be provided with the _id or patient parameter. Example: _id=LIFETIME_PROVIDER-4169494-0-4105597-0-0-0&_revinclude=Provenance:target

* When _revinclude is provided in a request to the closed endpoint, the OAuth2 token must include the scope corresponding with the authorization type, such as user/Provenance.read, patient/Provenance.read, or system/Provenance.read.

_revinclude=Provenance:target

category: string

The scope of the care team being searched for. Example:

* Only supports the longitudinal and encounter codes.

* Can only be used with the patient parameter.

* The longitudinal and encounter codes are defined by the CareTeam category system.

category=longitudinal

encounter: string

Who the care team is for. Example:

* This parameter is required if the _id and patient parameters are not provided.

* Cannot be combined with the category or status parameter.

encounter=98765

patient: string

Who the care team is for. Example:

* This parameter is required if the _id and encounter paremeters are not provided.

* May be combined with status per the US Core guidelines.

* May be combined with the category parameter.

patient=12345

* status: string Indicates the status of the care team

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example search.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam?patient=119078440&category=encounter
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': '8c34294c-ba46-492d-bb8e-9937db0ddd5b',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam?patient=119078440&category=encounter'
      },
      {
        'relation': 'next',
        'url': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam?patient=119078440'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam/CARE_TEAM-119078440-
    34768489-17490349-4048128-0-22554767',
        'resource': R4_CARE_TEAM_ENTRY
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-_revinclude Response

Example search for a care team using the parameter.

_revinclude

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam?_id=LIFETIME_PROVIDER-4169494-0-
    4105597-0-0-0&_revinclude=Provenance:target
```

Example Response:

```
{
    'resourceType': 'Bundle',
```

```
'id': '0bcf7619-a5c4-4363-b234-3803f7cb0d44',
'type': 'searchset',
'link': [
  {
    'relation': 'self',
    'url': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam?patient=4169494'
  }
],
'entry': [
  {
    'fullUrl': 'https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CcareTeam/LIFETIME_PROVIDER-4169494-0-4105597-0-0-0',
    'resource': {
      'resourceType': 'CareTeam',
      'id': 'LIFETIME_PROVIDER-4169494-0-4105597-0-0-0',
      'meta': {
        'versionId': '1606412761',
        'lastUpdated': '2020-11-26T17:46:01Z'
      },
      'text': {
        'status': 'generated',
        'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Team</b></p><p><b>Patient</b>: SHEPARD,
JACK</p><p><b>Status</b>: Active</p><p><b>Category</b>: Longitudinal-focused care
team</p><p><b>Participant</b>:</p><ul><li>Name: ONEPLAN, ONEPLAN; Role: Family medicine specialist
(occupation)</li></ul></div>'
      },
      'status': 'active',
      'category': [
        {
          'coding': [
            {
              'system': 'http://loinc.org',
              'code': 'LA28865-6',
              'display': 'Longitudinal-focused care team'
            }
          ],
          'text': 'Longitudinal-focused care team'
        }
      ],
      'subject': {
        'reference': 'Patient/4169494',
        'display': 'SHEPARD, JACK'
      },
      'participant': [
        {
          'role': [
            {
              'coding': [
                {
                  'system': 'http://snomed.info/sct',
                  'code': '62247001',
                  'display': 'Family medicine specialist (occupation)'
                }
              ],
              'text': 'Family medicine specialist (occupation)'
            }
          ],
          'member': {
            'reference': 'Practitioner/4105597',
            'display': 'ONEPLAN, ONEPLAN'
          },
          'period': {
            'start': '2020-06-22T10:05:08Z',
            'end': '2100-12-31T00:00:00Z'
          }
        }
      ]
    },
    'search': {
      'mode': 'match'
    }
  },
  {
    'fullUrl': 'https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/INT.hcncrn-00a5d6eb-c567-42f7-be07-53804cece075',
    'resource': {
      'resourceType': 'Provenance',
      'id': 'INT.cteam-LIFETIME_PROVIDER-4169494-0-4105597-0-0-0',
      'meta': {
        'versionId': '00a5d6eb-c567-42f7-be07-53804cece075',
        'lastUpdated': '2020-07-06T19:36:23Z'
      },
      'text': {
        'status': 'generated',
        'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><li>CareT
eam/LIFETIME_PROVIDER-4169494-0-4105597-0-0-0</li></ul><p><b>RecordedSpence, Open Platform IA, Stephen</b>: Jul  6,
2020  7:36 P.M. UTC</p><p><b>Agents</b>:</p><dl><dt></dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
Source</dd></dl></div>'
      },
```

```
        'target': [
          {
            'reference': 'CareTeam/LIFETIME_PROVIDER-4169494-0-4105597-0-0-0'
          }
        ],
        'recorded': '2020-07-06T19:36:23Z',
        'agent': [
          {
            'type': {
              'coding': [
                {
                  'system': 'http://terminology.hl7.org/CodeSystem/provenance-participant-type',
                  'code': 'author'
                }
              ],
              'text': 'Author'
            },
            'role': [
              {
                'coding': [
                  {
                    'system': 'http://terminology.hl7.org/CodeSystem/contractsignertypecodes',
                    'code': 'SOURCE'
                  }
                ],
                'text': 'Source'
              }
            ],
            'who': {
              'reference': 'Practitioner/12724064',
              'display': 'Spence, Open Platform IA, Stephen'
            }
          }
        ]
      },
      'search': {
        'mode': 'include'
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-patient-auth Response

Example search for a care team using patient authorization.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam?patient=4169494
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': '0bcf7619-a5c4-4363-b234-3803f7cb0d44',
    'type': 'searchset',
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam?patient=4169494'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam/LIFETIME_PROVIDER-4169494-0-3038500-0-0-0',
        'resource': R4_CARE_TEAM_ENTRY
      },
      {
        'fullUrl': 'https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam/LIFETIME_PROVIDER-4169494-0-4105597-0-0-0',
        'resource': {
          'resourceType': 'CareTeam',
          'id': 'LIFETIME_PROVIDER-4169494-0-4105597-0-0-0',
          'meta': {
            'versionId': '1606412761',
            'lastUpdated': '2020-11-26T17:46:01Z'
          },
          'text': {
            'status': 'generated',
            'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Team</b></p><p><b>Patient</b>: SHEPARD,
    JACK</p><p><b>Status</b>: Active</p><p><b>Category</b>: Longitudinal-focused care
    team</p><p><b>Participant</b>:</p><ul><li>Name: ONEPLAN, ONEPLAN; Role: Family medicine specialist
```

```
(occupation)</li></ul></div>'
      },
      'status': 'active',
      'category': [
        {
          'coding': [
            {
              'system': 'http://loinc.org',
              'code': 'LA28865-6',
              'display': 'Longitudinal-focused care team'
            }
          ],
          'text': 'Longitudinal-focused care team'
        }
      ],
      'subject': {
        'reference': 'Patient/4169494',
        'display': 'SHEPARD, JACK'
      },
      'participant': [
        {
          'role': [
            {
              'coding': [
                {
                  'system': 'http://snomed.info/sct',
                  'code': '62247001',
                  'display': 'Family medicine specialist (occupation)'
                }
              ],
              'text': 'Family medicine specialist (occupation)'
            }
          ],
          'member': {
            'reference': 'Practitioner/4105597',
            'display': 'ONEPLAN, ONEPLAN'
          },
          'period': {
            'start': '2020-06-22T10:05:08Z',
            'end': '2100-12-31T00:00:00Z'
          }
        }
      ]
    }
  },
  {
    'fullUrl': 'https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/CareTeam/LIFETIME_PROVIDER-4169494-0-4090846-0-0-0',
    'resource': {
      'resourceType': 'CareTeam',
      'id': 'LIFETIME_PROVIDER-4169494-0-4090846-0-0-0',
      'meta': {
        'versionId': '1606743013',
        'lastUpdated': '2020-11-30T13:30:13Z'
      },
      'text': {
        'status': 'generated',
        'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Care Team</b></p><p><b>Patient</b>: SHEPARD,
JACK</p><p><b>Status</b>: Active</p><p><b>Category</b>: Longitudinal-focused care
team</p><p><b>Participant</b>:</p><ul><li>Name: P, Ashoka; Role: Clinical oncologist (occupation)</li></ul></div>'
      },
      'status': 'active',
      'category': [
        {
          'coding': [
            {
              'system': 'http://loinc.org',
              'code': 'LA28865-6',
              'display': 'Longitudinal-focused care team'
            }
          ],
          'text': 'Longitudinal-focused care team'
        }
      ],
      'subject': {
        'reference': 'Patient/4169494',
        'display': 'SHEPARD, JACK'
      },
      'participant': [
        {
          'role': [
            {
              'coding': [
                {
                  'system': 'http://snomed.info/sct',
                  'code': '309295000',
                  'display': 'Clinical oncologist (occupation)'
                }
              ],
```

```
                'text': 'Clinical oncologist (occupation)'
              }
            ],
            'member': {
              'reference': 'Practitioner/4090846',
              'display': 'P, Ashoka'
            },
            'period': {
              'start': '2020-06-22T10:05:08Z',
              'end': '2100-12-31T00:00:00Z'
            }
          }
        ]
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

ChargeItem

File: r4-rest-api-v32/api-chargeitem.html

Description

ChargeItem

This topic describes information for the ChargeItem resource.

Overview

The ChargeItem resource describes the provision of healthcare provider products for a certain patient. This provision refers not only to the product, but also contains details such as date, time, amounts, and participating organizations and persons.

The ChargeItem resource is mainly used to enable the billing process and internal cost allocation.

The examples provided here are non-normative and replaying them in the public sandbox is not guaranteed to yield the results shown on the site.

Note:

Fields

* ChargeItem ID

* Status

* Code

* Subject

* Context

* Occurrence

* Performer

* Requesting Organization

* Quantity

* Enterer

* Entered Date

* Reason

* Account

* Supporting Information

* Extensions including bill code schedule, custom attribute, description, modifier code, national drug product, net price, offset by, performing location, procedure code, quantity conversion factor, replacing, revenue code, and unit price (for more information, see the Extensions section of this topic).

Terminology Bindings

Chargeitem.code

Description: A code that identifies the charge, such as a billing code. Bill code type can be either CDM_SCHED, CPT, HCPCS, or PROCCODE.

Details: For more information, see Bill Codes Types under the Proprietary Systems section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/CodeSystem/BillCodes-<Bill code type>

Chargeitem.reason

Description: A description of why the event occurred in coded or textual form.

Details: For more information, see Bill Codes Types under the Proprietary Systems section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/CodeSystem/BillCodes-ICD

Chargeitem.extension[x].extension[x].valueCodeableConcept (for more information, see the Extensions section of this topic)

Description: A code providing additional details about a product or service. This binding is used in modifier-code extensions.

Details: For more information, see Bill Codes Types under the Proprietary Systems section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/CodeSystem/BillCodes-MODIFIER

Chargeitem.extension[x].extension[x].valueCodeableConcept (for more information, see the Extensions section of this topic)

Description: A code providing information about the procedure performed on the patient associated with the resource. This binding is used in procedure-code extensions. Bill code type can be either CPT, HCPCS, or PROCCODE.

Details: For more information, see Bill Codes Types under the Proprietary Systems section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/CodeSystem/BillCodes-<Bill code type>

Chargeitem.extension[x].extension[x].valueCodeableConcept (for more information, see the Extensions section of this topic)

Description: The type of revenue or cost center providing the product, service, or both. This binding is used in revenue-code extensions.

Details: For more information, see Bill Codes Types under the Proprietary Systems section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/CodeSystem/BillCodes-REVENUE

Chargeitem.code.coding.extension[x].valueCoding (for more information, see the Extensions section of this topic)

Description: A defined group of bill codes that drives billing behavior. This binding is used in bill-code-schedule extensions.

Details: For more information, see Code Set 14002 Bill Code Schedule under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/14002

Chargeitem.reason.coding.extension[x].valueCoding (for more information, see the Extensions section of this topic)

Description: A defined group of bill codes that drives billing behavior. This binding is used in bill-code-schedule extensions.

Details: For more information, see Code Set 14002 Bill Code Schedule under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/14002

Chargeitem.extension[x].extension[x].valueCodeableConcept.coding.extension[x].valueCoding (for more information, see the Extensions section of this topic)

Description: A defined group of bill codes that drives billing behavior. This binding is used in bill-code-schedule extensions.

Details: For more information, see Code Set 14002 Bill Code Schedule under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/14002

Chargeitem.extension[x].valueMoney.currency (for more information, see the Extensions section of this topic)

Description: Currency codes from ISO 4217 (see https://www.iso.org/iso-4217-currency-codes.html). This binding is used in net-price and unit-price extensions.

Details: Currencies

System: urn:iso:std:iso:4217

Chargeitem.extension[x].extension[x].valueCodeableConcept (for more information, see the Extensions section of this topic)

Description: The national drug code for pharmacy charges. This binding is used in national-drug-product extensions.

Details: National Drug Product

System: https://hl7.org/fhir/sid/ndc

Chargeitem.extension[x].extension[x].valueQuantity (for more information, see the Extensions section of this topic)

Description: The quantity for national drug code for pharmacy charges. This binding is used in national-drug-product-quantity extensions.

Details: National Drug Product Quantity

System: https://unitsofmeasure.org

Chargeitem.performer.function

Description: A code that identifies the function of the performer.

Details: Performer function codes

System: https://terminology.hl7.org/CodeSystem/v3-ParticipationType

Details: Provider Roles

System: https://terminology.hl7.org/CodeSystem-v2-0443.html

Extensions

All URLs for custom extensions are defined as https://fhir-ehr.cerner.com/r4/StructureDefinition/{id}.

Table - Custom Extensions

ID | Value[x] Type | Description
bill-code-schedule | coding | A defined group of bill codes that drives billing behavior
custom-attribute | None (contains nested extensions) | A client-defined custom attribute for the resource. Attribute values can be of type integer, string, decimal, or dateTime.
description | string | A description providing additional details for the resource.
modifier-code | None (contains nested extensions) | A code providing additional details about a product or service.
national-drug-product | None (contains nested extensions) | The national drug product used in care.
net-price | Money | The quantity times the unit price for a resource (total price).
offset-by | Reference | A resource that this resource is offset by. This resource is no longer active when offset.
performing-location | Reference | A location where the resource was performed.
priority | unsignedInt | The priority of the element in a list.
procedure-code | None (contains nested extensions) | A code providing information about the procedure performed on the patient associated with the resource.
quantity-conversion-factor | decimal | The conversion factor used to calculate the quantity for billing.
replacing | Reference | A reference to a resource that this resource is replacing.
revenue-code | None (contains nested extensions) | The type of revenue or cost center providing the product, service, or both.
unit-price | Money | The price of a single unit for the resource.

ChargeItem

The operations from the ChargeItem category.

Create a charge item

Method: post Path: /ChargeItem/$create

Create a credit charge item

Method: post Path: /ChargeItem/{ID}/$credit

Create a modified charge item

Method: post Path: /ChargeItem/$modify

Get a charge item by ID

Method: get Path: /ChargeItem/{ID}

Get a list of charge items

Method: get Path: /ChargeItem

Create a charge item

File: r4-rest-api-v32/op-chargeitem-create-post.html

Creates a charge event, which can result in the creation of one or more charge items.

Note: Only the body fields mentioned below are supported.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

Root Schema : ChargeItemCreateBody

Type:

object

Show Source

code(required): object

code

The primary billing code that identifies the charge.

Note:

* The coding field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types systems.

* The Bill Code Type provided in code must be the highest tier of all of the Bill Code Types associated with the charge item.

* Tiering logic from highest to lowest: CDM_SCHED, CPT, HCPCS, or PROCCODE.

Example:

```
{
  "code": {
    "coding": [
      {
        "extension": [
          {
            "valueCoding": {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
              "code": "667687"
            },
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
          }
        ],
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
        "code": "01012021"
      }
    ]
  }
}
```

context(required): object

context

The encounter associated with the charge. Must be an Encounter reference.

Note:

Example:

```
{
  "context": {
    "reference": "Encounter/97953601"
  }
}
```

custom-attribute:

A client-defined custom attribute for the charge.

Note:

* custom-attribute-name and custom-attribute-value are both required.

* id and valueString for custom-attribute-name are required.

* custom-attribute-value can be of type integer, string, decimal, or dateTime.

Example:

```
{
  "extension": [
    {
      "id": "68985657",
      "valueString": "Family Planning Indicator",
      "url": "custom-attribute-name"
    },
    {
      "valueInteger": 68,
      "url": "custom-attribute-value"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute"
}
```

modifier-code:

A code providing additional details about a product or service.

Note:

* The coding field must contain only one coding from the MODIFIER proprietary Bill Codes Types system.

* Both code and priority subextensions are required.

Example:

```
{
  "extension": [
```

```
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "3692"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER",
            "code": "26"
          }
        ]
      },
      "url": "code"
    },
    {
      "valueUnsignedInt": 1,
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code"
}
```

occurrenceDateTime(required): string

The date and time when the charged service was applied.

Example:

```
{
  "occurrenceDateTime": "2021-08-02T21:53:34Z"
}
```

* parameter(required): The parameters defined by the operation.

performer:

Who performed or participated in the charge.

Note:

* The value must be in the form of CodeableConcept.

* Must contain both the actor and function subfields.

* The value of actor must be in the form of valueReference.

* Only the following system and code combinations may be used in the performer function coding

* http://terminology.hl7.org/CodeSystem/v2-0912 - OP

* http://terminology.hl7.org/CodeSystem/v3-ParticipationType - PRF

* http://terminology.hl7.org/CodeSystem/v3-ParticipationType - VRF

Example:

```
{
  "performer": [
    {
      "function": {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
            "code": "OP",
            "display": "Ordering Provider"
          }
        ],
        "text": "Ordering Provider"
      },
      "actor": {
        "reference": "Practitioner/11817978"
      }
    }
  ]
}
```

performing-location:

A location where the charge was performed. Must be a Location reference.

Note:

Example:

```
{
  "valueReference": {
    "reference": "Location/683731",
    "display": "SA"
  },
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location"
```

```
}
```

procedure-code:

A code providing information about the procedure performed on the patient associated with the resource.

Note:

* The coding field must contain only one coding from the CPT, HCPCS, or PROCCODE proprietary Bill Codes Types systems.

* Must be of a lower bill code tier than the ChargeItem.code field if provided.

* Both code and priority subextensions are required.

Example:

```
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "615214"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT",
            "code": "99204"
          }
        ]
      },
      "url": "code"
    },
    {
      "valueUnsignedInt": 1,
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
}
```

quantity(required): object

quantity

The quantity of which the charge item has been serviced.

Example:

```
{
  "quantity": {
    "value": 1
  }
}
```

reason: object

reason

The dagnosis codes for why the charge was rendered. The coding field must contain only one coding from the ICD proprietary Bill Codes Types systems.

Note:

Example:

```
{
  "reason": [
    {
      "extension": [
        {
          "valueUnsignedInt": 1,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "coding": [
        {
          "extension": [
            {
              "valueCoding": {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                "code": "3693"
              },
              "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
            }
          ],
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
          "code": "Z00"
        }
```

```
      ]
    }
  ]
}
```

resourceType(required): string

The type of the FHIR resource.

Note:

* resourceType must be Parameters for the parent object.

* Must be chargeItem for the resource object.

Example:

```
{
  "resourceType": "Parameters",
  "parameter": [
    {
      "name": "chargeItem",
      "resource": {
        "resourceType": "ChargeItem"
      }
    }
  ]
}
```

revenue-code:

The type of revenue or cost center providing the product, service, or both. The coding field must contain only one coding from the REVENUE proprietary Bill Codes Types system.

Note:

Example:

```
{
"extension" : [
  {
      "valueCodeableConcept": {
      "coding": [
        {
          "extension": [
            {
              "valueCoding": {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                "code": "615217"
              },
              "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
            }
          ],
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-REVENUE",
          "code": "0900"
        }
      ]
    },
    "url": "code"
  },
  {
    "valueUnsignedInt": 1,
    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
  }
],
"url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code"
}
```

status(required): string

The current state of the charge. The status must be set to .

Note:

unknown

Example:

```
{
  "status": "unknown"
}
```

subject(required): object

subject

The patient associated with the charge. Must be a Patient reference.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/12742419"
  }
}
```

transactionId(required): string

A UUID to uniquely identify the create operation.

Note:

* The value must be in the form of valueUuid.

* Only one transactionId parameter may be provided.

Example:

```
{
  "parameter": [
    {
      "name": "transactionId",
      "valueUuid": "urn:uuid:aa7623a0-0c7b-11ec-82a8-0242ac130003"
    }
  ]
}
```

```
{
    "type":"object",
    "required":[
        "resourceType",
        "parameter",
        "transactionId",
        "chargeItem",
        "status",
        "subject",
        "context",
        "occurrenceDateTime",
        "quantity",
        "code"
    ],
    "properties":{
        "resourceType":{
            "description":"The type of the FHIR resource.<br>\n\n<b>Note:</b>\n<ul>\n<li><code>resourceType</code> must
    be <code>Parameters</code> for the parent object.</li>\n<li>Must be <code>chargeItem</code> for the resource
    object.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"resourceType\": \"Parameters\",\n  \"parameter\": [\n
        {\n      \"name\": \"chargeItem\",\n      \"resource\": {\n        \"resourceType\": \"ChargeItem\"\n      }\n
        }\n  ]\n}\n</pre></code>\n",
            "type":"string"
        },
        "parameter":{
            "description":"The parameters defined by the operation."
        },
        "transactionId":{
            "description":"A UUID to uniquely identify the create operation.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value
    must be in the form of <code>valueUuid</code>.</li>\n  <li>Only one <code>transactionId</code> parameter may be
    provided.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\":
    \"transactionId\",\n      \"valueUuid\": \"urn:uuid:aa7623a0-0c7b-11ec-82a8-0242ac130003\"\n    }\n
    ]\n}\n\n</pre></code>\n",
            "type":"string"
        },
        "status":{
            "description":"The current state of the charge.<br>\n\n<b>Note:</b> The status must be set to
    <code>unknown</code>.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"status\": \"unknown\"\n}\n\n</pre></code>\n",
            "type":"string"
        },
        "subject":{
            "description":"The patient associated with the charge.<br>\n\n<b>Note:</b> Must be a Patient
    reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"subject\": {\n    \"reference\": \"Patient/12742419\"\n
    }\n}\n\n</pre></code>\n",
            "type":"object"
        },
        "context":{
            "description":"The encounter associated with the charge.<br>\n\n<b>Note:</b> Must be an Encounter
    reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"context\": {\n    \"reference\": \"Encounter/97953601\"\n
    }\n}\n\n</pre></code>\n",
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        },
        "occurrenceDateTime":{
            "description":"The date and time when the charged service was
    applied.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"occurrenceDateTime\":
    \"2021-08-02T21:53:34Z\"\n}\n\n</pre></code>\n",
            "type":"string"
        },
        "quantity":{
            "description":"The quantity of which the charge item has been
    serviced.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"quantity\": {\n    \"value\": 1\n  }\n}\n\n</pre></code>\n",
            "type":"object",
            "properties":{
                "value":{
                    "type":"number"
                },
```

```
            "unit":{
                "type":"string"
            },
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            },
            "comparator":{
                "type":"string"
            }
        }
    },
    "code":{
        "description":"The primary billing code that identifies the charge.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The
coding field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types
systems.</li>\n  <li>The Bill Code Type provided in <a target=\"_blank\"
href=\"https://hl7.org/fhir/R4/datatypes.html#code\"><code>code</code></a> must be the highest tier of all of the
Bill Code Types associated with the charge item.</li>\n  <li>Tiering logic from highest to lowest: CDM_SCHED, CPT,
HCPCS, or PROCCODE.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"code\": {\n    \"coding\": [\n      {\n
\"extension\": [\n          {\n            \"valueCoding\": {\n              \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n              \"code\":
\"667687\"\n            },\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-
schedule\"\n          }\n        ],\n        \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED\",\n        \"code\":
\"01012021\"\n      }\n    ]\n  }\n}\n\n</pre></code>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "performer":{
        "description":"Who performed or participated in the charge.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value must
be in the form of <a target=\"_blank\"
href=\"https://hl7.org/fhir/R4/datatypes.html#CodeableConcept\"><code>CodeableConcept</code></a>.</li>\n  <li>Must
contain both the actor and function subfields.</li>\n  <li>The value of actor must be in the form of
<code>valueReference</code>.</li>\n  <li>Only the following system and code combinations may be used in the
performer function <code>coding</code></li>\n  <ul>\n    <li>http://terminology.hl7.org/CodeSystem/v2-0912 -
OP</li>\n    <li>http://terminology.hl7.org/CodeSystem/v3-ParticipationType - PRF</li>\n
<li>http://terminology.hl7.org/CodeSystem/v3-ParticipationType - VRF</li>\n
</ul>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"performer\": [\n    {\n      \"function\": {\n
\"coding\": [\n          {\n            \"system\": \"http://terminology.hl7.org/CodeSystem/v2-0912\",\n
\"code\": \"OP\",\n            \"display\": \"Ordering Provider\"\n          }\n        ],\n        \"text\":
\"Ordering Provider\"\n      },\n      \"actor\": {\n        \"reference\": \"Practitioner/11817978\"\n      }\n
}\n  ]\n}\n\n</pre></code>\n"
    },
    "reason":{
        "description":"The dagnosis codes for why the charge was rendered.<br>\n\n<b>Note:</b> The coding field must
 contain only one coding from the ICD proprietary Bill Codes Types systems.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
  \"reason\": [\n    {\n      \"extension\": [\n        {\n          \"valueUnsignedInt\": 1,\n          \"url\":
\"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n        }\n      ],\n      \"coding\": [\n
{\n          \"extension\": [\n            {\n              \"valueCoding\": {\n                \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                \"code\":
\"3693\"\n              },\n              \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-
schedule\"\n            }\n          ],\n          \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD\",\n          \"code\":
\"Z00\"\n        }\n      ]\n    }\n  ]\n}\n\n</pre></code>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
```

```
                    }
                }
            }
        }
    }
},
"performing-location":{
    "description":"A location where the charge was performed.<br>\n\n<b>Note:</b> Must be a Location
reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"valueReference\": {\n    \"reference\":
\"Location/683731\",\n    \"display\": \"SA\"\n  },\n  \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/performing-location\"\n}\n\n</pre></code>\n"
},
"custom-attribute":{
    "description":"A client-defined custom attribute for the charge.<br>\n\n<b>Note:</b>\n<ul>\n
<li><code>custom-attribute-name</code> and <code>custom-attribute-value</code> are both required.</li>\n
<li><code>id</code> and <code>valueString</code> for <code>custom-attribute-name</code> are required.</li>\n
<li><code>custom-attribute-value</code> can be of type integer, string, decimal, or
dateTime.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"extension\": [\n    {\n      \"id\": \"68985657\",\n
      \"valueString\": \"Family Planning Indicator\",\n      \"url\": \"custom-attribute-name\"\n    },\n    {\n
      \"valueInteger\": 68,\n      \"url\": \"custom-attribute-value\"\n    }\n  ],\n  \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/custom-attribute\"\n}\n\n</pre></code>\n"
},
"modifier-code":{
    "description":"A code providing additional details about a product or service.<br>\n\n<b>Note:</b>\n<ul>\n
<li>The coding field must contain only one coding from the MODIFIER proprietary Bill Codes Types system.</li>\n
<li>Both code and priority subextensions are required.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n
\"extension\": [\n    {\n      \"valueCodeableConcept\": {\n        \"coding\": [\n          {\n
\"extension\": [\n              {\n                \"valueCoding\": {\n                  \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                  \"code\":
\"3692\"\n                },\n                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-
code-schedule\"\n              }\n            ],\n            \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER\",\n
\"code\": \"26\"\n          }\n        ]\n      },\n      \"url\": \"code\"\n    },\n    {\n
\"valueUnsignedInt\": 1,\n      \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n    }\n
],\n  \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code\"\n}\n\n</pre></code>\n"
},
"procedure-code":{
    "description":"A code providing information about the procedure performed on the patient associated with the
 resource.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The coding field must contain only one coding from the CPT, HCPCS, or
PROCCODE proprietary Bill Codes Types systems.</li>\n  <li>Must be of a lower bill code tier than the
<code></code>ChargeItem.code</code> field if provided.</li>\n  <li>Both code and priority subextensions are
required.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"extension\": [\n    {\n      \"valueCodeableConcept\":
 {\n        \"coding\": [\n          {\n            \"extension\": [\n              {\n
\"valueCoding\": {\n                  \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                  \"code\":
\"615214\"\n                },\n                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-
code-schedule\"\n              }\n            ],\n            \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT\",\n            \"code\":
\"99204\"\n          }\n        ]\n      },\n      \"url\": \"code\"\n    },\n    {\n      \"valueUnsignedInt\":
1,\n      \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n    }\n  ],\n  \"url\":
\"https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code\"\n}</pre></code>\n"
},
"revenue-code":{
    "description":"The type of revenue or cost center providing the product, service, or
both.<br>\n\n<b>Note:</b> The coding field must contain only one coding from the REVENUE proprietary Bill Codes
Types system.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n\"extension\" : [\n  {\n      \"valueCodeableConcept\": {\n
      \"coding\": [\n        {\n          \"extension\": [\n            {\n              \"valueCoding\": {\n
                \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
                \"code\": \"615217\"\n              },\n              \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n            }\n          ],\n          \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-REVENUE\",\n          \"code\":
\"0900\"\n        }\n      ]\n    },\n    \"url\": \"code\"\n  },\n  {\n    \"valueUnsignedInt\": 1,\n    \"url\":
\"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n  }\n],\n\"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/revenue-code\"\n}</pre></code>\n"
    }
},
"example":"{\n  \"resourceType\": \"Parameters\",\n  \"parameter\": [\n    {\n      \"name\": \"chargeItem\",\n
      \"resource\": {\n        \"resourceType\": \"ChargeItem\",\n        \"status\": \"unknown\",\n
\"subject\": {\n          \"reference\": \"Patient/12742419\"\n        },\n        \"context\": {\n
\"reference\": \"Encounter/97953601\"\n        },\n        \"occurrenceDateTime\": \"2021-08-02T21:53:34Z\",\n
        \"quantity\": {\n          \"value\": 1\n        },\n        \"code\": {\n          \"coding\": [\n
            {\n              \"extension\": [\n                {\n                  \"valueCoding\": {\n
                    \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
                    \"code\": \"667687\"\n                  },\n                  \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                }\n              ],\n
\"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED\",\n
              \"code\": \"01012021\"\n            }\n          ]\n        },\n        \"performer\": [\n
{\n            \"function\": {\n              \"coding\": [\n                {\n                  \"system\":
\"http://terminology.hl7.org/CodeSystem/v2-0912\",\n                  \"code\": \"OP\",\n
\"display\": \"Ordering Provider\"\n                }\n              ],\n              \"text\": \"Ordering
Provider\"\n            },\n            \"actor\": {\n              \"reference\": \"Practitioner/11817978\"\n
            }\n          }\n        ],\n        \"reason\": [\n          {\n            \"extension\": [\n
              {\n                \"valueUnsignedInt\": 1,\n                \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/priority\"\n              }\n            ],\n            \"coding\": [\n
              {\n                \"extension\": [\n                  {\n                    \"valueCoding\": {\n
                      \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
                      \"code\": \"3693\"\n                    },\n                    \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                  }\n                ],\n
                \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
```

```
    ICD\",\n                \"code\": \"Z00\"\n              }\n            ]\n          }\n        ],\n
    \"extension\": [\n          {\n            \"valueReference\": {\n              \"reference\":
    \"Location/31103071\",\n              \"display\": \"1 West SA2\"\n            },\n            \"url\":
    \"https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location\"\n          },\n          {\n
    \"extension\": [\n              {\n                \"id\": \"68985657\",\n                \"valueString\": \"Family
    Planning Indicator\",\n                \"url\": \"custom-attribute-name\"\n              },\n              {\n
                \"valueInteger\": 68,\n                \"url\": \"custom-attribute-value\"\n              }\n
              ],\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute\"\n
            },\n          {\n            \"extension\": [\n              {\n                \"valueCodeableConcept\":
    {\n                  \"coding\": [\n                    {\n                      \"extension\": [\n
                        {\n                          \"valueCoding\": {\n                            \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
    \"code\": \"3692\"\n                          },\n                          \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                        }\n                      ],\n
                        \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER\",\n
                        \"code\": \"26\"\n                    }\n                  ]\n                },\n
                \"url\": \"code\"\n              },\n              {\n                \"valueUnsignedInt\": 1,\n
                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n              }\n
              ],\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code\"\n
            },\n          {\n            \"extension\": [\n              {\n                \"valueCodeableConcept\":
    {\n                  \"coding\": [\n                    {\n                      \"extension\": [\n
                        {\n                          \"valueCoding\": {\n                            \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
    \"code\": \"615216\"\n                          },\n                          \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                        }\n                      ],\n
                        \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT\",\n
    \"code\": \"GZ1\"\n                    }\n                  ]\n                },\n              \"url\":
    \"code\"\n              },\n              {\n                \"valueUnsignedInt\": 1,\n                \"url\":
    \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n              }\n            ],\n
    \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code\"\n          },\n          {\n
                \"extension\": [\n              {\n                \"valueCodeableConcept\": {\n
    \"coding\": [\n                    {\n                      \"extension\": [\n                        {\n
                          \"valueCoding\": {\n                            \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
    \"code\": \"615217\"\n                          },\n                          \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                        }\n                      ],\n
                        \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-REVENUE\",\n
                        \"code\": \"0900\"\n                    }\n                  ]\n                },\n
                \"url\": \"code\"\n              },\n              {\n                \"valueUnsignedInt\": 1,\n
                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n              }\n
              ],\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code\"\n
    }\n        ]\n      }\n    },\n    {\n      \"name\": \"transactionId\",\n      \"valueUuid\":
    \"urn:uuid:9befb168-g01f-4336-9547-5d26f0100058\"\n    }\n  ]\n}\n"
}
```


Example:


```
{
  "resourceType": "Parameters",
  "parameter": [
    {
      "name": "chargeItem",
      "resource": {
        "resourceType": "ChargeItem",
        "status": "unknown",
        "subject": {
          "reference": "Patient/12742419"
        },
        "context": {
          "reference": "Encounter/97953601"
        },
        "occurrenceDateTime": "2021-08-02T21:53:34Z",
        "quantity": {
          "value": 1
        },
        "code": {
          "coding": [
            {
              "extension": [
                {
                  "valueCoding": {
                    "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                    "code": "667687"
                  },
                  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                }
              ],
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
              "code": "01012021"
            }
          ]
        },
        "performer": [
          {
            "function": {
              "coding": [
                {
```

```
              "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
              "code": "OP",
              "display": "Ordering Provider"
            }
          ],
          "text": "Ordering Provider"
        },
        "actor": {
          "reference": "Practitioner/11817978"
        }
      }
    ],
    "reason": [
      {
        "extension": [
          {
            "valueUnsignedInt": 1,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
          }
        ],
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "3693"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
            "code": "Z00"
          }
        ]
      }
    ],
    "extension": [
      {
        "valueReference": {
          "reference": "Location/31103071",
          "display": "1 West SA2"
        },
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location"
      },
      {
        "extension": [
          {
            "id": "68985657",
            "valueString": "Family Planning Indicator",
            "url": "custom-attribute-name"
          },
          {
            "valueInteger": 68,
            "url": "custom-attribute-value"
          }
        ],
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute"
      },
      {
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "extension": [
                    {
                      "valueCoding": {
                        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                        "code": "3692"
                      },
                      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                    }
                  ],
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
MODIFIER",
                  "code": "26"
                }
              ]
            },
            "url": "code"
          },
          {
            "valueUnsignedInt": 1,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
          }
        ],
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code"
      },
```

```
          {
            "extension": [
              {
                "valueCodeableConcept": {
                  "coding": [
                    {
                      "extension": [
                        {
                          "valueCoding": {
                            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                            "code": "615216"
                          },
                          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                        }
                      ],
                      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT",
                      "code": "GZ1"
                    }
                  ]
                },
                "url": "code"
              },
              {
                "valueUnsignedInt": 1,
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
              }
            ],
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
          },
          {
            "extension": [
              {
                "valueCodeableConcept": {
                  "coding": [
                    {
                      "extension": [
                        {
                          "valueCoding": {
                            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                            "code": "615217"
                          },
                          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                        }
                      ],
                      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
    REVENUE",
                      "code": "0900"
                    }
                  ]
                },
                "url": "code"
              },
              {
                "valueUnsignedInt": 1,
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
              }
            ],
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code"
          }
        ]
      }
    },
    {
      "name": "transactionId",
      "valueUuid": "urn:uuid:9befb168-g01f-4336-9547-5d26f0100058"
    }
  ]
}
```

Nested Schema : code

Type:

object

The primary billing code that identifies the charge.

Note:

* The coding field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types systems.

* The Bill Code Type provided in code must be the highest tier of all of the Bill Code Types associated with the charge item.

* Tiering logic from highest to lowest: CDM_SCHED, CPT, HCPCS, or PROCCODE.

Example:

```
{
  "code": {
    "coding": [
      {
```

```
        "extension": [
          {
            "valueCoding": {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
              "code": "667687"
            },
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
          }
        ],
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
        "code": "01012021"
      }
    ]
  }
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"The primary billing code that identifies the charge.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The coding
    field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types
    systems.</li>\n  <li>The Bill Code Type provided in <a target=\"_blank\"
    href=\"https://hl7.org/fhir/R4/datatypes.html#code\"><code>code</code></a> must be the highest tier of all of the
    Bill Code Types associated with the charge item.</li>\n  <li>Tiering logic from highest to lowest: CDM_SCHED, CPT,
    HCPCS, or PROCCODE.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"code\": {\n    \"coding\": [\n      {\n
            \"extension\": [\n          {\n            \"valueCoding\": {\n              \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n              \"code\":
    \"667687\"\n            },\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-
    schedule\"\n          }\n        ],\n        \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED\",\n        \"code\":
    \"01012021\"\n      }\n    ]\n  }\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : context

Type:

object

The encounter associated with the charge. Must be an Encounter reference.

Note:

Example:

```
{
  "context": {
    "reference": "Encounter/97953601"
  }
}
```

Show Source

* reference: string

```
{
    "description":"The encounter associated with the charge.<br>\n\n<b>Note:</b> Must be an Encounter
    reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"context\": {\n    \"reference\": \"Encounter/97953601\"\n
    }\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : quantity

Type:

object

The quantity of which the charge item has been serviced.

Example:

```
{
  "quantity": {
    "value": 1
  }
}
```

Show Source

* code: string

* comparator: string

* system: string

* unit: string

* value: number

```
{
    "description":"The quantity of which the charge item has been serviced.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
    \"quantity\": {\n    \"value\": 1\n  }\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "value":{
            "type":"number"
        },
        "unit":{
            "type":"string"
        },
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        },
        "comparator":{
            "type":"string"
        }
    }
}
```

Nested Schema : reason

Type:

object

The dagnosis codes for why the charge was rendered. The coding field must contain only one coding from the ICD proprietary Bill Codes Types systems.

Note:

Example:

```
{
  "reason": [
    {
      "extension": [
        {
          "valueUnsignedInt": 1,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "coding": [
        {
          "extension": [
            {
              "valueCoding": {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                "code": "3693"
              },
              "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
            }
          ],
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
          "code": "Z00"
        }
      ]
    }
  ]
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"The dagnosis codes for why the charge was rendered.<br>\n\n<b>Note:</b> The coding field must contain
```

```
 only one coding from the ICD proprietary Bill Codes Types systems.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
\"reason\": [\n    {\n      \"extension\": [\n        {\n          \"valueUnsignedInt\": 1,\n          \"url\":
\"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n        }\n      ],\n      \"coding\": [\n
{\n          \"extension\": [\n            {\n              \"valueCoding\": {\n                \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                \"code\":
\"3693\"\n              },\n              \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-
schedule\"\n            }\n          ],\n          \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD\",\n          \"code\":
\"Z00\"\n        }\n      ]\n    }\n  ]\n}\n\n</pre></code>\n",
"type":"object",
"properties":{
    "text":{
        "type":"string"
    },
    "coding":{
        "type":"array",
        "items":{
            "type":"object",
            "properties":{
                "system":{
                    "type":"string"
                },
                "code":{
                    "type":"string"
                }
            }
        }
    }
}
```

Nested Schema : subject

Type:

object

The patient associated with the charge. Must be a Patient reference.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/12742419"
  }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
```

```
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

200 Response

OK

Headers

* ETag: string The identifier for a specific version of a resource. This identifier is formatted as W/"" and used to specify the If-Match header value on subsequent updates.

Location: string

The URL location of the created entity. Example:

```
https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Parameters/642774
```

* X-Request-Id: string The Oracle troubleshooting identifier.

* opc-request-id: string The Oracle troubleshooting identifier.

Default Response

The ETag response header indicates the current If-Match version to use on a subsequent update.

Example Request:

```
POST https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/$create
```

Example Response:

```
no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Thu, 11 Nov 2021 17:23:14 GMT
Etag: W/"0"
Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/$create
Last-Modified: Thu, 11 Nov 2021 17:25:14 GMT
Vary: Origin
X-Request-Id: 11111111111111111111111111111111
```

Back to Top

Create a credit charge item

File: r4-rest-api-v32/op-chargeitem-id-credit-post.html

Creates an offsetting charge item for an existing debit charge item.

Note: Only the body fields mentioned below are supported. Unsupported fields are ignored.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

Root Schema : ChargeItemCreditBody

Type:

object

Show Source

context(required): object

context

The encounter associated with the charge item.

Note:

* The value must be in the form of valueReference.

* Only one value can be defined.

Example:

```
{
  "parameter": [
    {
      "name": "context",
      "valueReference": {
        "reference": "Encounter/98255557"
      }
    }
  ]
}
```

* parameter(required): The parameters defined by the operation.

* resourceType(required): string Allowed Values: ["Parameters"] The type of the FHIR resource.

subject(required): object

subject

The patient associated with the charge item.

Note:

* The value must be in the form of valueReference.

* Only one value can be defined.

Example:

```
{
  "parameter": [
    {
      "name": "subject",
      "valueReference": {
        "reference": "Patient/13388355"
      }
    }
  ]
```

}

transactionId(required): string

A UUID to uniquely identify the credit operation.

Note:

* The value must be in the form of valueUuid.

* Only one value can be defined.

Example:

```
{
  "parameter": [
    {
      "name": "transactionId",
      "valueUuid": "urn:uuid:aa7623a0-0c7b-11ec-82a8-0242ac130003"
    }
  ]
}
```

versionId(required): string

The version ID of the charge item that is the target of the credit operation.

Note:

* The value must be in the form of valueId.

* Only one value can be defined.

Example:

```
{
  "parameter": [
    {
      "name": "versionId",
      "valueId": "2"
    }
  ]
}
```


```
{
    "type":"object",
    "required":[
        "resourceType",
        "parameter",
        "versionId",
        "subject",
        "context",
        "transactionId"
    ],
    "properties":{
        "resourceType":{
            "description":"The type of the FHIR resource.\n",
            "type":"string",
            "enum":[
                "Parameters"
            ]
        },
        "parameter":{
            "description":"The parameters defined by the operation."
        },
        "versionId":{
            "description":"The version ID of the charge item that is the target of the credit
    operation.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value must be in the form of <code>valueId</code>.</li>\n  <li>Only
    one value can be defined.</li>\n</ul>\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\":
    \"versionId\",\n      \"valueId\": \"2\"\n    }\n  ]\n}\n\n</pre></code>\n",
            "type":"string"
        },
        "subject":{
            "description":"The patient associated with the charge item.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value must
    be in the form of <code>valueReference</code>.</li>\n  <li>Only one value can be
    defined.</li>\n</ul>\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\": \"subject\",\n
          \"valueReference\": {\n        \"reference\": \"Patient/13388355\"\n      }\n    }\n
    ]\n}\n\n</pre></code>\n",
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        },
        "context":{
            "description":"The encounter associated with the charge item.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value
    must be in the form of <code>valueReference</code>.</li>\n  <li>Only one value can be
    defined.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\": \"context\",\n
          \"valueReference\": {\n        \"reference\": \"Encounter/98255557\"\n      }\n    }\n
    ]\n}\n\n</pre></code>\n",
            "type":"object",
            "properties":{
                "reference":{
```

```
                    "type":"string"
                }
            }
        },
        "transactionId":{
            "description":"A UUID to uniquely identify the credit operation.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value must be in the form of <code>valueUuid</code>.</li>\n  <li>Only one value can be defined.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\": \"transactionId\",\n      \"valueUuid\": \"urn:uuid:aa7623a0-0c7b-11ec-82a8-0242ac130003\"\n    }\n  ]\n}\n\n</pre></code>\n",
            "type":"string"
        }
    },
    "example":"{\n  \"resourceType\": \"Parameters\",\n  \"parameter\": [\n    {\n      \"name\": \"versionId\",\n      \"valueId\": \"2\"\n    },\n    {\n      \"name\": \"transactionId\",\n      \"valueUuid\": \"urn:uuid:5bb8acae-0c7d-11ec-82a8-0242ac130003\"\n    },\n    {\n      \"name\": \"subject\",\n      \"valueReference\": {\n        \"reference\": \"Patient/12782842\"\n      }\n    },\n    {\n      \"name\": \"context\",\n      \"valueReference\": {\n        \"reference\": \"Encounter/98019577\"\n      }\n    }\n  ]\n}\n"
}
```


Example:


```
{
  "resourceType": "Parameters",
  "parameter": [
    {
      "name": "versionId",
      "valueId": "2"
    },
    {
      "name": "transactionId",
      "valueUuid": "urn:uuid:5bb8acae-0c7d-11ec-82a8-0242ac130003"
    },
    {
      "name": "subject",
      "valueReference": {
        "reference": "Patient/12782842"
      }
    },
    {
      "name": "context",
      "valueReference": {
        "reference": "Encounter/98019577"
      }
    }
  ]
}
```


Nested Schema : context

Type:

object

The encounter associated with the charge item.

Note:

* The value must be in the form of valueReference.

* Only one value can be defined.

Example:


```
{
  "parameter": [
    {
      "name": "context",
      "valueReference": {
        "reference": "Encounter/98255557"
      }
    }
  ]
}
```


Show Source

* reference: string


```
{
    "description":"The encounter associated with the charge item.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value must be in the form of <code>valueReference</code>.</li>\n  <li>Only one value can be defined.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\": \"context\",\n      \"valueReference\": {\n        \"reference\": \"Encounter/98255557\"\n      }\n    }\n  ]\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : subject

Type:

object

The patient associated with the charge item.

Note:

* The value must be in the form of valueReference.

* Only one value can be defined.

Example:

```
{
  "parameter": [
    {
      "name": "subject",
      "valueReference": {
        "reference": "Patient/13388355"
      }
    }
  ]
}
```

Show Source

* reference: string


```
{
    "description":"The patient associated with the charge item.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value must be in
    the form of <code>valueReference</code>.</li>\n  <li>Only one value can be
    defined.</li>\n</ul>\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\": \"subject\",\n
          \"valueReference\": {\n        \"reference\": \"Patient/13388355\"\n      }\n    }\n
    ]\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Back to Top

Response

Supported Media Types

* application/fhir+json

201 Response

Created

Headers

* ETag: string The identifier for a specific version of a resource. This identifier is formatted as W/"" and used to specify the If-Match header value on subsequent updates.

Location: string

The URL location of the created entity. Example:

```
https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Parameters/642774
```

* X-Request-Id: string The Oracle troubleshooting identifier.

* opc-request-id: string The Oracle troubleshooting identifier.

Default Response

The ETag response header indicates the current If-Match version to use on a subsequent update.

Example Request:

```
POST https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/292427912/$credit
```

Example Response:

```
no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Tue, 07 Sep 2021 17:23:14 GMT
Etag: W/"0"
Location: https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/2180632343
Last-Modified: Tue, 07 Sep 2021 17:25:14 GMT
Vary: Origin
X-Request-Id: 11111111111111111111111111111111
```

Back to Top

Create a modified charge item

File: r4-rest-api-v32/op-chargeitem-modify-post.html

Creates a new charge item from modifying an existing charge item.

Note: Only the body fields mentioned below are supported. Unsupported fields are ignored.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

Root Schema : ChargeItemModifyBody

Type:

object

Show Source

chargeItem(required): string

The charge item to be modified.

Note:

* The Resource field is required and must be of type ChargeItem.

* Only one chargeItem parameter may be provided.

Example:

```
{
  "parameter": [
    "name": "chargeItem",
    "resource": {
      "resourceType": "ChargeItem"
    }
  ]
}
```

code(required): object

code

The primary billing code that identifies the charge.

Note:

* The coding field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types systems.

* The Bill Code Type provided in code must be the highest tier of all of the Bill Code Types associated with the charge item.

* Tiering logic from highest to lowest: CDM_SCHED, CPT, HCPCS, or PROCCODE.

Example:

```
{
  "code": {
    "coding": [
      {
        "extension": [
          {
            "valueCoding": {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
              "code": "667687"
            },
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
          }
        ],
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
        "code": "64897"
      }
    ]
  }
}
```

context(required): object

context

The encounter associated with the charge. Must be an Encounter reference.

Note:

Example:

```
{
  "context": {
    "reference": "Encounter/97965088"
  }
}
```

custom-attribute:

A client-defined custom attribute for the charge.

Note:

* custom-attribute-name and custom-attribute-value are both required.

* id and valueString for custom-attribute-name are required.

* custom-attribute-value can be of type integer, string, decimal, or dateTime.

Example:

```
{
  "extension": [
    {
      "id": "2572130093",
      "valueString": "Special Authority",
      "url": "custom-attribute-name"
    },
    {
      "valueInteger": 1,
      "url": "custom-attribute-value"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute"
}
```

description:

A description providing additional details about the charge item.

Example:

```
{
  "valueString": "Acetaminophen Level",
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/description"
}
```

modifier-code: object

modifier-code

A code providing additional details about a product or service.

Note:

* The coding field must contain only one coding from the MODIFIER proprietary Bill Codes Types system.

* Both code and priority subextensions are required.

Example:

```
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "3692"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER",
            "code": "66"
          }
        ]
      },
      "url": "code"
    },
    {
      "valueUnsignedInt": 1,
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code"
}
```

occurrenceDateTime: string

The date and time when the charged service was applied.

Example:

```
{
  "occurrenceDateTime": "2021-01-08T10:38:00Z"
}
```

* parameter(required): The parameters defined by the operation.

performer:

Who performed or participated in the charge.

Note:

* The value must be in the form of CodeableConcept.

* Must contain both the actor and function subfields.

* The value of actor must be in the form of valueReference.

* Only the following system and code combinations may be used in the performer function coding:

* http://terminology.hl7.org/CodeSystem/v2-0912 - OP

* http://terminology.hl7.org/CodeSystem/v3-ParticipationType - PRF

* http://terminology.hl7.org/CodeSystem/v3-ParticipationType - VRF

Example:

```
{
  "performer": [
    {
      "function": {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
            "code": "OP",
            "display": "Ordering Provider"
          }
        ],
        "text": "Ordering Provider"
      },
      "actor": {
        "reference": "Practitioner/11817978"
      }
    }
  ]
}
```

performing-location:

A location where the charge was performed. Must be a Location reference.

Note:

Example:

```
{
  "valueReference": {
    "reference": "Location/21304903",
    "display": "NM"
  },
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location"
}
```

procedure-code:

A code providing information about the procedure performed on the patient associated with the resource.

Note:

* The coding field must contain only one coding from the CPT, HCPCS, or PROCCODE proprietary Bill Codes Types systems.

* Must be of a lower bill code tier than the ChargeItem.code field if provided.

* Both code and priority subextensions are required.

Example:

```
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "615214"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT",
```

```
            "code": "10081"
          }
        ]
      },
      "url": "code"
    },
    {
      "valueUnsignedInt": 1,
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
}
```

quantity: object

quantity

The quantity of which the charge item has been serviced.

Example:

```
{
  "quantity": {
    "value": 31
  }
}
```

reason: object

reason

The diagnosis codes for why the charge was rendered. The coding field must contain only one coding from the ICD proprietary Bill Codes Types systems.

Note:

Example:

```
{
  "reason": [
    {
      "extension": [
        {
          "valueUnsignedInt": 1,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "coding": [
        {
          "extension": [
            {
              "valueCoding": {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                "code": "3693"
              },
              "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
            }
          ],
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
          "code": "R51"
        }
      ]
    }
  ]
}
```

replacing(required):

The resource that this charge item is replacing.

Note:

* Can only provide one replacing extension.

* The item-version subextension is required.

Example:

```
{
  "extension": [
    {
      "valueId": "1",
      "url": "item-version"
    }
  ],
  "valueReference": {
    "reference": "ChargeItem/317370800"
  },
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/replacing"
}
```

* resourceType(required): string The type of the FHIR resource. Example: Parameters

revenue-code:

The type of revenue or cost center providing the product, service, or both. The coding field must contain only one coding from the REVENUE proprietary Bill Codes Types system.

Note:

Example:

```
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "615217"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-REVENUE",
            "code": "0024"
          }
        ]
      },
        "url": "code",
      {
        "valueUnsignedInt": 1,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
      }
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code"
}
```

status(required): string

The current state of the charge. The status must be set to .

Note:

unknown

Example:

```
{
  "status": "unknown"
}
```

subject(required): object

subject

The patient associated with the charge. Must be a Patient reference.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/12768550"
  }
}
```

transactionId(required): string

A UUID to uniquely identify the modify operation.

Note:

* The value must be in the form of valueUuid.

* Only one transactionId parameter may be provided.

Example:

```
{
  "parameter": [
    {
      "name": "transactionId",
      "valueUuid": "urn:uuid:aa7623a0-0c7b-11ec-82a8-0242ac130003"
    }
  ]
}
```

```
{
    "type":"object",
    "required":[
        "resourceType",
        "parameter",
        "transactionId",
        "chargeItem",
        "status",
```

```
    "subject",
    "context",
    "code",
    "replacing"
],
"properties":{
    "resourceType":{
        "description":"The type of the FHIR resource.",
        "type":"string",
        "example":"Parameters"
    },
    "parameter":{
        "description":"The parameters defined by the operation."
    },
    "transactionId":{
        "description":"A UUID to uniquely identify the modify operation.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The value
must be in the form of <code>valueUuid</code>.</li>\n  <li>Only one <code>transactionId</code> parameter may be
provided.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    {\n      \"name\":
\"transactionId\",\n      \"valueUuid\": \"urn:uuid:aa7623a0-0c7b-11ec-82a8-0242ac130003\"\n    }\n
]\n}\n\n</pre></code>\n",
        "type":"string"
    },
    "chargeItem":{
        "description":"The charge item to be modified.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The Resource field is
required and must be of type <code>ChargeItem</code>.</li>\n  <li>Only one <code>chargeItem</code> parameter may be
provided.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"parameter\": [\n    \"name\": \"chargeItem\",\n
\"resource\": {\n      \"resourceType\": \"ChargeItem\"\n    }\n  ]\n}\n\n</pre></code>\n",
        "type":"string"
    },
    "status":{
        "description":"The current state of the charge.<br>\n\n<b>Note:</b> The status must be set to
<code>unknown</code>.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"status\": \"unknown\"\n}\n\n</pre></code>\n",
        "type":"string"
    },
    "subject":{
        "description":"The patient associated with the charge.<br>\n\n<b>Note:</b> Must be a Patient
reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"subject\": {\n    \"reference\": \"Patient/12768550\"\n
}\n}\n\n</pre></code>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "context":{
        "description":"The encounter associated with the charge.<br>\n\n<b>Note:</b> Must be an Encounter
reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"context\": {\n    \"reference\": \"Encounter/97965088\"\n
}\n}\n\n</pre></code>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "occurrenceDateTime":{
        "description":"The date and time when the charged service was
applied.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"occurrenceDateTime\":
\"2021-01-08T10:38:00Z\"\n}\n\n</pre></code>\n",
        "type":"string"
    },
    "quantity":{
        "description":"The quantity of which the charge item has been
serviced.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"quantity\": {\n    \"value\": 31\n  }\n}\n\n</pre></code>\n",
        "type":"object",
        "properties":{
            "value":{
                "type":"number"
            },
            "unit":{
                "type":"string"
            },
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            },
            "comparator":{
                "type":"string"
            }
        }
    },
    "code":{
        "description":"The primary billing code that identifies the charge.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The
coding field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types
systems.</li>\n  <li>The Bill Code Type provided in <a target=\"_blank\"
href=\"https://hl7.org/fhir/R4/datatypes.html#code\"><code>code</code></a> must be the highest tier of all of the
```

Bill Code Types associated with the charge item.
\n Tiering logic from highest to lowest: CDM_SCHED, CPT, HCPCS, or PROCCODE.
\n
\n\nExample:\n\n<pre><code>{\n \"code\": {\n   \"coding\": [\n   {\n   \"extension\": [\n   {\n   \"valueCoding\": {\n   \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n   \"code\": \"667687\"\n   },\n   \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n   }\n   ],\n   \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED\",\n   \"code\": \"64897\"\n   }\n   ]\n }\n}\n\n</pre></code>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"

                        }
                    }
                }
            }
        }
    },
    "performer":{
        "description":"Who performed or participated in the charge.
\n\nNote:\n
\n The value must be in the form of <code>CodeableConcept</code>.
\n Must contain both the actor and function subfields.
\n The value of actor must be in the form of <code>valueReference</code>.
\n Only the following system and code combinations may be used in the performer function <code>coding</code>:
\n \n   http://terminology.hl7.org/CodeSystem/v2-0912 - OP
\n   http://terminology.hl7.org/CodeSystem/v3-ParticipationType - PRF
\n
http://terminology.hl7.org/CodeSystem/v3-ParticipationType - VRF
\n
\n
\n\nExample:\n\n<pre><code>{\n \"performer\": [\n   {\n   \"function\": {\n\"coding\": [\n   {\n   \"system\": \"http://terminology.hl7.org/CodeSystem/v2-0912\",\n\"code\": \"OP\",\n   \"display\": \"Ordering Provider\"\n   }\n   ],\n   \"text\": \"Ordering Provider\"\n   },\n   \"actor\": {\n   \"reference\": \"Practitioner/11817978\"\n   }\n}\n]\n}\n\n</pre></code>\n"
    },
    "reason":{
        "description":"The diagnosis codes for why the charge was rendered.
\n\nNote: The coding field must contain only one coding from the ICD proprietary Bill Codes Types systems.
\n\nExample:\n\n<pre><code>{\n \"reason\": [\n   {\n   \"extension\": [\n   {\n   \"valueUnsignedInt\": 1,\n   \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n   }\n   ],\n   \"coding\": [\n   {\n\"extension\": [\n   {\n   \"valueCoding\": {\n   \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n   \"code\": \"3693\"\n   },\n   \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n   }\n   ],\n   \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD\",\n   \"code\": \"R51\"\n   }\n   ]\n   }\n]\n}\n\n</pre></code>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "replacing":{
        "description":"The resource that this charge item is replacing.
\n\nNote:\n
\n Can only provide one replacing extension.
\n The item-version subextension is required.
\n
\n\nExample:\n\n<pre><code>{\n \"extension\": [\n   {\n   \"valueId\": \"1\",\n   \"url\": \"item-version\"\n   }\n],\n \"valueReference\": {\n   \"reference\": \"ChargeItem/317370800\"\n },\n \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/replacing\"\n}\n\n</pre></code>\n"
    },
    "performing-location":{
        "description":"A location where the charge was performed.
\n\nNote: Must be a Location reference.
\n\nExample:\n\n<pre><code>{\n \"valueReference\": {\n   \"reference\": \"Location/21304903\",\n   \"display\": \"NM\"\n },\n \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location\"\n}\n\n</pre></code>\n"

```
    },
    "description":{
        "description":"A description providing additional details about the charge
item.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"valueString\": \"Acetaminophen Level\",\n  \"url\":
\"https://fhir-ehr.cerner.com/r4/StructureDefinition/description\"\n}\n\n</pre></code>\n"
    },
    "custom-attribute":{
        "description":"A client-defined custom attribute for the charge.<br>\n\n<b>Note:</b>\n<ul>\n
<li><code>custom-attribute-name</code> and <code>custom-attribute-value</code> are both required.</li>\n
<li><code>id</code> and <code>valueString</code> for <code>custom-attribute-name</code> are required.</li>\n
<li><code>custom-attribute-value</code> can be of type integer, string, decimal, or
dateTime.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"extension\": [\n    {\n      \"id\": \"2572130093\",\n
      \"valueString\": \"Special Authority\",\n      \"url\": \"custom-attribute-name\"\n    },\n    {\n
\"valueInteger\": 1,\n      \"url\": \"custom-attribute-value\"\n    }\n  ],\n  \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/custom-attribute\"\n}\n\n</pre></code>\n"
    },
    "modifier-code":{
        "description":"A code providing additional details about a product or service.<br>\n\n<b>Note:</b>\n<ul>\n
<li>The coding field must contain only one coding from the MODIFIER proprietary Bill Codes Types system.</li>\n
<li>Both code and priority subextensions are required.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n
\"extension\": [\n    {\n      \"valueCodeableConcept\": {\n        \"coding\": [\n          {\n
\"extension\": [\n              {\n                \"valueCoding\": {\n                  \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                  \"code\":
\"3692\"\n                },\n                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-
code-schedule\"\n              }\n            ],\n            \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER\",\n
\"code\": \"66\"\n          }\n        ]\n      },\n      \"url\": \"code\"\n    },\n    {\n
\"valueUnsignedInt\": 1,\n      \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n    }\n
],\n  \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code\"\n}\n\n</pre></code>\n",
        "type":"object"
    },
    "procedure-code":{
        "description":"A code providing information about the procedure performed on the patient associated with the
 resource.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The coding field must contain only one coding from the CPT, HCPCS, or
PROCCODE proprietary Bill Codes Types systems.</li>\n  <li>Must be of a lower bill code tier than the
ChargeItem.code field if provided.</li>\n  <li>Both code and priority subextensions are
required.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"extension\": [\n    {\n      \"valueCodeableConcept\":
 {\n        \"coding\": [\n          {\n            \"extension\": [\n              {\n
\"valueCoding\": {\n                \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                  \"code\":
\"615214\"\n                },\n                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-
code-schedule\"\n              }\n            ],\n            \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT\",\n            \"code\":
\"10081\"\n          }\n        ]\n      },\n      \"url\": \"code\"\n    },\n    {\n      \"valueUnsignedInt\":
1,\n      \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n    }\n  ],\n  \"url\":
\"https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code\"\n}\n\n</pre></code>\n"
    },
    "revenue-code":{
        "description":"The type of revenue or cost center providing the product, service, or
both.<br>\n\n<b>Note:</b> The coding field must contain only one coding from the REVENUE proprietary Bill Codes
Types system.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"extension\": [ \n    {\n      \"valueCodeableConcept\":
{\n        \"coding\": [\n          {\n            \"extension\": [\n              {\n
\"valueCoding\": {\n                \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                  \"code\":
\"615217\"\n                },\n                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-
code-schedule\"\n              }\n            ],\n            \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-REVENUE\",\n
\"code\": \"0024\"\n          }\n        ]\n      },\n        \"url\": \"code\",\n      {\n
\"valueUnsignedInt\": 1,\n        \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n
}\n    }\n  ],\n  \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code\"\n} </pre></code>\n"
    }
},
"example":"{\n  \"resourceType\": \"Parameters\",\n  \"parameter\": [\n    {\n      \"name\": \"chargeItem\",\n
      \"resource\": {\n        \"resourceType\": \"ChargeItem\",\n        \"status\": \"unknown\",\n
\"subject\": {\n          \"reference\": \"Patient/12768550\"\n        },\n        \"context\": {\n
\"reference\": \"Encounter/97965088\"\n        },\n        \"occurrenceDateTime\": \"2021-01-08T10:38:00Z\",\n
        \"quantity\": {\n          \"value\": 31\n        },\n        \"code\": {\n          \"coding\": [\n
            {\n              \"extension\": [\n                {\n                  \"valueCoding\": {\n
                    \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
                    \"code\": \"667687\"\n                  },\n                  \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                }\n              ],\n
\"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED\",\n
              \"code\": \"64897\"\n            }\n          ]\n        },\n        \"performer\": [\n          {\n
            \"function\": {\n              \"coding\": [\n                {\n                  \"system\":
\"http://terminology.hl7.org/CodeSystem/v2-0912\",\n                  \"code\": \"OP\",\n
\"display\": \"Ordering Provider\"\n                }\n              ],\n              \"text\": \"Ordering
Provider\"\n            },\n            \"actor\": {\n              \"reference\": \"Practitioner/11817978\"\n
            }\n          }\n        ],\n        \"reason\": [\n          {\n            \"extension\": [\n
              {\n                \"valueUnsignedInt\": 1,\n                \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/priority\"\n              }\n            ],\n            \"coding\": [\n
              {\n                \"extension\": [\n                  {\n                    \"valueCoding\": {\n
                      \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
                      \"code\": \"3693\"\n                    },\n                    \"url\": \"https://fhir-
ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                  }\n                ],\n
                \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
ICD\",\n                \"code\": \"0023\"\n              }\n            ]\n          }\n        ],\n
\"extension\": [\n          {\n            \"extension\": [\n              {\n                \"valueId\": \"1\",\n
                \"url\": \"item-version\"\n              }\n            ],\n            \"valueReference\": {\n
              \"reference\": \"ChargeItem/317370800\"\n            },\n            \"url\": \"https://fhir-
```

```
    ehr.cerner.com/r4/StructureDefinition/replacing\"\n          },\n          {\n            \"valueReference\": {\n
                \"reference\": \"Location/2170691494\",\n              \"display\": \"RCR Analytics\"\n
    },\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location\"\n          },\n
              {\n             \"valueString\": \"Acetaminophen Level\",\n             \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/description\"\n          },\n          {\n            \"extension\": [\n
                {\n               \"id\": \"17433932\",\n               \"valueString\": \"Line Note Text\",\n
                \"url\": \"custom-attribute-name\"\n             },\n             {\n
    \"valueString\": \"Raghu, P\",\n               \"url\": \"custom-attribute-value\"\n             }\n
    ],\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute\"\n          },\n
              {\n             \"extension\": [\n             {\n               \"valueCodeableConcept\": {\n
                    \"coding\": [\n                 {\n                   \"extension\": [\n
                          {\n                           \"valueCoding\": {\n                             \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
    \"code\": \"3692\"\n                         },\n                         \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                       }\n                     ],\n
                      \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER\",\n
                      \"code\": \"66\"\n                   }\n                 ]\n               },\n
                \"url\": \"code\"\n             },\n             {\n               \"valueUnsignedInt\": 1,\n
                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n             }\n
            ],\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code\"\n
            },\n          {\n            \"extension\": [\n             {\n               \"valueCodeableConcept\":
    {\n                \"coding\": [\n                 {\n                   \"extension\": [\n
                      {\n                         \"valueCoding\": {\n                           \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
    \"code\": \"615214\"\n                       },\n                       \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                       }\n                     ],\n
                      \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT\",\n
    \"code\": \"10081\"\n                   }\n                 ]\n               },\n               \"url\":
    \"code\"\n             },\n             {\n               \"valueUnsignedInt\": 1,\n               \"url\":
    \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n             }\n           ],\n
    \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code\"\n          },\n          {\n
              \"extension\" : [\n             {\n               \"valueCodeableConcept\": {\n
    \"coding\": [\n                 {\n                   \"extension\": [\n                     {\n
                        \"valueCoding\": {\n                           \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n
    \"code\": \"615217\"\n                       },\n                       \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/bill-code-schedule\"\n                       }\n                     ],\n
                      \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-REVENUE\",\n
                      \"code\": \"0024\"\n                   }\n                 ]\n               },\n
                \"url\": \"code\"\n             },\n             {\n               \"valueUnsignedInt\": 1,\n
                \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n             }\n
            ],\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code\"\n
    }\n        ]\n      }\n    },\n    {\n      \"name\": \"transactionId\",\n      \"valueUuid\":
    \"urn:uuid:5825e8ea-3b47-11ec-8d3d-0242ac130003\"\n    }\n  ]\n}\n"
}
```


Example:


```
{
  "resourceType": "Parameters",
  "parameter": [
    {
      "name": "chargeItem",
      "resource": {
        "resourceType": "ChargeItem",
        "status": "unknown",
        "subject": {
          "reference": "Patient/12768550"
        },
        "context": {
          "reference": "Encounter/97965088"
        },
        "occurrenceDateTime": "2021-01-08T10:38:00Z",
        "quantity": {
          "value": 31
        },
        "code": {
          "coding": [
            {
              "extension": [
                {
                  "valueCoding": {
                    "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                    "code": "667687"
                  },
                  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                }
              ],
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
              "code": "64897"
            }
          ]
        },
        "performer": [
          {
            "function": {
              "coding": [
```

```
        {
          "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
          "code": "OP",
          "display": "Ordering Provider"
        }
      ],
      "text": "Ordering Provider"
    },
    "actor": {
      "reference": "Practitioner/11817978"
    }
  }
],
"reason": [
  {
    "extension": [
      {
        "valueUnsignedInt": 1,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
      }
    ],
    "coding": [
      {
        "extension": [
          {
            "valueCoding": {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
              "code": "3693"
            },
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
          }
        ],
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
        "code": "0023"
      }
    ]
  }
],
"extension": [
  {
    "extension": [
      {
        "valueId": "1",
        "url": "item-version"
      }
    ],
    "valueReference": {
      "reference": "ChargeItem/317370800"
    },
    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/replacing"
  },
  {
    "valueReference": {
      "reference": "Location/2170691494",
      "display": "RCR Analytics"
    },
    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location"
  },
  {
    "valueString": "Acetaminophen Level",
    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/description"
  },
  {
    "extension": [
      {
        "id": "17433932",
        "valueString": "Line Note Text",
        "url": "custom-attribute-name"
      },
      {
        "valueString": "Raghu, P",
        "url": "custom-attribute-value"
      }
    ],
    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute"
  },
  {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "extension": [
                {
                  "valueCoding": {
                    "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                    "code": "3692"
                  },
                  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
```

```
                    }
                  ],
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
    MODIFIER",
                  "code": "66"
                }
              ]
            },
            "url": "code"
          },
          {
            "valueUnsignedInt": 1,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
          }
        ],
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code"
      },
      {
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "extension": [
                    {
                      "valueCoding": {
                        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                        "code": "615214"
                      },
                      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                    }
                  ],
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT",
                  "code": "10081"
                }
              ]
            },
            "url": "code"
          },
          {
            "valueUnsignedInt": 1,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
          }
        ],
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
      },
      {
        "extension" : [
          {
              "valueCodeableConcept": {
              "coding": [
                {
                  "extension": [
                    {
                      "valueCoding": {
                        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                        "code": "615217"
                      },
                      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                    }
                  ],
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
    REVENUE",
                  "code": "0024"
                }
              ]
            },
            "url": "code"
          },
          {
            "valueUnsignedInt": 1,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
          }
        ],
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code"
      }
    ]
  }
},
{
  "name": "transactionId",
  "valueUuid": "urn:uuid:5825e8ea-3b47-11ec-8d3d-0242ac130003"
}
]
}
```


Nested Schema : code

Type:

object

The primary billing code that identifies the charge.

Note:

* The coding field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types systems.

* The Bill Code Type provided in code must be the highest tier of all of the Bill Code Types associated with the charge item.

* Tiering logic from highest to lowest: CDM_SCHED, CPT, HCPCS, or PROCCODE.

Example:


```
{
  "code": {
    "coding": [
      {
        "extension": [
          {
            "valueCoding": {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
              "code": "667687"
            },
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
          }
        ],
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
        "code": "64897"
      }
    ]
  }
}
```


Show Source

* coding: array coding

* text: string


```
{
    "description":"The primary billing code that identifies the charge.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The coding
    field must contain only one coding from the CDM_SCHED, CPT, HCPCS, or PROCCODE proprietary Bill Codes Types
    systems.</li>\n  <li>The Bill Code Type provided in <a target=\"_blank\"
    href=\"https://hl7.org/fhir/R4/datatypes.html#code\"><code>code</code></a> must be the highest tier of all of the
    Bill Code Types associated with the charge item.</li>\n  <li>Tiering logic from highest to lowest: CDM_SCHED, CPT,
    HCPCS, or PROCCODE.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"code\": {\n    \"coding\": [\n      {\n
            \"extension\": [\n          {\n            \"valueCoding\": {\n              \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n              \"code\":
    \"667687\"\n            },\n            \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-
    schedule\"\n          }\n        ],\n        \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED\",\n        \"code\":
    \"64897\"\n      }\n    ]\n  }\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```


Nested Schema : context

Type:

object

The encounter associated with the charge. Must be an Encounter reference.

Note:

Example:


```
{
  "context": {
    "reference": "Encounter/97965088"
  }
}
```


Show Source

* reference: string


```
{
    "description":"The encounter associated with the charge.<br>\n\n<b>Note:</b> Must be an Encounter
    reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"context\": {\n    \"reference\": \"Encounter/97965088\"\n
    }\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : modifier-code

Type:

object

A code providing additional details about a product or service.

Note:

* The coding field must contain only one coding from the MODIFIER proprietary Bill Codes Types system.

* Both code and priority subextensions are required.

Example:


```
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "3692"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER",
            "code": "66"
          }
        ]
      },
      "url": "code"
    },
    {
      "valueUnsignedInt": 1,
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code"
}
```


Nested Schema : quantity

Type:

object

The quantity of which the charge item has been serviced.

Example:


```
{
  "quantity": {
    "value": 31
  }
}
```


Show Source

* code: string

* comparator: string

* system: string

* unit: string

* value: number


```
{
    "description":"The quantity of which the charge item has been serviced.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
    \"quantity\": {\n    \"value\": 31\n  }\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "value":{
            "type":"number"
        },
        "unit":{
```

```
            "type":"string"
        },
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        },
        "comparator":{
            "type":"string"
        }
    }
}
```

Nested Schema : reason

Type:

object

The diagnosis codes for why the charge was rendered. The coding field must contain only one coding from the ICD proprietary Bill Codes Types systems.

Note:

Example:

```
{
  "reason": [
    {
      "extension": [
        {
          "valueUnsignedInt": 1,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "coding": [
        {
          "extension": [
            {
              "valueCoding": {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                "code": "3693"
              },
              "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
            }
          ],
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
          "code": "R51"
        }
      ]
    }
  ]
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"The diagnosis codes for why the charge was rendered.<br>\n\n<b>Note:</b> The coding field must
    contain only one coding from the ICD proprietary Bill Codes Types systems.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
      \"reason\": [\n    {\n      \"extension\": [\n        {\n          \"valueUnsignedInt\": 1,\n          \"url\":
    \"https://fhir-ehr.cerner.com/r4/StructureDefinition/priority\"\n        }\n      ],\n      \"coding\": [\n
    {\n          \"extension\": [\n            {\n              \"valueCoding\": {\n                \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002\",\n                \"code\":
    \"3693\"\n              },\n              \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-
    schedule\"\n            }\n          ],\n          \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD\",\n          \"code\":
    \"R51\"\n        }\n      ]\n    }\n  ]\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
```

```
}
```

Nested Schema : subject

Type:

object

The patient associated with the charge. Must be a Patient reference.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/12768550"
  }
}
```

Show Source

* reference: string

```
{
    "description":"The patient associated with the charge.<br>\n\n<b>Note:</b> Must be a Patient
    reference.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"subject\": {\n    \"reference\": \"Patient/12768550\"\n
    }\n}\n\n</pre></code>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
```

```
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

201 Response

Modified

Headers

* ETag: string The identifier for a specific version of a resource. This identifier is formatted as W/"" and is used to specify the If-Match header value on subsequent updates.

Location: string

The URL location of the created entity. Example:

```
Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/2180632343
```

* X-Request-Id: string The Oracle troubleshooting identifier.

* opc-request-id: string The Oracle troubleshooting identifier.

Default Response

The ETag response header indicates the current If-Match version to use on a subsequent update.

Example Request:

```
POST https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/$modify
```

Example Response:

```
no-cache
Content-Length: 0
Content-Type: application/fhir+json
Date: Fri, 16 Jul 2021 17:23:14 GMT
Etag: W/"0"
Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/2180632343
Last-Modified: Fri, 16 Jul 2021 17:23:13 GMT
Vary: Origin
X-Request-Id: 11111111111111111111111111111111
```

Back to Top

Get a charge item by ID

File: r4-rest-api-v32/op-chargeitem-id-get.html

Retrieves an individual charge item by the associated charge item ID.

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/321088041
```

Example Response:


```
{
  "resourceType": "ChargeItem",
  "id": "321088041",
  "meta": {
    "versionId": "1",
    "lastUpdated": "2022-01-21T14:15:11Z"
  },
  "text": {
    "status": "generated",
    "div": "<div xmlns='http://www.w3.org/1999/xhtml'><p><b>Charge Item</b></p><p><b>Status</b>:
    Billable</p><p><b>Patient</b>: 12768550</p><p><b>Encounter</b>: 97965088</p><p><b>Code</b>:
    1010222</p><p><b>Occurrence</b>: Jan 21, 2022  1:54 P.M. UTC</p></div>"
  },
  "extension": [
    {
      "valueMoney": {
        "value": 1,
        "currency": "USD"
      },
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/unit-price"
    },
    {
      "valueMoney": {
        "value": 1,
        "currency": "USD"
      },
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/net-price"
    },
    {
      "valueReference": {
        "reference": "ChargeItem/321088013"
      },
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/replacing"
    },
    {
      "valueReference": {
        "reference": "Location/2572643903",
        "display": "CITY-NU02"
      },
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/performing-location"
    },
    {
      "valueString": "Blood Culture",
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/description"
    },
    {
      "extension": [
        {
          "id": "2572130057",
          "valueString": "Service Connected",
          "url": "custom-attribute-name"
        },
        {
          "valueInteger": 1,
          "url": "custom-attribute-value"
        }
      ],
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute"
    },
    {
      "extension": [
        {
          "id": "2572130093",
```

```
      "valueString": "Special Authority",
      "url": "custom-attribute-name"
    },
    {
      "valueInteger": 0,
      "url": "custom-attribute-value"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/custom-attribute"
},
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "615214"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT",
            "code": "87075"
          }
        ]
      },
      "url": "code"
    },
    {
      "valueUnsignedInt": 1,
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
},
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "3692"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-MODIFIER",
            "code": "32"
          }
        ]
      },
      "url": "code"
    },
    {
      "valueUnsignedInt": 1,
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
    }
  ],
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code"
},
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                  "code": "615216"
                },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
              }
            ],
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-PROCCODE",
            "code": "0N2"
          }
        ]
      },
      "url": "code"
```

```
      },
      {
        "valueUnsignedInt": 1,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
      }
    ],
    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
  },
  {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "extension": [
                {
                  "valueCoding": {
                    "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                    "code": "615217"
                  },
                  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                }
              ],
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-REVENUE",
              "code": "0302"
            }
          ]
        },
        "url": "code"
      },
      {
        "valueUnsignedInt": 1,
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
      }
    ],
    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code"
  }
],
"status": "billable",
"code": {
  "coding": [
    {
      "extension": [
        {
          "valueCoding": {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
            "code": "667687"
          },
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
        }
      ],
      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
      "code": "1010222"
    }
  ]
},
"subject": {
  "reference": "Patient/12768550"
},
"context": {
  "reference": "Encounter/97965088"
},
"occurrenceDateTime": "2022-01-21T13:54:00Z",
"performer": [
  {
    "function": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
          "code": "OP",
          "display": "Ordering Provider"
        }
      ],
      "text": "Ordering Provider"
    },
    "actor": {
      "reference": "Practitioner/639925"
    }
  },
  {
    "function": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType-ParticipationType",
          "code": "VRF",
          "display": "verifier"
        }
      ],
      "text": "verifier"
```

```
      },
      "actor": {
        "reference": "Practitioner/1293126"
      }
    }
  ],
  "requestingOrganization": {
    "reference": "Organization/675844"
  },
  "quantity": {
    "value": 1
  },
  "enterer": {
    "reference": "Practitioner/12754008"
  },
  "enteredDate": "2022-01-21T14:02:16Z",
  "reason": [
    {
      "extension": [
        {
          "valueUnsignedInt": 1,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "coding": [
        {
          "extension": [
            {
              "valueCoding": {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                "code": "3693"
              },
              "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
            }
          ],
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
          "code": "R51"
        }
      ]
    },
    {
      "extension": [
        {
          "valueUnsignedInt": 2,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "coding": [
        {
          "extension": [
            {
              "valueCoding": {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                "code": "3693"
              },
              "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
            }
          ],
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-ICD",
          "code": "Y92.321"
        }
      ]
    }
  ],
  "account": [
    {
      "reference": "Account/F61865237"
    },
    {
      "reference": "Account/C101453424"
    },
    {
      "reference": "Account/C101453425"
    }
  ],
  "supportingInformation": [
    {
      "reference": "ServiceRequest/345980373"
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of charge items

File: r4-rest-api-v32/op-chargeitem-get.html

Retrieves a list of charge items that meet supplied query parameters.

Request

Query Parameters

-status: string

The status of the charge item.

* Must be provided with context or account.

* Must be set to billable.

* _count: string The maximum number of results to return.

* _id: string The logical resource ID associated with the charge item. Only a single charge item ID can be provided. This paramater is required if context or account is not used.

* account: string The account associated with the charge item. Only charge-group types are supported. This paramater is required if _id or context is not used.

* context: string The encounter associated with the charge item. Must reference an encounter. This paramater is required if _id or account is not used.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem?context=97953601&-status=billable
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "0f2ae629-4e99-4843-a200-406dffce7091",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem?context=97953601&-status=billable"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/ChargeItem/292870306",
      "resource": {
        "resourceType": "ChargeItem",
        "id": "292870306",
        "meta": {
          "versionId": "1",
          "lastUpdated": "2020-03-09T17:23:00Z"
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Charge Item</b></p><p><b>Status</b>:
    Billable</p><p><b>Patient</b>: 12742419</p><p><b>Encounter</b>: 97953601</p><p><b>Code</b>:
    64897</p><p><b>Occurrence</b>: Mar  6, 2020  6:22 P.M. UTC</p></div>"
        },
        "extension": [
          {
            "valueMoney": {
              "value": 100,
              "currency": "USD"
```

```
        },
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/unit-price"
      },
      {
        "valueMoney": {
          "value": 800,
          "currency": "USD"
        },
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/net-price"
      },
      {
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "http://hl7.org/fhir/sid/ndc",
                  "code": "1111-1111-111"
                }
              ]
            },
            "url": "national-drug-product-code"
          },
          {
            "valueQuantity": {
              "value": 2.0,
              "unit": "milligram (mass)",
              "system": "http://unitsofmeasure.org",
              "code": "mg"
            },
            "url": "national-drug-product-quantity"
          },
          {
            "valueDecimal": 2,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/quantity-conversion-factor"
          }
        ],
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/national-drug-product"
      },
      {
        "valueString": "Acetaminophen Level",
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/description"
      },
      {
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "extension": [
                    {
                      "valueCoding": {
                        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                        "code": "615214"
                      },
                      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                    }
                  ],
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CPT",
                  "code": "10081"
                }
              ]
            },
            "url": "code"
          },
          {
            "valueUnsignedInt": 1,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
          }
        ],
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
      },
      {
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "extension": [
                    {
                      "valueCoding": {
                        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                        "code": "615215"
                      },
                      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                    }
                  ],
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
HCPCS",
```

```
                "code": "A0130"
              }
            ]
          },
          "url": "code"
        },
        {
          "valueUnsignedInt": 1,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/procedure-code"
    },
    {
      "extension": [
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "extension": [
                  {
                    "valueCoding": {
                      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                      "code": "3692"
                    },
                    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                  }
                ],
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
MODIFIER",
                "code": "66"
              }
            ]
          },
          "url": "code"
        },
        {
          "valueUnsignedInt": 1,
          "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
        }
      ],
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/modifier-code"
    },
    {
      "extension": [
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "extension": [
                  {
                    "valueCoding": {
                      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
                      "code": "615217"
                    },
                    "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
                  }
                ],
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-
REVENUE",
                "code": "0024"
              }
            ]
          },
          "url": "code",
          {
            "valueUnsignedInt": 1,
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/priority"
          }
        }
      ],
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/revenue-code"
    }
  ],
  "status": "billable",
  "code": {
    "coding": [
      {
        "extension": [
          {
            "valueCoding": {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/14002",
              "code": "667687"
            },
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/bill-code-schedule"
          }
        ],
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/CodeSystem/BillCodes-CDM_SCHED",
        "code": "64897"
```

```
            }
          ]
        },
        "subject": {
          "reference": "Patient/12742419"
        },
        "context": {
          "reference": "Encounter/97953601"
        },
        "occurrenceDateTime": "2020-03-06T18:22:16Z",
        "performer": [
          {
            "function": {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
                  "code": "OP",
                  "display": "Ordering Provider"
                }
              ],
              "text": "Ordering Provider"
            },
            "actor": {
              "reference": "Practitioner/11817978"
            }
          }
        ],
        "requestingOrganization": {
          "reference": "Organization/1054423"
        },
        "quantity": {
          "value": 8
        },
        "enterer": {
          "reference": "Practitioner/12742359"
        },
        "enteredDate": "2020-03-09T17:22:57Z",
        "account": [
          {
            "reference": "Account/F61853062"
          },
          {
            "reference": "Account/C98900463"
          }
        ]
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Communication

File: r4-rest-api-v32/api-communication.html

Description

Communication

This topic describes information for the Communication resource.

Overview

The Communication resource is a conveyance of information from one entity, a sender, to another entity, a receiver. The information includes encoded data and can also include a related patient and related encounter.

The examples provided here are non-normative and replaying them in the public sandbox is not guaranteed to yield the results shown on the site.

Note:

Fields

ID

In Response To

Status

Category

Priority

Subject

Topic

Encounter

Sent DateTime

Received DateTime

Recipient

Sender

Payload

Terminology Bindings

Communication.category

Description: The category of the communication.

Details: Communication Category

System: http://terminology.hl7.org/CodeSystem/communication-category

Details: SNOMED CT

System: http://snomed.info/sct

Communication.email-status

Description: The status of the email. May be received, in-progress, or completed.

Details: Communication Email Status Extension

System: http://hl7.org/fhir/task-status

Extensions

Table - Extensions

ID | Value[x] Type | Description
reply-to | Reference | Directs where replies to the communication are sent. Must be a group.
email-status | CodeableConcept | The status of the electronic communication (in-progress, completed, or received).

Communication

The operations from the Communication category.

Create a communication

Method: post Path: /Communication

Get a communication by ID

Method: get Path: /Communication/{ID}

Get a list of communications

Method: get Path: /Communication

Update a communication

Method: patch Path: /Communication/{ID}

Create a communication

File: r4-rest-api-v32/op-communication-post.html

Creates a new communication.

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

Root Schema : CommunicationCreateBody

Type:

object

Show Source

category(required): object

category

A codeable definition of the communication type. Only CommunicationCategory values of and and SNOMED CT are supported.

Note:

notification

reminder

312853008

Example:

```
{
  "category": [
    {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/communication-category",
          "code": "notification"
        }
      ]
    }
  ]
}
```

encounter: object

encounter

The encounter associated with the communication. Subject is required when writing an encounter.

Note:

Example:

```
{
  "encounter" : {
    "reference" : "Encounter/89363836"
  }
}
```

payload(required):

The text of the communication.

Note:

* Content must be supplied as a contentAttachment with contentType and data defined.

* can be set to:

contentType

* application/xhtml+xml

* text/plain

* can contain a charset set to:

contentType

* utf-8

* us-ascii

* data should be base64 encoded.

* If the contentType is application/xhtml+xml, then the data (when decoded) should at least contain the following:

Example:

```
{
  "payload" : [
    {
      "contentAttachment" : {
        "contentType" : "application/xhtml+xml",
        "data" : "PCFET0NUWVBFIGh0bWwgUFVCTElDICItLy9XM0MvL0RURCBYSFRNTCAxLjAgVHJhbnNpdGlvbmFsLy9FTiIKImh0dHA6Ly93d3cudz
    Mub3JnL1RSL3hodG1sMS9EVEQveGh0bWwxLXRyYW5zaXRpb25hbC5kdGQiPjxodG1sPjxib2R5PjwvYm9keT48L2h0bWw+"
      }
    }
  ]
}
```

priority: string

The priority of the communication. Only and priorities are supported.

Note:

routine

urgent

Example:

```
{
  "priority": "routine"
}
```

recipient(required):

The entity receiving the communication. Each recipient must be a practitioner or group.

Note:

Example:

```
{
  "recipient": [
    {
      "reference" : "Practitioner/6373634"
    },
    {
      "reference" : "Group/44466678"
    }
  ]
}
```

reply-to: object

reply-to

The entity that replies are directed to. The reply-to must be a group.

Note:

Example:

```
{
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/reply-to",
  "valueReference": {
    "reference": "Group/123"
  }
}
```

* resourceType(required): string Allowed Values: ["Communication"] The type of the FHIR resource.

sender(required): object

sender

The entity sending the communication. The sender must be a practitioner.

Note:

Example:

```
{
  "sender": {
    "reference": "Practitioner/631923"
  }
}
```

status(required): string

The status of the communication. All communications must be in status.

Note:

completed

Example:

```
{
  "status": "completed"
}
```

subject: object

subject

The patient that is the focus of the communication. Only Patient is supported as the subject.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/9836548"
  }
}
```

topic: string

The topic of the communication, similar to the subject field of an email. Currently, only free-text topics are supported.

Note:

Example:

```
{
  "topic" : {
     "text": "Patient Consult Request"
  }
}
```

```
{
    "type":"object",
    "required":[
```

```
    "resourceType",
    "status",
    "category",
    "recipient",
    "sender",
    "payload"
],
"properties":{
    "resourceType":{
        "description":"The type of the FHIR resource.\n",
        "type":"string",
        "enum":[
            "Communication"
        ]
    },
    "status":{
        "description":"The status of the communication.<br>\n\n<b>Note:</b> All communications must be in
<code>completed</code> status.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"status\":
\"completed\"\n}</code><pre>\n",
        "type":"string"
    },
    "category":{
        "description":"A codeable definition of the communication type.<br>\n\n<b>Note:</b> Only
CommunicationCategory values of <code>notification</code> and <code>reminder</code> and SNOMED CT
<code>312853008</code> are supported.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"category\": [\n    {\n
\"coding\": [\n        {\n          \"system\": \"http://terminology.hl7.org/CodeSystem/communication-category\",\n
          \"code\": \"notification\"\n        }\n      ]\n    }\n  ]\n}\n</code><pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "priority":{
        "description":"The priority of the communication.<br>\n\n<b>Note:</b> Only <code>routine</code> and
<code>urgent</code> priorities are supported.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"priority\":
\"routine\"\n}</code></pre>\n",
        "type":"string"
    },
    "subject":{
        "description":"The patient that is the focus of the communication.<br>\n\n<b>Note:</b> Only Patient is
supported as the subject.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"subject\": {\n    \"reference\":
\"Patient/9836548\"\n  }\n}\n</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "topic":{
        "description":"The topic of the communication, similar to the subject field of an email.<br>\n\n<b>Note:</b>
 Currently, only free-text topics are supported.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"topic\" : {\n
\"text\": \"Patient Consult Request\"\n  }\n}\n</code></pre>\n",
        "type":"string"
    },
    "encounter":{
        "description":"The encounter associated with the communication.<br>\n\n<b>Note:</b> Subject is required when
 writing an encounter.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"encounter\" : {\n    \"reference\" :
\"Encounter/89363836\"\n  }\n}\n</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "recipient":{
        "description":"The entity receiving the communication.<br>\n\n<b>Note:</b> Each recipient must be a
practitioner or group.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"recipient\": [\n    {\n      \"reference\" :
\"Practitioner/6373634\"\n    },\n    {\n      \"reference\" : \"Group/44466678\"\n    }\n  ]\n}\n</code></pre>\n"
    },
    "sender":{
        "description":"The entity sending the communication.<br>\n\n<b>Note:</b> The sender must be a
```

```
    practitioner.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"sender\": {\n    \"reference\": \"Practitioner/631923\"\n
      }\n}\n</code></pre>\n",
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        },
        "payload":{
            "description":"The text of the communication.<br>\n\n<b>Note:</b>\n<ul>\n  <li>Content must be supplied as a
     <code>contentAttachment</code> with <code>contentType</code> and <code>data</code> defined.</li>\n
    <li><code>contentType</code> can be set to:\n    <ul>\n      <li><code>application/xhtml+xml</code></li>\n
    <li><code>text/plain</code></li>\n    </ul>\n  </li>\n  <li><code>contentType</code> can contain a charset set to:\n
        <ul>\n      <li><code>utf-8</code></li>\n      <li><code>us-ascii</code></li>\n    </ul>\n  </li>\n
    <li><code>data</code> should be base64 encoded.</li>\n  <li>If the <code>contentType</code> is
    <code>application/xhtml+xml</code>, then the data (when decoded) should at least contain the following:<br>\n  \n
          <!DOCTYPE html PUBLIC \"-//W3C//DTD XHTML 1.0 Transitional//EN\"\n
    \"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd\"><html><body></body></html>\n
    </li>\n</ul>\n\n\n<b>Example:</b>\n\n<pre><code>{\n  \"payload\" : [\n    {\n      \"contentAttachment\" : {\n
            \"contentType\" : \"application/xhtml+xml\",\n        \"data\" : \"PCFET0NUWVBFIGh0bWwgUFVCTElDICItLy9XM0MvL
    0RURCBYSFRNTCAxLjAgVHJhbnNpdGlvbmFsLy9FTiIKImh0dHA6Ly93d3cudzMub3JnL1RSL3hodG1sMS9EVEQveGh0bWwxLXRyYW5zaXRpb25hbC5kd
    GQiPjxodG1sPjxib2R5PjwvYm9keT48L2h0bWw+\"\n      }\n    }\n  ]\n}\n</code></pre>\n"
        },
        "reply-to":{
            "description":"The entity that replies are directed to.<br>\n\n<b>Note:</b> The reply-to must be a
    group.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/reply-to\",\n  \"valueReference\": {\n    \"reference\": \"Group/123\"\n
    }\n}\n</code></pre>\n",
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        }
    },
    "example":"{\n  \"resourceType\": \"Communication\",\n  \"extension\": [\n    {\n      \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/reply-to\",\n      \"valueReference\": {\n        \"reference\":
    \"Group/6345478364\"\n      }\n    }\n  ],\n  \"status\": \"completed\",\n  \"category\": [\n    {\n
    \"coding\": [\n        {\n          \"system\": \"http://terminology.hl7.org/CodeSystem/communication-category\",\n
              \"code\": \"reminder\"\n        }\n      ]\n    }\n  ],\n  \"priority\": \"urgent\",\n  \"subject\": {\n
        \"reference\": \"Patient/12457978\"\n  },\n  \"topic\": {\n    \"text\": \"CDI Query\"\n  },\n  \"encounter\":
    {\n    \"reference\": \"Encounter/97697401\"\n  },\n  \"recipient\": [\n    {\n      \"reference\":
    \"Practitioner/744113\"\n    },\n    {\n      \"reference\": \"Group/6345478364\"\n    }\n  ],\n  \"sender\": {\n
        \"reference\": \"Practitioner/593923\"\n  },\n  \"payload\": [\n    {\n      \"contentAttachment\": {\n
    \"contentType\": \"text/plain\",\n        \"data\": \"Q29tbXVuaWNhdGlvbg==\"\n      }\n    }\n  ]\n}\n"
}
```


Example:


```
{
  "resourceType": "Communication",
  "extension": [
    {
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/reply-to",
      "valueReference": {
        "reference": "Group/6345478364"
      }
    }
  ],
  "status": "completed",
  "category": [
    {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/communication-category",
          "code": "reminder"
        }
      ]
    }
  ],
  "priority": "urgent",
  "subject": {
    "reference": "Patient/12457978"
  },
  "topic": {
    "text": "CDI Query"
  },
  "encounter": {
    "reference": "Encounter/97697401"
  },
  "recipient": [
    {
      "reference": "Practitioner/744113"
    },
    {
      "reference": "Group/6345478364"
    }
```

```
  ],
  "sender": {
    "reference": "Practitioner/593923"
  },
  "payload": [
    {
      "contentAttachment": {
        "contentType": "text/plain",
        "data": "Q29tbXVuaWNhdGlvbg=="
      }
    }
  ]
}
```

Nested Schema : category

Type:

object

A codeable definition of the communication type. Only CommunicationCategory values of and and SNOMED CT are supported.

Note:

notification

reminder

312853008

Example:

```
{
  "category": [
    {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/communication-category",
          "code": "notification"
        }
      ]
    }
  ]
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"A codeable definition of the communication type.<br>\n\n<b>Note:</b> Only CommunicationCategory
    values of <code>notification</code> and <code>reminder</code> and SNOMED CT <code>312853008</code> are
    supported.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"category\": [\n    {\n      \"coding\": [\n        {\n
              \"system\": \"http://terminology.hl7.org/CodeSystem/communication-category\",\n          \"code\":
    \"notification\"\n        }\n      ]\n    }\n  ]\n}\n</code><pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : encounter

Type:

object

The encounter associated with the communication. Subject is required when writing an encounter.

Note:

Example:

```
{
  "encounter" : {
    "reference" : "Encounter/89363836"
  }
```

```
}
```

Show Source

* reference: string

```
{
    "description":"The encounter associated with the communication.<br>\n\n<b>Note:</b> Subject is required when writing
     an encounter.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"encounter\" : {\n    \"reference\" :
    \"Encounter/89363836\"\n  }\n}\n</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : reply-to

Type:

object

The entity that replies are directed to. The reply-to must be a group.

Note:

Example:

```
{
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/reply-to",
  "valueReference": {
    "reference": "Group/123"
  }
}
```

Show Source

* reference: string

```
{
    "description":"The entity that replies are directed to.<br>\n\n<b>Note:</b> The reply-to must be a
    group.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/reply-to\",\n  \"valueReference\": {\n    \"reference\": \"Group/123\"\n
    }\n}\n</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : sender

Type:

object

The entity sending the communication. The sender must be a practitioner.

Note:

Example:

```
{
  "sender": {
    "reference": "Practitioner/631923"
  }
}
```

Show Source

* reference: string

```
{
    "description":"The entity sending the communication.<br>\n\n<b>Note:</b> The sender must be a
    practitioner.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"sender\": {\n    \"reference\": \"Practitioner/631923\"\n
      }\n}\n</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : subject

Type:

object

The patient that is the focus of the communication. Only Patient is supported as the subject.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/9836548"
  }
}
```

Show Source

* reference: string

```
{
    "description":"The patient that is the focus of the communication.<br>\n\n<b>Note:</b> Only Patient is supported as
    the subject.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"subject\": {\n    \"reference\": \"Patient/9836548\"\n
    }\n}\n</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

201 Response

Headers

* ETag: string The identifier for a specific version of a resource. This identifier is formatted as W/"" and used to specify the If-Match header value on subsequent updates.

Location: string

The URL location of the created entity. Example:

`https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication/642774`

* X-Request-Id: string Oracle troubleshooting identifier.

* opc-request-id: string Oracle troubleshooting identifier.

Default Response

This operation supports the following authorization types: The ETag response header indicates the current If-Match version to use on a subsequent update.

* Provider

* System

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Mon, 06 Apr 2020 19:00:43 GMT
  Etag: W/"1"
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication/17228728
  Last-Modified: Mon, 06 Apr 2020 19:00:43 GMT
  Vary: Origin
  X-Request-Id: 11111111111111111111111111111111
```

Back to Top

Get a communication by ID

File: r4-rest-api-v32/op-communication-id-get.html

Retrieves an individual communication by the associated communication ID.

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* System

Example Request:

```
GET https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication/489580643.0.-4.prsnl
```

Example Response:

```
{
  "resourceType": "Communication",
  "id": "489580643.0.-4.prsnl",
  "meta": {
    "versionId": "0",
    "lastUpdated": "2020-07-16T21:31:35.457Z"
  },
  "text": {
    "status": "generated",
    "div": "<div xmlns='http://www.w3.org/1999/xhtml'><p><b>Communication</b></p></div>"
  },
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/task-status",
            "code": "completed",
            "display": "Completed"
          }
        ],
        "text": "Completed"
      },
      "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/email-status"
    }
  ],
  "inResponseTo": [
    {
      "reference": "Communication/512657279.0.-4.prsnl"
```

```
    }
  ],
  "status": "completed",
  "category": [
    {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/communication-category",
          "code": "notification",
          "display": "Notification"
        }
      ],
      "text": "Notification"
    }
  ],
  "priority": "urgent",
  "subject": {
    "reference": "Patient/12505984",
    "display": "JOHNSON, MARIE"
  },
  "topic": {
    "text": "CDI Query"
  },
  "encounter": {
    "reference": "Encounter/97739401"
  },
  "sent": "2020-07-16T21:31:35.457Z",
  "received": "2020-07-16T21:31:35.457Z",
  "recipient": [
    {
      "reference": "Practitioner/12093978",
      "display": "Stone, RN, Sally Cerner"
    },
    {
      "reference": "Group/1568",
      "display": "HEALTHE Receiver Group"
    }
  ],
  "sender": {
    "reference": "Practitioner/11875977",
    "display": "Stratford, Angela Cerner"
  },
  "payload": [
    {
      "contentReference": {
        "reference": "Binary/489580643.0.-4.prsnl"
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of communications

File: r4-rest-api-v32/op-communication-get.html

Retrieves a list of communications that meet supplied query parameters.

Note:

* The content of a communication is returned through the Binary resource. A reference to the payload is provided in the Payload section.

* Only 1000 elements maximum are returned based on the date range.

Request

Query Parameters

-email-status: string

The status of the email. This parameter is required with , , and if is not used. Example:

category

recipient

received

_id

```
http://hl7.org/fhir/task-status|in-progress
```

* _id: string The logical resource ID. This parameter is required if category, -email-status, recipient, and received are not used. Example: 489580643.0.-4.prsnl

category: string

A token for a that points to the CodeableConcept used for . This parameter is required with , , and if is not used. Example:

CodeableConcept

Communication.category

recipient

received

-email-status

_id

`http://terminology.hl7.org/CodeSystem/communication-category|notification`

received: string

The date range that the communication falls within. This parameter is required with , , and if is not used. Example:

category

recipient

-email-status

_id

* May be provided once with the ge prefix.

* May be provided twice with the lower value prefixed by ge and the higher value prefixed by le.

* Must be provided with a time component.

ge2017-02-01T10:30:00Z

* recipient: string The recipient of the communication. Must represent a practitioner or a group. This parameter is required with category, received, and -email-status if _id is not used. Example: recipient:Practitioner=3456783

Header Parameters

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* System

Example Request:

```
GET https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication?_id=489580643.0.-4.prsnl
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "e989e20d-5cfc-4b11-ab43-95ba1a684063",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-ehr-
    code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication?_id=489580643.0.-4.prsnl"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-ehr-
    code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication/489580643.0.-4.prsnl",
      "resource": {
        "resourceType": "Communication",
        "id": "489580643.0.-4.prsnl",
        "meta": {
          "versionId": "0",
          "lastUpdated": "2020-07-16T21:31:35.457Z"
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns='http://www.w3.org/1999/xhtml'><p><b>Communication</b></p></div>"
        },
        "extension": [
          {
```

```
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "http://hl7.org/fhir/task-status",
                  "code": "completed",
                  "display": "Completed"
                }
              ],
              "text": "Completed"
            },
            "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/email-status"
          }
        ],
        "inResponseTo": [
          {
            "reference": "Communication/512657279.0.-4.prsnl"
          }
        ],
        "status": "completed",
        "category": [
          {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/communication-category",
                "code": "notification",
                "display": "Notification"
              }
            ],
            "text": "Notification"
          }
        ],
        "priority": "urgent",
        "subject": {
          "reference": "Patient/12505984",
          "display": "JOHNSON, MARIE"
        },
        "topic": {
          "text": "CDI Query"
        },
        "encounter": {
          "reference": "Encounter/97739401"
        },
        "sent": "2020-07-16T21:31:35.457Z",
        "received": "2020-07-16T21:31:35.457Z",
        "recipient": [
          {
            "reference": "Practitioner/12093978",
            "display": "Stone, RN, Sally Cerner"
          },
          {
            "reference": "Group/1568",
            "display": "HEALTHE Receiver Group"
          }
        ],
        "sender": {
          "reference": "Practitioner/11875977",
          "display": "Stratford, Angela Cerner"
        },
        "payload": [
          {
            "contentReference": {
              "reference": "Binary/489580643.0.-4.prsnl"
            }
          }
        ]
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Update a communication

File: r4-rest-api-v32/op-communication-id-patch.html

Patch Operations

Path	Operation	Value Type
/extension	replace	Extension

Description: Replace the value of an extension. Example: { "path": "/extension", "op": "replace", "value": [{ "valueCodeableConcept": { "coding": [{ "system": "http://hl7.org/fhir/task-status", "code": "completed" }] }, "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/email-status" }] } Note: Email Status is a supported extension that can be replaced.

Request

Supported Media Types

* application/fhir+json

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

content-type(required): string

Specifies the content type of the request entity body.

Example: application/json-patch+json

Body ()

Root Schema : CommunicationPatchBody

Type:

array

Minimum Number of Items:

Show Source

* Array of: object items


```
{
    "type":"array",
    "minItems":1,
    "items":{
        "type":"object",
        "required":[
            "op",
            "path"
        ],
        "properties":{
            "op":{
                "type":"string",
                "enum":[
                    "replace"
                ]
            },
            "path":{
                "type":"string"
            },
            "value":{
                "type":"string"
            }
        }
    },
    "example":"[\n  {\n    \"path\": \"/extension\",\n    \"op\": \"replace\",\n    \"value\": [\n      {\n
    \"valueCodeableConcept\": {\n          \"coding\": [\n            {\n              \"system\":
    \"http://hl7.org/fhir/task-status\",\n              \"code\": \"completed\"\n            }\n          ]\n
    },\n        \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/email-status\"\n      }\n    ]\n  }\n]\n"
}
```


Example:


```
[
  {
    "path": "/extension",
    "op": "replace",
    "value": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://hl7.org/fhir/task-status",
              "code": "completed"
            }
          ]
        },
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/email-status"
      }
    ]
  }
]
```


Nested Schema : items

Type:

object

Show Source

* op(required): string Allowed Values: ["replace"]

* path(required): string

* value: string

```
{
    "type":"object",
    "required":[
        "op",
        "path"
    ],
    "properties":{
        "op":{
            "type":"string",
            "enum":[
                "replace"
            ]
        },
        "path":{
            "type":"string"
        },
        "value":{
            "type":"string"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/json-patch+json

200 Response

Headers

* ETag: string The identifier for a specific version of a resource. This identifier is formatted as W/"" and used to specify the If-Match header value on subsequent updates.

* X-Request-Id: string Oracle troubleshooting identifier.

* opc-request-id: string Oracle troubleshooting identifier.

Default Response

This operation supports the following authorization types: The ETag response header indicates the current If-Match version to use on a subsequent update.

* Provider

* System

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication/123
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Mon, 06 Apr 2020 19:00:43 GMT
  Etag: W/"1"
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Communication/17228728
  Last-Modified: Mon, 06 Apr 2020 19:00:43 GMT
  Vary: Origin
  X-Request-Id: 11111111111111111111111111111111
```

Back to Top

Condition

File: r4-rest-api-v32/api-condition.html

Description

Condition

This topic describes information for the Condition resource.

Overview

The Condition resource is used to record problems, diagnoses, or other health matters that are concerning to a patient.

Depending on the site, problems and diagnoses are used in different ways. Diagnoses are recorded on an encounter to document conditions addressed or treated during a specific patient visit. For U.S. customers, diagnoses support financial or reimbursement workflows. Problems are ongoing or chronic conditions that are managed over every visit and not associated with a specific encounter. A condition may be both a diagnosis and a problem.

Conditions, specifically diagnoses, are often associated with orders to document the medical necessity of a specific medication or procedure order and may be referenced by other resources as a reason for an action or order.

Health concerns are also returned as part of the Condition resource and represent other concerns that a patient may have, such as financial or social risks.

This resource supprts the following profiles:

HL7 FHIR US Core Implementation Guide STU 6.1.0

* US Core Condition Encounter Diagnosis Profile

* US Core Condition Problems and Health Concerns Profile

The examples provided here are non-normative and replaying them in the public sandbox is not guaranteed to yield the results shown on the site. The field is present only when the resource is marked as confidential.

Note:

meta.security

Fields

ID

Clinical status

Verification status

Category

Severity

Condition code

Subject

Reference (Patient)

Encounter

Onset

dateTime

Resolved date

dateTime

Date recorded

Recorder

Reference (Practitioner)

Asserter

Reference (Patient | Practitioner)

Comment/Note

Annotation

author

Reference (Practitioner) | string

time (dateTime)

text (markdown)

Terminology Bindings

Condition.code

Description: The identification of the condition or diagnosis.

Details: SNOMED CT

System: http://snomed.info/sct

Details: ICD-9-CM

System: http://hl7.org/fhir/sid/icd-9-cm

Details: ICD-10-CM

System: http://hl7.org/fhir/sid/icd-10-cm

Condition.category

Description: A category assigned to the condition.

The , , , and category codes are supported for search and retrieve functionality. The and are supported for add and update functionality.

Note:
encounter-diagnosis
problem-list-item
health-concern
sdoh
encounter-diagnosis
problem-list-item
Details: Condition Category Codes
System: http://terminology.hl7.org/CodeSystem/condition-category
Details: US Core Condition Category Codes
System: http://hl7.org/fhir/us/core/CodeSystem/condition-category
Details: US Core Category Codes
System: http://hl7.org/fhir/us/core/CodeSystem/us-core-category
Condition.clinicalStatus
Description: The preferred value set for Condition Clinical Status.
Details: Clinical Status
System: http://hl7.org/fhir/condition-clinical
Condition.clinicalStatus
Description: The preferred value set for Condition Clinical Status.
Details: Clinical Status
System: http://hl7.org/fhir/condition-clinical
Condition.severity
Description: A subjective assessment of the severity of the condition as evaluated by the clinician.
Details: SNOMED CT
System: http://snomed.info/sct
Condition.meta.security
Description: These tags connect specific resources to the overall security policy and infrastructure.
Details: ValueSet
System: http://terminology.hl7.org/CodeSystem/v3-ActCode
Extensions
* Asserted Date
Custom Extensions
All URLs for custom extensions are defined as https://fhir-ehr.cerner.com/r4/StructureDefinition/{id}

ID	Value[x] Type	Description
diagnosis-type	CodeableConcept	Represents the type of diagnosis.

Condition
The operations from the Condition category.
Create a condition
Method: post Path: /Condition
Get a condition by ID
Method: get Path: /Condition/{ID}
Get a list of conditions
Method: get Path: /Condition
Update a condition
Method: put Path: /Condition/{ID}

Create a condition

File: r4-rest-api-v32/op-condition-post.html
Creates a new condition.
Note:
* Only the fields below are supported. Unsupported fields are ignored.
* Do not provide modifier fields because they cause the transaction to fail.

* The code.coding field can have multiple codings. However, only one for userSelected=true and one for userSelected=false are written to Millennium.

* Currently, only conditions with a category of problem-list-item or encounter-diagnosis are supported.

* An encounter-diagnosis condition is automatically prioritized as the least significant priority by the Millennium electronic health record (EHR).

* On a FHIR write of an encounter-diagnosis, the diagnosis automatically receives the next available diagnosis priority in the problem list component.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

The body of the create operation

Root Schema : ConditionCreateBody

Type:

object

Show Source

* abatementDateTime: string The date or estimated date that the condition resolved or went into remission. Note: Not supported for conditions with a category of encounter-diagnosis. Example: 2015-10-14T13:13:20-06:00

category(required):

A category assigned to the condition.

Note:

* Only a single category may be provided.

* The problem-list-item and encounter-diagnosis category codes are supported.

* Classification codes are not supported.

Example:

[{ "coding": [{ "system": "http://terminology.hl7.org/CodeSystem/condition-category", "code": "problem-list-item", "display": "Problem List Item" }], "text": "Problem List Item" }]

clinicalStatus:

The clinical status of the condition.

Note:

* A clinicalStatus must always be provided while creating a condition.

* Only the active code is supported when the category is encounter-diagnosis.

Example:

{ "coding": [{ "system": "http://terminology.hl7.org/CodeSystem/condition-clinical", "code": "resolved", "display": "Resolved" }], "text": "Resolved" }

* code(required): Identification of the condition, problem, or diagnosis. Example: { "coding": [{ "system": "http://snomed.info/sct", "code": "209832007", "display": "Concussion NOS (disorder)", "userSelected": true }], "text": "Concussion with loss of consciousness" }

encounter:

The encounter during which the condition was first asserted.

Note:

* Must be a reference to an encounter.

* Required when the condition category code is encounter-diagnosis.

* note: Additional information about the condition. This is a general notes or comments entry for a description of the condition, its diagnosis, and prognosis. Note: Does not allow updates. Example: [{ "authorReference": { "reference":

"Practitioner/4594011", "display": "Leroux, Erik" }, "text": "Test Comment 2" }]

onsetDateTime: string

The estimated or actual date or date and time when the condition began, in the opinion of the clinician.

Note:

* Only a type of dateTime is supported.

* The dateTime is converted to a GMT date.

Example:

2015-10-14T13:13:20-06:00

* resourceType(required): string The FHIR resource type. resourceType must be Condition. Example: Condition

* severity: A subjective assessment of the severity of the condition as evaluated by the clinician. Example: { "coding": [{ "system": "http://snomed.info/sct", "code": "255604002", "display": "Mild" }] }

* subject(required): The patient who the condition record is associated with. Must be a reference to a patient. Example: { "reference": "Patient/631923", "display": "Nilsson, Christine" }

* verificationStatus: The verification status to support or decline the clinical status of the condition or diagnosis. Note: verificationStatus codes of entered-in-error and refuted are not supported when creating a condition. Example: { "coding": [{ "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status", "code": "confirmed", "display": "Confirmed" }], "text": "Confirmed" }


```
{
    "type":"object",
    "required":[
        "resourceType",
        "category",
        "code",
        "subject"
    ],
    "properties":{
        "resourceType":{
            "description":"The FHIR resource type. <code>resourceType</code> must be <code>Condition</code>.\n",
            "type":"string",
            "example":"Condition"
        },
        "clinicalStatus":{
            "description":"The clinical status of the condition.<br> \n<b>Note:</b> \n  <ul>\n  <li>A
    <code>clinicalStatus</code> must always be provided while creating a condition. </li>\n  <li>Only the
    <code>active</code> code is supported when the category is <code>encounter-diagnosis</code>.</li>\n  </ul>\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://terminology.hl7.org/CodeSystem/condition-
    clinical\",\n      \"code\": \"resolved\",\n      \"display\": \"Resolved\"\n    }\n  ],\n  \"text\":
    \"Resolved\"\n}\n"
        },
        "verificationStatus":{
            "description":"The verification status to support or decline the clinical status of the condition or
    diagnosis.<br>\n\n<b>Note:</b> <code>verificationStatus</code> codes of <code>entered-in-error</code> and
    <code>refuted</code> are not supported when creating a condition.\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://terminology.hl7.org/CodeSystem/condition-
    ver-status\",\n      \"code\": \"confirmed\",\n      \"display\": \"Confirmed\"\n    }\n  ],\n  \"text\":
    \"Confirmed\"\n}\n"
        },
        "category":{
            "description":"A category assigned to the condition.<br>\n\n<b>Note:</b>\n<ul>\n<li>Only a single category
    may be provided.</li>\n<li>The <code>problem-list-item</code> and <code>encounter-diagnosis</code> category codes
    are supported.</li>\n<li>Classification codes are not supported.</li>\n</ul>\n",
            "example":"[\n  {\n    \"coding\": [\n      {\n        \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-category\",\n        \"code\": \"problem-list-item\",\n
    \"display\": \"Problem List Item\"\n      }\n    ],\n    \"text\": \"Problem List Item\"\n  }\n]\n"
        },
        "severity":{
            "description":"A subjective assessment of the severity of the condition as evaluated by the clinician.\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://snomed.info/sct\",\n      \"code\":
    \"255604002\",\n      \"display\": \"Mild\"\n    }\n  ]\n}\n"
        },
        "code":{
            "description":"Identification of the condition, problem, or diagnosis.\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://snomed.info/sct\",\n      \"code\":
    \"209832007\",\n      \"display\": \"Concussion NOS (disorder)\",\n      \"userSelected\": true\n    }\n  ],\n
    \"text\": \"Concussion with loss of consciousness\"\n}\n"
        },
        "subject":{
            "description":"The patient who the condition record is associated with. Must be a reference to a
    patient.\n",
            "example":"{\n  \"reference\": \"Patient/631923\",\n  \"display\": \"Nilsson, Christine\"\n}\n"
        },
        "encounter":{
            "description":"The encounter during which the condition was first
    asserted.<br>\n\n<b>Note:</b>\n<ul>\n<li>Must be a reference to an encounter.</li>\n<li>Required when the condition
    category code is <code>encounter-diagnosis</code>.</li>\n</ul>\n"
        },
        "onsetDateTime":{
            "description":"The estimated or actual date or date and time when the condition began, in the opinion of the
     clinician.<br>\n\n<b>Note:</b>\n<ul>\n<li>Only a type of <code>dateTime</code> is supported.</li>\n<li>The
```

```
    <code>dateTime</code> is converted to a GMT date.</li>\n</ul>\n",
            "type":"string",
            "example":"2015-10-14T13:13:20-06:00"
        },
        "abatementDateTime":{
            "description":"The date or estimated date that the condition resolved or went into
    remission.<br>\n\n<b>Note:</b> Not supported for conditions with a category of <code>encounter-diagnosis</code>.\n",
            "type":"string",
            "example":"2015-10-14T13:13:20-06:00"
        },
        "note":{
            "description":"Additional information about the condition. This is a general notes or comments entry for a
    description of the condition, its diagnosis, and prognosis.<br>\n<b>Note:</b> Does not allow updates.\n",
            "example":"[\n  {\n    \"authorReference\": {\n      \"reference\": \"Practitioner/4594011\",\n
    \"display\": \"Leroux, Erik\"\n    },\n    \"text\": \"Test Comment 2\"\n  }\n]\n"
        }
    },
    "example":"{\n    \"resourceType\": \"Condition\",\n    \"abatementDateTime\": \"2015-10-14T13:13:20-06:00\",\n
    \"category\": [\n        {\n            \"coding\": [\n                {\n                    \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-category\",\n                    \"code\": \"problem-list-
    item\",\n                    \"display\": \"Problem List Item TEST\"\n                }\n            ]\n        }\n
        ],\n    \"clinicalStatus\": {\n        \"coding\": [\n            {\n                \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-clinical\",\n                \"code\": \"resolved\",\n
                \"display\": \"Resolved\"\n            }\n        ],\n        \"text\": \"Resolved\"\n    },\n
    \"code\": {\n        \"coding\": [\n            {\n                \"system\": \"http://snomed.info/sct\",\n
                \"code\": \"confirmed\",\n                \"display\": \"confirmed_display\"\n            }\n
        ],\n        \"text\": \"confirmed_text\"\n    },\n    \"encounter\": {\n        \"reference\":
    \"Encounter/98107594\"\n    },\n    \"note\": [\n        {\n            \"text\": \"ConditionNote\"\n        }\n
    ],\n    \"onsetDateTime\": \"2015-10-14T13:13:20-06:00\",\n    \"severity\": {\n        \"coding\": [\n
    {\n                \"system\": \"http://snomed.info/sct\",\n                \"code\": \"255604002\",\n
                \"display\": \"Mild\"\n            }\n        ]\n    },\n    \"subject\": {\n        \"reference\":
    \"Patient/13034092\"\n    },\n    \"verificationStatus\": {\n        \"coding\": [\n            {\n
    \"system\": \"http://terminology.hl7.org/CodeSystem/condition-ver-status\",\n                \"code\":
    \"confirmed\",\n                \"display\": \"Confirmed\"\n            }\n        ],\n        \"text\":
    \"Confirmed\"\n    }\n}\n"
}
```


Example:


```
{
    "resourceType": "Condition",
    "abatementDateTime": "2015-10-14T13:13:20-06:00",
    "category": [
        {
            "coding": [
                {
                    "system": "http://terminology.hl7.org/CodeSystem/condition-category",
                    "code": "problem-list-item",
                    "display": "Problem List Item TEST"
                }
            ]
        }
    ],
    "clinicalStatus": {
        "coding": [
            {
                "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
                "code": "resolved",
                "display": "Resolved"
            }
        ],
        "text": "Resolved"
    },
    "code": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "confirmed",
                "display": "confirmed_display"
            }
        ],
        "text": "confirmed_text"
    },
    "encounter": {
        "reference": "Encounter/98107594"
    },
    "note": [
        {
            "text": "ConditionNote"
        }
    ],
    "onsetDateTime": "2015-10-14T13:13:20-06:00",
    "severity": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "255604002",
                "display": "Mild"
            }
        ]
```

```
    },
    "subject": {
        "reference": "Patient/13034092"
    },
    "verificationStatus": {
        "coding": [
            {
                "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
                "code": "confirmed",
                "display": "Confirmed"
            }
        ],
        "text": "Confirmed"
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

201 Response

The ETag response header indicates the current If-Match version to use on a subsequent update.

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Wed, 14 Aug 2019 17:23:14 GMT
  Etag: W/"12793861"
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/p12793861
  Last-Modified: Wed, 14 Aug 2019 17:23:14 GMT
  Vary: Origin
  X-Request-Id: 11111111111111111111111111111111
```

Back to Top

Get a condition by ID

File: r4-rest-api-v32/op-condition-id-get.html

Retrieves an individual condition by the associated condition ID.

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/p73077203
```

Example Response:

```
{
  "resourceType": "Condition",
  "id": "p73077203",
  "meta": {
    "versionId": "73080185",
    "lastUpdated": "2020-06-11T04:05:04.000Z",
    "security": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
        "code": "PHY",
```

```
        "display": "physician requested information sensitivity",
        "userSelected": false
      },
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
        "code": "PRS",
        "display": "patient requested information sensitivity",
        "userSelected": false
      }
    ]
  },
  "text": {
    "status": "generated",
    "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Condition</b></p><p><b>Patient</b>: SMART,
    NANCY</p><p><b>Problem</b>: Pregnant, Patient currently pregnant (finding)</p><p><b>Category Classification</b>:
    Medical</p><p><b>Clinical Status</b>: Resolved</p><p><b>Verification Status</b>: Confirmed</p><p><b>Onset</b>: Jun
    12, 2019</p><p><b>Resolved</b>: Apr  4, 2020  5:00 P.M. UTC</p></div>"
  },
  "clinicalStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
        "code": "resolved",
        "display": "Resolved",
        "userSelected": false
      }
    ],
    "text": "Resolved"
  },
  "verificationStatus": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
        "code": "confirmed",
        "display": "Confirmed",
        "userSelected": false
      }
    ],
    "text": "Confirmed"
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-category",
          "code": "problem-list-item",
          "display": "Problem List Item"
        }
      ],
      "text": "Problem List Item"
    },
    {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "74188005",
          "display": "Medical (qualifier value)",
          "userSelected": false
        }
      ],
      "text": "Medical"
    }
  ],
  "code": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "77386006",
        "display": "Patient currently pregnant (finding)",
        "userSelected": true
      }
    ],
    "text": "Pregnant"
  },
  "subject": {
    "reference": "Patient/12724066",
    "display": "SMART, NANCY"
  },
  "onsetDateTime": "2019-06-12",
  "abatementDateTime": "2020-04-04T17:00:00.000Z",
  "recordedDate": "2020-03-05T16:54:50.000Z",
  "recorder": {
    "reference": "Practitioner/683925",
    "display": "Cerner Test, Women's Health - Nurse Cerner"
  }
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-entered-in-error Response

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/p73703587
```

Example Response:


```
{
  "resource": {
    "resourceType": "Condition",
    "id": "p73703587",
    "meta": {
      "versionId": "73875225",
      "lastUpdated": "2023-05-20T19:17:15.000Z",
      "security": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PHY",
          "display": "physician requested information sensitivity",
          "userSelected": false
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PRS",
          "display": "patient requested information sensitivity",
          "userSelected": false
        }
      ]
    },
    "text": {
      "status": "generated",
      "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Condition</b></p><p><b>Patient</b>: Smart II,
    Nancy</p><p><b>Problem</b>: Therapeutic drug monitoring, Patient encounter status (finding)</p><p><b>Category
    Classification</b>: Medical</p><p><b>Verification Status</b>: Entered in Error</p><p><b>Onset</b>: Aug 19,
    2003</p></div>"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
          "code": "entered-in-error",
          "display": "Entered in Error"
        }
      ],
      "text": "Entered in Error"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/condition-category",
            "code": "problem-list-item",
            "display": "Problem List Item"
          }
        ],
        "text": "Problem List Item"
      },
      {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "74188005",
            "display": "Medical (qualifier value)",
            "userSelected": false
          }
        ],
        "text": "Medical"
      }
    ],
    "code": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "305058001",
          "display": "Patient encounter status (finding)",
          "userSelected": false
        },
        {
          "system": "http://e-imo.com/products/problem-it",
          "code": "818990",
          "display": "Therapeutic drug monitoring",
          "userSelected": false
        }
```

```
      ],
      "text": "Therapeutic drug monitoring"
    },
    "subject": {
      "reference": "Patient/12724066",
      "display": "Smart II, Nancy"
    },
    "onsetDateTime": "2003-08-19",
    "recordedDate": "2022-08-24T20:22:15.000Z",
    "recorder": {
      "reference": "Practitioner/12742069",
      "display": "Portal, Portal"
    }
  },
  "search": {
    "mode": "match"
  }
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-nil-clinicalStatus Response

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/p72985705
```

Example Response:

```
{
    "resourceType": "OperationOutcome",
    "issue": [
        {
            "severity": "error",
            "code": "not-found",
            "details": {
                "text": "Condition.clinicalStatus is missing."
            }
        }
    ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of conditions

File: r4-rest-api-v32/op-condition-get.html

Retrieves a list of conditions that meet supplied query parameters.

Request

Query Parameters

* _id: string The logical resource ID. This parameter is required if patient or subject is not used.

_lastUpdated: string

The date range in which the condition was last updated. Example: or

* This parameter may be provided up to two times, and must use the eq, ge, gt, le, or lt prefixes.

* When a value is provided without a prefix, an implied eq prefix is used.

* When provided twice, the lower value must have a ge or gt prefix and the higher value must have an le or lt prefix.

_lastUpdated=gt2014-09-24

_lastUpdated=gt2014-09-24T12:00:00.000Z

_revinclude: string

The Provenance resource entries to be returned as part of the bundle. Example:

* May be provided once with the Provenance:target value. Example: _revinclude=Provenance:target

* May be provided with the _id or patient parameter. Example: _id=82c1c95c-83bb-47d2-86d7-7961aa996082&_revinclude=Provenance:target

* When provided in a request to the closed endpoint, the OAuth2 token must include the scope corresponding with the authorization type, such as user/Provenance.read, patient/Provenance.read, or system/Provenance.read.

_revinclude=Provenance:target

* category: string The category of the condition. Currently, the problem-list-item, encounter-diagnosis, health-concern, and sdoh categories are supported. Example: problem-list-item, encounter-diagnosis, health-concern, sdoh

* clinical-status: string The clinical status of the condition. Example: active, inactive, resolved

* encounter: string The encounter IDs for the patient. Encounter-diagnosis conditions that match the encounter IDs and all problem-list-item conditions of the patient are returned. Example: encounter=97733489

* patient: string Who the condition is for. This parameter is required if _id or subject is not used. Example: 12345

* subject: string Who the condition is for. This parameter is required if _id or patient is not used. Example: Patient/12345

Header Parameters

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition?patient=12724066
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "9a115304-90d2-47d7-98c4-026f7fe1580e",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition?patient=12724066"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/p73077203",
      "resource": {
        "resourceType": "Condition",
        "id": "p73077203",
        "meta": {
          "versionId": "73080185",
          "lastUpdated": "2020-06-11T04:05:04.000Z",
          "security": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
              "code": "PHY",
              "display": "physician requested information sensitivity",
              "userSelected": false
            },
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
              "code": "PRS",
              "display": "patient requested information sensitivity",
              "userSelected": false
            }
          ]
        },
        "text": {
          "status": "extensions",
          "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Condition</b></p><p><b>Patient</b>: SMART,
    NANCY</p><p><b>Problem</b>: Pregnant, Patient currently pregnant (finding)</p><p><b>Category Classification</b>:
    Medical</p><p><b>Clinical Status</b>: Resolved</p><p><b>Verification Status</b>: Confirmed</p><p><b>Onset</b>: Jun
    12, 2019</p><p><b>Resolved</b>: Apr  4, 2020  5:00 P.M. UTC</p><p><b>Asserted</b>: Apr 10, 2024</p></div>"
        },
        "extension": [
          {
            "valueDateTime": "2024-04-10",
            "url": "http://hl7.org/fhir/StructureDefinition/condition-assertedDate"
          }
        ]
        "clinicalStatus": {
```

```
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
          "code": "resolved",
          "display": "Resolved",
          "userSelected": false
        }
      ],
      "text": "Resolved"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
          "code": "confirmed",
          "display": "Confirmed",
          "userSelected": false
        }
      ],
      "text": "Confirmed"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/condition-category",
            "code": "problem-list-item",
            "display": "Problem List Item"
          }
        ],
        "text": "Problem List Item"
      },
      {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "74188005",
            "display": "Medical (qualifier value)",
            "userSelected": false
          }
        ],
        "text": "Medical"
      }
    ],
    "code": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "77386006",
          "display": "Patient currently pregnant (finding)",
          "userSelected": true
        }
      ],
      "text": "Pregnant"
    },
    "subject": {
      "reference": "Patient/12724066",
      "display": "SMART, NANCY"
    },
    "onsetDateTime": "2019-06-12",
    "abatementDateTime": "2020-04-04T17:00:00.000Z",
    "recordedDate": "2020-03-05T16:54:50.000Z",
    "recorder": {
      "reference": "Practitioner/683925",
      "display": "Cerner Test, Women's Health - Nurse Cerner"
    }
  }
},
{
  "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/d2572382197",
  "resource": {
    "resourceType": "Condition",
    "id": "d2572382197",
    "meta": {
      "versionId": "2572382197",
      "lastUpdated": "2020-06-11T04:03:21.000Z",
      "security": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PHY",
          "display": "physician requested information sensitivity",
          "userSelected": false
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PRS",
          "display": "patient requested information sensitivity",
          "userSelected": false
        }
```

```
      ]
    },
    "text": {
      "status": "extensions",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Condition</b></p><p><b>Patient</b>: SMART,
NANCY</p><p><b>Diagnosis</b>: Anemia, Anemia (disorder)</p><p><b>Diagnosis Type</b>: Discharge</p><p><b>Category
Classification</b>: Medical</p><p><b>Clinical Status</b>: Active</p><p><b>Verification Status</b>:
Confirmed</p><p><b>Onset</b>: Jun 10, 2020  5:00 P.M. UTC</p><p><b>Asserted</b>: Mar 28, 2024</p></div>"
    },
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "89100005",
              "display": "Final diagnosis (discharge) (contextual qualifier) (qualifier value)",
              "userSelected": false
            }
          ],
          "text": "Discharge"
        },
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/diagnosis-type"
      },
      {
        "valueDateTime": "2024-03-28",
        "url": "http://hl7.org/fhir/StructureDefinition/condition-assertedDate"
      }
    ],
    "clinicalStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
          "code": "active",
          "display": "Active"
        }
      ],
      "text": "Active"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
          "code": "confirmed",
          "display": "Confirmed",
          "userSelected": false
        }
      ],
      "text": "Confirmed"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/condition-category",
            "code": "encounter-diagnosis",
            "display": "Encounter Diagnosis"
          }
        ],
        "text": "Encounter Diagnosis"
      },
      {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "74188005",
            "display": "Medical (qualifier value)",
            "userSelected": false
          }
        ],
        "text": "Medical"
      }
    ],
    "code": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "271737000",
          "display": "Anemia (disorder)",
          "userSelected": true
        },
        {
          "system": "http://hl7.org/fhir/sid/icd-10-cm",
          "code": "D64.9",
          "display": "Anemia, unspecified",
          "userSelected": false
        }
      ],
      "text": "Anemia"
```

```
    },
    "subject": {
      "reference": "Patient/12724066",
      "display": "SMART, NANCY"
    },
    "encounter": {
      "reference": "Encounter/97953477"
    },
    "onsetDateTime": "2020-06-10T17:00:00.000Z",
    "recordedDate": "2020-06-11T04:03:21.000Z",
    "recorder": {
      "reference": "Practitioner/4122630",
      "display": "Cerner Test, Physician - Women's Health Cerner"
    }
  }
},
{
  "fullUrl": "https://fhir-
open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/bed1c2ec-1f33-4097-8296-f6aa01824387",
  "resource": {
    "resourceType": "Condition",
    "id": "bed1c2ec-1f33-4097-8296-f6aa01824387",
    "meta": {
      "versionId": "bed1c2ec-1f33-4097-8296-f6aa01824387",
      "lastUpdated": "2020-10-20T20:46:41.000Z",
      "security": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PHY",
          "display": "physician requested information sensitivity",
          "userSelected": false
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PRS",
          "display": "patient requested information sensitivity",
          "userSelected": false
        }
      ]
    },
    "text": {
      "status": "generated",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Condition</b></p><p><b>Health Concern</b>:
description, description</p><p><b>Clinical Status</b>: Active</p><p><b>Verification Status</b>:
Confirmed</p><p><b>Onset</b>: Sep 20, 2020</p><p><b>Recorder</b>: DEXLast2020-10-20T20:46:41.123Z_11,
DEXFirst2020-10-20T20:46:41.122Z_48</p><p><b>Recorded Date</b>: Oct 13, 2020  3:46 P.M. CDT</p></div>"
    },
    "clinicalStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
          "code": "active",
          "display": "Active"
        }
      ],
      "text": "Active"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
          "code": "confirmed",
          "display": "Confirmed"
        }
      ],
      "text": "Confirmed"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://hl7.org/fhir/us/core/CodeSystem/condition-category",
            "code": "health-concern",
            "display": "Health Concern"
          }
        ],
        "text": "Health Concern"
      }
    ],
    "code": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "197480006",
                "display": "Anxiety disorder (disorder)"
            }
        ],
        "text": "description"
    },
```

```
        "subject": {
          "reference": "Patient/9279171"
        },
        "onsetDateTime": "2020-09-20",
        "recordedDate": "2020-10-13T20:46:40.000Z",
        "recorder": {
          "reference": "Practitioner/9279172",
          "display": "DEXLast2020-10-20T20:46:41.123Z_11, DEXFirst2020-10-20T20:46:41.122Z_48"
        },
        "note": [
          {
            "time": "2020-10-20T20:46:41.000Z",
            "text": "comments"
          }
        ]
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-revinclude Response

This operation supports the following authorization types:

* Provider

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition?_id=00a5d6eb-c567-42f7-be07-
    53804cece075&_revinclude=Provenance:target
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "27541846-3943-4168-8ccf-fc5dff9cdac3",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition?_id=00a5d6eb-c567-42f7-be07-
    53804cece075&_revinclude=Provenance%3Atarget"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/00a5d6eb-c567-42f7-be07-53804cece075",
      "resource": {
        "resourceType": "Condition",
        "id": "00a5d6eb-c567-42f7-be07-53804cece075",
        "meta": {
          "versionId": "00a5d6eb-c567-42f7-be07-53804cece075",
          "lastUpdated": "2020-07-06T19:36:23.000Z",
          "security": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
              "code": "PHY",
              "display": "physician requested information sensitivity",
              "userSelected": false
            },
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
              "code": "PRS",
              "display": "patient requested information sensitivity",
              "userSelected": false
            }
          ]
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Condition</b></p><p><b>Patient</b>: SMART,
    NANCYU</p><p><b>Health Concern</b>: Afraid my community will not be as close with COVID19.</p><p><b>Clinical
    Status</b>: Active</p><p><b>Verification Status</b>: Confirmed</p><p><b>Onset</b>: Jul  6,
    2020</p><p><b>Recorder</b>: Spence, Stephen</p><p><b>Recorded Date</b>: Jul  6, 2020  7:36 P.M.
    UTC</p><p><b>Asserter</b>: SMART, NANCYU</p></div>"
        },
        "clinicalStatus": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
              "code": "active",
```

```
          "display": "Active"
        }
      ],
      "text": "Active"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
          "code": "confirmed",
          "display": "Confirmed"
        }
      ],
      "text": "Confirmed"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://hl7.org/fhir/us/core/CodeSystem/condition-category",
            "code": "health-concern",
            "display": "Health Concern"
          }
        ],
        "text": "Health Concern"
      }
    ],
    "code": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "197480006",
                "display": "Anxiety disorder (disorder)"
            }
        ],
        "text": "Afraid my community will not be as close with COVID19."
    },
    "subject": {
      "reference": "Patient/12724066",
      "display": "SMART, NANCYU"
    },
    "onsetDateTime": "2020-07-06",
    "recordedDate": "2020-07-06T19:36:23.000Z",
    "recorder": {
      "reference": "Practitioner/12724064",
      "display": "Spence, Stephen"
    },
    "asserter": {
      "reference": "Patient/12724066",
      "display": "SMART, NANCYU"
    },
    "note": [
      {
        "time": "2020-07-06T19:36:23.000Z",
        "text": "Concerns with impact of COVID19 on community."
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "fullUrl": "https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/INT.hcncrn-00a5d6eb-c567-42f7-be07-53804cece075",
  "resource": {
    "resourceType": "Provenance",
    "id": "INT.hcncrn-00a5d6eb-c567-42f7-be07-53804cece075",
    "meta": {
      "versionId": "00a5d6eb-c567-42f7-be07-53804cece075",
      "lastUpdated": "2020-07-06T19:36:23Z"

    },
    "text": {
      "status": "generated",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><li>Conditi
on/00a5d6eb-c567-42f7-be07-53804cece075</li></ul><p><b>RecordedSpence, Open Platform IA, Stephen</b>: Jul  6, 2020
7:36 P.M. UTC</p><p><b>Agents</b>:</p><dl><dt></dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
Source</dd></dl></div>"
    },
    "target": [
      {
        "reference": "Condition/00a5d6eb-c567-42f7-be07-53804cece075"
      }
    ],
    "recorded": "2020-07-06T19:36:23Z",
    "agent": [
      {
        "type": {
          "coding": [
```

```
              {
                "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                "code": "author"
              }
            ],
            "text": "Author"
          },
          "role": [
            {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                  "code": "SOURCE"
                }
              ],
              "text": "Source"
            }
          ],
          "who": {
            "reference": "Practitioner/12724064",
            "display": "Spence, Open Platform IA, Stephen"
          }
        }
      ]
    },
    "search": {
      "mode": "include"
    }
  }
 ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-with-nil-clinicalStatus Response

This operation supports the following authorization types:

* Provider

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition?patient=12724066
```

Example Response:

```
{
    "resourceType": "Bundle",
    "id": "a57fbe63-e5ad-4624-b45b-59e969e4a201",
    "type": "searchset",
    "link": [
        {
            "relation": "self",
            "url": "https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition?patient=12724066"
        }
    ],
    "entry": [
        {
            "fullUrl": "https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/p73077203",
            "resource": {
                "resourceType": "Condition",
                "id": "p73077203",
                "meta": {
                    "versionId": "15031111",
                    "lastUpdated": "2024-04-30T06:50:34.000Z"
                },
                "text": {
                    "status": "extensions",
                    "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Condition</b></p><p><b>Patient</b>:
    rad</p><p><b>Problem</b>: Legionnaires&#39; disease, Legionnaires&#39; disease</p><p><b>Category Classification</b>:
     medical</p><p><b>Clinical Status</b>: Active</p><p><b>Verification Status</b>: Confirmed</p><p><b>Asserted</b>: Apr
     30, 2024</p></div>"
                },
                "extension": [
                    {
                        "valueDateTime": "2024-04-30",
                        "url": "http://hl7.org/fhir/StructureDefinition/condition-assertedDate"
                    }
                ],
                "clinicalStatus": {
                    "coding": [
                        {
                            "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
                            "code": "active",
```

```
                            "display": "Active",
                            "userSelected": false
                        }
                    ],
                    "text": "Active"
                },
                "verificationStatus": {
                    "coding": [
                        {
                            "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
                            "code": "confirmed",
                            "display": "Confirmed",
                            "userSelected": false
                        }
                    ],
                    "text": "Confirmed"
                },
                "category": [
                    {
                        "coding": [
                            {
                                "system": "http://terminology.hl7.org/CodeSystem/condition-category",
                                "code": "problem-list-item",
                                "display": "Problem List Item"
                            }
                        ],
                        "text": "Problem List Item"
                    },
                    {
                        "text": "medical"
                    }
                ],
                "code": {
                    "coding": [
                        {
                            "system": "http://hl7.org/fhir/sid/icd-10-cm",
                            "code": "A48.1",
                            "display": "Legionnaires' disease",
                            "userSelected": true
                        }
                    ],
                    "text": "Legionnaires' disease"
                },
                "subject": {
                    "reference": "Patient/12724066",
                    "display": "rad"
                },
                "encounter": {
                    "reference": "Encounter/19594247"
                },
                "recordedDate": "2024-04-30T06:44:36.000Z",
                "recorder": {
                    "reference": "Practitioner/593923",
                    "display": "PCOUser, Abstractor Cerner"
                }
            },
            "search": {
                "mode": "match"
            }
        },
        {
            "fullUrl": "urn:uuid:dacf522f-8893-43f9-9633-989227c2b79f",
            "resource": {
                "resourceType": "OperationOutcome",
                "issue": [
                    {
                        "severity": "warning",
                        "code": "suppressed",
                        "diagnostics": "Other search results were found but could not be compliantly expressed and hence
    have been suppressed"
                    }
                ]
            },
            "search": {
                "mode": "outcome"
            }
        }
    ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Update a condition

File: r4-rest-api-v32/op-condition-id-put.html

Updates an existing condition by the associated condition ID.

Note:

* Currently, problem-list-item and encounter-diagnosis are supported.

* A missing field is interpreted as nulling out or removing data from the resource. See FHIR Update for additional details about update operations.

* The code.coding field can have multiple codings. However, only one for userSelected=true and one for userSelected=false are written to Millennium.

Request

Supported Media Types

* application/fhir+json

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* If-Match(required): string The current version of the Condition resource.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

Root Schema : ConditionUpdateBody

Type:

object

Show Source

* ID(required): string The logical ID of the resource to update. The ID value must match the condition value. Example: p123412


```
{
    "required":[
        "ID"
    ],
    "properties":{
        "ID":{
            "type":"string",
            "description":"The logical ID of the resource to update. The ID value must match the condition value.",
            "example":"p123412"
        }
    },
    "allOf":[
        {
            "$ref":"#/definitions/ConditionCreateBody"
        },
        {
            "type":"object"
        }
    ],
    "example":"{\n    \"resourceType\": \"Condition\",\n    \"id\": \"d2593255383\",\n    \"subject\": {\n
    \"reference\": \"Patient/13502100\"\n    },\n    \"abatementDateTime\": \"\",\n    \"category\": [\n        {\n
                \"coding\": [\n                {\n                    \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-category\",\n                    \"code\": \"encounter-
    diagnosis\",\n                    \"display\": \"encounter-diagnosis\"\n                }\n            ],\n
                \"text\": \"encounter-diagnosis\"\n        }\n    ],\n    \"code\": {\n        \"coding\": [\n
                {\n                \"system\": \"http://snomed.info/sct\",\n                \"code\": \"1137438000\",\n
                    \"display\": \"Pain due to arthritis\",\n                \"userSelected\": true\n            }\n
            ],\n        \"text\": \"Pain due to arthritis\"\n    },\n    \"clinicalStatus\": {\n        \"coding\": [\n
                {\n                \"system\": \"http://terminology.hl7.org/CodeSystem/condition-clinical\",\n
                    \"code\": \"active\",\n                \"display\": \"Active\",\n                \"userSelected\":
    false\n            }\n        ],\n        \"text\": \"Active\"\n    },\n    \"severity\": {\n        \"coding\": [\n
                {\n                \"system\": \"http://snomed.info/sct\",\n                \"code\": \"255604002\",\n
                    \"display\": \"Mild\"\n            }\n        ]\n    },\n    \"onsetDateTime\":
    \"2015-10-14T13:13:20-06:00\",\n    \"verificationStatus\": {\n        \"coding\": [\n            {\n
                    \"system\": \"http://terminology.hl7.org/CodeSystem/condition-ver-status\",\n
    \"code\": \"confirmed\",\n                \"display\": \"Confirmed\"\n            }\n        ],\n        \"text\":
    \"Confirmed\"\n    }\n}\n"
}
```


Match All

Show Source

* object ConditionCreateBody

* object ConditionUpdateBody-allOf[1]


```
{
```

```
    "required":[
        "ID"
    ],
    "properties":{
        "ID":{
            "type":"string",
            "description":"The logical ID of the resource to update. The ID value must match the condition value.",
            "example":"p123412"
        }
    },
    "allOf":[
        {
            "$ref":"#/definitions/ConditionCreateBody"
        },
        {
            "type":"object"
        }
    ],
    "example":"{\n    \"resourceType\": \"Condition\",\n    \"id\": \"d2593255383\",\n    \"subject\": {\n
    \"reference\": \"Patient/13502100\"\n    },\n    \"abatementDateTime\": \"\",\n    \"category\": [\n        {\n
                \"coding\": [\n                {\n                    \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-category\",\n                    \"code\": \"encounter-
    diagnosis\",\n                    \"display\": \"encounter-diagnosis\"\n                }\n            ],\n
                \"text\": \"encounter-diagnosis\"\n        }\n    ],\n    \"code\": {\n        \"coding\": [\n
                {\n                \"system\": \"http://snomed.info/sct\",\n                \"code\": \"1137438000\",\n
                    \"display\": \"Pain due to arthritis\",\n                \"userSelected\": true\n            }\n
            ],\n        \"text\": \"Pain due to arthritis\"\n    },\n    \"clinicalStatus\": {\n        \"coding\": [\n
                {\n                \"system\": \"http://terminology.hl7.org/CodeSystem/condition-clinical\",\n
                    \"code\": \"active\",\n                \"display\": \"Active\",\n                \"userSelected\":
    false\n            }\n        ],\n        \"text\": \"Active\"\n    },\n    \"severity\": {\n        \"coding\": [\n
                {\n                \"system\": \"http://snomed.info/sct\",\n                \"code\": \"255604002\",\n
                    \"display\": \"Mild\"\n            }\n        ]\n    },\n    \"onsetDateTime\":
    \"2015-10-14T13:13:20-06:00\",\n    \"verificationStatus\": {\n        \"coding\": [\n            {\n
                \"system\": \"http://terminology.hl7.org/CodeSystem/condition-ver-status\",\n
    \"code\": \"confirmed\",\n                \"display\": \"Confirmed\"\n            }\n        ],\n        \"text\":
    \"Confirmed\"\n    }\n}\n"
}
```


Example:


```
{
    "resourceType": "Condition",
    "id": "d2593255383",
    "subject": {
        "reference": "Patient/13502100"
    },
    "abatementDateTime": "",
    "category": [
        {
            "coding": [
                {
                    "system": "http://terminology.hl7.org/CodeSystem/condition-category",
                    "code": "encounter-diagnosis",
                    "display": "encounter-diagnosis"
                }
            ],
            "text": "encounter-diagnosis"
        }
    ],
    "code": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "1137438000",
                "display": "Pain due to arthritis",
                "userSelected": true
            }
        ],
        "text": "Pain due to arthritis"
    },
    "clinicalStatus": {
        "coding": [
            {
                "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
                "code": "active",
                "display": "Active",
                "userSelected": false
            }
        ],
        "text": "Active"
    },
    "severity": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "255604002",
                "display": "Mild"
            }
        ]
    },
```

```
    "onsetDateTime": "2015-10-14T13:13:20-06:00",
    "verificationStatus": {
        "coding": [
            {
                "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
                "code": "confirmed",
                "display": "Confirmed"
            }
        ],
        "text": "Confirmed"
    }
}
```

Nested Schema : ConditionCreateBody

Type:

object

Show Source

* abatementDateTime: string The date or estimated date that the condition resolved or went into remission. Note: Not supported for conditions with a category of encounter-diagnosis. Example: 2015-10-14T13:13:20-06:00

category(required):

A category assigned to the condition.

Note:

* Only a single category may be provided.

* The problem-list-item and encounter-diagnosis category codes are supported.

* Classification codes are not supported.

Example:

[{ "coding": [{ "system": "http://terminology.hl7.org/CodeSystem/condition-category", "code": "problem-list-item", "display": "Problem List Item" }], "text": "Problem List Item" }]

clinicalStatus:

The clinical status of the condition.

Note:

* A clinicalStatus must always be provided while creating a condition.

* Only the active code is supported when the category is encounter-diagnosis.

Example:

{ "coding": [{ "system": "http://terminology.hl7.org/CodeSystem/condition-clinical", "code": "resolved", "display": "Resolved" }], "text": "Resolved" }

* code(required): Identification of the condition, problem, or diagnosis. Example: { "coding": [{ "system": "http://snomed.info/sct", "code": "209832007", "display": "Concussion NOS (disorder)", "userSelected": true }], "text": "Concussion with loss of consciousness" }

encounter:

The encounter during which the condition was first asserted.

Note:

* Must be a reference to an encounter.

* Required when the condition category code is encounter-diagnosis.

* note: Additional information about the condition. This is a general notes or comments entry for a description of the condition, its diagnosis, and prognosis. Note: Does not allow updates. Example: [{ "authorReference": { "reference": "Practitioner/4594011", "display": "Leroux, Erik" }, "text": "Test Comment 2" }]

onsetDateTime: string

The estimated or actual date or date and time when the condition began, in the opinion of the clinician.

Note:

* Only a type of dateTime is supported.

* The dateTime is converted to a GMT date.

Example:

2015-10-14T13:13:20-06:00

* resourceType(required): string The FHIR resource type. resourceType must be Condition. Example: Condition

* severity: A subjective assessment of the severity of the condition as evaluated by the clinician. Example: { "coding": [{ "system": "http://snomed.info/sct", "code": "255604002", "display": "Mild" }] }

* subject(required): The patient who the condition record is associated with. Must be a reference to a patient. Example: { "reference": "Patient/631923", "display": "Nilsson, Christine" }

* verificationStatus: The verification status to support or decline the clinical status of the condition or diagnosis. Note: verificationStatus codes of entered-in-error and refuted are not supported when creating a condition. Example: { "coding": [{ "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status", "code": "confirmed", "display": "Confirmed" }], "text": "Confirmed" }

```
{
    "type":"object",
    "required":[
        "resourceType",
        "category",
        "code",
        "subject"
    ],
    "properties":{
        "resourceType":{
            "description":"The FHIR resource type. <code>resourceType</code> must be <code>Condition</code>.\n",
            "type":"string",
            "example":"Condition"
        },
        "clinicalStatus":{
            "description":"The clinical status of the condition.<br> \n<b>Note:</b> \n  <ul>\n  <li>A
    <code>clinicalStatus</code> must always be provided while creating a condition. </li>\n  <li>Only the
    <code>active</code> code is supported when the category is <code>encounter-diagnosis</code>.</li>\n  </ul>\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://terminology.hl7.org/CodeSystem/condition-
    clinical\",\n      \"code\": \"resolved\",\n      \"display\": \"Resolved\"\n    }\n  ],\n  \"text\":
    \"Resolved\"\n}\n"
        },
        "verificationStatus":{
            "description":"The verification status to support or decline the clinical status of the condition or
    diagnosis.<br>\n\n<b>Note:</b> <code>verificationStatus</code> codes of <code>entered-in-error</code> and
    <code>refuted</code> are not supported when creating a condition.\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://terminology.hl7.org/CodeSystem/condition-
    ver-status\",\n      \"code\": \"confirmed\",\n      \"display\": \"Confirmed\"\n    }\n  ],\n  \"text\":
    \"Confirmed\"\n}\n"
        },
        "category":{
            "description":"A category assigned to the condition.<br>\n\n<b>Note:</b>\n<ul>\n<li>Only a single category
    may be provided.</li>\n<li>The <code>problem-list-item</code> and <code>encounter-diagnosis</code> category codes
    are supported.</li>\n<li>Classification codes are not supported.</li>\n</ul>\n",
            "example":"[\n  {\n    \"coding\": [\n      {\n        \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-category\",\n        \"code\": \"problem-list-item\",\n
    \"display\": \"Problem List Item\"\n      }\n    ],\n    \"text\": \"Problem List Item\"\n  }\n]\n"
        },
        "severity":{
            "description":"A subjective assessment of the severity of the condition as evaluated by the clinician.\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://snomed.info/sct\",\n      \"code\":
    \"255604002\",\n      \"display\": \"Mild\"\n    }\n  ]\n}\n"
        },
        "code":{
            "description":"Identification of the condition, problem, or diagnosis.\n",
            "example":"{\n  \"coding\": [\n    {\n      \"system\": \"http://snomed.info/sct\",\n      \"code\":
    \"209832007\",\n      \"display\": \"Concussion NOS (disorder)\",\n      \"userSelected\": true\n    }\n  ],\n
    \"text\": \"Concussion with loss of consciousness\"\n}\n"
        },
        "subject":{
            "description":"The patient who the condition record is associated with. Must be a reference to a
    patient.\n",
            "example":"{\n  \"reference\": \"Patient/631923\",\n  \"display\": \"Nilsson, Christine\"\n}\n"
        },
        "encounter":{
            "description":"The encounter during which the condition was first
    asserted.<br>\n\n<b>Note:</b>\n<ul>\n<li>Must be a reference to an encounter.</li>\n<li>Required when the condition
    category code is <code>encounter-diagnosis</code>.</li>\n</ul>\n"
        },
        "onsetDateTime":{
            "description":"The estimated or actual date or date and time when the condition began, in the opinion of the
     clinician.<br>\n\n<b>Note:</b>\n<ul>\n<li>Only a type of <code>dateTime</code> is supported.</li>\n<li>The
    <code>dateTime</code> is converted to a GMT date.</li>\n</ul>\n",
            "type":"string",
            "example":"2015-10-14T13:13:20-06:00"
        },
        "abatementDateTime":{
            "description":"The date or estimated date that the condition resolved or went into
    remission.<br>\n\n<b>Note:</b> Not supported for conditions with a category of <code>encounter-diagnosis</code>.\n",
            "type":"string",
            "example":"2015-10-14T13:13:20-06:00"
        },
        "note":{
            "description":"Additional information about the condition. This is a general notes or comments entry for a
    description of the condition, its diagnosis, and prognosis.<br>\n<b>Note:</b> Does not allow updates.\n",
            "example":"[\n  {\n    \"authorReference\": {\n      \"reference\": \"Practitioner/4594011\",\n
    \"display\": \"Leroux, Erik\"\n    },\n    \"text\": \"Test Comment 2\"\n  }\n]\n"
        }
    },
    "example":"{\n    \"resourceType\": \"Condition\",\n    \"abatementDateTime\": \"2015-10-14T13:13:20-06:00\",\n
    \"category\": [\n        {\n            \"coding\": [\n                {\n                    \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-category\",\n                    \"code\": \"problem-list-
    item\",\n                    \"display\": \"Problem List Item TEST\"\n                }\n            ]\n        }\n
```

```
        ],\n    \"clinicalStatus\": {\n        \"coding\": [\n            {\n                \"system\":
    \"http://terminology.hl7.org/CodeSystem/condition-clinical\",\n                \"code\": \"resolved\",\n
                    \"display\": \"Resolved\"\n            }\n        ],\n        \"text\": \"Resolved\"\n    },\n
    \"code\": {\n        \"coding\": [\n            {\n                \"system\": \"http://snomed.info/sct\",\n
                    \"code\": \"confirmed\",\n                \"display\": \"confirmed_display\"\n            }\n
            ],\n        \"text\": \"confirmed_text\"\n    },\n    \"encounter\": {\n        \"reference\":
    \"Encounter/98107594\"\n    },\n    \"note\": [\n        {\n            \"text\": \"ConditionNote\"\n        }\n
    ],\n    \"onsetDateTime\": \"2015-10-14T13:13:20-06:00\",\n    \"severity\": {\n        \"coding\": [\n
    {\n                \"system\": \"http://snomed.info/sct\",\n                \"code\": \"255604002\",\n
                    \"display\": \"Mild\"\n            }\n        ]\n    },\n    \"subject\": {\n        \"reference\":
    \"Patient/13034092\"\n    },\n    \"verificationStatus\": {\n        \"coding\": [\n            {\n
    \"system\": \"http://terminology.hl7.org/CodeSystem/condition-ver-status\",\n                \"code\":
    \"confirmed\",\n                \"display\": \"Confirmed\"\n            }\n        ],\n        \"text\":
    \"Confirmed\"\n    }\n}\n"
}
```


Example:


```
{
    "resourceType": "Condition",
    "abatementDateTime": "2015-10-14T13:13:20-06:00",
    "category": [
        {
            "coding": [
                {
                    "system": "http://terminology.hl7.org/CodeSystem/condition-category",
                    "code": "problem-list-item",
                    "display": "Problem List Item TEST"
                }
            ]
        }
    ],
    "clinicalStatus": {
        "coding": [
            {
                "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
                "code": "resolved",
                "display": "Resolved"
            }
        ],
        "text": "Resolved"
    },
    "code": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "confirmed",
                "display": "confirmed_display"
            }
        ],
        "text": "confirmed_text"
    },
    "encounter": {
        "reference": "Encounter/98107594"
    },
    "note": [
        {
            "text": "ConditionNote"
        }
    ],
    "onsetDateTime": "2015-10-14T13:13:20-06:00",
    "severity": {
        "coding": [
            {
                "system": "http://snomed.info/sct",
                "code": "255604002",
                "display": "Mild"
            }
        ]
    },
    "subject": {
        "reference": "Patient/13034092"
    },
    "verificationStatus": {
        "coding": [
            {
                "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
                "code": "confirmed",
                "display": "Confirmed"
            }
        ],
        "text": "Confirmed"
    }
}
```


Nested Schema : ConditionUpdateBody-allOf[1]

Type:

object

Back to Top

Response

Supported Media Types

* application/json

200 Response

The ETag response header indicates the current If-Match version to use on a subsequent update.

Example Request:

```
PUT https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Condition/p73077203
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 20 Aug 2019 21:17:04 GMT
  Etag: W/"12809861"
  Last-Modified: TTue, 20 Aug 2019 21:17:04 GMT
  Vary: Origin
  X-Request-Id: 11111111111111111111111111111111
```

Headers

* ETag: string The identifier for a specific version of a resource. The identifier is formatted as W/"" and used to specify the If-Match header value on subsequent updates.

* X-Request-Id: string The Oracle troubleshooting identifier.

* opc-request-id: string The Oracle troubleshooting identifier.

Back to Top

Consent

File: r4-rest-api-v32/api-consent.html

Description

Consent

This topic describes information for the Consent resource.

Overview

The Consent resource can be used to represent consents.

The Consent resource is currently limited to representing people who are authorized to view a patient's data. For this reason, consent type, scope, category, policy rule, actor role, action, and purpose are always set to values related to consent for electronic health record (EHR) sharing. The actors on the contract are the related people who are authorized to view the patient's data. An example is a consent authorizing a mother (actor) to view her child's data (patient).

The examples provided here are non-normative and replaying them in the public sandbox is not guaranteed to yield the results shown on the site.

Note:

Fields

Consent ID

Status

Scope (Privacy Consent)

Category (Patient Consent)

Patient

Policy Rule (Consent given for electronic record sharing (finding))

Provision

Type (Permit)

Period

Actor (RelatedPerson)

Actor Role (Authorized Representative)

Action (Access and Correct)

Purpose (Purpose of Use)

Terminology Bindings

Consent.status

Description: Indicates the state of the consent.

Details: Request Status

System: http://hl7.org/fhir/consent-state-codes

Consent.scope

Description: The four anticipated uses for the Consent resource.

Details: Request Scope

System: http://terminology.hl7.org/CodeSystem/consentscope

Consent.category

Description: A classification of the type of consents found in a consent statement.

Details: Request Category

System: http://loinc.org

Consent.policyRule

Description: Regulatory policy examples.

Details: Request PolicyRule

System: http://snomed.info/sct

Consent.provision.type

Description: How a rule statement is applied, such as adding additional consent or removing consent.

Details: Provision Type

System: http://hl7.org/fhir/consent-provision-type

Consent.provision.actor.role

Description: How a rule statement is applied, such as adding additional consent or removing consent.

Details: Provision Actor Role

System: http://terminology.hl7.org/CodeSystem/contractsignertypecodes

Consent.provision.action

Description: Detailed codes for the consent action.

Details: Provision Action

System: http://terminology.hl7.org/CodeSystem/consentaction

Consent.provision.purpose

Description: The purposes of use that are controlled by this exception. If more than one label is specified, operations must have all the specified labels.

Details: Provision Purpose

System: http://terminology.hl7.org/CodeSystem/v3-ActReason

Consent

The operations from the Consent category.

Get a consent by ID

Method: get Path: /Consent/{ID}

Get a list of consents

Method: get Path: /Consent

Get a consent by ID

File: r4-rest-api-v32/op-consent-id-get.html

For consent read operations, both and scopes are required.

Retrieves an individual consent by ID.

Note:

Consent.read

Patient.read

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent/AR-12742397-12724066
```

Example Response:


```
{
  "resourceType": "Consent",
  "id": "AR-12742397-12724066",
  "meta": {
    "versionId": "126",
    "lastUpdated": "2024-09-19T15:00:43.000Z"
  },
  "text": {
    "status": "generated",
    "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Consent</b></p><p><b>Patient Name</b>: VAN,
JEFFERSON</p><p><b>Status</b>: Active</p><p><b>Scope</b>: Privacy Consent</p><p><b>Category</b>: Patient
Consent</p><p><b>Policy Rule</b>: Consent given for electronic record sharing (finding)</p><p><b>Consent Start
Date</b>: Aug  2, 2024  5:00 A.M. UTC</p><p><b>Actor Name</b>: SMARTS II, NANCYS II</p><p><b>Actor Role</b>:
Authorized Representative</p></div>"
  },
  "status": "active",
  "scope": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/consentscope",
        "code": "patient-privacy",
        "display": "Privacy Consent"
      }
    ],
    "text": "Privacy Consent"
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "59284-0",
          "display": "Patient Consent"
        }
      ],
      "text": "Patient Consent"
    }
  ],
  "patient": {
    "reference": "Patient/12742397",
    "display": "VAN, JEFFERSON"
  },
  "policyRule": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "425691002",
        "display": "Consent given for electronic record sharing (finding)"
      }
    ],
    "text": "Consent given for electronic record sharing (finding)"
  },
  "provision": {
    "type": "permit",
    "period": {
      "start": "2024-08-02T05:00:00.000Z"
    },
    "actor": [
      {
        "id": "12724066",
        "role": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction",
              "code": "AUCG",
              "display": "caregiver information receiver"
            }
          ],
          "text": "Authorized Representative"
        },
```

```
            "reference": {
              "reference": "RelatedPerson/12724066-12742397",
              "display": "SMARTS II, NANCYS II"
            }
          }
        ],
        "action": [
          {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/consentaction",
                "code": "correct",
                "display": "Access and Correct"
              }
            ],
            "text": "Access and Correct"
          }
        ],
        "purpose": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-ActReason",
            "code": "PurposeOfUse",
            "display": "purpose of use"
          }
        ]
      }
    }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of consents

File: r4-rest-api-v32/op-consent-get.html

Retrieves a list of consents that meet supplied query parameters.

Note:

The actor, identifier, patient.identifier, or patient parameters may be provided once with a single value.

The _include parameter may be provided once for each resource to be included. Example: _include=Consent:actor&_include=Consent:patient

Additional OAuth2 scopes are required when the _include parameter is provided. To include with Consent:actor or Consent:patient values, the OAuth2 token must include scopes for one or both RelatedPerson.read and Patient.read, respectively, depending on the combination of resources to be included.

Request

Query Parameters

* _id: string The logical resource ID.

* _include: string Other resource entries to be returned as part of the bundle. Example: _include=Consent:actor or _include=Consent:patient

* actor: string The actor (RelatedPerson) of the consent. This parameter is required if _id is not used. Example: actor=RelatedPerson/1234 or actor:RelatedPerson=1234

* actor.identifier: string The Federated Person Principal identifier for the actor of the consent. This parameter is required if _id is not used. Example: actor.identifier=system|1234

* patient: string Who the consent applies to. This parameter is required if _id is not used. Example: subject=Patient/1234

* patient.identifier: string The identifier for the patient of the consent. This parameter is required if _id is not used. Example: patient.identifier=system|5678 (Federated Person Principal, Medical Record Number, Social Security Number, etc.)

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent?patient=12742397
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "2d5d89a5-67b1-489e-b6ef-878878beab55",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent?patient=12742397"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent/AR-12742397-12724066",
      "resource": {
        "resourceType": "Consent",
        "id": "AR-12742397-12724066",
        "meta": {
          "versionId": "95",
          "lastUpdated": "2020-08-21T15:51:38.000Z"
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Consent</b></p><p><b>Patient Name</b>: Smart,
    BabyBoy</p><p><b>Status</b>: Inactive</p><p><b>Scope</b>: Privacy Consent</p><p><b>Category</b>: Patient
    Consent</p><p><b>Policy Rule</b>: Consent given for electronic record sharing (finding)</p><p><b>Consent Start
    Date</b>: Jan  1, 2001  6:00 A.M. UTC</p><p><b>Consent End Date</b>: Sep 14, 2008 12:00 A.M. UTC</p><p><b>Actor
    Name</b>: Smart II, Nancy</p><p><b>Actor Role</b>: Authorized Representative</p></div>"
        },
        "status": "active",
        "scope": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/consentscope",
              "code": "patient-privacy",
              "display": "Privacy Consent"
            }
          ],
          "text": "Privacy Consent"
        },
        "category": [
          {
            "coding": [
              {
                "system": "http://loinc.org",
                "code": "59284-0",
                "display": "Patient Consent"
              }
            ],
            "text": "Patient Consent"
          }
        ],
        "patient": {
          "reference": "Patient/12742397",
          "display": "Smart, BabyBoy"
        },
        "policyRule": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "425691002",
              "display": "Consent given for electronic record sharing (finding)"
            }
          ],
          "text": "Consent given for electronic record sharing (finding)"
        },
        "provision": {
          "type": "permit",
          "period": {
            "start": "2020-07-09T14:15:16.000Z",
            "end": "2008-09-14T00:00:00.000Z"
          },
          "actor": [
            {
              "id": "12724066",
              "role": {
                "coding": [
                  {
```

```
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction",
                    "code": "AUCG",
                    "display": "caregiver information receiver"
                  }
                ],
                "text": "Authorized Representative"
              },
              "reference": {
                "reference": "RelatedPerson/12724066-12742397",
                "display": "Smart II, Nancy"
              }
            }
          ],
          "action": [
            {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/consentaction",
                  "code": "correct",
                  "display": "Access and Correct"
                }
              ],
              "text": "Access and Correct"
            }
          ],
          "purpose": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActReason",
              "code": "PurposeOfUse",
              "display": "purpose of use"
            }
          ]
        }
      }
    },
    {
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-_id Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent?_id=AR-12742397-12724066
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "5259d04e-1241-4477-a52b-f27c8002aedb",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent?_id=AR-12742397-12724066"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent/AR-12742397-12724066",
      "resource": {
        "resourceType": "Consent",
        "id": "AR-12742397-12724066",
        "meta": {
          "versionId": "95",
          "lastUpdated": "2020-08-21T15:51:38.000Z"
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Consent</b></p><p><b>Patient Name</b>: Smart,
    BabyBoy</p><p><b>Status</b>: Inactive</p><p><b>Scope</b>: Privacy Consent</p><p><b>Category</b>: Patient
    Consent</p><p><b>Policy Rule</b>: Consent given for electronic record sharing (finding)</p><p><b>Consent Start
```

```
Date</b>: Jan  1, 2001  6:00 A.M. UTC</p><p><b>Consent End Date</b>: Sep 14, 2008 12:00 A.M. UTC</p><p><b>Actor
Name</b>: Smart II, Nancy</p><p><b>Actor Role</b>: Authorized Representative</p></div>"
    },
    "status": "active",
    "scope": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/consentscope",
          "code": "patient-privacy",
          "display": "Privacy Consent"
        }
      ],
      "text": "Privacy Consent"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://loinc.org",
            "code": "59284-0",
            "display": "Patient Consent"
          }
        ],
        "text": "Patient Consent"
      }
    ],
    "patient": {
      "reference": "Patient/12742397",
      "display": "Smart, BabyBoy"
    },
    "policyRule": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "425691002",
          "display": "Consent given for electronic record sharing (finding)"
        }
      ],
      "text": "Consent given for electronic record sharing (finding)"
    },
    "provision": {
      "type": "permit",
      "period": {
        "start": "2020-07-09T14:15:16.000Z",
        "end": "2008-09-14T00:00:00.000Z"
      },
      "actor": [
        {
          "id": "12724066",
          "role": {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction",
                "code": "AUCG",
                "display": "caregiver information receiver"
              }
            ],
            "text": "Authorized Representative"
          },
          "reference": {
            "reference": "RelatedPerson/12724066-12742397",
            "display": "Smart II, Nancy"
          }
        }
      ],
      "action": [
        {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/consentaction",
              "code": "correct",
              "display": "Access and Correct"
            }
          ],
          "text": "Access and Correct"
        }
      ],
      "purpose": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActReason",
          "code": "PurposeOfUse",
          "display": "purpose of use"
        }
      ]
    }
  },
  "search": {
    "mode": "match"
  }
```

```
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-actor Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent?actor=12724066-12742397
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "133043a5-2f67-41c7-a93c-bfe3cb95dffd",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent?actor=12724066-12742397"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent/AR-12742397-12724066",
      "resource": {
        "resourceType": "Consent",
        "id": "AR-12742397-12724066",
        "meta": {
          "versionId": "95",
          "lastUpdated": "2020-08-21T15:51:38.000Z"
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Consent</b></p><p><b>Patient Name</b>: Smart,
    BabyBoy</p><p><b>Status</b>: Inactive</p><p><b>Scope</b>: Privacy Consent</p><p><b>Category</b>: Patient
    Consent</p><p><b>Policy Rule</b>: Consent given for electronic record sharing (finding)</p><p><b>Consent Start
    Date</b>: Jan  1, 2001  6:00 A.M. UTC</p><p><b>Consent End Date</b>: Sep 14, 2008 12:00 A.M. UTC</p><p><b>Actor
    Name</b>: Smart II, Nancy</p><p><b>Actor Role</b>: Authorized Representative</p></div>"
        },
        "status": "active",
        "scope": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/consentscope",
              "code": "patient-privacy",
              "display": "Privacy Consent"
            }
          ],
          "text": "Privacy Consent"
        },
        "category": [
          {
            "coding": [
              {
                "system": "http://loinc.org",
                "code": "59284-0",
                "display": "Patient Consent"
              }
            ],
            "text": "Patient Consent"
          }
        ],
        "patient": {
          "reference": "Patient/12742397",
          "display": "Smart, BabyBoy"
        },
        "policyRule": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "425691002",
              "display": "Consent given for electronic record sharing (finding)"
            }
          ],
          "text": "Consent given for electronic record sharing (finding)"
```

```
        },
        "provision": {
          "type": "permit",
          "period": {
            "start": "2020-07-09T14:15:16.000Z",
            "end": "2008-09-14T00:00:00.000Z"
          },
          "actor": [
            {
              "id": "12724066",
              "role": {
                "coding": [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction",
                    "code": "AUCG",
                    "display": "caregiver information receiver"
                  }
                ],
                "text": "Authorized Representative"
              },
              "reference": {
                "reference": "RelatedPerson/12724066-12742397",
                "display": "Smart II, Nancy"
              }
            }
          ],
          "action": [
            {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/consentaction",
                  "code": "correct",
                  "display": "Access and Correct"
                }
              ],
              "text": "Access and Correct"
            }
          ],
          "purpose": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActReason",
              "code": "PurposeOfUse",
              "display": "purpose of use"
            }
          ]
        }
      }
    },
    {
      "search": {
        "mode": "match"
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-include Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/Consent?patient=12742397&_include=Consent:patient&_include=Consent:actor
```

Example Response:

```
{
  "resourceType": "Bundle",
  "id": "e2d6403f-fe92-4f56-a210-2c5871488345",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/Consent?patient=12742397&_include=Consent%3Apatient&_include=Consent%3Aactor"
    }
  ],
```

```
"entry": [
  {
    "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Consent/AR-12742397-12724066",
    "resource": {
      "resourceType": "Consent",
      "id": "AR-12742397-12724066",
      "meta": {
        "versionId": "95",
        "lastUpdated": "2020-08-21T15:51:38.000Z"
      },
      "text": {
        "status": "generated",
        "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Consent</b></p><p><b>Patient Name</b>: Smart,
  BabyBoy</p><p><b>Status</b>: Inactive</p><p><b>Scope</b>: Privacy Consent</p><p><b>Category</b>: Patient
  Consent</p><p><b>Policy Rule</b>: Consent given for electronic record sharing (finding)</p><p><b>Consent Start
  Date</b>: Jan  1, 2001  6:00 A.M. UTC</p><p><b>Consent End Date</b>: Sep 14, 2008 12:00 A.M. UTC</p><p><b>Actor
  Name</b>: Smart II, Nancy</p><p><b>Actor Role</b>: Authorized Representative</p></div>"
      },
      "status": "active",
      "scope": {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/consentscope",
            "code": "patient-privacy",
            "display": "Privacy Consent"
          }
        ],
        "text": "Privacy Consent"
      },
      "category": [
        {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "59284-0",
              "display": "Patient Consent"
            }
          ],
          "text": "Patient Consent"
        }
      ],
      "patient": {
        "reference": "Patient/12742397",
        "display": "Smart, BabyBoy"
      },
      "policyRule": {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "425691002",
            "display": "Consent given for electronic record sharing (finding)"
          }
        ],
        "text": "Consent given for electronic record sharing (finding)"
      },
      "provision": {
        "type": "permit",
        "period": {
          "start": "2020-07-09T14:15:16.000Z",
          "end": "2008-09-14T00:00:00.000Z"
        },
        "actor": [
          {
            "id": "12724066",
            "role": {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationFunction",
                  "code": "AUCG",
                  "display": "caregiver information receiver"
                }
              ],
              "text": "Authorized Representative"
            },
            "reference": {
              "reference": "RelatedPerson/12724066-12742397",
              "display": "Smart II, Nancy"
            }
          }
        ],
        "action": [
          {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/consentaction",
                "code": "correct",
                "display": "Access and Correct"
              }
            ],
```

```
          "text": "Access and Correct"
        }
      ],
      "purpose": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActReason",
          "code": "PurposeOfUse",
          "display": "purpose of use"
        }
      ]
    }
  }
},
{
  "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Patient/12742397",
  "resource": {
    "resourceType": "Patient",
    "id": "12742397",
    "meta": {
      "versionId": "5",
      "lastUpdated": "2020-08-21T15:51:38.000Z"
    },
    "text": {
      "status": "generated",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Patient</b></p><p><b>Name</b>: SMART, BABY
BOY</p><p><b>Status</b>: Active</p><p><b>DOB</b>: Mar  2, 2020</p><p><b>Administrative Gender</b>:
Male</p><p><b>Marital Status</b>: Single</p></div>"
    },
    "extension": [
      {
        "extension": [
          {
            "valueCoding": {
              "system": "urn:oid:2.16.840.1.113883.6.238",
              "code": "2106-3",
              "display": "White",
              "userSelected": false
            },
            "url": "ombCategory"
          },
          {
            "valueString": "White",
            "url": "text"
          }
        ],
        "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-race"
      },
      {
        "extension": [
          {
            "valueCoding": {
              "system": "urn:oid:2.16.840.1.113883.6.238",
              "code": "2186-5",
              "display": "Not Hispanic or Latino",
              "userSelected": false
            },
            "url": "ombCategory"
          },
          {
            "valueString": "Not Hispanic, Latino, or Spanish Origin",
            "url": "text"
          }
        ],
        "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-ethnicity"
      }
    ],
    "identifier": [
      {
        "id": "CI-490052360-0",
        "use": "usual",
        "type": {
          "coding": [
            {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/4",
              "code": "10",
              "display": "MRN",
              "userSelected": true
            },
            {
              "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
              "code": "MR",
              "display": "Medical record number",
              "userSelected": false
            }
          ],
          "text": "MRN"
        },
        "system": "urn:oid:2.16.840.1.113883.6.1000",
        "value": "6946",
```

```
    "period": {
      "start": "2020-03-04T18:58:24.000Z"
    }
  },
  {
    "id": "CI-490068259-2",
    "use": "usual",
    "type": {
      "coding": [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/4",
          "code": "22",
          "display": "Military Id",
          "userSelected": true
        }
      ],
      "text": "Military Id"
    },
    "system": "urn:oid:2.16.840.1.113883.3.42.10001.100001.12",
    "value": "10050007022"
  },
  {
    "id": "CI-490060091-3",
    "use": "usual",
    "type": {
      "coding": [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/4",
          "code": "670843",
          "display": "Messaging",
          "userSelected": true
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
          "code": "U",
          "display": "Unspecified identifier",
          "userSelected": false
        }
      ],
      "text": "Messaging"
    },
    "system": "urn:oid:2.16.840.1.113883.3.13.8",
    "value": "A018E18315544A4DB402B55DE1AB7154",
    "period": {
      "start": "2020-07-09T14:16:53.000Z"
    }
  }
],
"active": true,
"name": [
  {
    "id": "CI-12742397-0",
    "use": "official",
    "text": "SMART, BABY BOY",
    "family": "SMART",
    "given": [
      "BABY BOY"
    ],
    "period": {
      "start": "2020-03-04T18:58:24.000Z"
    }
  }
],
"telecom": [
  {
    "id": "CI-EM-29822922-0",
    "system": "email",
    "value": "babyboysmart@yopmail.com",
    "use": "home",
    "rank": 1,
    "period": {
      "start": "2020-07-09T14:15:16.000Z"
    }
  }
],
"gender": "male",
"birthDate": "2020-03-02",
"address": [
  {
    "id": "CI-24326083-0",
    "use": "home",
    "text": "123 MAIN\nKANSAS CITY, MO 64116\nUS",
    "line": [
      "123 MAIN"
    ],
    "city": "KANSAS CITY",
    "state": "MO",
    "postalCode": "64116",
    "country": "US",
```

```
    "period": {
      "start": "2020-03-04T18:53:59.000Z"
    }
  }
],
"maritalStatus": {
  "coding": [
    {
      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/38",
      "code": "309239",
      "display": "Single",
      "userSelected": true
    },
    {
      "system": "http://terminology.hl7.org/CodeSystem/v3-MaritalStatus",
      "code": "U",
      "display": "unmarried",
      "userSelected": false
    }
  ],
  "text": "Single"
},
"contact": [
  {
    "relationship": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/351",
            "code": "2553243305",
            "display": "Authorized Representative",
            "userSelected": true
          }
        ],
        "text": "Authorized Representative"
      }
    ],
    "name": {
      "id": "CI-12724066-0",
      "use": "official",
      "text": "SMART, NANCY",
      "family": "SMART",
      "given": [
        "NANCY"
      ],
      "period": {
        "start": "2019-12-26T15:12:34.000Z"
      }
    },
    "telecom": [
      {
        "system": "phone",
        "value": "9876543210",
        "use": "home",
        "rank": 1,
        "period": {
          "start": "2019-12-26T15:12:34.000Z"
        }
      },
      {
        "system": "email",
        "value": "nancysmart@yopmail.com",
        "use": "home",
        "rank": 1,
        "period": {
          "start": "2020-06-30T19:47:10.000Z"
        }
      }
    ],
    "address": {
      "use": "home",
      "text": "12345 MAIN ST\nKANSAS CITY, MO 64151-0001\nUS",
      "line": [
        "12345 MAIN ST"
      ],
      "city": "KANSAS CITY",
      "district": "Jackson",
      "state": "MO",
      "postalCode": "64151-0001",
      "country": "US",
      "period": {
        "start": "2020-12-08T15:05:44.000Z"
      }
    },
    "gender": "female",
    "period": {
      "start": "2020-07-09T14:15:16.000Z"
    }
  },
```

```
  {
    "relationship": [
      {
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/351",
            "code": "1153",
            "display": "Family Member",
            "userSelected": true
          }
        ],
        "text": "Family Member"
      }
    ],
    "name": {
      "id": "CI-12724066-0",
      "use": "official",
      "text": "SMART, NANCY",
      "family": "SMART",
      "given": [
        "NANCY"
      ],
      "period": {
        "start": "2019-12-26T15:12:34.000Z"
      }
    },
    "telecom": [
      {
        "system": "phone",
        "value": "9876543210",
        "use": "home",
        "rank": 1,
        "period": {
          "start": "2019-12-26T15:12:34.000Z"
        }
      },
      {
        "system": "email",
        "value": "nancysmart@yopmail.com",
        "use": "home",
        "rank": 1,
        "period": {
          "start": "2020-06-30T19:47:10.000Z"
        }
      }
    ],
    "address": {
      "use": "home",
      "text": "12345 MAIN ST\nKANSAS CITY, MO 64151-0001\nUS",
      "line": [
        "12345 MAIN ST"
      ],
      "city": "KANSAS CITY",
      "district": "Jackson",
      "state": "MO",
      "postalCode": "64151-0001",
      "country": "US",
      "period": {
        "start": "2020-12-08T15:05:44.000Z"
      }
    },
    "gender": "female",
    "period": {
      "start": "2020-03-04T18:58:24.000Z"
    }
  }
],
"communication": [
  {
    "language": {
      "coding": [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/36",
          "code": "151",
          "display": "English",
          "userSelected": true
        },
        {
          "system": "urn:ietf:bcp:47",
          "code": "en",
          "display": "English",
          "userSelected": false
        }
      ],
      "text": "English"
    },
    "preferred": true
  }
],
```

```
    "generalPractitioner": [
      {
        "id": "CI-490128057-0",
        "reference": "Practitioner/12744688",
        "display": "PWDentrix, Dentalprofessional"
      },
      {
        "id": "CI-490052374-1",
        "reference": "Practitioner/4122630",
        "display": "Cerner Test, Physician - Women's Health Cerner"
      }
    ]
  },
  "search": {
    "mode": "include"
  }
},
{
  "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/RelatedPerson/12724066-12742397",
  "resource": {
    "resourceType": "RelatedPerson",
    "id": "12724066-12742397",
    "meta": {
      "versionId": 94,
      "lastUpdated": "2020-12-08T15:06:00.000Z"
    },
    "text": {
      "status": "extensions",
      "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Related Person</b></p><p><b>Name</b>: SMART,
NANCY</p><p><b>DOB</b>: Aug 11, 1980</p><p><b>Gender</b>: female</p><p><b>Patient</b>: SMART, BABY
BOY</p><p><b>Status</b>: Active</p><p><b>Relationship</b>: Authorized Representative</p><p><b>Relationship</b>:
Default Guarantor</p><p><b>Relationship</b>: Child</p><p><b>Relationship</b>: Family Member</p><p><b>Relationship
Level</b>: Patient</p></div>"
    },
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://hl7.org/fhir/resource-types",
              "code": "Patient",
              "display": "Patient"
            }
          ],
          "text": "Patient"
        },
        "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/relationship-level"
      }
    ],
    "identifier": [
      {
        "id": "CI-490060520-1",
        "use": "usual",
        "type": {
          "coding": [
            {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/4",
              "code": "22",
              "display": "Military Id",
              "userSelected": true
            }
          ],
          "text": "Military Id"
        },
        "system": "urn:oid:2.16.840.1.113883.3.42.10001.100001.12",
        "value": "10050007001"
      },
      {
        "id": "CI-490068325-2",
        "use": "usual",
        "type": {
          "coding": [
            {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/4",
              "code": "2553236771",
              "display": "Federated Person Principal",
              "userSelected": true
            },
            {
              "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
              "code": "AN",
              "display": "Account number",
              "userSelected": false
            }
          ],
          "text": "Federated Person Principal"
        },
        "system": "urn:oid:2.16.840.1.113883.3.13.6",
        "value": "URN:CERNER:IDENTITY-
```

```
FEDERATION:REALM:EC2458F2-1E24-41C8-B71B-0E701AF7583D-CH:PRINCIPAL:RS7MH9WX3XB8VY63",
        "period": {
          "start": "2020-08-10T14:29:20.000Z"
        }
      },
      {
        "id": "CI-490059563-3",
        "use": "usual",
        "type": {
          "coding": [
            {
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/4",
              "code": "2553236771",
              "display": "Federated Person Principal",
              "userSelected": true
            },
            {
              "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
              "code": "AN",
              "display": "Account number",
              "userSelected": false
            }
          ],
          "text": "Federated Person Principal"
        },
        "system": "urn:oid:2.16.840.1.113883.3.13.6",
        "value": "URN:CERNER:IDENTITY-
FEDERATION:REALM:E8A84236-C258-4952-98B7-A6FF8A9C587A-CH:PRINCIPAL:RS7MH9WX3XB8VY63",
        "period": {
          "start": "2020-06-30T20:06:42.000Z"
        }
      }
    ],
    "active": true,
    "patient": {
      "reference": "Patient/12742397",
      "display": "SMART, BABY BOY"
    },
    "relationship": [
      {
        "id": "CI-490060081-0-0",
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/351",
            "code": "2553243305",
            "display": "Authorized Representative",
            "userSelected": true
          }
        ],
        "text": "Authorized Representative"
      },
      {
        "id": "CI-490052368-0-1",
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/351",
            "code": "1150",
            "display": "Default Guarantor",
            "userSelected": true
          },
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
            "code": "GT",
            "display": "Guarantor",
            "userSelected": false
          }
        ],
        "text": "Default Guarantor"
      },
      {
        "id": "CI-490052368-1-1",
        "coding": [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/40",
            "code": "670847",
            "display": "Child",
            "userSelected": true
          },
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
            "code": "CHILD",
            "display": "child",
            "userSelected": false
          }
        ],
        "text": "Child"
      },
      {
        "id": "CI-490052380-0-2",
```

```
    "coding": [
      {
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/351",
        "code": "1153",
        "display": "Family Member",
        "userSelected": true
      },
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
        "code": "FAMMEMB",
        "display": "family member",
        "userSelected": false
      }
    ],
    "text": "Family Member"
  }
],
"name": [
  {
    "id": "CI-12724066-0",
    "use": "official",
    "text": "SMART, NANCY",
    "family": "SMART",
    "given": [
      "NANCY"
    ],
    "period": {
      "start": "2019-12-26T15:12:34.000Z"
    }
  }
],
"telecom": [
  {
    "id": "CI-PH-29811918-0",
    "system": "phone",
    "value": "9876543210",
    "use": "home",
    "period": {
      "start": "2019-12-26T15:12:34.000Z"
    }
  },
  {
    "id": "CI-EM-29822894-0",
    "system": "email",
    "value": "nancysmart@yopmail.com",
    "use": "home",
    "period": {
      "start": "2020-06-30T19:47:10.000Z"
    }
  }
],
"gender": "female",
"birthDate": "1980-08-11",
"address": [
  {
    "id": "CI-24313551-0",
    "use": "home",
    "text": "12345 MAIN ST\nKANSAS CITY, MO 641510001\nUS",
    "line": [
      "12345 MAIN ST"
    ],
    "city": "KANSAS CITY",
    "district": "Jackson",
    "state": "MO",
    "postalCode": "641510001",
    "country": "US",
    "period": {
      "start": "2020-12-08T15:05:44.000Z"
    }
  }
],
"communication": [
  {
    "language": {
      "coding": [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/36",
          "code": "151",
          "display": "English",
          "userSelected": true
        },
        {
          "system": "urn:ietf:bcp:47",
          "code": "en",
          "display": "English",
          "userSelected": false
        }
      ],
      "text": "English"
```

```
            },
            "preferred": "true"
          }
        ]
      },
      "search": {
        "mode": "include"
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Coverage

File: r4-rest-api-v32/api-coverage.html

Description

Coverage

This topic describes information for the Coverage resource.

Overview

The Coverage resource provides high-level information about an insurance plan for a specific person or patient or an encounter. Identifying coverage information would appear on an insurance card and can be used to pay for health care services. The resource can also be used for self-pay where an individual takes responsibility for the cost of healthcare services, rather than a company or organization.

This resource supports the US Core Coverage Profile from HL7 FHIR US Core Implementation Guide STU 6.1.0.

The following fields are returned if valued:

Coverage id

Status

Type

Subscriber of policy

Subscriber id

Beneficiary relationship to subscriber

Plan beneficiary

Dependent number

Start/end time of the coverage

Payor

Class

Type

Value

Name

Extensions including encounter (for more information, see the Extensions section of this topic)

Terminology Bindings

Coverage.relationship

Description: Indicates the beneficiary relationship to the subscriber.

Details: Subscriber Relationship

System: http://terminology.hl7.org/CodeSystem/subscriber-relationship

Details: For more information, see Code Set 40 Person Relationships under the List of Code Sets section in Proprietary Codes and Systems.

System: https://fhir.cerner.com/<EHR_source_id>/codeSet/40

Extensions

Table - Extensions

ID | Value[x} Type | Description
coverage-encounter | Reference | A reference to an encounter.

Coverage

The operations from the Coverage category.

Create a coverage

Method: post Path: /Coverage

Delete a coverage

Method: delete Path: /Coverage/{ID}

Get a coverage by ID

Method: get Path: /Coverage/{ID}

Get a list of coverages

Method: get Path: /Coverage

Patch a coverage

Method: patch Path: /Coverage/{ID}

Create a coverage

File: r4-rest-api-v32/op-coverage-post.html

Creates new patient-level or encounter-level coverage.

Note: Only the body fields mentioned below are supported. Unsupported fields are ignored, or can result in errors.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Supported Media Types

* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

Root Schema : CoverageCreate

Type:

object

Show Source

beneficiary(required): object

beneficiary

Plan beneficiary.

class: array

class

Additional coverage classifications.

Example:


```
{
  "class": [
    {
      "type": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/ValueSet/coverage-class",
            "code": "plan"
          }
        ],
        "text": "plan"
      },
      "value": "729825",
      "name": "Aetna Missouri POS Open"
    },
    {
      "type": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/ValueSet/coverage-class",
            "code": "group"
```

```
          }
        ],
        "text": "group"
      },
      "value": "7298139",
      "name": "Aetna Missouri POS Open group"
    }
  ]
}
```

dependent: string

Dependent number.

Note: Not required for Public Healthcare writes.

Example:

```
{
  "dependent": "1626016"
}
```

Example:

1626016

extension: object

extension

Reference to the encounter associated with the encounter-level coverage.

Example:

```
{
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter",
  "valueReference": {
    "reference": "Encounter/31363178"
  }
}
```

Note:

* The valueReference.reference must be an encounter reference.

* If provided, an encounter-level coverage is created.

See the StructureDefinition of this extension for further formatting details.

payor(required): array

payor

Issuer of the policy.

Note: For public coverages, payor[0].reference is not supported.

Example:

```
{
  "payor": [
    {
      "reference": "Organization/643847",
      "display": "Aetna Missouri POS - Open"
    }
  ]
}
```

period: object

period

Coverage start and end dates.

Note: Both period.start and period.end must contain date and time components.

Example:

```
{
  "period": {
    "start": "2014-09-05T14:30:12.000Z",
    "end": "2015-09-05T14:30:12.000Z"
  }
}
```

relationship: object

relationship

Indicates the beneficiary relationship to the subscriber.

Note: Not required for Public Healthcare writes.

Example:

```
{
  "relationship": [
    {
      "coding": [
        {
```

```
          "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
          "code": "child"
        }
      ]
    }
  ]
}
```

resourceType(required): string

Allowed Values:

["Coverage"]

The type of the FHIR resource.

status(required): string

Allowed Values:

["active"]

The status of the coverage.

subscriber(required): object

subscriber

Subscriber to the policy.

Note:

* Currently supports only patient references.

* Not required for Public Healthcare writes.

Example:

```
{
  "subscriber": {
    "reference": "Patient/1626016"
  }
}
```

subscriberId: string

ID assigned to the subscriber.

Example:

1626016

```
{
    "type":"object",
    "required":[
        "resourceType",
        "status",
        "subscriber",
        "beneficiary",
        "payor",
        "class.type",
        "class.value"
    ],
    "properties":{
        "resourceType":{
            "description":"<p>The type of the FHIR resource.</p>\n",
            "type":"string",
            "enum":[
                "Coverage"
            ]
        },
        "extension":{
            "description":"<p>Reference to the encounter associated with the encounter-level
    coverage.</p>\n\n<b>Example:</b>\n  <pre><code>{\n  \"url\": \"https://fhir-
    ehr.cerner.com/r4/StructureDefinition/coverage-encounter\",\n  \"valueReference\": {\n    \"reference\":
    \"Encounter/31363178\"\n  }\n}</code></pre>\n\n<b>Note:</b>\n  <ul>\n    <li>The
    <code>valueReference.reference</code> must be an encounter reference. </li>\n    <li>If provided, an encounter-level
     coverage is created.</li>\n  </ul>\n<p>See the StructureDefinition of this extension for further formatting
    details.</p>\n",
            "type":"object",
            "properties":{
                "url":{
                    "type":"string"
                }
            }
        },
        "status":{
            "description":"<p>The status of the coverage.</p>\n",
            "type":"string",
            "enum":[
                "active"
            ]
        },
        "subscriber":{
            "description":"<p>Subscriber to the policy.</p>\n<b>Note:</b>\n<ul>\n  <li>Currently supports only patient
    references.</li>\n  <li>Not required for Public Healthcare writes.</li>\n</ul>\n<b>Example:</b>\n<pre><code>{\n
```

\"subscriber\": {\n   \"reference\": \"Patient/1626016\"\n }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string",
                "example":"Patient/1626016"
            }
        }
    },
    "subscriberId":{
        "description":" ID assigned to the subscriber. \n",
        "type":"string",
        "example":"1626016"
    },
    "beneficiary":{
        "description":" Plan beneficiary. \n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string",
                "example":"Patient/1626016"
            }
        }
    },
    "dependent":{
        "description":" Dependent number. \n Note: Not required for Public Healthcare
writes. \nExample:\n<pre><code>{\n \"dependent\": \"1626016\"\n}</code></pre>\n",
        "type":"string",
        "example":"1626016"
    },
    "relationship":{
        "description":" Indicates the beneficiary relationship to the subscriber. \n Note: Not
required for Public Healthcare writes. \nExample:\n<pre><code>{\n \"relationship\": [\n   {\n
\"coding\": [\n   {\n   \"system\": \"http://terminology.hl7.org/CodeSystem/subscriber-relationship\",\n
          \"code\": \"child\"\n   }\n   ]\n   }\n]\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string",
                            "example":"http://terminology.hl7.org/CodeSystem/subscriber-relationship"
                        },
                        "code":{
                            "type":"string",
                            "example":"child"
                        }
                    }
                }
            }
        }
    },
    "period":{
        "description":" Coverage start and end dates. \n Note: Both period.start and period.end must
contain date and time components. \n Example:\n <pre><code>{\n \"period\": {\n   \"start\":
\"2014-09-05T14:30:12.000Z\",\n   \"end\": \"2015-09-05T14:30:12.000Z\"\n }\n}</code></pre>\n \n",
        "type":"object",
        "required":[
            "start",
            "end"
        ],
        "properties":{
            "start":{
                "type":"string"
            },
            "end":{
                "type":"string"
            }
        }
    },
    "payor":{
        "description":" Issuer of the policy. \n Note: For public coverages, payor[0].reference is not
 supported. \n Example:\n <pre><code>{\n \"payor\": [\n   {\n   \"reference\":
\"Organization/643847\",\n   \"display\": \"Aetna Missouri POS - Open\"\n   }\n]\n}</code></pre>\n \n",
        "type":"array",
        "items":{
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        }

```
        },
        "class":{
            "description":"<p>Additional coverage classifications.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"class\":
     [\n    {\n      \"type\": {\n        \"coding\": [\n          {\n            \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n            \"code\": \"plan\"\n          }\n        ],\n
    \"text\": \"plan\"\n      },\n      \"value\": \"729825\",\n      \"name\": \"Aetna Missouri POS Open\"\n    },\n
        {\n      \"type\": {\n        \"coding\": [\n          {\n            \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n            \"code\": \"group\"\n          }\n        ],\n
    \"text\": \"group\"\n      },\n      \"value\": \"7298139\",\n      \"name\": \"Aetna Missouri POS Open group\"\n
        }\n  ]\n}</code></pre>\n</p>\n",
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "type":{
                        "description":"<p>Type of class such as <code>group</code> or
    <code>plan</code>.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n
    \"system\": \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"group\"\n      }\n    ],\n
    \"text\": \"group\"\n  }\n}</code></pre>\n  <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n
    \"system\": \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"plan\"\n      }\n    ],\n
    \"text\": \"plan\"\n  }\n}</code></pre>\n</p>\n",
                        "type":"object",
                        "properties":{
                            "text":{
                                "type":"string"
                            },
                            "coding":{
                                "type":"array",
                                "items":{
                                    "type":"object",
                                    "properties":{
                                        "system":{
                                            "type":"string"
                                        },
                                        "code":{
                                            "type":"string"
                                        }
                                    }
                                }
                            }
                        }
                    },
                    "value":{
                        "description":"<p>Value associated with type.</p>\n<p><b>Example:</b>\n  <pre><code>{\n
    \"value\": \"7298139\"\n}</code></pre>\n</p>\n",
                        "type":"string"
                    },
                    "name":{
                        "description":"<p>Human-readable description of the type and value.</p>\n<p><b>Example:</b>\n
    <pre><code>{\n  \"name\": \"Aetna Missouri POS Open group\"\n}</code></pre>\n</p>\n",
                        "type":"string"
                    }
                }
            }
        }
    }
}
```


Nested Schema : beneficiary

Type:

object

Plan beneficiary.

Show Source

* reference: string Example: Patient/1626016


```
{
    "description":"<p>Plan beneficiary.</p>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string",
            "example":"Patient/1626016"
        }
    }
}
```


Nested Schema : class

Type:

array

Additional coverage classifications.

Example:


```
{
  "class": [
```

```
    {
      "type": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/ValueSet/coverage-class",
            "code": "plan"
          }
        ],
        "text": "plan"
      },
      "value": "729825",
      "name": "Aetna Missouri POS Open"
    },
    {
      "type": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/ValueSet/coverage-class",
            "code": "group"
          }
        ],
        "text": "group"
      },
      "value": "7298139",
      "name": "Aetna Missouri POS Open group"
    }
  ]
}
```


Show Source

* Array of: object items


```
{
    "description":"<p>Additional coverage classifications.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"class\": [\n
    {\n      \"type\": {\n        \"coding\": [\n          {\n            \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n            \"code\": \"plan\"\n          }\n        ],\n
    \"text\": \"plan\"\n      },\n      \"value\": \"729825\",\n      \"name\": \"Aetna Missouri POS Open\"\n    },\n
        {\n      \"type\": {\n        \"coding\": [\n          {\n            \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n            \"code\": \"group\"\n          }\n        ],\n
    \"text\": \"group\"\n      },\n      \"value\": \"7298139\",\n      \"name\": \"Aetna Missouri POS Open group\"\n
        }\n  ]\n}</code></pre>\n</p>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "type":{
                "description":"<p>Type of class such as <code>group</code> or
    <code>plan</code>.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n
    \"system\": \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"group\"\n      }\n    ],\n
    \"text\": \"group\"\n  }\n}</code></pre>\n  <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n
    \"system\": \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"plan\"\n      }\n    ],\n
    \"text\": \"plan\"\n  }\n}</code></pre>\n</p>\n",
                "type":"object",
                "properties":{
                    "text":{
                        "type":"string"
                    },
                    "coding":{
                        "type":"array",
                        "items":{
                            "type":"object",
                            "properties":{
                                "system":{
                                    "type":"string"
                                },
                                "code":{
                                    "type":"string"
                                }
                            }
                        }
                    }
                }
            },
            "value":{
                "description":"<p>Value associated with type.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"value\":
    \"7298139\"\n}</code></pre>\n</p>\n",
                "type":"string"
            },
            "name":{
                "description":"<p>Human-readable description of the type and value.</p>\n<p><b>Example:</b>\n
    <pre><code>{\n  \"name\": \"Aetna Missouri POS Open group\"\n}</code></pre>\n</p>\n",
                "type":"string"
            }
        }
    }
}
```


Nested Schema : extension

Type:

object

Reference to the encounter associated with the encounter-level coverage.

Example:

```
{
  "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter",
  "valueReference": {
    "reference": "Encounter/31363178"
  }
}
```

Note:

* The valueReference.reference must be an encounter reference.

* If provided, an encounter-level coverage is created.

See the StructureDefinition of this extension for further formatting details.

Show Source

* url: string

```
{
    "description":"<p>Reference to the encounter associated with the encounter-level coverage.</p>\n\n<b>Example:</b>\n
      <pre><code>{\n  \"url\": \"https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter\",\n
    \"valueReference\": {\n    \"reference\": \"Encounter/31363178\"\n  }\n}</code></pre>\n\n<b>Note:</b>\n  <ul>\n
    <li>The <code>valueReference.reference</code> must be an encounter reference. </li>\n    <li>If provided, an
    encounter-level coverage is created.</li>\n  </ul>\n<p>See the StructureDefinition of this extension for further
    formatting details.</p>\n",
    "type":"object",
    "properties":{
        "url":{
            "type":"string"
        }
    }
}
```

Nested Schema : payor

Type:

array

Issuer of the policy.

Note: For public coverages, payor[0].reference is not supported.

Example:

```
{
  "payor": [
    {
      "reference": "Organization/643847",
      "display": "Aetna Missouri POS - Open"
    }
  ]
}
```

Show Source

* Array of: object items

```
{
    "description":"<p>Issuer of the policy.</p>\n<p><b>Note:</b> For public coverages, payor[0].reference is not
    supported.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"payor\": [\n    {\n      \"reference\":
    \"Organization/643847\",\n      \"display\": \"Aetna Missouri POS - Open\"\n    }\n  ]\n}</code></pre>\n</p>\n",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : period

Type:

object

Coverage start and end dates.

Note: Both period.start and period.end must contain date and time components.

Example:

```
{
  "period": {
    "start": "2014-09-05T14:30:12.000Z",
    "end": "2015-09-05T14:30:12.000Z"
  }
}
```

Show Source

* end(required): string

* start(required): string


```
{
    "description":"<p>Coverage start and end dates.</p>\n<p><b>Note:</b> Both period.start and period.end must contain
    date and time components.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"period\": {\n    \"start\":
    \"2014-09-05T14:30:12.000Z\",\n    \"end\": \"2015-09-05T14:30:12.000Z\"\n  }\n}</code></pre>\n</p>\n",
    "type":"object",
    "required":[
        "start",
        "end"
    ],
    "properties":{
        "start":{
            "type":"string"
        },
        "end":{
            "type":"string"
        }
    }
}
```


Nested Schema : relationship

Type:

object

Indicates the beneficiary relationship to the subscriber.

Note: Not required for Public Healthcare writes.

Example:


```
{
  "relationship": [
    {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
          "code": "child"
        }
      ]
    }
  ]
}
```


Show Source

* coding: array coding

* text: string


```
{
    "description":"<p>Indicates the beneficiary relationship to the subscriber.</p>\n<p><b>Note:</b> Not required for
    Public Healthcare writes.</p>\n<b>Example:</b>\n<pre><code>{\n  \"relationship\": [\n    {\n      \"coding\": [\n
            {\n          \"system\": \"http://terminology.hl7.org/CodeSystem/subscriber-relationship\",\n
    \"code\": \"child\"\n        }\n      ]\n    }\n  ]\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string",
                        "example":"http://terminology.hl7.org/CodeSystem/subscriber-relationship"
                    },
                    "code":{
                        "type":"string",
                        "example":"child"
                    }
                }
            }
        }
    }
}
```


Nested Schema : subscriber

Type:

object

Subscriber to the policy.

Note:

* Currently supports only patient references.

* Not required for Public Healthcare writes.

Example:

```
{
  "subscriber": {
    "reference": "Patient/1626016"
  }
}
```

Show Source

* reference: string Example: Patient/1626016

```
{
    "description":"<p>Subscriber to the policy.</p>\n<b>Note:</b>\n<ul>\n  <li>Currently supports only patient
    references.</li>\n  <li>Not required for Public Healthcare writes.</li>\n</ul>\n<b>Example:</b>\n<pre><code>{\n
    \"subscriber\": {\n    \"reference\": \"Patient/1626016\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string",
            "example":"Patient/1626016"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

name: string

Human-readable description of the type and value.

Example:

```
{
  "name": "Aetna Missouri POS Open group"
}
```

type: object

type

Type of class such as group or plan.

Example:

```
{
  "type": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/ValueSet/coverage-class",
        "code": "group"
      }
    ],
    "text": "group"
  }
}
```

```
{
  "type": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/ValueSet/coverage-class",
        "code": "plan"
      }
    ],
    "text": "plan"
  }
}
```

value: string

Value associated with type.

Example:

```
{
  "value": "7298139"
}
```

```
{
    "type":"object",
    "properties":{
        "type":{
            "description":"<p>Type of class such as <code>group</code> or <code>plan</code>.</p>\n<p><b>Example:</b>\n
    <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n        \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"group\"\n      }\n    ],\n    \"text\":
    \"group\"\n  }\n}</code></pre>\n  <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n        \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"plan\"\n      }\n    ],\n    \"text\":
```

```
    \"plan\"\n  }\n}</code></pre>\n</p>\n",
            "type":"object",
            "properties":{
                "text":{
                    "type":"string"
                },
                "coding":{
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "system":{
                                "type":"string"
                            },
                            "code":{
                                "type":"string"
                            }
                        }
                    }
                }
            }
        },
        "value":{
            "description":"<p>Value associated with type.</p>\n<p><b>Example:</b>\n  <pre><code>{\n  \"value\":
    \"7298139\"\n}</code></pre>\n</p>\n",
            "type":"string"
        },
        "name":{
            "description":"<p>Human-readable description of the type and value.</p>\n<p><b>Example:</b>\n
    <pre><code>{\n  \"name\": \"Aetna Missouri POS Open group\"\n}</code></pre>\n</p>\n",
            "type":"string"
        }
    }
}
```


Nested Schema : type

Type:

object

Type of class such as group or plan.

Example:

```
{
  "type": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/ValueSet/coverage-class",
        "code": "group"
      }
    ],
    "text": "group"
  }
}
```

```
{
  "type": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/ValueSet/coverage-class",
        "code": "plan"
      }
    ],
    "text": "plan"
  }
}
```

Show Source

* coding: array coding

* text: string


```
{
    "description":"<p>Type of class such as <code>group</code> or <code>plan</code>.</p>\n<p><b>Example:</b>\n
    <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n        \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"group\"\n      }\n    ],\n    \"text\":
    \"group\"\n  }\n}</code></pre>\n  <pre><code>{\n  \"type\": {\n    \"coding\": [\n      {\n        \"system\":
    \"http://hl7.org/fhir/ValueSet/coverage-class\",\n        \"code\": \"plan\"\n      }\n    ],\n    \"text\":
    \"plan\"\n  }\n}</code></pre>\n</p>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
```

```
                    "type":"string"
                },
                "code":{
                    "type":"string"
                }
            }
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* reference: string

```
{
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string",
                "example":"http://terminology.hl7.org/CodeSystem/subscriber-relationship"
```

```
            },
            "code":{
                "type":"string",
                "example":"child"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string Example: child

* system: string Example: http://terminology.hl7.org/CodeSystem/subscriber-relationship

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string",
            "example":"http://terminology.hl7.org/CodeSystem/subscriber-relationship"
        },
        "code":{
            "type":"string",
            "example":"child"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

The response header indicates the current version to use on a subsequent update.

Example creation of patient-level private coverage.

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage
```

Example Request Body:

```
{
    'resourceType': 'Coverage',
    'status': 'active',
    'subscriber': {
      'reference': 'Patient/589763'
    },
    'subscriberId': '123',
    'beneficiary': {
      'reference': 'Patient/589763'
    },
    'relationship': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/subscriber-relationship',
          'code': 'other'
        }
      ]
    },
    'period': {
      'start': '2014-09-05T14:30:12.000Z',
      'end': '2015-09-05T14:30:12.000Z'
    },
    'payor': [
      {
        'reference': 'Organization/643847',
        'display': 'Aetna Missouri POS - Open'
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://hl7.org/fhir/ValueSet/coverage-class',
              'code': 'plan'
            }
          ],
          'text': 'plan'
        },
```

```
        'value': '729827',
        'name': 'Aetna Missouri POS Open'
      },
      {
        'type': {
          'coding': [
            {
              'system': 'http://hl7.org/fhir/ValueSet/coverage-class',
              'code': 'group'
            }
          ],
          'text': 'group'
        },
        'value': '729839',
        'name': 'Aetna Missouri POS Open group'
      }
    ]
  }
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 22 Oct 2019 15:59:33 GMT
  Etag: W/"0$0"
  Last-Modified: Tue, 22 Oct 2019 15:59:30 GMT
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/589763-11500257-11500257
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-encounter-level-private Response

The response header indicates the current version to use on a subsequent update.

Example creation of encounter-level private coverage.

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage
```

Example Request Body:

```
{
    'resourceType': 'Coverage',
    'status': 'active',
    'subscriber': {
      'reference': 'Patient/1626016',
      'display': 'WOLFE, STEPHANIE T'
    },
    'extension': [
      {
        'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter',
        'valueReference': {
          'reference': 'Encounter/31363178'
        }
      }
    ],
    'subscriberId': '2461235',
    'dependent': '74965675',
    'beneficiary': {
      'reference': 'Patient/1626016'
    },
    'relationship': {
      'coding': [
        {
          'system': 'https://fhir.cerner.com/2c400054-42d8-4e74-87b7-80b5bd5fde9f/codeSet/40',
          'code': '156',
          'display': 'child',
          'userSelected': true
        }
      ]
    },
    'period': {
      'start': '2014-09-05T14:30:12.000Z',
```

```
      'end': '2015-09-05T14:30:12.000Z'
    },
    'payor': [
      {
        'reference': 'Organization/643847',
        'display': 'Aetna Missouri POS - Open'
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://hl7.org/fhir/ValueSet/coverage-class',
              'code': 'plan'
            }
          ],
          'text': 'plan'
        },
        'value': '729825',
        'name': 'Aetna Missouri POS Open'
      },
      {
        'type': {
          'coding': [
            {
              'system': 'http://hl7.org/fhir/ValueSet/coverage-class',
              'code': 'group'
            }
          ],
          'text': 'group'
        },
        'value': '8939999',
        'name': 'Aetna Missouri POS Open group'
      }
    ]
  }
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 22 Oct 2019 15:59:33 GMT
  Etag: W/"0"
  Last-Modified: Tue, 22 Oct 2019 15:59:30 GMT
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/31363178-11500257
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-encounter-level-public Response

The response header indicates the current version to use on a subsequent update.

Example creation of encounter-level public coverage.

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage
```

Example Request Body:

```
{
    'resourceType': 'Coverage',
    'status': 'active',
    'beneficiary': {
      'reference': 'Patient/1626016'
    },
    'period': {
      'start': '2021-01-18T14:30:20.000Z',
      'end': '2021-01-18T14:30:21.000Z'
    },
    'payor': [
      {
        'display': 'Government'
```

```
      }
    ],
    'extension': [
      {
        'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter',
        'valueReference': {
          'reference': 'Encounter/31363178'
        }
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://hl7.org/fhir/ValueSet/coverage-class',
              'code': 'plan'
            }
          ],
          'text': 'Charging Category'
        },
        'value': '2572940471',
        'name': '10-OPC, Class II'
      }
    ]
  }
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 22 Oct 2019 15:59:33 GMT
  Etag: W/"42-0"
  Last-Modified: Tue, 22 Oct 2019 15:59:30 GMT
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PH-31363178-11500257
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patient-level-public Response

The response header indicates the current version to use on a subsequent update.

Example creation of patient-level public coverage.

Example Request:

```
POST https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage
```

Example Request Body:

```
{
    'resourceType': 'Coverage',
    'status': 'active',
    'beneficiary': {
      'reference': 'Patient/1626016'
    },
    'period': {
      'start': '2021-01-18T14:30:20.000Z',
      'end': '2021-01-18T14:30:21.000Z'
    },
    'payor': [
      {
        'display': 'Government'
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://hl7.org/fhir/ValueSet/coverage-class',
              'code': 'plan'
            }
          ],
```

```
          'text': 'Charging Category'
        },
        'value': '2572940471',
        'name': '10-OPC, Class II'
      }
    ]
  }
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 22 Oct 2019 15:59:33 GMT
  Etag: W/"135-0"
  Last-Modified: Tue, 22 Oct 2019 15:59:30 GMT
  Location: https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PHP-1626016-11500257
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Delete a coverage

File: r4-rest-api-v32/op-coverage-id-delete.html

Deletes existing encounter-level or patient-level coverage.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* If-Match(required): string The current version of the Coverage resource.

* content-type(required): string Specifies the content type of the request entity body.

Back to Top

Response

Default Response

Example Request:

```
DELETE https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/623884-674012
```

Example Response:

```
  Cache-Control: no-cache
  Date: Wed, 20 May 2020 18:55:23 GMT
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a coverage by ID

File: r4-rest-api-v32/op-coverage-id-get.html

Retrieves a coverage by the associated coverage ID.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example retrieval of patient-level private coverage.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/12724066-490016987-490016987
```

Example Response:

```
{
    'resourceType': 'Coverage',
    'id': '12724066-490016987-490016987',
    'meta': {
      'versionId': '24-24',
      'lastUpdated': '2020-07-06T17:03:43.000Z'
    },
    'text': {
      'status': 'generated',
      'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Subscriber</b>: SMART, NANCY</p><p><b>Beneficiary</b>: SMART, NANCY</p><p><b>Coverage Start
    Date</b>: Aug 14, 2015  7:07 P.M. UTC</p><p><b>Payor</b>: SELF PAY</p><p><b>Class</b>: plan: Value: 2800235 Name:
    Self Pay</p></div>'
    },
    'status': 'active',
    'type': {
        'coding': [
            {
                'system': 'urn:oid:2.16.840.1.113883.3.221.5',
                'code': '5',
                'display': 'PRIVATE HEALTH INSURANCE',
                'userSelected': false
            }
        ],
        'text': 'Private Health Insurance'
    },
    'subscriber': {
      'reference': 'Patient/12724066',
      'display': 'SMART, NANCY'
    },
    'beneficiary': {
      'reference': 'Patient/12724066',
      'display': 'SMART, NANCY'
    },
    'relationship': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/subscriber-relationship',
          'code': 'self',
          'display': 'Self',
          'userSelected': false
        }
      ],
      'text': 'Self'
```

```
    },
    'period': {
      'start': '2015-08-14T19:07:56.000Z'
    },
    'payor': [
      {
        'reference': 'Organization/589803',
        'display': 'SELF PAY'
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/coverage-class',
              'code': 'plan'
            }
          ]
        },
        'value': '2800235',
        'name': 'Self Pay'
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-encounter-level-private Response

Example retrieval of encounter-level private coverage.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/97954095-98320174
```

Example Response:

```
{
    'resourceType': 'Coverage',
    'id': '97954095-98320174',
    'meta': {
      'versionId': '0',
      'lastUpdated': '2020-07-27T21:01:55.000Z'
    },
    'text': {
      'status': 'extensions',
      'div': '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Subscriber</b>: SMART, NANCY</p><p><b>Subscriber Id</b>: 12345</p><p><b>Encounter</b>:
    97954095</p><p><b>Beneficiary</b>: SMART, NANCY</p><p><b>Dependent Number</b>: 12345</p><p><b>Coverage Start
    Date</b>: Feb  2, 2020  6:00 A.M. UTC</p><p><b>Coverage End Date</b>: Feb  3, 2021  5:59 A.M.
    UTC</p><p><b>Payor</b>: Aetna</p><p><b>Class</b>: plan: Value: 2830233 Name: Aetna</p></div>'
    },
    'extension': [
      {
        'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter',
        'valueReference': {
          'reference': 'Encounter/97954095'
        }
      }
    ],
    'status': 'active',
    'type': {
        'coding': [
            {
                'system': 'urn:oid:2.16.840.1.113883.3.221.5',
                'code': '5',
                'display': 'PRIVATE HEALTH INSURANCE',
                'userSelected': false
            }
        ],
        'text': 'Private Health Insurance'
    },
    'subscriber': {
      'reference': 'Patient/12724066',
      'display': 'SMART, NANCY'
    },
    'subscriberId': '12345',
    'beneficiary': {
      'reference': 'Patient/12724066',
      'display': 'SMART, NANCY'
    },
    'dependent': '12345',
    'relationship': {
      'coding': [
```

```
        {
          'system': 'http://terminology.hl7.org/CodeSystem/subscriber-relationship',
          'code': 'self',
          'display': 'Self',
          'userSelected': false
        }
      ],
      'text': 'Self'
    },
    'period': {
      'start': '2020-02-02T06:00:00.000Z',
      'end': '2021-02-03T05:59:59.000Z'
    },
    'payor': [
      {
        'reference': 'Organization/3064032',
        'display': 'Aetna'
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/coverage-class',
              'code': 'plan'
            }
          ]
        },
        'value': '2830233',
        'name': 'Aetna'
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-encounter-level-public Response

Example retrieval of encounter-level public coverage.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PH-98371617-97701467
```

Example Response:

```
{
    'resourceType': 'Coverage',
    'id': 'PH-98371617-97701467',
    'meta': {
      'versionId': '2-0',
      'lastUpdated': '2020-09-24T17:11:10.000Z'
    },
    'text': {
      'status': 'extensions',
      'div': '<div xmlns='http://www.w3.org/1999/xhtml'><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Encounter</b>: 97701467</p><p><b>Beneficiary</b>: TRAUMA SURGERY, TESTONE</p><p><b>Coverage Start
    Date</b>: Jul  1, 2022  5:00 A.M. UTC</p><p><b>Coverage End Date</b>: Jul  1, 2025  5:00 A.M.
    UTC</p><p><b>Payor</b>: Government</p><p><b>Class</b>:</p><dl><dt>Class</dt><dd><b>Value</b>:
    2572499881</dd><dd><b>Name</b>: Charging Category</dd></dl><p><b>Type</b>: public healthcare</p></div>'
    },
    'extension': [
      {
        'valueReference': {
          'reference': 'Encounter/97701467'
        },
        'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter'
      }
    ],
    'status': 'active',
    'type': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/v3-ActCode',
          'code': 'PUBLICPOL',
          'display': 'public healthcare'
        }
      ],
      'text': 'public healthcare'
    },
    'beneficiary': {
      'reference': 'Patient/12462008',
      'display': 'TRAUMA SURGERY, TESTONE'
    },
```

```
    'period': {
      'start': '2022-07-01T05:00:00.000Z',
      'end': '2025-07-01T05:00:00.000Z'
    },
    'payor': [
      {
        'display': 'Government'
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/coverage-class',
              'code': 'class'
            }
          ]
        },
        'value': '2572499881',
        'name': 'Charging Category'
      }
    ]
  }
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patient-level-public Response

Example retrieval of patient-level public coverage.

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PHP-490218084-12724066
```

Example Response:


```
{
    'resourceType': 'Coverage',
    'id': 'PHP-490218084-12724066',
    'meta': {
      'versionId': '134-0',
      'lastUpdated': '2021-03-16T20:04:11.000Z'
    },
    'text': {
      'status': 'generated',
      'div': '<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Beneficiary</b>: SMART, NANCY</p><p><b>Coverage Start Date</b>: Mar 16, 2021  8:04 P.M.
    UTC</p><p><b>Payor</b>: Government</p><p><b>Class</b>:</p><dl><dt>Charging
    Category</dt><dd><b>Value</b>:2572940471</dd><dd><b>Name</b>: 10-OPC, Class II</dd></dl><p><b>Type</b>: public
    healthcare</p></div>'
    },
    'status': 'active',
    'type': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/v3-ActCode',
          'code': 'PUBLICPOL',
          'display': 'public healthcare'
        }
      ],
      'text': 'public healthcare'
    },
    'beneficiary': {
      'reference': 'Patient/12462008',
      'display': 'TRAUMA SURGERY, TESTONE'
    },
    'period': {
      'start': '2021-03-16T20:04:11.000Z'
    },
    'payor': [
      {
        'display': 'Government'
      }
    ],
    'class': [
      {
        'type': {
          'text': 'Charging Category'
        },
        'value': '2572940471',
        'name': '10-OPC, Class II'
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of coverages

File: r4-rest-api-v32/op-coverage-get.html

Retrieves a list of patient-level or encounter-level coverages that meet supplied query parameters.

Note: Public Healthcare represents an insurance policy funded by a public health system such as a provincial or national health plan. If any public coverages exist, they are returned with an ID prefixed with PH or PHP and returned in the payload with the rest of the coverages (private coverages).

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Query Parameters

-encounter: string

The logical resource ID of the clinical encounter. Required if the _id and patient parameters are not used.

Example: -encounter=98028029

_id: string

The logical resource ID. Required if the patient and -encounter parameters are not used.

Example: _id=12724066-490016987-490016987

_revinclude: string

The Provenance resource entries to be returned as part of the bundle. Example:

* May be provided once with the Provenance:target value. Example: _revinclude=Provenance:target.

* May be provided with the _id, patient, or -encounter parameters. Example: _id=13410103-490794713-490794713&_revinclude=Provenance:target.

* When _revinclude is provided in a request to the closed endpoint, the OAuth2 token must include the scope corresponding with the authorization type, such as user/Provenance.read, patient/Provenance.read, or system/Provenance.read.

_revinclude=Provenance:target

patient: string

The entity that caused the expenses. Required if the _id and -encounter parameters are not used.

Example: patient=Patient/12345

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example search for patient-level private coverage.

Example Request:

```
GET https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?patient=12724066
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': 'a8876443-c615-4244-9044-047dea2d92dd',
    'type': 'searchset',
    'total': 1,
```

```
'link': [
  {
    'relation': 'self',
    'url': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?patient=12724066'
  }
],
'entry': [
  {
    'fullUrl': 'https://fhir-
open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/12724066-490016987-490016987',
    'resource': {
      'resourceType': 'Coverage',
      'id': '12724066-490016987-490016987',
      'meta': {
        'versionId': '24-24',
        'lastUpdated': '2020-07-06T17:03:43.000Z'
      },
      'text': {
        'status': 'generated',
        'div': '<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
Active</p><p><b>Subscriber</b>: SMART, NANCY</p><p><b>Beneficiary</b>: SMART, NANCY</p><p><b>Coverage Start
Date</b>: Aug 14, 2015  7:07 P.M. UTC</p><p><b>Payor</b>: SELF PAY</p><p><b>Class</b>: plan: Value: 2800235 Name:
Self Pay</p></div>'
      },
      'identifier': [
        {
          'type': {
            'coding': [
              {
                'system': 'http://terminology.hl7.org/CodeSystem/v2-0203',
                'code': 'MB'
              }
            ]
          },
          'value': '123'
        },
        {
          'type': {
            'coding': [
              {
                'system': 'http://terminology.hl7.org/CodeSystem/v2-0203',
                'code': 'MB'
              }
            ]
          },
          'value': '123'
        }
      ],
      'status': 'active',
      'type': {
          'coding': [
              {
                  'system': 'urn:oid:2.16.840.1.113883.3.221.5',
                  'code': '5',
                  'display': 'PRIVATE HEALTH INSURANCE',
                  'userSelected': false
              }
          ],
          'text': 'Private Health Insurance'
      },
      'subscriber': {
        'reference': 'Patient/12724066',
        'display': 'SMART, NANCY'
      },
      'beneficiary': {
        'reference': 'Patient/12724066',
        'display': 'SMART, NANCY'
      },
      'relationship': {
        'coding': [
          {
            'system': 'http://terminology.hl7.org/CodeSystem/subscriber-relationship',
            'code': 'self',
            'display': 'Self',
            'userSelected': false
          }
        ],
        'text': 'Self'
      },
      'period': {
        'start': '2015-08-14T19:07:56.000Z'
      },
      'payor': [
        {
          'reference': 'Organization/589803',
          'display': 'SELF PAY'
        }
      ],
      'class': [
```

```
          {
            'type': {
              'coding': [
                {
                  'system': 'http://terminology.hl7.org/CodeSystem/coverage-class',
                  'code': 'plan'
                }
              ]
            },
            'value': '2800235',
            'name': 'Self Pay'
          }
        ]
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-encounter-level-private Response

Example search for encounter-level private coverage.

Example Request:

```
GET https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?-encounter=97954095
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': 'd42baa44-1566-458c-8457-10fbfacfc3e5',
    'type': 'searchset',
    'total': 1,
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?-encounter=97954095'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/97954095-98320174',
        'resource': {
          'resourceType': 'Coverage',
          'id': '97954095-98320174',
          'meta': {
            'versionId': '0',
            'lastUpdated': '2020-07-27T21:01:55.000Z'
          },
          'text': {
            'status': 'extensions',
            'div': '<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Subscriber</b>: SMART, NANCY</p><p><b>Subscriber Id</b>: 12345</p><p><b>Encounter</b>:
    97954095</p><p><b>Beneficiary</b>: SMART, NANCY</p><p><b>Dependent Number</b>: 12345</p><p><b>Coverage Start
    Date</b>: Feb  2, 2020  6:00 A.M. UTC</p><p><b>Coverage End Date</b>: Feb  3, 2021  5:59 A.M.
    UTC</p><p><b>Payor</b>: Aetna</p><p><b>Class</b>: plan: Value: 2830233 Name: Aetna</p></div>'
          },
          'extension': [
            {
              'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter',
              'valueReference': {
                'reference': 'Encounter/97954095'
              }
            }
          ],
          'status': 'active',
          'type': {
              'coding': [
                  {
                      'system': 'urn:oid:2.16.840.1.113883.3.221.5',
                      'code': '5',
                      'display': 'PRIVATE HEALTH INSURANCE',
                      'userSelected': false
                  }
              ],
              'text': 'Private Health Insurance'
          },
          'subscriber': {
            'reference': 'Patient/12724066',
            'display': 'SMART, NANCY'
          },
          'subscriberId': '12345',
          'beneficiary': {
```

```
          'reference': 'Patient/12724066',
          'display': 'SMART, NANCY'
        },
        'dependent': '12345',
        'relationship': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/subscriber-relationship',
              'code': 'self',
              'display': 'Self',
              'userSelected': false
            }
          ],
          'text': 'Self'
        },
        'period': {
          'start': '2020-02-02T06:00:00.000Z',
          'end': '2021-02-03T05:59:59.000Z'
        },
        'payor': [
          {
            'reference': 'Organization/3064032',
            'display': 'Aetna'
          }
        ],
        'class': [
          {
            'type': {
              'coding': [
                {
                  'system': 'http://terminology.hl7.org/CodeSystem/coverage-class',
                  'code': 'plan'
                }
              ]
            },
            'value': '2830233',
            'name': 'Aetna'
          }
        ]
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-encounter-level-public Response

Example search for encounter-level public coverage.

Example Request:

```
GET https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?-encounter=97701467
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': '1714d1b5-cabf-4c4a-bb76-c1e2e4d76d64',
    'type': 'searchset',
    'total': 1,
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?-encounter=97701467'
      }
    ],
    'entry': [
      {
        'fullUrl': 'https://fhir-ehr-
    code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PH-98371617-97701467',
        'resource': {
          'resourceType': 'Coverage',
          'id': 'PH-98371617-97701467',
          'meta': {
            'versionId': '2-0',
            'lastUpdated': '2020-09-24T17:11:10.000Z'
          },
          'text': {
            'status': 'extensions',
            'div': '<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Encounter</b>: 97701467</p><p><b>Beneficiary</b>: TRAUMA SURGERY, TESTONE</p><p><b>Coverage Start
    Date</b>: Jul  1, 2022  5:00 A.M. UTC</p><p><b>Coverage End Date</b>: Jul  1, 2025  5:00 A.M.
    UTC</p><p><b>Payor</b>: Government</p><p><b>Class</b>:</p><dl><dt>Class</dt><dd><b>Value</b>:
    2572499881</dd><dd><b>Name</b>: Charging Category</dd></dl><p><b>Type</b>: public healthcare</p></div>'
```

```
        },
        'extension': [
          {
            'valueReference': {
              'reference': 'Encounter/97701467'
            },
            'url': 'https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter'
          }
        ],
        'status': 'active',
        'type': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/v3-ActCode',
              'code': 'PUBLICPOL',
              'display': 'public healthcare'
            }
          ],
          'text': 'public healthcare'
        },
        'beneficiary': {
          'reference': 'Patient/12462008',
          'display': 'TRAUMA SURGERY, TESTONE'
        },
        'period': {
          'start': '2022-07-01T05:00:00.000Z',
          'end': '2025-07-01T05:00:00.000Z'
        },
        'payor': [
          {
            'display': 'Government'
          }
        ],
        'class': [
          {
            'type': {
              'coding': [
                {
                  'system': 'http://terminology.hl7.org/CodeSystem/coverage-class',
                  'code': 'class'
                }
              ]
            },
            'value': '2572499881',
            'name': 'Charging Category'
          }
        ]
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-id-level-private Response

Example search for ID-level private coverage.

Example Request:

```
GET https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?_id=12724066-491651736-491651736
```

Example Response:

```
{
    'resourceType': 'Coverage',
    'id': '12724066-491651736-491651736',
    'meta': {
      'versionId': '4-4',
      'lastUpdated': '2024-01-10T19:33:27.000Z'
    },
    'text': {
      'status': 'generated',
      'div': '<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Subscriber</b>: SMART II, NANCY</p><p><b>Beneficiary</b>: SMART II, NANCY</p><p><b>Relationship</b>:
     Self</p><p><b>Coverage Start Date</b>: Jun  6, 2021 12:00 A.M. UTC</p><p><b>Payor</b>:
    MEDICARE</p><p><b>Class</b>:</p><dl><dt>Plan</dt><dd><b>Value</b>: 3132243</dd><dd><b>Name</b>: Medicare Part
    B</dd></dl></div>'
    },
    'identifier': [
      {
        'extension': [
          {
            'valueCode': 'unknown',
            'url': 'http://hl7.org/fhir/StructureDefinition/data-absent-reason'
```

```
          }
        ]
      }
    ],
    'status': 'active',
    'type': {
        'coding': [
            {
                'system': 'urn:oid:2.16.840.1.113883.3.221.5',
                'code': '5',
                'display': 'PRIVATE HEALTH INSURANCE',
                'userSelected': false
            }
        ],
        'text': 'Private Health Insurance'
    },
    'subscriber': {
      'reference': 'Patient/12724066',
      'display': 'SMART II, NANCY'
    },
    'beneficiary': {
      'reference': 'Patient/12724066',
      'display': 'SMART II, NANCY'
    },
    'relationship': {
      'coding': [
        {
          'system': 'http://terminology.hl7.org/CodeSystem/subscriber-relationship',
          'code': 'self',
          'display': 'Self',
          'userSelected': false
        }
      ],
      'text': 'Self'
    },
    'period': {
      'start': '2021-06-06T00:00:00.000Z'
    },
    'payor': [
      {
        'reference': 'Organization/589783',
        'display': 'MEDICARE'
      }
    ],
    'class': [
      {
        'type': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/coverage-class',
              'code': 'plan'
            }
          ]
        },
        'value': '3132243',
        'name': 'Medicare Part B'
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-patient-level-public Response

Example search for patient-level public coverage.

Example Request:

```
GET https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?patient=12724066
```

Example Response:

```
{
    'resourceType': 'Bundle',
    'id': '8ff4481d-ce55-4b3f-ac2c-4d4fd3cad4c0',
    'type': 'searchset',
    'total': 1,
    'link': [
      {
        'relation': 'self',
        'url': 'https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?patient=12724066'
      }
    ],
    'entry': [
      {
```

```
      'fullUrl': 'https://fhir-ehr-
    code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PHP-490218084-12724066',
      'resource': {
        'resourceType': 'Coverage',
        'id': 'PHP-490218084-12724066',
        'meta': {
          'versionId': '134-0',
          'lastUpdated': '2021-03-16T20:04:11.000Z'
        },
        'text': {
          'status': 'generated',
          'div': '<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
    Active</p><p><b>Beneficiary</b>: SMART, NANCY</p><p><b>Coverage Start Date</b>: Mar 16, 2021  8:04 P.M.
    UTC</p><p><b>Payor</b>: Government</p><p><b>Class</b>:</p><dl><dt>Charging
    Category</dt><dd><b>Value</b>:2572940471</dd><dd><b>Name</b>: 10-OPC, Class II</dd></dl><p><b>Type</b>: public
    healthcare</p></div>'
        },
        'status': 'active',
        'type': {
          'coding': [
            {
              'system': 'http://terminology.hl7.org/CodeSystem/v3-ActCode',
              'code': 'PUBLICPOL',
              'display': 'public healthcare'
            }
          ],
          'text': 'public healthcare'
        },
        'beneficiary': {
          'reference': 'Patient/12462008',
          'display': 'TRAUMA SURGERY, TESTONE'
        },
        'period': {
          'start': '2021-03-16T20:04:11.000Z'
        },
        'payor': [
          {
            'display': 'Government'
          }
        ],
        'class': [
          {
            'type': {
              'text': 'Charging Category'
            },
            'value': '2572940471',
            'name': '10-OPC, Class II'
          }
        ]
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-search-encounter-with-_revinclude Response

Example search by using .

-encounter

_revinclude

Example Request:

```
GET https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?encounter=98497601&_revinclude=Provenance:target
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "5983892b-700d-425f-a416-f7409e300451",
  "type": "searchset",
  "total": 4,
  "link":
    [
      {
        "relation": "self",
        "url": "https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?-encounter=98497601&_revinclude=Provenance:target"
      }
    ],
  "entry":
    [
```

```
    {
      "fullUrl": "https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/98497601-99038102",
      "resource":
        {
          "resourceType": "Coverage",
          "id": "98497601-99038102",
          "meta":
            {
              "versionId": "0",
              "lastUpdated": "2021-09-01T07:34:48.000Z"
            },
          "text":
            {
              "status": "extensions",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
Active</p><p><b>Subscriber</b>: RCSHRORDAUTHA, PATA</p><p><b>Encounter</b>: 98497601</p><p><b>Beneficiary</b>:
RCSHRORDAUTHA, PATA</p><p><b>Relationship</b>: self</p><p><b>Coverage Start Date</b>: Sep  1, 2021 12:00 A.M.
CDT</p><p><b>Payor</b>: MEDICARE</p><p><b>Class</b>:</p><dl><dt>Plan</dt><dd><b>Value</b>:
2798233</dd><dd><b>Name</b>: MEDICARE PART A</dd></dl></div>"
            },
          "extension":
            [
              {
                "valueReference":
                  {
                    "reference": "Encounter/98497601"
                  },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter"
              }
            ],
          "identifier":
            [
              {
                "extension":
                  [
                    {
                      "valueCode": "unknown",
                      "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason"
                    }
                  ]
              }
            ],
          "status": "active",
          "type":
            {
              "coding":
                [
                  {
                    "system": "urn:oid:2.16.840.1.113883.3.221.5",
                    "code": "1",
                    "display": "MEDICARE",
                    "userSelected": false
                  }
                ],
              "text": "Medicare"
            },
          "subscriber":
            {
              "reference": "Patient/13554095",
              "display": "RCSHRORDAUTHA, PATA"
            },
          "beneficiary":
            {
              "reference": "Patient/13554095",
              "display": "RCSHRORDAUTHA, PATA"
            },
          "relationship":
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
                    "code": "SELF",
                    "display": "self",
                    "userSelected": false
                  },
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
                    "code": "self",
                    "display": "Self",
                    "userSelected": false
                  }
                ],
              "text": "Self"
            },
          "period":
            {
              "start": "2021-09-01T05:00:00.000Z"
            },
```

```
          "payor":
            [
              {
                "reference": "Organization/589783",
                "display": "MEDICARE"
              }
            ],
          "class":
            [
              {
                "type":
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/coverage-class",
                          "code": "plan"
                        }
                      ]
                  },
                "value": "2798233",
                "name": "MEDICARE PART A"
              }
            ]
        },
      "search":
        {
          "mode": "match"
        }
    },
    {
      "fullUrl": "https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PH-99038104-98497601",
      "resource":
        {
          "resourceType": "Coverage",
          "id": "PH-99038104-98497601",
          "meta":
            {
              "versionId": "1-0",
              "lastUpdated": "2021-09-01T07:34:48.000Z"
            },
          "text":
            {
              "status": "extensions",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
Active</p><p><b>Encounter</b>: 98497601</p><p><b>Beneficiary</b>: RCSHRORDAUTHA, PATA</p><p><b>Coverage Start
Date</b>: Sep  1, 2021  7:32 A.M. UTC</p><p><b>Payor</b>: Government</p><p><b>Type</b>: public healthcare</p></div>"
            },
          "extension":
            [
              {
                "valueReference":
                  {
                    "reference": "Encounter/98497601"
                  },
                "url": "https://fhir-ehr.cerner.com/r4/StructureDefinition/coverage-encounter"
              }
            ],
          "status": "active",
          "type":
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                    "code": "PUBLICPOL",
                    "display": "public healthcare"
                  }
                ],
              "text": "public healthcare"
            },
          "beneficiary":
            {
              "reference": "Patient/13554095",
              "display": "RCSHRORDAUTHA, PATA"
            },
          "period":
            {
              "start": "2021-09-01T07:32:23.000Z"
            },
          "payor":
            [
              {
                "display": "Government"
              }
            ]
        },
      "search":
```

```
        {
          "mode": "match"
        }
    },
    {
      "fullUrl": "https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/COV-98497601-INT.enccov-99038102",
      "resource":
        {
          "resourceType": "Provenance",
          "id": "COV-98497601-INT.enccov-99038102",
          "meta":
            {
              "versionId": "99038102",
              "lastUpdated": "2021-09-01T07:34:48Z"
            },
          "text":
            {
              "status": "generated",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><
li>Coverage/98497601-99038102</li></ul><p><b>Recorded</b>: Sep  1, 2021  2:34 A.M.
CDT</p><p><b>Agents</b>:</p><dl><dt>Black, Terri Cerner</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
 Source</dd><dt>RVRORGANIZATION</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>: Source</dd></dl></div>"
            },
          "target":
            [
              {
                "reference": "Coverage/98497601-99038102"
              }
            ],
          "recorded": "2021-09-01T07:34:48Z",
          "agent":
            [
              {
                "type":
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                          "code": "author"
                        }
                      ],
                    "text": "Author"
                  },
                "role":
                  [
                    {
                      "coding":
                        [
                          {
                            "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                            "code": "SOURCE"
                          }
                        ],
                      "text": "Source"
                    }
                  ],
                "who":
                  {
                    "reference": "Practitioner/11876048",
                    "display": "Black, Terri Cerner"
                  },
                "onBehalfOf":
                  {
                    "reference": "Organization/3294036",
                    "display": "RVRORGANIZATION"
                  }
              },
              {
                "type":
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                          "code": "author"
                        }
                      ],
                    "text": "Author"
                  },
                "role":
                  [
                    {
                      "coding":
                        [
                          {
                            "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                            "code": "SOURCE"
```

```
                        }
                      ],
                    "text": "Source"
                  }
                ],
              "who":
                {
                  "reference": "Organization/3294036",
                  "display": "RVRORGANIZATION"
                }
            }
          ]
      },
    "search":
      {
        "mode": "include"
      }
  },
  {
    "fullUrl": "https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/COV-
PH-98497601-INT.enccov-99038104",
    "resource":
      {
        "resourceType": "Provenance",
        "id": "COV-PH-98497601-INT.enccov-99038104",
        "meta":
          {
            "versionId": "99038104",
            "lastUpdated": "2021-09-01T07:34:48Z"
          },
        "text":
          {
            "status": "generated",
            "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><
li>Coverage/PH-99038104-98497601</li></ul><p><b>Recorded</b>: Sep  1, 2021  2:34 A.M.
CDT</p><p><b>Agents</b>:</p><dl><dt>Black, Terri Cerner</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
 Source</dd><dt>RVRORGANIZATION</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>: Source</dd></dl></div>"
          },
        "target":
          [
            {
              "reference": "Coverage/PH-99038104-98497601"
            }
          ],
        "recorded": "2021-09-01T07:34:48Z",
        "agent":
          [
            {
              "type":
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                        "code": "author"
                      }
                    ],
                  "text": "Author"
                },
              "role":
                [
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                          "code": "SOURCE"
                        }
                      ],
                    "text": "Source"
                  }
                ],
              "who":
                {
                  "reference": "Practitioner/11876048",
                  "display": "Black, Terri Cerner"
                },
              "onBehalfOf":
                {
                  "reference": "Organization/3294036",
                  "display": "RVRORGANIZATION"
                }
            },
            {
              "type":
                {
                  "coding":
                    [
                      {
```

```
                            "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                            "code": "author"
                          }
                        ],
                      "text": "Author"
                    },
                  "role":
                    [
                      {
                        "coding":
                          [
                            {
                              "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                              "code": "SOURCE"
                            }
                          ],
                        "text": "Source"
                      }
                    ],
                  "who":
                    {
                      "reference": "Organization/3294036",
                      "display": "RVRORGANIZATION"
                    }
                }
              ]
          },
        "search":
          {
            "mode": "include"
          }
      }
    ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-search-id-with-_revinclude Response

Example search by using .

_id

_revinclude

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?_id=13410103-490794713-
    490794713&_revinclude=Provenance:target
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "38c16fab-2b9d-4d80-ac76-2b5bbcb85175",
  "type": "searchset",
  "total": 2,
  "link":
  [
    {
      "relation": "self",
      "url": "https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?_id=13410103-490794713-
  490794713&_revinclude=Provenance:target"
    }
  ],
  "entry":
  [
    {
      "fullUrl": "https://fhir-
  ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/13410103-490794713-490794713",
      "resource":
        {
          "resourceType": "Coverage",
          "id": "13410103-490794713-490794713",
          "meta":
            {
              "versionId": "0-0",
              "lastUpdated": "2021-07-15T06:49:37.000Z"
            },
          "text":
            {
              "status": "generated",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
  Active</p><p><b>Subscriber</b>: RVRHRDOC, PERSONB</p><p><b>Beneficiary</b>: RVRHRDOC,
  PERSONB</p><p><b>Relationship</b>: self</p><p><b>Coverage Start Date</b>: Jul 15, 2021 12:00 A.M.
  CDT</p><p><b>Payor</b>: ERM Eligibility Payer</p><p><b>Class</b>:</p><dl><dt>Plan</dt><dd><b>Value</b>:
```

```
3338411</dd><dd><b>Name</b>: ERM ELIGIBILITY HP</dd></dl></div>"
          },
        "identifier":
          [
            {
              "extension":
                [
                  {
                    "valueCode": "unknown",
                    "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason"
                  }
                ]
            }
          ],
        "status": "active",
        "type":
          {
            "coding":
              [
                {
                  "system": "urn:oid:2.16.840.1.113883.3.221.5",
                  "code": "5",
                  "display": "PRIVATE HEALTH INSURANCE",
                  "userSelected": false
                }
              ],
            "text": "Private Health Insurance"
          },
        "subscriber":
          {
            "reference": "Patient/13410103",
            "display": "RVRHRDOC, PERSONB"
          },
        "beneficiary":
          {
            "reference": "Patient/13410103",
            "display": "RVRHRDOC, PERSONB"
          },
        "relationship":
          {
            "coding":
              [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
                  "code": "SELF",
                  "display": "self",
                  "userSelected": false
                },
                {
                  "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
                  "code": "self",
                  "display": "Self",
                  "userSelected": false
                }
              ],
            "text": "Self"
          },
        "period":
          {
            "start": "2021-07-15T05:00:00.000Z"
          },
        "payor":
          [
            {
              "reference": "Organization/3312036",
              "display": "ERM Eligibility Payer"
            }
          ],
        "class":
          [
            {
              "type":
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/coverage-class",
                        "code": "plan"
                      }
                    ]
                },
              "value": "3338411",
              "name": "ERM ELIGIBILITY HP"
            }
          ]
      },
    "search":
      {
        "mode": "match"
```

```
      }
  },
  {
    "fullUrl": "https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/COV-13410103-490794713-INT.patcov-490794713",
    "resource":
      {
        "resourceType": "Provenance",
        "id": "COV-13410103-490794713-INT.patcov-490794713",
        "meta":
          {
            "versionId": "490794713",
            "lastUpdated": "2021-07-15T06:49:37Z"
          },
        "text":
          {
            "status": "generated",
            "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><li
>Coverage/13410103-490794713-490794713</li></ul><p><b>Recorded</b>: Jul 15, 2021  1:49 A.M.
CDT</p><p><b>Agents</b>:</p><dl><dt>Manjunath, Pavithra</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
 Source</dd><dt>Default Prov Org</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
Source</dd></dl></div>"
          },
        "target":
          [
            {
              "reference": "Coverage/13410103-490794713-490794713"
            }
          ],
        "recorded": "2021-07-15T06:49:37Z",
        "agent":
          [
            {
              "type":
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                        "code": "author"
                      }
                    ],
                  "text": "Author"
                },
              "role":
                [
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                          "code": "SOURCE"
                        }
                      ],
                    "text": "Source"
                  }
                ],
              "who":
                {
                  "reference": "Practitioner/12812091",
                  "display": "Manjunath, Pavithra"
                },
              "onBehalfOf":
                {
                  "reference": "Organization/3398035",
                  "display": "Default Prov Org"
                }
            },
            {
              "type":
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                        "code": "author"
                      }
                    ],
                  "text": "Author"
                },
              "role":
                [
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                          "code": "SOURCE"
                        }
```

```
                    ],
                  "text": "Source"
                }
              ],
            "who":
              {
                "reference": "Organization/3398035",
                "display": "Default Prov Org"
              }
          }
        ]
      },
    "search":
      {
        "mode": "include"
      }
  }
 ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-search-patient-public-with-_revinclude Response

Example search by using .

patient

_revinclude

Example Request:

```
GET https://fhir-
    ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?patient=13410103&_revinclude=Provenance:target
```

Example Response:


```
 {
   "resourceType": "Bundle",
   "id": "a11e4940-0220-4ffa-97ea-8e6e722f97ee",
   "type": "searchset",
   "total": 4,
   "link":
     [
       {
         "relation": "self",
         "url": "https://fhir-
   ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage?patient=13410103&_revinclude=Provenance:target"
       }
     ],
   "entry":
     [
       {
         "fullUrl": "https://fhir-
   ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/13410103-490794713-490794713",
         "resource":
           {
             "resourceType": "Coverage",
             "id": "13410103-490794713-490794713",
             "meta":
               {
                 "versionId": "0-0",
                 "lastUpdated": "2021-07-15T06:49:37.000Z"
               },
             "text":
               {
                 "status": "generated",
                 "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
   Active</p><p><b>Subscriber</b>: RVRHRDOC, PERSONB</p><p><b>Beneficiary</b>: RVRHRDOC,
   PERSONB</p><p><b>Relationship</b>: self</p><p><b>Coverage Start Date</b>: Jul 15, 2021 12:00 A.M.
   CDT</p><p><b>Payor</b>: ERM Eligibility Payer</p><p><b>Class</b>:</p><dl><dt>Plan</dt><dd><b>Value</b>:
   3338411</dd><dd><b>Name</b>: ERM ELIGIBILITY HP</dd></dl></div>"
               },
             "identifier":
               [
                 {
                   "extension":
                     [
                       {
                         "valueCode": "unknown",
                         "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason"
                       }
                     ]
                 }
               ],
             "status": "active",
```

```
          "type":
            {
              "coding":
                [
                  {
                    "system": "urn:oid:2.16.840.1.113883.3.221.5",
                    "code": "5",
                    "display": "PRIVATE HEALTH INSURANCE",
                    "userSelected": false
                  }
                ],
              "text": "Private Health Insurance"
            },
          "subscriber":
            {
              "reference": "Patient/13410103",
              "display": "RVRHRDOC, PERSONB"
            },
          "beneficiary":
            {
              "reference": "Patient/13410103",
              "display": "RVRHRDOC, PERSONB"
            },
          "relationship":
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
                    "code": "SELF",
                    "display": "self",
                    "userSelected": false
                  },
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/subscriber-relationship",
                    "code": "self",
                    "display": "Self",
                    "userSelected": false
                  }
                ],
              "text": "Self"
            },
          "period":
            {
              "start": "2021-07-15T05:00:00.000Z"
            },
          "payor":
            [
              {
                "reference": "Organization/3312036",
                "display": "ERM Eligibility Payer"
              }
            ],
          "class":
            [
              {
                "type":
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/coverage-class",
                          "code": "plan"
                        }
                      ]
                  },
                "value": "3338411",
                "name": "ERM ELIGIBILITY HP"
              }
            ]
        },
      "search":
        {
          "mode": "match"
        }
    },
    {
      "fullUrl": "https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/PHP-490794715-13410103",
      "resource":
        {
          "resourceType": "Coverage",
          "id": "PHP-490794715-13410103",
          "meta":
            {
              "versionId": "0-0",
              "lastUpdated": "2021-07-15T06:49:37.000Z"
            },
          "text":
```

```
            {
              "status": "generated",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Coverage</b></p><p><b>Status</b>:
Active</p><p><b>Beneficiary</b>: RVRHRDOC, PERSONB</p><p><b>Coverage Start Date</b>: Jul 15, 2021  6:49 A.M.
UTC</p><p><b>Payor</b>: Government</p><p><b>Type</b>: public healthcare</p></div>"
            },
          "status": "active",
          "type":
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                    "code": "PUBLICPOL",
                    "display": "public healthcare"
                  }
                ],
              "text": "public healthcare"
            },
          "beneficiary":
            {
              "reference": "Patient/13410103",
              "display": "RVRHRDOC, PERSONB"
            },
          "period":
            {
              "start": "2021-07-15T06:49:37.000Z"
            },
          "payor":
            [
              {
                "display": "Government"
              }
            ]
        },
      "search":
        {
          "mode": "match"
        }
    },
    {
      "fullUrl": "https://fhir-
ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/COV-13410103-490794713-INT.patcov-490794713",
      "resource":
        {
          "resourceType": "Provenance",
          "id": "COV-13410103-490794713-INT.patcov-490794713",
          "meta":
            {
              "versionId": "490794713",
              "lastUpdated": "2021-07-15T06:49:37Z"
            },
          "text":
            {
              "status": "generated",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><
li>Coverage/13410103-490794713-490794713</li></ul><p><b>Recorded</b>: Jul 15, 2021  1:49 A.M.
CDT</p><p><b>Agents</b>:</p><dl><dt>Manjunath, Pavithra</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
 Source</dd><dt>Default Prov Org</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
Source</dd></dl></div>"
            },
          "target":
            [
              {
                "reference": "Coverage/13410103-490794713-490794713"
              }
            ],
          "recorded": "2021-07-15T06:49:37Z",
          "agent":
            [
              {
                "type":
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                          "code": "author"
                        }
                      ],
                    "text": "Author"
                  },
                "role":
                  [
                    {
                      "coding":
                        [
                          {
                            "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
```

```
                        "code": "SOURCE"
                      }
                    ],
                  "text": "Source"
                }
              ],
            "who":
              {
                "reference": "Practitioner/12812091",
                "display": "Manjunath, Pavithra"
              },
            "onBehalfOf":
              {
                "reference": "Organization/3398035",
                "display": "Default Prov Org"
              }
          },
          {
            "type":
              {
                "coding":
                  [
                    {
                      "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                      "code": "author"
                    }
                  ],
                "text": "Author"
              },
            "role":
              [
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                        "code": "SOURCE"
                      }
                    ],
                  "text": "Source"
                }
              ],
            "who":
              {
                "reference": "Organization/3398035",
                "display": "Default Prov Org"
              }
          }
        ]
    },
  "search":
    {
      "mode": "include"
    }
},
{
  "fullUrl": "https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/COV-
PHP-13410103-INT.patcov-490794715",
  "resource":
    {
      "resourceType": "Provenance",
      "id": "COV-PHP-13410103-INT.patcov-490794715",
      "meta":
        {
          "versionId": "490794715",
          "lastUpdated": "2021-07-15T06:49:37Z"
        },
      "text":
        {
          "status": "generated",
          "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><
li>Coverage/PHP-490794715-13410103</li></ul><p><b>Recorded</b>: Jul 15, 2021  1:49 A.M.
CDT</p><p><b>Agents</b>:</p><dl><dt>Manjunath, Pavithra</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
 Source</dd><dt>Default Prov Org</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
Source</dd></dl></div>"
        },
      "target":
        [
          {
            "reference": "Coverage/PHP-490794715-13410103"
          }
        ],
      "recorded": "2021-07-15T06:49:37Z",
      "agent":
        [
          {
            "type":
              {
                "coding":
```

```
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                        "code": "author"
                      }
                    ],
                  "text": "Author"
                },
              "role":
                [
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                          "code": "SOURCE"
                        }
                      ],
                    "text": "Source"
                  }
                ],
              "who":
                {
                  "reference": "Practitioner/12812091",
                  "display": "Manjunath, Pavithra"
                },
              "onBehalfOf":
                {
                  "reference": "Organization/3398035",
                  "display": "Default Prov Org"
                }
            },
            {
              "type":
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                        "code": "author"
                      }
                    ],
                  "text": "Author"
                },
              "role":
                [
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                          "code": "SOURCE"
                        }
                      ],
                    "text": "Source"
                  }
                ],
              "who":
                {
                  "reference": "Organization/3398035",
                  "display": "Default Prov Org"
                }
            }
          ]
      },
    "search":
      {
        "mode": "include"
      }
  }
]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Patch a coverage

File: r4-rest-api-v32/op-coverage-id-patch.html

Patches existing encounter-level or patient-level coverage.

Note:

* This implementation follows the JSON Patch specification.

* Only operations on the paths listed below are supported.

* For private coverages, both encounter-level and patient-level coverages may be patched, with the caveat of only supporting the /period and /dependent operations on patient-level coverages.

* For public coverages, both encounter-level and patient-level coverages may be patched, with the caveat of only supporting the /period and /class/0/value operations.

Authorization Types

This operation supports the following authorization types:

* Provider

* System

Patch Operations

Path | Operation | Value Type
/class/0/value | replace | string
Description: The alphanumeric string value associated with the insurer-issued label. Example: { "op": "replace", "path": "/class/0/value", "value": "729825" } Note: For private coverages, the Coverage.class at index 0 represents the plan for the coverage. For public coverages, the Coverage.class at index 0 represents the charging category for the coverage.
/class/1/value | replace | string
Description: The alphanumeric string value associated with the insurer-issued label. Example: { "op": "replace", "path": "/class/1/value", "value": "729825" } Note: This path should be used only to replace the policy group number. The Coverage.class at index 1 represents the group for the coverage. When no value is provided for this patch operation, the Coverage.class[1].value is unset.
/class/1/name | replace | string
Description: A short description for the class. Example: { "op": "replace", "path": "/class/1/name", "value": "name" } Note: The Coverage.class at index 1 represents the group for the coverage. When no value is provided for this patch operation, the Coverage.class[1].name is unset.
/dependent | replace | string
Description: A unique identifier for a dependent under the coverage. Example: { "op": "replace", "path": "/dependent", "value": "9816564" } Note: When no value is provided for this patch operation, the Coverage.dependent is unset.
/period | replace | Period
Description: The time period during which the coverage is in force. A missing start date indicates that the start date is unknown. A missing end date indicates that the coverage continues to be in force. Example: { "op": "replace", "path": "/period", "value": { "start": "2014-09-05T14:30:12.000Z", "end": "2015-09-05T14:30:12.000Z" } } Note: When no start value is provided for this patch operation, the Coverage.period.start is unset. When no end value is provided for this patch operation, the Coverage.period.end is unset. When start or end values are provided, time components must be provided.
/relationship | replace | CodeableConcept
Description: The relationship of the beneficiary (patient) to the subscriber. Example: { "op": "replace", "path": "/relationship", "value": { "coding": [{ "system": "https://terminology.hl7.org/CodeSystem/subscriber-relationship", "code": "parent" }] } } Note: When no value is provided for this patch operation, the Coverage.relationship is unset.
/subscriberId | replace | string
Description: The insurer -assigned ID for the subscriber. Example: { "op": "replace", "path": "/subscriberId", "value": "4655446" } Note: When no value is provided for this patch operation, the Coverage.subscriberId is unset.
/subscriber | replace | Reference
Description: The party who has signed-up for or owns the contractual relationship to the policy or to whom the benefit of the policy for services rendered to them or their family is due. Example: { "op": "replace", "path": "/subscriber", "value": { "reference": "Patient/1626016" } } Note: Coverage.subscriber supports only patient references

Request

Supported Media Types

* application/fhir+json

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* If-Match(required): string The current version of the Coverage resource.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

content-type(required): string

Specifies the content type of the request entity body.

Example: application/json-patch+json

Body ()

The body of the patch operation

Root Schema : CoveragePatch

Type:

array

Minimum Number of Items:

Show Source

* Array of: object items

```
{
    "type":"array",
    "minItems":1,
    "items":{
        "type":"object",
        "required":[
            "op",
            "path"
        ],
        "properties":{
            "op":{
                "type":"string",
                "enum":[
                    "replace"
                ]
            },
            "path":{
                "type":"string"
            },
            "value":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* op(required): string Allowed Values: ["replace"]

* path(required): string

* value: string

```
{
    "type":"object",
    "required":[
        "op",
        "path"
    ],
    "properties":{
        "op":{
            "type":"string",
            "enum":[
                "replace"
            ]
        },
        "path":{
            "type":"string"
        },
        "value":{
            "type":"string"
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/json-patch+json

Default Response

The response header indicates the current version to use on a subsequent update.

Example Request:

```
PATCH https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Coverage/623884-674012
```

Example Request Body:

```
[
    {
      'op': 'replace',
      'path': '/class/0/value',
      'value': '729825'
    },
    {
      'op': 'replace',
      'path': '/class/1/value',
```

```
      'value': '456'
    },
    {
      'op': 'replace',
      'path': '/class/1/name',
      'value': 'Miscellaneous Commercial Health Plan'
    },
    {
      'op': 'replace',
      'path': '/dependent',
      'value': '9816564'
    },
    {
      'op': 'replace',
      'path': '/period',
      'value': {
        'start': '2014-09-05T14:30:12.000Z',
        'end': '2015-09-05T14:30:12.000Z'
      }
    },
    {
      'op': 'replace',
      'path': '/relationship',
      'value': {
        'coding': [
          {
            'system': 'http://terminology.hl7.org/CodeSystem/subscriber-relationship',
            'code': 'parent'
          }
        ]
      }
    },
    {
      'op': 'replace',
      'path': '/subscriberId',
      'value': '4655446'
    },
    {
      'op': 'replace',
      'path': '/subscriber',
      'value': {
        'reference': 'Patient/1626016'
      }
    }
  ]
```

Example Response:

```
  Cache-Control: no-cache
  Content-Length: 0
  Content-Type: application/fhir+json
  Date: Tue, 26 Mar 2019 15:42:29 GMT
  Etag: W/"10"
  Last-Modified: Tue, 26 Mar 2019 15:42:27 GMT
  Vary: Origin
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Device

File: r4-rest-api-v32/api-device.html

Description

Device

This topic describes information for the Device resource.

Overview

The Device resource implementation is currently limited to devices implanted in a patient such as a pacemaker or insulin pump. As such, this resource currently exposes the known implant history for a patient at this site.

This resource supports the US Core Implantable Device Profile from HL7 FHIR US Core Implementation Guide STU 6.1.0.

The examples provided here are non-normative and replaying them in the public sandbox is not guaranteed to yield the results shown on the site.

Note:

Fields

* ID

UDI carrier

* Device identifier
* CarrierHRF
* Status
* Distinct identifier
* Manufacturer
* Manufacture date
* Expiration date
* Lot number
* Serial number

Device name

* Name
* Type

* Model number
* Type
* Patient
* Owner

Terminology Mappings

Device.type

Description: The type of device.

Details: SNOMED CT

System: http://snomed.info/sct

Device.deviceName.type

Description: The type of deviceName. Device Name Type can be either user-friendly-name or manufacturer-name.

Details:

System: http://hl7.org/fhir/device-nametype

Device

The operations from the Device category.

Get a device by ID

Method: get Path: /Device/{ID}

Get a list of devices

Method: get Path: /Device

Get a device by ID

File: r4-rest-api-v32/op-device-id-get.html

Retrieves an individual device by device ID.

Authorization Types

This operation supports the following authorization types:

* Provider
* Patient
* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Device/31539245
```

Example Response:


```
{
  "resourceType": "Device",
  "id": "31539245",
  "meta": {
    "versionId": "1",
    "lastUpdated": "2020-07-06T23:58:35.000Z"
  },
  "text": {
    "status": "generated",
    "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Device</b></p><p><b>Unique Device Identifier (UDI)</b>:
    1721123408</p><p><b>Status</b>: Active</p><p><b>Manufacturer</b>: Pacemaker Plus</p><p><b>Manufacture Date</b>: Jan
      9, 2017 12:00 P.M. UTC</p><p><b>Expiration Date</b>: Jul  2, 2040 10:00 A.M. UTC</p><p><b>Lot Number</b>:
    7723</p><p><b>Serial Number</b>: 17642857292</p><p><b>Type</b>: Pacemaker</p><p><b>Model Number</b>:
    T0765</p><p><b>Patient</b>: SMART, NANCY</p><p><b>Owner</b>: Model Clinic</p></div>"
  },
  "udiCarrier": [
    {
      "carrierHRF": "1721123408"
    }
  ],
  "status": "active",
  "manufacturer": "Pacemaker Plus",
  "manufactureDate": "2017-01-09T12:00:00.000Z",
  "expirationDate": "2040-07-02T10:00:00.000Z",
  "lotNumber": "7723",
  "serialNumber": "17642857292",
  "deviceName": [
    {
      "name": "Pacemaker",
      "type": "user-friendly-name"
    }
  ],
  "modelNumber": "T0765",
  "type": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "14106009",
        "display": "Cardiac pacemaker implant"
      }
    ],
    "text": "Pacemaker"
  },
  "patient": {
    "reference": "Patient/12724066",
    "display": "SMART, NANCY"
  },
  "owner": {
    "display": "Model Clinic"
  }
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-entered-in-error Response

Example Request:

```
GET https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Device/22118346
```

Example Response:


```
{
  "resourceType": "Device",
```

```
  "id": "22118346",
  "meta": {
    "versionId": "1",
    "lastUpdated": "2018-11-27T04:59:58Z"
  },
  "text": {
    "status": "generated",
    "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Device</b></p><p><b>Status</b>: Entered in
    Error</p><p><b>Type</b>: Error</p><p><b>Patient</b>: MARSTON, JACK</p></div>"
  },
  "status": "entered-in-error",
  "type": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/data-absent-reason",
        "code": "error",
        "display": "Error"
      }
    ],
    "text": "Error"
  },
  "patient": {
    "reference": "Patient/166045489",
    "display": "MARSTON, JACK"
  }
}
```


Back to Top

Get a list of devices

File: r4-rest-api-v32/op-device-get.html

Retrieves a list of devices that meet supplied query parameters.

Request

Query Parameters

* _id: string The logical resource ID associated with the device. This parameter is required if patient is not used. Example: 7890

_revinclude: string

The Provenance resource entries to be returned as part of the bundle. Example:

* May be provided once with the Provenance:target value. Example: _revinclude=Provenance:target

* May be provided with the _id parameter. Example: _id=214938095&_revinclude=Provenance:target

* May be provided with the patient parameter. Example: patient=12742397&_revinclude=Provenance:target

* When provided in a request to the closed endpoint, the OAuth2 token must include the scope corresponding with the authorization type, such as user/Provenance.read, patient/Provenance.read, or system/Provenance.read.

_revinclude=Provenance:target

* patient: string The patient to whom the device is affixed. This parameter is required if _id is not used. Example: 12345

Header Parameters

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

This operation supports the following authorization types:

* Provider

* Patient

* System

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Device?patient=12724066
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "082eb1ae-1a78-41ff-a551-cfc11ff7c812",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
```

```
      "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Device?patient=12724066"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Device/31539245",
      "resource": {
        "resourceType": "Device",
        "id": "31539245",
        "meta": {
          "versionId": "1",
          "lastUpdated": "2020-07-06T23:58:35.000Z"
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Device</b></p><p><b>Unique Device Identifier
    (UDI)</b>: 1721123408</p><p><b>Status</b>: Active</p><p><b>Manufacturer</b>: Pacemaker Plus</p><p><b>Manufacture
    Date</b>: Jan  9, 2017 12:00 P.M. UTC</p><p><b>Expiration Date</b>: Jul  2, 2040 10:00 A.M. UTC</p><p><b>Lot
    Number</b>: 7723</p><p><b>Serial Number</b>: 17642857292</p><p><b>Type</b>: Pacemaker</p><p><b>Model Number</b>:
    T0765</p><p><b>Patient</b>: SMART, NANCY</p><p><b>Owner</b>: Model Clinic</p></div>"
        },
        "udiCarrier": [
          {
            "carrierHRF": "1721123408"
          }
        ],
        "status": "active",
        "manufacturer": "Pacemaker Plus",
        "manufactureDate": "2017-01-09T12:00:00.000Z",
        "expirationDate": "2040-07-02T10:00:00.000Z",
        "lotNumber": "7723",
        "serialNumber": "17642857292",
        "deviceName": [
          {
            "name": "Pacemaker",
            "type": "user-friendly-name"
          }
        ],
        "modelNumber": "T0765",
        "type": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "14106009",
              "display": "Cardiac pacemaker implant"
            }
          ],
          "text": "Pacemaker"
        },
        "patient": {
          "reference": "Patient/12724066",
          "display": "SMART, NANCY"
        },
        "owner": {
          "display": "Model Clinic"
        }
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-revinclude Response

This operation supports the following authorization types:

* Provider

* System

Example Request:

```
GET https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Device?_id=31539245&_revinclude=Provenance:target
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "11d98db4-e637-4586-af8f-f7256ec5539b",
  "type": "searchset",
  "link": [
    {
      "relation": "self",
      "url": "https://fhir-
```

```
  ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d//Device?_id=31539245&_revinclude=Provenance%3Atarget"
  }
],
"entry": [
  {
    "fullUrl": "https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d//Device/31539245",
    "resource": {
      "resourceType": "Device",
      "id": "31539245",
      "meta": {
        "versionId": "1",
        "lastUpdated": "2020-10-29T09:40:27.000Z"
      },
      "text": {
        "status": "generated",
        "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\\"><p><b>Device</b></p><p><b>Device Identifier</b>:
  234556</p><p><b>Unique Device Identifier (UDI)</b>: 1721123408</p><p><b>Status</b>:
  Active</p><p><b>Manufacturer</b>: Pacemaker Plus</p><p><b>Manufacture Date</b>: Jan  9, 2017 12:00 P.M.
  UTC</p><p><b>Expiration Date</b>: Jul  2, 2040 10:00 A.M. UTC</p><p><b>Lot Number</b>: 7723</p><p><b>Serial
  Number</b>: 17642857292</p><p><b>Type</b>: Pacemaker</p><p><b>Model Number</b>: T0765</p><p><b>Patient</b>: SMART,
  NANCY</p><p><b>Owner</b>: Model Clinic</p></div>"
      },
      "udiCarrier": [
        {
          "deviceIdentifier": "234556",
          "carrierHRF": "1721123408"
        }
      ],
      "status": "active",
      "manufacturer": "Pacemaker Plus",
      "manufactureDate": "2017-01-09T12:00:00Z",
      "expirationDate": "2040-07-02T10:00:00Z",
      "lotNumber": "7723",
      "serialNumber": "17642857292",
      "deviceName": [
        {
          "name": "Pacemaker",
          "type": "user-friendly-name"
        }
      ],
      "modelNumber": "T0765",
      "type": {
        "text": "Pacemaker"
      },
      "patient": {
        "reference": "Patient/12724066",
        "display": "SMART, NANCY"
      },
      "owner": {
        "display": "Model Clinic"
      }
    },
    "search": {
      "mode": "match"
    }
  },
  {
    "fullUrl": "https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d//Provenance/INT.doc-31539245",
    "resource": {
      "resourceType": "Provenance",
      "id": "INT.doc-31539245",
      "meta": {
        "versionId": "31539245",
        "lastUpdated": "2020-07-30T11:20:00Z"
      },
      "text": {
        "status": "generated",
        "div": "<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Provenance</b></p>\n
  <p><b>Target</b>:</p><ul><li>Device/31539245</li></ul>\n              <p><b>Recorded</b>: Jul 30, 2020  6:20 A.M.
  CDT</p>\n              <p><b>Agents</b>:</p>\n              <dl><dt>M, SANGEETHA</dt><dd><b>Agent Type</b>:
  Author</dd>\n                  <dd><b>Agent Role</b>: Source</dd><dt>DEVENG-DEFAULT-PROV</dt>\n
  <dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>: Source</dd></dl></div>"
      },
      "target": [
        {
          "reference": "Device/31539245"
        }
      ],
      "recorded": "2020-07-30T11:20:00Z",
      "agent": [
        {
          "type": {
            "coding": [
              {
                "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                "code": "author"
              }
            ],
            "text": "Author"
```

```
            },
            "role": [
              {
                "coding": [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                    "code": "SOURCE"
                  }
                ],
                "text": "Source"
              }
            ],
            "who": {
              "reference": "Practitioner/159105544",
              "display": "M, SANGEETHA"
            }
          },
          {
            "type": {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/provenance-participant-type",
                  "code": "author"

                }
              ],
              "text": "Author"
            },
            "role": [
              {
                "coding": [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/contractsignertypecodes",
                    "code": "SOURCE"
                  }
                ],
                "text": "Source"
              }
            ],
            "who": {
              "reference": "Organization/57535538",
              "display": "DEVENG-DEFAULT-PROV"
            }
          }
        ]
      },
      "search": {
        "mode": "include"
      }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

DiagnosticReport

File: r4-rest-api-v32/api-diagnosticreport.html

Description

DiagnosticReport

This topic describes information for the DiagnosticReport resource.

Overview

The DiagnosticReport resource provides a set of information and interpretation following a diagnostic service or procedure such as a radiology, pathology, or cardiology report. The DiagnosticReport resource produces information about the diagnostic report itself, about the subject, and about the specimen of the report in the case of laboratory tests. The information produced can include a mix of atomic results, textual reports, images, and codes, depending on the types of diagnostic services being retrieved.

Report conclusions can be expressed as a simple text blob, structured coded data, or as an attached fully formatted report (such as a PDF). Image and media representations of the report and supporting images can be referenced in the DiagnosticReport resource. This resource can retrieve reports of various Status types. Consider these statuses for filtering purposes if you only want to retrieve Final or Corrected results, or if you want to exclude any Entered-in-Error results. See the Status field below for more detail.

If you want to retrieve results without textual reports, such as general laboratory or vital sign results, use the Observation resource instead.

This resource supports the following HL7 FHIR US Core Implementation Guide STU 6.1.0 profiles:

US Core DiagnosticReport Profile for Laboratory Results Reporting

US Core DiagnosticReport Profile for Report and Note Exchange

The examples provided here are non-normative and replaying them in the public sandbox is not guaranteed to yield the results shown on the site. The field is present only when the resource is confidential or when a report contains confidential results. Confidential results contain extensions with their applied confidential labels. See the for more information.

Note:

meta.security

HL7 FHIR Inline Security Label extension

The confidentiality feature is only suppported for laboratory, anatomic pathology, and radiology reports.

Note:

The following fields are returned if valued:

DiagnosticReport ID

Identifier

BasedOn

Reference (ServiceRequest)

Status

Category

Code

Subject

Reference (Patient)

Encounter

Effective

Date Time

Period

Issued date and time

Performer

Reference (Practitioner)

Reference (Organization)

Result Interpreter

Reference (Practitioner)

Reference (Organization)

Specimen

* Reference (Specimen)

Result

Media

Media Link

* Reference (Media)

Presented Form

Content Type

URL

Title

Creation

Conclusion Code

Terminology Bindings

DiagnosticReport.category

Description: A code that classifies the clinical discipline, department, or diagnostic service that created the report (such as cardiology, biochemistry, hematology, or MRI). This code is used for searching, sorting, and display purposes.

Details: US Core DiagnosticReport Profile for Laboratory Results Reporting

System: http://hl7.org/fhir/v2/0074

Details: US Core DiagnosticReport Profile for Report and Note Exchange

System: http://loinc.org
DiagnosticReport.code
Description: A code or name that describes this diagnostic report.
Details: DiagnosticReport code
System: http://loinc.org
DiagnosticReport.status
Description: The status for the diagnostic report.
Details: DiagnosticReportStatus
System: http://hl7.org/fhir/diagnostic-report-status
DiagnosticReport.conclusionCode
Description: One or more codes that represent the summary conclusion (interpretation or impression) of the diagnostic report.
Details: Codes for the clinical conclusion of test results
System: http://snomed.info/sct
DiagnosticReport.meta.security
Description: These tags connect specific resources to the overall security policy and infrastructure.
Details: ValueSet
System: http://terminology.hl7.org/CodeSystem/v3-ActCode
Extensions
Inline Security Label (only present for confidential laboratory results)
DiagnosticReport
The operations from the DiagnosticReport category.
Create a diagnostic report
Method: post Path: /DiagnosticReport
Get a diagnostic report by ID
Method: get Path: /DiagnosticReport/{ID}
Get a list of diagnostic reports
Method: get Path: /DiagnosticReport

Create a diagnostic report

File: r4-rest-api-v32/op-diagnosticreport-post.html
Creates a new diagnostic report.
Note:
* Cardiology and anatomic pathology reports are supported for the create operation.
* Only the body fields mentioned below are supported. Unsupported fields are ignored or can result in errors.
* All provided dates must have a time component.
* The following MIME types are supported:
* application/pdf
* text/plain
* text/richtext
* text/rtf
* text/html
* application/xml
* application/xhtml+xml
* The API to create a cardiology diagnostic report requires a default user that is set up in the domain to chart a document. If a default user is not defined in the domain, a results_interpreter attribute is mandatory to chart a cardiology document.
Authorization Types
This operation supports the following authorization types:
* Provider
* System

Request

Supported Media Types
* application/fhir+json

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

* content-type(required): string Specifies the content type of the request entity body.

Body ()

The body of the create operation

Root Schema : DiagnosticReportCreate

Type:

object

A summary representation of the create (POST) operation for a diagnostic report.

Show Source

basedOn: object

basedOn

Details concerning a service requested. Only the anatomic pathology concept supports the field. Must contain ServiceRequest references with valid Millennium IDs.

Note:

basedOn

Example:

```
{
  "basedOn": [
    {
        "reference": "ServiceRequest/99928073"
    }
  ]
}
```

category(required): object

category

A code that classifies the clinical discipline, department, or diagnostic service that created the report (such as cardiology or anatomic pathology). This code is used for searching, sorting, and display purposes. The code must be LP29708-2 for a cardiology concept and LP7839-6 for an anatomic pathology concept.

Note:

Example:

```
{
  "category": [
    {
        "coding": [
            {
                "code": "LP29708-2",
                "display": "Cardiology",
                "isUserSelected": false,
                "system": "http://loinc.org"
            }
        ],
        "text": "string"
    }
  ]
}
```

```
{
  "category": [
    {
        "coding": [
            {
                "code": "LP7839-6",
                "display": "Pathology study",
                "isUserSelected": false,
                "system": "http://loinc.org"
            }
        ],
        "text": "string"
    }
  ]
}
```

code(required): object

code

Specifies the particular type of diagnostic report.

Note:

* The code must include a LOINC or proprietary coding but not both together.

* Multiple LOINC codings or a single proprietary coding can be provided.

* When providing a proprietary code system, ensure that the format is , where the code set is Millennium Code Set 72.
Example:

https://fhir.cerner.com/[your EHR source ID]/codeSet/[code set]

```
https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72
```

Example:

```
{
  "code": {
    "coding": [
        {
            "code": "703535",
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
            "userSelected": true,
            "display": "Temperature Axillary"
        }
    ],
    "text": "Cardiology"
  }
}
```

```
{
  "code": {
    "coding": [
        {
            "code": "4187236",
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
            "userSelected": true,
            "display": "Anatomic Pathology"
        }
    ],
    "text": "Anatomic Pathology"
  }
}
```

conclusion: string

A concise and clinically contextualized summary conclusion (interpretation or impression) of the diagnostic report. Only the cardiology concept supports field. Must be able to provide a conclusion that is not lost among the basic result data.

Note:

conclusion

Example:

```
{
  "conclusion": "conclusion string"
}
```

effectiveDateTime(required): string

The time or time period that the observed values are related to. When the subject of the report is a patient, the effectiveDateTime is usually the time of the procedure or specimen collection. The source of the date and time is often unknown, and only the date and time itself is known. Only the anatomic pathology concept supports the effectiveDateTime field.

Note:

Example:

```
{
  "effectiveDateTime": "2020-12-27T09:12:28Z",
}
```

effectivePeriod(required): object

effectivePeriod

The time or time period that the observed values are related to. When the subject of the report is a patient, the effectivePeriod is usually the time of the procedure or specimen collection. The source of the date and time is often unknown, and only the date and time itself is known. Only the cardiology concept supports the effectivePeriod field.

Note:

Example:

```
{
  "effectivePeriod": {
    "start": "2020-09-14T09:05:12.000Z",
    "end": "2020-09-14T09:05:12.000Z"
  }
}
```

encounter: object

encounter

The healthcare event (such as a patient and healthcare provider interaction) that this diagnostic report is about. The encounter has to match the original document encounter.

Note:

Example:

```
{
  "encounter": {
    "reference": "Encounter/98041577"
  }
}
```

identifier(required): object

identifier

Identifiers assigned to this report by the performer or other systems.

Note:

* The identifier for the cardiology concept must include the use, type, system, and value fields.

* The type field would include coding.

* coding internally would include code, system, version, display, and userSelected.

* The identifier for the anatomic pathology concept must include the system and value fields.

Example:

```
{
  "identifier": [
    {
        "use": "usual",
        "type": {
            "coding": [
                {
                    "code": "Coding",
                    "system": "http://snomed.info/sct",
                    "version": "4.0.1",
                    "display": "test",
                    "userSelected": true
                }
            ]
        },
        "system": "http://hl7.org/fhir/sid/us-ssn",
        "value": "11182456"
    }
  ]
}
```

```
{
  "identifier": [
    {
        "system": "https://fhir.cerner.com/ceuuid",
        "value": "CEfda49233-ccfa-4ed4-afbc-9f5082c2bf0c-34824240-2022051205454801"
    }
  ]
}
```

issued: string

The date and time when this version of the report was made available to providers, typically after the report was reviewed and verified. A time component must be provided with the date.

Note:

Example:

```
{
  "issued": "2020-07-29T21:02:04.000Z"
}
```

* meta: object meta The DiagnosticReport metadata.

performer(required): object

performer

The diagnostic service that is responsible for issuing the report. Must contain Practitioner or Organization references with valid Millennium IDs.

Note:

Example:

```
{
  "performer": [
    {
      "reference": "Practitioner/3332064"
    }
  ]
}
```

presentedForm(required): object

presentedForm

Rich-text representation of the entire result as issued by the diagnostic service. Multiple formats are allowed but they shall be semantically equivalent. Data and content type must be provided. The cardiology concept supports the , , , , and fields under presented forms. The anatomic pathology concept supports the and fields under present forms.

Note:

contentType

data

url

title

creation

contentType

data

Example:


```
{
  "presentedForm": {
         "contentType": "application/pdf;charset=utf-8",
         "data": "PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4=",
         "url": "http://snomed.info/sct"
         "title": "CT image",
         "creation": "2020-07-29T21:02:04.000Z"
       }
}
```



```
{
  "presentedForm": {
         "contentType": "application/pdf;charset=utf-8",
         "data": "PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4="
       }
}
```


presentedForm.contentType(required): string

Identifies the type of data in the attachment and allows a method to be chosen to interpret or render the data. Includes mime type parameters such as charset where appropriate.

Note:

* Must be provided.

* Content type must include a supported MIME type and character set.

* The following values are supported:

* application/pdf

* text/plain;charset=utf-8

* text/richtext;charset=utf-8

* text/rtf;charset=utf-8

* text/html;charset=utf-8

* application/xml;charset=utf-8

* application/xhtml+xml;charset=utf-8

Example:


```
{
  "contentType": "application/pdf;charset=utf-8"
}
```


presentedForm.creation: string

The date when the attachment was first created. A time component must be provided with the date.

Note:

Example:


```
{
  "creation": "2020-07-29T21:02:04.000Z"
}
```


presentedForm.data(required): string

The actual data of the attachment as a sequence of bytes that is base64 encoded.

Example:


```
{
  "data": "PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4="
}
```


presentedForm.title: string

A label or set of text to display in place of the data.

Example:


```
{
```

```
  "title": "CT image",
}
```

presentedForm.url: string

A location where the data can be accessed.

Example:

```
{
  "title": "http://snomed.info/sct",
}
```

* resourceType(required): string Allowed Values: ["DiagnosticReport"] The type of the FHIR resource.

resultsInterpreter: object

resultsInterpreter

The practitioner or organization that is responsible for the report's conclusions and interpretations.

Note:

* Only the cardiology concept supports the resultsInterpreter field.

* Must contain Practitioner or Organization references with valid Millennium IDs.

* The API to create a cardiology diagnostic report requires a default user that is set up in the domain to chart a document. If no default user is defined in the domain, a results_interpreter attribute is mandatory to chart a cardiology document.

Example:

```
{
  "resultsInterpreter": {
    "reference": "Practitioner/3332064"
  }
}
```

status(required): string

The status of the diagnostic report. Must be one of the following statuses:

Note:

* amended

* cancelled

* entered-in-error

* final

* partial

* preliminary

* registered

* superseded

* unknown

Example:

```
{
  "status": "final"
}
```

subject(required): object

subject

The subject of the report. Usually, but not always, the subject is a patient. However, diagnostic services also perform analyses on specimens collected from a variety of other sources. Only patient references are supported.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/12457977"
  }
}
```

```
{
    "description":"A summary representation of the create (POST) operation for a diagnostic report.",
    "type":"object",
    "required":[
        "resourceType",
        "status",
        "category",
        "code",
        "subject",
        "performer",
        "identifier",
        "effectivePeriod",
        "effectiveDateTime",
        "presentedForm",
        "presentedForm.contentType",
```

```
    "presentedForm.data"
],
"properties":{
    "resourceType":{
        "description":"The type of the FHIR resource.\n",
        "type":"string",
        "enum":[
            "DiagnosticReport"
        ]
    },
    "meta":{
        "description":"The DiagnosticReport metadata.",
        "type":"object",
        "properties":{
            "security":{
                "description":"The DiagnosticReport confidentiality (only supported for Anatomic Pathology
reports).",
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "description":"The confidentiality system.",
                            "type":"string"
                        },
                        "code":{
                            "description":"The confidentiality label.",
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "status":{
        "description":"The status of the diagnostic report.<br>\n\n<b>Note:</b> Must be one of the following
statuses:\n<ul>\n  <li>amended</li>\n  <li>cancelled</li>\n  <li>entered-in-error</li>\n  <li>final</li>\n
<li>partial</li>\n  <li>preliminary</li>\n  <li>registered</li>\n  <li>superseded</li>\n
<li>unknown</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"status\": \"final\"\n}</code></pre>\n",
        "type":"string"
    },
    "category":{
        "description":"A code that classifies the clinical discipline, department, or diagnostic service that
created the report (such as cardiology or anatomic pathology). This code is used for searching, sorting, and display
 purposes.<br>\n\n<b>Note:</b> The code must be LP29708-2 for a cardiology concept and LP7839-6 for an anatomic
pathology concept.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"category\": [\n    {\n        \"coding\": [\n
            {\n                \"code\": \"LP29708-2\",\n                \"display\": \"Cardiology\",\n
                \"isUserSelected\": false,\n                \"system\": \"http://loinc.org\"\n            }\n
        ],\n        \"text\": \"string\"\n    }\n  ]\n}</code></pre>\n\n<pre><code>{\n  \"category\": [\n    {\n
        \"coding\": [\n            {\n                \"code\": \"LP7839-6\",\n                \"display\":
\"Pathology study\",\n                \"isUserSelected\": false,\n                \"system\": \"http://loinc.org\"\n
            }\n        ],\n        \"text\": \"string\"\n    }\n  ]\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "code":{
        "description":"Specifies the particular type of diagnostic report.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The code
 must include a LOINC or proprietary coding but not both together.</li>\n  <li>Multiple LOINC codings or a single
proprietary coding can be provided.</li>\n  <li>When providing a proprietary code system, ensure that the format is
<code>https://fhir.cerner.com/[your EHR source ID]/codeSet/[code set]</code>, where the code set is Millennium Code
Set 72. Example: \n  <pre><code>https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-
0e701af7583d/codeSet/72</code></pre></li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"code\": {\n    \"coding\":
[\n        {\n            \"code\": \"703535\",\n            \"system\":
\"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72\",\n            \"userSelected\": true,\n
            \"display\": \"Temperature Axillary\"\n        }\n    ],\n    \"text\": \"Cardiology\"\n
}\n}</code></pre>\n\n<pre><code>{\n  \"code\": {\n    \"coding\": [\n        {\n            \"code\": \"4187236\",\n
            \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72\",\n
\"userSelected\": true,\n            \"display\": \"Anatomic Pathology\"\n        }\n    ],\n    \"text\":
\"Anatomic Pathology\"\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
```

```
            "text":{
                "type":"string"
            },
            "coding":{
                "type":"array",
                "items":{
                    "type":"object",
                    "properties":{
                        "system":{
                            "type":"string"
                        },
                        "code":{
                            "type":"string"
                        }
                    }
                }
            }
        }
    },
    "subject":{
        "description":"The subject of the report. Usually, but not always, the subject is a patient. However,
diagnostic services also perform analyses on specimens collected from a variety of other
sources.<br>\n\n<b>Note:</b> Only patient references are supported.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
\"subject\": {\n    \"reference\": \"Patient/12457977\"\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "performer":{
        "description":"The diagnostic service that is responsible for issuing the report.<br>\n\n<b>Note:</b> Must
contain Practitioner or Organization references with valid Millennium IDs.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
  \"performer\": [\n    {\n      \"reference\": \"Practitioner/3332064\"\n    }\n  ]\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "resultsInterpreter":{
        "description":"The practitioner or organization that is responsible for the report's conclusions and
interpretations.<br>\n\n<b>Note:</b>\n<ul> \n  <li>Only the cardiology concept supports the
<code>resultsInterpreter</code> field.</li> \n  <li>Must contain Practitioner or Organization references with valid
Millennium IDs.</li> \n  <li>The API to create a cardiology diagnostic report requires a default user that is set up
 in the domain to chart a document. If no default user is defined in the domain, a results_interpreter attribute is
mandatory to chart a cardiology document.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"resultsInterpreter\":
{\n    \"reference\": \"Practitioner/3332064\"\n  }\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "reference":{
                "type":"string"
            }
        }
    },
    "identifier":{
        "description":"Identifiers assigned to this report by the performer or other
systems.<br>\n\n<b>Note:</b>\n<ul>\n   <li>The identifier for the cardiology concept must include the
<code>use</code>, <code>type</code>, <code>system</code>, and <code>value</code> fields.</li>\n    <li>The
<code>type</code> field would include <code>coding</code>.</li>\n    <li><code>coding</code> internally would
include <code>code</code>, <code>system</code>, <code>version</code>, <code>display</code>, and
<code>userSelected</code>.</li>\n   <li>The identifier for the anatomic pathology concept must include the
<code>system</code> and <code>value</code> fields.</li>\n</ul>\n\n\n<b>Example:</b>\n\n<pre><code>{\n
\"identifier\": [\n    {\n        \"use\": \"usual\",\n        \"type\": {\n            \"coding\": [\n
                {\n                    \"code\": \"Coding\",\n                    \"system\":
\"http://snomed.info/sct\",\n                    \"version\": \"4.0.1\",\n                    \"display\":
\"test\",\n                    \"userSelected\": true\n                }\n            ]\n        },\n
\"system\": \"http://hl7.org/fhir/sid/us-ssn\",\n        \"value\": \"11182456\"\n    }\n
]\n}</code></pre>\n\n<pre><code>{\n  \"identifier\": [\n    {\n        \"system\":
\"https://fhir.cerner.com/ceuuid\",\n        \"value\":
\"CEfda49233-ccfa-4ed4-afbc-9f5082c2bf0c-34824240-2022051205454801\"\n    }\n  ]\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "use":{
                "type":"string"
            },
            "type":{
                "type":"object",
                "properties":{
                    "text":{
                        "type":"string"
                    },
                    "coding":{
                        "type":"array",
                        "items":{
                            "type":"object",
                            "properties":{
```

```
                                "system":{
                                    "type":"string"
                                },
                                "code":{
                                    "type":"string"
                                }
                            }
                        }
                    }
                }
            },
            "system":{
                "type":"string"
            },
            "value":{
                "type":"string"
            },
            "period":{
                "type":"object",
                "properties":{
                    "start":{
                        "type":"string"
                    },
                    "end":{
                        "type":"string"
                    }
                }
            },
            "assigner":{
                "type":"object",
                "properties":{
                    "reference":{
                        "type":"string"
                    }
                }
            }
        }
    },
    "effectivePeriod":{
        "description":"The time or time period that the observed values are related to. When the subject of the
report is a patient, the effectivePeriod is usually the time of the procedure or specimen collection. The source of
the date and time is often unknown, and only the date and time itself is known.<br>\n\n<b>Note:</b> Only the
cardiology concept supports the effectivePeriod field.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
\"effectivePeriod\": {\n    \"start\": \"2020-09-14T09:05:12.000Z\",\n    \"end\": \"2020-09-14T09:05:12.000Z\"\n
}\n}</code></pre>\n",
        "type":"object",
        "properties":{
            "start":{
                "type":"string"
            },
            "end":{
                "type":"string"
            }
        }
    },
    "effectiveDateTime":{
        "description":"The time or time period that the observed values are related to. When the subject of the
report is a patient, the effectiveDateTime is usually the time of the procedure or specimen collection. The source
of the date and time is often unknown, and only the date and time itself is known.<br>\n\n<b>Note:</b> Only the
anatomic pathology concept supports the effectiveDateTime field.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
\"effectiveDateTime\": \"2020-12-27T09:12:28Z\",\n}</code></pre>\n",
        "type":"string"
    },
    "presentedForm":{
        "description":"Rich-text representation of the entire result as issued by the diagnostic service. Multiple
formats are allowed but they shall be semantically equivalent.<br>\n\n<b>Note:</b> Data and content type must be
provided. The cardiology concept supports the <code>contentType</code>, <code>data</code>, <code>url</code>,
<code>title</code>, and <code>creation</code> fields under presented forms. The anatomic pathology concept supports
the <code>contentType</code> and <code>data</code> fields under present
forms.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"presentedForm\": {\n         \"contentType\":
\"application/pdf;charset=utf-8\",\n         \"data\":
\"PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4=\",\n         \"url\":
\"http://snomed.info/sct\"\n         \"title\": \"CT image\",\n         \"creation\": \"2020-07-29T21:02:04.000Z\"\n
       }\n}</code></pre>\n\n<pre><code>{\n  \"presentedForm\": {\n         \"contentType\":
\"application/pdf;charset=utf-8\",\n         \"data\":
\"PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4=\"\n
}\n}</code></pre>\n",
        "type":"object",
        "required":[
            "contentType",
            "data"
        ],
        "properties":{
            "contentType":{
                "type":"string",
                "description":"Identifies the type of data in the attachment and allows a method to be chosen to
interpret or render the data. Includes MIME type parameters such as charset where appropriate."
            },
            "data":{
```

```
                    "type":"string",
                    "description":"The actual data of the attachment as a sequence of bytes that is base64 encoded."
                },
                "title":{
                    "type":"string",
                    "description":"A label or set of text to display in place of the data."
                },
                "creation":{
                    "type":"string",
                    "description":"The date when the attachment was first created."
                }
            }
        },
        "presentedForm.contentType":{
            "description":"Identifies the type of data in the attachment and allows a method to be chosen to interpret
    or render the data. Includes mime type parameters such as charset where appropriate.<br>\n\n<b>Note:</b>\n<ul>\n
    <li>Must be provided.</li>\n  <li>Content type must include a supported MIME type and character set.</li>\n  <li>The
     following values are supported:</li>\n    <ul>\n      <li><code>application/pdf</code></li>\n
    <li><code>text/plain;charset=utf-8</code></li>\n      <li><code>text/richtext;charset=utf-8</code></li>\n
    <li><code>text/rtf;charset=utf-8</code></li>\n      <li><code>text/html;charset=utf-8</code></li>\n
    <li><code>application/xml;charset=utf-8</code></li>\n
    <li><code>application/xhtml+xml;charset=utf-8</code></li>\n    </ul>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n
    \"contentType\": \"application/pdf;charset=utf-8\"\n}</code></pre>\n",
            "type":"string"
        },
        "presentedForm.data":{
            "description":"The actual data of the attachment as a sequence of bytes that is base64
    encoded.<br>\n<b>Example:</b>\n\n<pre><code>{\n  \"data\":
    \"PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4=\"\n}</code></pre>\n",
            "type":"string"
        },
        "presentedForm.url":{
            "description":"A location where the data can be accessed.<br>\n<b>Example:</b>\n\n<pre><code>{\n  \"title\":
     \"http://snomed.info/sct\",\n}</code></pre>\n",
            "type":"string"
        },
        "presentedForm.title":{
            "description":"A label or set of text to display in place of the
    data.<br>\n<b>Example:</b>\n\n<pre><code>{\n  \"title\": \"CT image\",\n}</code></pre>\n",
            "type":"string"
        },
        "presentedForm.creation":{
            "description":"The date when the attachment was first created.<br>\n\n<b>Note:</b> A time component must be
    provided with the date.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"creation\":
    \"2020-07-29T21:02:04.000Z\"\n}</code></pre>\n",
            "type":"string"
        },
        "encounter":{
            "description":"The healthcare event (such as a patient and healthcare provider interaction) that this
    diagnostic report is about.<br>\n\n<b>Note:</b> The encounter has to match the original document
    encounter.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"encounter\": {\n    \"reference\": \"Encounter/98041577\"\n
    }\n}</code></pre>\n",
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        },
        "issued":{
            "description":"The date and time when this version of the report was made available to providers, typically
    after the report was reviewed and verified.<br>\n\n<b>Note:</b> A time component must be provided with the
    date.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"issued\": \"2020-07-29T21:02:04.000Z\"\n}</code></pre>\n",
            "type":"string"
        },
        "conclusion":{
            "description":"A concise and clinically contextualized summary conclusion (interpretation or impression) of
    the diagnostic report.<br>\n\n<b>Note:</b> Only the cardiology concept supports <code>conclusion</code> field. Must
    be able to provide a conclusion that is not lost among the basic result
    data.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"conclusion\": \"conclusion string\"\n}</code></pre>\n",
            "type":"string"
        },
        "basedOn":{
            "description":"Details concerning a service requested.<br>\n\n<b>Note:</b> Only the anatomic pathology
    concept supports the <code>basedOn</code> field. Must contain ServiceRequest references with valid Millennium
    IDs.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"basedOn\": [\n    {\n        \"reference\":
    \"ServiceRequest/99928073\"\n    }\n  ]\n}</code></pre>\n",
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        }
    }
}
```


Nested Schema : basedOn

Type:

object

Details concerning a service requested. Only the anatomic pathology concept supports the field. Must contain ServiceRequest references with valid Millennium IDs.

Note:

basedOn

Example:

```
{
  "basedOn": [
    {
        "reference": "ServiceRequest/99928073"
    }
  ]
}
```

Show Source

* reference: string

```
{
    "description":"Details concerning a service requested.<br>\n\n<b>Note:</b> Only the anatomic pathology concept
    supports the <code>basedOn</code> field. Must contain ServiceRequest references with valid Millennium
    IDs.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"basedOn\": [\n    {\n        \"reference\":
    \"ServiceRequest/99928073\"\n    }\n  ]\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : category

Type:

object

A code that classifies the clinical discipline, department, or diagnostic service that created the report (such as cardiology or anatomic pathology). This code is used for searching, sorting, and display purposes. The code must be LP29708-2 for a cardiology concept and LP7839-6 for an anatomic pathology concept.

Note:

Example:

```
{
  "category": [
    {
        "coding": [
            {
                "code": "LP29708-2",
                "display": "Cardiology",
                "isUserSelected": false,
                "system": "http://loinc.org"
            }
        ],
        "text": "string"
    }
  ]
}
```

```
{
  "category": [
    {
        "coding": [
            {
                "code": "LP7839-6",
                "display": "Pathology study",
                "isUserSelected": false,
                "system": "http://loinc.org"
            }
        ],
        "text": "string"
    }
  ]
}
```

Show Source

* coding: array coding

* text: string

```
{
    "description":"A code that classifies the clinical discipline, department, or diagnostic service that created the
    report (such as cardiology or anatomic pathology). This code is used for searching, sorting, and display
    purposes.<br>\n\n<b>Note:</b> The code must be LP29708-2 for a cardiology concept and LP7839-6 for an anatomic
    pathology concept.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"category\": [\n    {\n        \"coding\": [\n
```

```
            {\n               \"code\": \"LP29708-2\",\n               \"display\": \"Cardiology\",\n
                \"isUserSelected\": false,\n               \"system\": \"http://loinc.org\"\n           }\n
        ],\n        \"text\": \"string\"\n    }\n  ]\n}</code></pre>\n\n<pre><code>{\n  \"category\": [\n    {\n
        \"coding\": [\n            {\n               \"code\": \"LP7839-6\",\n               \"display\":
\"Pathology study\",\n               \"isUserSelected\": false,\n               \"system\": \"http://loinc.org\"\n
            }\n        ],\n        \"text\": \"string\"\n    }\n  ]\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```


Nested Schema : code

Type:

object

Specifies the particular type of diagnostic report.

Note:

* The code must include a LOINC or proprietary coding but not both together.

* Multiple LOINC codings or a single proprietary coding can be provided.

* When providing a proprietary code system, ensure that the format is , where the code set is Millennium Code Set 72.
Example:

https://fhir.cerner.com/[your EHR source ID]/codeSet/[code set]

```
https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72
```

Example:

```
{
  "code": {
    "coding": [
        {
            "code": "703535",
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
            "userSelected": true,
            "display": "Temperature Axillary"
        }
    ],
    "text": "Cardiology"
  }
}
```

```
{
  "code": {
    "coding": [
        {
            "code": "4187236",
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
            "userSelected": true,
            "display": "Anatomic Pathology"
        }
    ],
    "text": "Anatomic Pathology"
  }
}
```

Show Source

* coding: array coding

* text: string


```
{
    "description":"Specifies the particular type of diagnostic report.<br>\n\n<b>Note:</b>\n<ul>\n  <li>The code must
    include a LOINC or proprietary coding but not both together.</li>\n  <li>Multiple LOINC codings or a single
    proprietary coding can be provided.</li>\n  <li>When providing a proprietary code system, ensure that the format is
    <code>https://fhir.cerner.com/[your EHR source ID]/codeSet/[code set]</code>, where the code set is Millennium Code
    Set 72. Example: \n  <pre><code>https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/codeSet/72</code></pre></li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"code\": {\n    \"coding\":
    [\n        {\n            \"code\": \"703535\",\n            \"system\":
    \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72\",\n            \"userSelected\": true,\n
                \"display\": \"Temperature Axillary\"\n        }\n    ],\n    \"text\": \"Cardiology\"\n
```

```
    }\n}</code></pre>\n\n<pre><code>{\n  \"code\": {\n    \"coding\": [\n        {\n            \"code\": \"4187236\",\n
                \"system\": \"https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72\",\n
    \"userSelected\": true,\n            \"display\": \"Anatomic Pathology\"\n        }\n    ],\n    \"text\":
    \"Anatomic Pathology\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```


Nested Schema : effectivePeriod

Type:

object

The time or time period that the observed values are related to. When the subject of the report is a patient, the effectivePeriod is usually the time of the procedure or specimen collection. The source of the date and time is often unknown, and only the date and time itself is known. Only the cardiology concept supports the effectivePeriod field.

Note:

Example:

```
{
  "effectivePeriod": {
    "start": "2020-09-14T09:05:12.000Z",
    "end": "2020-09-14T09:05:12.000Z"
  }
}
```

Show Source

* end: string

* start: string


```
{
    "description":"The time or time period that the observed values are related to. When the subject of the report is a
    patient, the effectivePeriod is usually the time of the procedure or specimen collection. The source of the date and
     time is often unknown, and only the date and time itself is known.<br>\n\n<b>Note:</b> Only the cardiology concept
    supports the effectivePeriod field.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"effectivePeriod\": {\n    \"start\":
     \"2020-09-14T09:05:12.000Z\",\n    \"end\": \"2020-09-14T09:05:12.000Z\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "start":{
            "type":"string"
        },
        "end":{
            "type":"string"
        }
    }
}
```


Nested Schema : encounter

Type:

object

The healthcare event (such as a patient and healthcare provider interaction) that this diagnostic report is about. The encounter has to match the original document encounter.

Note:

Example:

```
{
  "encounter": {
    "reference": "Encounter/98041577"
  }
}
```

Show Source

* reference: string


```
{
    "description":"The healthcare event (such as a patient and healthcare provider interaction) that this diagnostic
```

```
    report is about.<br>\n\n<b>Note:</b> The encounter has to match the original document
    encounter.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"encounter\": {\n    \"reference\": \"Encounter/98041577\"\n
    }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : identifier

Type:

object

Identifiers assigned to this report by the performer or other systems.

Note:

* The identifier for the cardiology concept must include the use, type, system, and value fields.

* The type field would include coding.

* coding internally would include code, system, version, display, and userSelected.

* The identifier for the anatomic pathology concept must include the system and value fields.

Example:


```
{
  "identifier": [
    {
        "use": "usual",
        "type": {
            "coding": [
                {
                    "code": "Coding",
                    "system": "http://snomed.info/sct",
                    "version": "4.0.1",
                    "display": "test",
                    "userSelected": true
                }
            ]
        },
        "system": "http://hl7.org/fhir/sid/us-ssn",
        "value": "11182456"
    }
  ]
}
```



```
{
  "identifier": [
    {
        "system": "https://fhir.cerner.com/ceuuid",
        "value": "CEfda49233-ccfa-4ed4-afbc-9f5082c2bf0c-34824240-2022051205454801"
    }
  ]
}
```


Show Source

* assigner: object assigner

* period: object period

* system: string

* type: object type

* use: string

* value: string


```
{
    "description":"Identifiers assigned to this report by the performer or other systems.<br>\n\n<b>Note:</b>\n<ul>\n
    <li>The identifier for the cardiology concept must include the <code>use</code>, <code>type</code>,
    <code>system</code>, and <code>value</code> fields.</li>\n    <li>The <code>type</code> field would include
    <code>coding</code>.</li>\n    <li><code>coding</code> internally would include <code>code</code>,
    <code>system</code>, <code>version</code>, <code>display</code>, and <code>userSelected</code>.</li>\n   <li>The
    identifier for the anatomic pathology concept must include the <code>system</code> and <code>value</code>
    fields.</li>\n</ul>\n\n\n<b>Example:</b>\n\n<pre><code>{\n  \"identifier\": [\n    {\n        \"use\": \"usual\",\n
            \"type\": {\n            \"coding\": [\n                {\n                    \"code\": \"Coding\",\n
                        \"system\": \"http://snomed.info/sct\",\n                    \"version\": \"4.0.1\",\n
                        \"display\": \"test\",\n                    \"userSelected\": true\n                }\n
                ]\n        },\n        \"system\": \"http://hl7.org/fhir/sid/us-ssn\",\n        \"value\":
    \"11182456\"\n    }\n  ]\n}</code></pre>\n\n<pre><code>{\n  \"identifier\": [\n    {\n        \"system\":
    \"https://fhir.cerner.com/ceuuid\",\n        \"value\":
    \"CEfda49233-ccfa-4ed4-afbc-9f5082c2bf0c-34824240-2022051205454801\"\n    }\n  ]\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "use":{
            "type":"string"
        },
        "type":{
```

```
            "type":"object",
            "properties":{
                "text":{
                    "type":"string"
                },
                "coding":{
                    "type":"array",
                    "items":{
                        "type":"object",
                        "properties":{
                            "system":{
                                "type":"string"
                            },
                            "code":{
                                "type":"string"
                            }
                        }
                    }
                }
            }
        },
        "system":{
            "type":"string"
        },
        "value":{
            "type":"string"
        },
        "period":{
            "type":"object",
            "properties":{
                "start":{
                    "type":"string"
                },
                "end":{
                    "type":"string"
                }
            }
        },
        "assigner":{
            "type":"object",
            "properties":{
                "reference":{
                    "type":"string"
                }
            }
        }
    }
}
```

Nested Schema : meta

Type:

object

The DiagnosticReport metadata.

Show Source

* security: array security The DiagnosticReport confidentiality (only supported for Anatomic Pathology reports).

```
{
    "description":"The DiagnosticReport metadata.",
    "type":"object",
    "properties":{
        "security":{
            "description":"The DiagnosticReport confidentiality (only supported for Anatomic Pathology reports).",
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "description":"The confidentiality system.",
                        "type":"string"
                    },
                    "code":{
                        "description":"The confidentiality label.",
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : performer

Type:

object

The diagnostic service that is responsible for issuing the report. Must contain Practitioner or Organization references with valid Millennium IDs.

Note:

Example:

```
{
  "performer": [
    {
      "reference": "Practitioner/3332064"
    }
  ]
}
```

Show Source

* reference: string

```
{
    "description":"The diagnostic service that is responsible for issuing the report.<br>\n\n<b>Note:</b> Must contain
    Practitioner or Organization references with valid Millennium IDs.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n
    \"performer\": [\n    {\n      \"reference\": \"Practitioner/3332064\"\n    }\n  ]\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : presentedForm

Type:

object

Rich-text representation of the entire result as issued by the diagnostic service. Multiple formats are allowed but they shall be semantically equivalent. Data and content type must be provided. The cardiology concept supports the , , , , and fields under presented forms. The anatomic pathology concept supports the and fields under present forms.

Note:

contentType

data

url

title

creation

contentType

data

Example:

```
{
  "presentedForm": {
         "contentType": "application/pdf;charset=utf-8",
         "data": "PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4=",
         "url": "http://snomed.info/sct"
         "title": "CT image",
         "creation": "2020-07-29T21:02:04.000Z"
       }
}
{
  "presentedForm": {
         "contentType": "application/pdf;charset=utf-8",
         "data": "PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4="
       }
}
```

Show Source

* contentType(required): string Identifies the type of data in the attachment and allows a method to be chosen to interpret or render the data. Includes MIME type parameters such as charset where appropriate.

* creation: string The date when the attachment was first created.

* data(required): string The actual data of the attachment as a sequence of bytes that is base64 encoded.

* title: string A label or set of text to display in place of the data.

```
{
    "description":"Rich-text representation of the entire result as issued by the diagnostic service. Multiple formats
    are allowed but they shall be semantically equivalent.<br>\n\n<b>Note:</b> Data and content type must be provided.
    The cardiology concept supports the <code>contentType</code>, <code>data</code>, <code>url</code>,
    <code>title</code>, and <code>creation</code> fields under presented forms. The anatomic pathology concept supports
    the <code>contentType</code> and <code>data</code> fields under present
    forms.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"presentedForm\": {\n         \"contentType\":
    \"application/pdf;charset=utf-8\",\n         \"data\":
    \"PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4=\",\n         \"url\":
    \"http://snomed.info/sct\"\n         \"title\": \"CT image\",\n         \"creation\": \"2020-07-29T21:02:04.000Z\"\n
```

```
          }\n}</code></pre>\n\n<pre><code>{\n  \"presentedForm\": {\n         \"contentType\":
    \"application/pdf;charset=utf-8\",\n         \"data\":
    \"PGh0bWw+Cjx0aXRsZT4gVGVzdCBEb2N1bWVudCA8L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4=\"\n
    }\n}</code></pre>\n",
    "type":"object",
    "required":[
        "contentType",
        "data"
    ],
    "properties":{
        "contentType":{
            "type":"string",
            "description":"Identifies the type of data in the attachment and allows a method to be chosen to interpret
    or render the data. Includes MIME type parameters such as charset where appropriate."
        },
        "data":{
            "type":"string",
            "description":"The actual data of the attachment as a sequence of bytes that is base64 encoded."
        },
        "title":{
            "type":"string",
            "description":"A label or set of text to display in place of the data."
        },
        "creation":{
            "type":"string",
            "description":"The date when the attachment was first created."
        }
    }
}
```


Nested Schema : resultsInterpreter

Type:

object

The practitioner or organization that is responsible for the report's conclusions and interpretations.

Note:

* Only the cardiology concept supports the resultsInterpreter field.

* Must contain Practitioner or Organization references with valid Millennium IDs.

* The API to create a cardiology diagnostic report requires a default user that is set up in the domain to chart a document. If no default user is defined in the domain, a results_interpreter attribute is mandatory to chart a cardiology document.

Example:

```
{
  "resultsInterpreter": {
    "reference": "Practitioner/3332064"
  }
}
```

Show Source

* reference: string


```
{
    "description":"The practitioner or organization that is responsible for the report's conclusions and
    interpretations.<br>\n\n<b>Note:</b>\n<ul> \n  <li>Only the cardiology concept supports the
    <code>resultsInterpreter</code> field.</li> \n  <li>Must contain Practitioner or Organization references with valid
    Millennium IDs.</li> \n  <li>The API to create a cardiology diagnostic report requires a default user that is set up
     in the domain to chart a document. If no default user is defined in the domain, a results_interpreter attribute is
    mandatory to chart a cardiology document.</li>\n</ul>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"resultsInterpreter\":
    {\n    \"reference\": \"Practitioner/3332064\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : subject

Type:

object

The subject of the report. Usually, but not always, the subject is a patient. However, diagnostic services also perform analyses on specimens collected from a variety of other sources. Only patient references are supported.

Note:

Example:

```
{
  "subject": {
    "reference": "Patient/12457977"
  }
}
```

Show Source

* reference: string


```
{
    "description":"The subject of the report. Usually, but not always, the subject is a patient. However, diagnostic
    services also perform analyses on specimens collected from a variety of other sources.<br>\n\n<b>Note:</b> Only
    patient references are supported.<br>\n\n<b>Example:</b>\n\n<pre><code>{\n  \"subject\": {\n    \"reference\":
    \"Patient/12457977\"\n  }\n}</code></pre>\n",
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```


Nested Schema : coding

Type:

array

Show Source

* Array of: object items


```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```


Nested Schema : items

Type:

object

Show Source

* code: string

* system: string


```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```


Nested Schema : coding

Type:

array

Show Source

* Array of: object items


```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```


Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : assigner

Type:

object

Show Source

* reference: string

```
{
    "type":"object",
    "properties":{
        "reference":{
            "type":"string"
        }
    }
}
```

Nested Schema : period

Type:

object

Show Source

* end: string

* start: string

```
{
    "type":"object",
    "properties":{
        "start":{
            "type":"string"
        },
        "end":{
            "type":"string"
        }
    }
}
```

Nested Schema : type

Type:

object

Show Source

* coding: array coding

* text: string

```
{
    "type":"object",
    "properties":{
        "text":{
            "type":"string"
        },
        "coding":{
            "type":"array",
            "items":{
                "type":"object",
                "properties":{
                    "system":{
                        "type":"string"
                    },
                    "code":{
                        "type":"string"
                    }
                }
            }
        }
    }
}
```

Nested Schema : coding

Type:

array

Show Source

* Array of: object items

```
{
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "type":"string"
            },
            "code":{
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string

* system: string

```
{
    "type":"object",
    "properties":{
        "system":{
            "type":"string"
        },
        "code":{
            "type":"string"
        }
    }
}
```

Nested Schema : security

Type:

array

The DiagnosticReport confidentiality (only supported for Anatomic Pathology reports).

Show Source

* Array of: object items

```
{
    "description":"The DiagnosticReport confidentiality (only supported for Anatomic Pathology reports).",
    "type":"array",
    "items":{
        "type":"object",
        "properties":{
            "system":{
                "description":"The confidentiality system.",
                "type":"string"
            },
            "code":{
                "description":"The confidentiality label.",
                "type":"string"
            }
        }
    }
}
```

Nested Schema : items

Type:

object

Show Source

* code: string The confidentiality label.

* system: string The confidentiality system.

```
{
    "type":"object",
    "properties":{
        "system":{
            "description":"The confidentiality system.",
            "type":"string"
        },
        "code":{
            "description":"The confidentiality label.",
            "type":"string"
```

```
        }
    }
}
```

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example create request and reply for a cardiology diagnostic report. The response header indicates the current version to use on a subsequent update.

Example Request:

```
POST https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport
```

Example Request Body:

```
{
    "resourceType": 'DiagnosticReport',
    "status": 'amended',
    "identifier": [
      {
        "use": 'usual',
        "type": {
          "coding": [
            {
              "code": 'Coding',
              "system": 'http://snomed.info/sct',
              "version": '4.0.1',
              "display": 'test',
              "userSelected": true
            }
          ]
        },
        "system": 'http://hl7.org/fhir/sid/us-ssn',
        "value": '11182457'
      }
    ],
    "category": [
      {
        "coding": [
          {
            "code": 'LP29708-2',
            "display": 'Cardiology',
            "isUserSelected": false,
            "system": 'http://loinc.org'
          }
        ],
        "text": 'string'
      }
    ],
    "code": {
      "coding": [
        {
          "system": 'http://loinc.org',
          "code": '8328-7'
        }
      ],
      "text": 'string'
    },
    "subject": {
      "reference": 'Patient/12804513'
    },
    "encounter": {
      "reference": 'Encounter/98041577'
    },
    "performer": [
      {
        "reference": 'Practitioner/11786042',
        "display": 'Practitioner name string'
      }
    ],
    "resultsInterpreter": [
      {
        "reference": 'Practitioner/11786042',
        "display": 'Practitioner name string'
      }
    ],
    "effectivePeriod": {
      "start": '2020-09-14T09:05:12.000Z',
      "end": '2020-09-14T09:05:12.000Z'
    },
    "issued": '2020-12-29T09:12:28Z',
    "presentedForm": [
      {
```

```
        "contentType": 'application/pdf;charset=utf-8',
        "url": 'http://snomed.info/sct',
        "data": 'JVBERi0xLjQKJcfsj6IKNSAwIG9iago8PC9MZW5ndGggNiAwIF',
        "title": 'CT image',
        "creation": '2020-12-29T09:12:28Z'
      }
    ],
    "conclusion": 'conclusion string'
  }
```

Example Response:

```
  Date: Mon, 09 Oct 2023 17:29:02 GMT
  Content-Type: application/fhir+json
  Connection: keep-alive
  Cache-Control: no-cache
  Etag: W/"1"
  Last-Modified: Mon, 09 Oct 2023 17:29:02 GMT
  Location: https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/197466617
  Referrer-Policy: strict-origin-when-cross-origin
  Server-Response-Time: 1288.314512
  Strict-Transport-Security: max-age=631152000
  Vary: Origin
  X-Content-Type-Options: nosniff
  X-Download-Options: noopen
  X-Frame-Options: SAMEORIGIN
  X-Permitted-Cross-Domain-Policies: none
  opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
  X-Request-Id: 11111111-1111-1111-1111-111111111111
  X-Runtime: 1.288262
  X-Xss-Protection: 1; mode=block
  Transfer-Encoding: chunked
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-create-for-anatomic-pathology Response

Example create request and reply for an anatomic pathology diagnostic report. The response header indicates the current version to use on a subsequent update.

Example Request:

```
POST https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance
```

Example Request Body:

```
{
    "resourceType": 'DiagnosticReport',
    "meta": {
      "security": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PHY"
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PRS"
        }
      ]
    },
    "status": 'amended',
    "identifier": [
      {
        "system": 'https://fhir.cerner.com/ceuuid',
        "value": 'CEfda49233-ccfa-4ed4-afbc-9f5082c2bf0c-34824240-2022051205454801'
      }
    ],
    "basedOn": [
      {
        "reference": 'ServiceRequest/99928073'
      }
    ],
    "category": [
      {
        "coding": [
          {
            "code": 'LP7839-6',
            "display": 'Pathology study',
```

```
          "isUserSelected": false,
          "system": 'http://loinc.org'
        }
      ],
      "text": 'string'
    }
  ],
  "code": {
    "coding": [
      {
        "code": '4187236',
        "system": 'https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72',
        "isUserSelected": true,
        "display": 'Anatomic Pathology'
      }
    ],
    "text": 'string'
  },
  "subject": {
    "reference": 'Patient/12804513'
  },
  "encounter": {
    "reference": 'Encounter/98041577'
  },
  "performer": [
    {
      "reference": 'Practitioner/11786042'
    }
  ],
  "effectiveDateTime": '2020-12-27T09:12:28Z',
  "issued": '2020-12-29T09:12:28Z',
  "presentedForm": [
    {
      "contentType": 'application/pdf;charset=utf-8',
      'data': 'PGh08L3RpdGxlPgoKRG9jdW1lbnQgY29udGVudCEKCjwvaHRtbD4='
    }
  ]
}
```

Example Response:

```
Date: Mon, 09 Oct 2023 17:29:02 GMT
Content-Type: application/fhir+json
Connection: keep-alive
Cache-Control: no-cache
Etag: W/"1"
Last-Modified: Mon, 09 Oct 2023 17:29:02 GMT
Location: https://fhir-ehr.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/197466627
Referrer-Policy: strict-origin-when-cross-origin
Server-Response-Time: 4626.253472
Strict-Transport-Security: max-age=631152000
Vary: Origin
X-Content-Type-Options: nosniff
X-Download-Options: noopen
X-Frame-Options: SAMEORIGIN
X-Permitted-Cross-Domain-Policies: none
opc-request-id: /11111111111111111111111111111111/11111111111111111111111111111111
X-Request-Id: 11111111-1111-1111-1111-111111111111
X-Runtime: 4.626156
X-Xss-Protection: 1; mode=block
Transfer-Encoding: chunked
```

ETag

If-Match

Headers

* Etag: string For Update or Patch versioning controls. Related to If-Match. When a resource performs an operation that creates or updates a record, an Etag value is returned as a header. This same value should be included in request headers as an If-Match for any subsequent update to that record.

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a diagnostic report by ID

File: r4-rest-api-v32/op-diagnosticreport-id-get.html

Retrieves an individual diagnostic report by the associated ID.

Note: Diagnostic reports of the General Laboratory, Microbiology, and Cardiology types populate the DiagnosticReport.results field.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Path Parameters

* ID(required): string The logical resource ID.

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example retrieval of a confidential radiology diagnostic report record by resource ID.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/196151517
```

Example Response:


```
{
  "resourceType": "DiagnosticReport",
  "id": "197369077",
  "meta":
  {
    "versionId": "1",
    "lastUpdated": "2020-08-13T19:36:06.000Z",
    "security":
      [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PRS",
          "display": "patient requested information sensitivity",
          "userSelected": false
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PHY",
          "display": "physician requested information sensitivity",
          "userSelected": false
        }
      ]
  },
  "text":
  {
    "status": "generated",
    "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Meta Security</b>:
  patient requested information sensitivity, physician requested information sensitivity</p><p><b>Patient</b>: Smart
  II, Nancy</p><p><b>Document Title</b>: Some Title 4x</p><p><b>Status</b>: Final</p><p><b>Code</b>: Radiology
  Reports</p><p><b>Effective End Date</b>: Aug 13, 2020  7:36 P.M. UTC</p><p><b>Verifying Provider</b>: Portal,
  Portal</p></div>"
  },
  "identifier":
  [
    {
      "system": "https://fhir.cerner.com/ceuuid",
      "value": "CE87caf4b7-9397-4667-9897-702218017c9e-197369077-2020081319360600"
    }
  ],
  "status": "final",
  "category":
  [
    {
      "coding":
        [
          {
            "system": "http://loinc.org",
            "code": "LP29684-5",
            "userSelected": false
          }
        ],
      "text": "Radiology"
    }
  ],
```

```
    "code":
    {
      "coding":
        [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
            "code": "63293819",
            "display": "Radiology Reports",
            "userSelected": true
          },
          {
            "system": "http://loinc.org",
            "code": "75490-3",
            "userSelected": false
          }
        ],
      "text": "Radiology Reports"
    },
    "subject":
    {
      "reference": "Patient/12724066",
      "display": "Smart II, Nancy"
    },
    "encounter":
    {
      "reference": "Encounter/97953477"
    },
    "effectivePeriod":
    {
      "end": "2020-08-13T19:36:00.000Z"
    },
    "issued": "2020-08-13T19:36:06Z",
    "performer":
    [
      {
        "reference": "Practitioner/12742069",
        "display": "Portal, Portal"
      }
    ],
    "resultsInterpreter":
    [
      {
        "reference": "Practitioner/12742069",
        "display": "Portal, Portal"
      }
    ],
    "media":
    [
      {
        "link":
          {
            "reference": "Media/drm197369077-InpBMTk3NzA0Njg0QjE5NzcwNDY4OEMi"
          }
      }
    ],
    "presentedForm":
    [
      {
        "contentType": "application/pdf",
        "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-197369077",
        "title": "Some Title 4x",
        "creation": "2020-08-13T19:36:00.000Z"
      },
      {
        "contentType": "application/xml",
        "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XML-197369077",
        "title": "Some Title 4x",
        "creation": "2020-08-13T19:36:00.000Z"
      },
      {
        "contentType": "text/html",
        "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/TR-197369077",
        "title": "Some Title 4x",
        "creation": "2020-08-13T19:36:00.000Z"
      }
    ]
  }
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-confidential-ap-response Response

Example retrieval of a confidential anatomic pathology diagnostic report record by resource ID.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/196151517
```

Example Response:


```
{
  "resourceType": "DiagnosticReport",
  "id": "198107434",
  "meta":
  {
    "versionId": "1",
    "lastUpdated": "2022-06-09T05:16:26Z",
    "security":
      [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PRS",
          "display": "patient requested information sensitivity",
          "userSelected": false
        },
        {
          "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
          "code": "PHY",
          "display": "physician requested information sensitivity",
          "userSelected": false
        }
      ]
  },
  "text":
  {
    "status": "generated",
    "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Meta Security</b>:
  patient requested information sensitivity, physician requested information sensitivity</p><p><b>Patient</b>: SMART,
  PATHOLOGY</p><p><b>Document Category</b>: Pathology</p><p><b>Document Title</b>: Anatomic
  Pathology</p><p><b>Status</b>: Final</p><p><b>Code</b>: Anatomic Pathology</p><p><b>Effective Date</b>: Jun  9, 2022
    5:13 A.M. UTC</p><p><b>Verifying Provider</b>: Tara, Associate, J</p></div>"
  },
  "identifier":
  [
    {
      "system": "https://fhir.cerner.com/ceuuid",
      "value": "CE87caf4b7-9397-4667-9897-702218017c9e-198107434-2022060905133300"
    },
    {
      "type":
        {
          "coding":
            [
              {
                "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
                "code": "ACSN",
                "display": "Accession ID",
                "userSelected": false
              }
            ],
          "text": "Accession number"
        },
      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/acsn",
      "value": "00000GY20220000001"
    }
  ],
  "basedOn":
  [
    {
      "reference": "ServiceRequest/356458395"
    }
  ],
  "status": "final",
  "category":
  [
    {
      "coding":
        [
          {
            "system": "http://loinc.org",
            "code": "LP7839-6",
            "display": "Pathology",
            "userSelected": false
          }
        ],
      "text": "Pathology"
    }
  ],
  "code":
  {
    "coding":
      [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
```

```
            "code": "4187236",
            "display": "Anatomic Pathology",
            "userSelected": true
          },
          {
            "system": "http://loinc.org",
            "code": "11526-1",
            "userSelected": false
          }
        ],
      "text": "Anatomic Pathology"
    },
    "subject":
    {
      "reference": "Patient/12798425",
      "display": "SMART, PATHOLOGY"
    },
    "encounter":
    {
      "reference": "Encounter/97977755"
    },
    "effectiveDateTime": "2022-06-09T05:13:00Z",
    "issued": "2022-06-09T05:16:26Z",
    "performer":
    [
      {
        "reference": "Practitioner/12798386",
        "display": "Tara, Associate, J"
      },
      {
        "reference": "Organization/675844",
        "display": "Model Hospital"
      }
    ],
    "resultsInterpreter":
    [
      {
        "reference": "Practitioner/12798386",
        "display": "Tara, Associate, J"
      },
      {
        "reference": "Organization/675844",
        "display": "Model Hospital"
      }
    ],
    "specimen":
    [
      {
        "reference": "Specimen/275714360"
      }
    ],
    "presentedForm":
    [
      {
        "contentType": "application/xml",
        "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XML-198107434",
        "title": "Anatomic Pathology",
        "creation": "2022-06-09T05:16:26Z"
      },
      {
        "contentType": "application/pdf",
        "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-198107434",
        "title": "Anatomic Pathology",
        "creation": "2022-06-09T05:16:26Z"
      }
    ]
  }
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-confidential-laboratory-response Response

Example retrieval of a confidential laboratory diagnostic report record by resource ID.

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/197184014
```

Example Response:


```
  {
    "resourceType": "DiagnosticReport",
    "id": "197184014",
    "meta":
    {
```

```
  "versionId": "4",
  "lastUpdated": "2019-04-17T19:48:27Z",
  "security":
    [
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
        "code": "PRS",
        "display": "patient requested information sensitivity",
        "userSelected": false
      },
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
        "code": "PHY",
        "display": "physician requested information sensitivity",
        "userSelected": false
      },
      {
        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
        "code": "PROCESSINLINELABEL",
        "display": "process inline security label"
      }
    ]
},
"text":
{
  "status": "generated",
  "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Meta Security</b>:
patient requested information sensitivity, physician requested information sensitivity, process inline security
label</p><p><b>Document Category</b>: Laboratory</p><p><b>Status</b>: Corrected</p><p><b>Code</b>: Urine
Culture</p><p><b>Effective Date</b>: Apr 17, 2019  3:48 P.M. UTC</p></div>"
},
"identifier":
[
  {
    "system": "https://fhir.cerner.com/ceuuid",
    "value": "CE87caf4b7-9397-4667-9897-702218017c9e-197184014-2019041715521600"
  }
],
"basedOn":
[
  {
    "reference": "ServiceRequest/306627321"
  }
],
"status": "corrected",
"category":
[
  {
    "coding":
      [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
          "code": "LAB",
          "display": "Laboratory",
          "userSelected": false
        }
      ],
    "text": "Laboratory"
  },
  {
    "coding":
      [
        {
          "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
          "code": "MB",
          "display": "Microbiology",
          "userSelected": false
        }
      ],
    "text": "Microbiology"
  }
],
"code":
{
  "coding":
    [
      {
        "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
        "code": "21647486",
        "display": "Urine Culture",
        "userSelected": true
      },
      {
        "system": "http://loinc.org",
        "code": "630-4",
        "userSelected": false
      }
    ],
  "text": "Urine Culture"
```

```
},
"subject":
{
  "reference": "Patient/12510003"
},
"encounter":
{
  "reference": "Encounter/97905447"
},
"effectiveDateTime": "2019-04-17T15:48:00Z",
"issued": "2019-04-17T19:48:27Z",
"performer":
[
  {
    "extension":
      [
        {
          "valueCodeableConcept":
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
                    "code": "OP",
                    "display": "Ordering Provider"
                  }
                ],
              "text": "Ordering Provider"
            },
          "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
        }
      ],
    "reference": "Practitioner/2"
  },
  {
    "extension":
      [
        {
          "valueCodeableConcept":
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
                    "code": "LA",
                    "display": "legal authenticator"
                  }
                ],
              "text": "legal authenticator"
            },
          "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
        }
      ],
    "reference": "Practitioner/11648102"
  }
],
"resultsInterpreter":
[
  {
    "reference": "Practitioner/11648102"
  }
],
"specimen":
[
  {
    "reference": "Specimen/275651349"
  }
],
"result":
[
  {
    "extension":
      [
        {
          "valueCoding":
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
              "code": "PRS",
              "display": "patient requested information sensitivity",
              "userSelected": false
            },
          "url": "http://hl7.org/fhir/uv/security-label-ds4p/StructureDefinition/extension-inline-sec-label"
        },
        {
          "valueCoding":
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
              "code": "PHY",
              "display": "physician requested information sensitivity",
```

```
                "userSelected": false
              },
            "url": "http://hl7.org/fhir/uv/security-label-ds4p/StructureDefinition/extension-inline-sec-label"
          }
        ],
      "reference": "Observation/MIC-CE-197184019",
      "display": "Final"
    },
    {
      "reference": "Observation/MIC-CE-197184016",
      "display": "Pre"
    },
    {
      "reference": "Observation/MIC-CE-197184448",
      "display": "Amend"
    },
    {
      "reference": "Observation/MIC-CE-ORG-PNL-197184014-1",
      "display": "Escherichia coli"
    }
  ],
  "conclusionCode":
  [
    {
      "coding":
        [
          {
            "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/52",
            "code": "215",
            "display": "See Result",
            "userSelected": true
          },
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation",
            "code": "POS",
            "display": "Positive",
            "userSelected": false
          }
        ],
      "text": "Positive"
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top

Get a list of diagnostic reports

File: r4-rest-api-v32/op-diagnosticreport-get.html

Retrieves a list of diagnostic reports that meet supplied query parameters.

Note:

* General Laboratory, Microbiology, and Cardiology reports populate the DiagnosticReport.result field.

* The confidentiality feature is supported only for General Laboratory, Microbiology, Anatomic Pathology, and Radiology reports.

* General Laboratory and Microbiology reports contain Inline Security Labels when a DiagnosticReport.result is confidential.

Authorization Types

This operation supports the following authorization types:

* Provider

* Patient

* System

Request

Query Parameters

* _count: number The maximum number of results to return. Defaults to 10 and a maximum of 100 documents can be returned.

* _id: string The logical resource ID. This parameter is required if the patient parameter is not used. Example: _id=12345

_lastUpdated: string

The date range in which the diagnostic report was last updated. Example: or

* This parameter may be provided up to two times, and must use the eq, ge, gt, le, or lt prefixes.

* When a value is provided without a prefix, an implied eq prefix is used.

* When provided twice, the lower value must have a ge or gt prefix and the higher value must have an le or lt prefix.

* The _lastUpdated parameter may not be provided at the same time as the date parameter.

_lastUpdated=gt2014-09-24

_lastUpdated=gt2014-09-24T12:00:00.000Z

_revinclude: string

The Provenance resource entries to be returned as part of the bundle. Example:

* May be provided once with the Provenance:target value. Example: _revinclude=Provenance:target.

* May be provided with the _id or patient parameters. Example: _id=214938095&_revinclude=Provenance:target.

* When _revinclude is provided in a request to the closed endpoint, the OAuth2 token must include the scope corresponding with the authorization type, such as user/Provenance.read, patient/Provenance.read, or system/Provenance.read.

_revinclude=Provenance:target

category: string

The diagnostic discipline or department that created the report. Example: or

`category=http://terminology.hl7.org/CodeSystem/v2-0074|LAB`

`category=http://loinc.org|LP29684-5`

code: string

The specific code for describing the report. Example:

`code=http://loinc.org|24323-8`

date: string

The date range that the diagnostic report falls within (effectiveDateTime). Example:

* May provide one or two dates and times.

* For a single date occurrence:

* May be provided with a prefix to imply a date range or without a prefix to search for reports last updated at a specific date and time.

* The time component is optional.

* For two date occurences:

* Must be provided with le or lt and ge or gt prefixes to search for reports within a specific range.

* The time component is required for both parameters.

* The date parameter may not be provided at the same time as the _lastUpdated parameter.

date=ge2020-01-01T08:00:00.000Z&date=le2020-01-31T17:00:00.000Z

encounter: string

The encounter when the order was made. Example:

* Must represent an Encounter resource.

* Patient-level documents are filtered out from responses when the encounter ID is zero or blank.

* May include a single value or comma-separated list of references. Example: encounter=12345,67890.

encounter=1621910

* patient: string The subject of the report if a patient. This parameter is required if the _id parameter is not used. Example: patient=67890

Header Parameters

* Authorization(required): string Contains the credentials to authenticate a consumer to the service. This should be the OAuth2 Bearer Token.

* accept(required): string The media type to be requested. See what the resource's operation produces for what is supported.

Back to Top

Response

Supported Media Types

* application/fhir+json

Default Response

Example search by and .

patient

category

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/DiagnosticReport?patient=12724066&category=http://terminology.hl7.org/CodeSystem/v2-0074|RAD
```

Example Response:


```
{
    "resourceType": 'Bundle',
    "id": '4e95721b-490b-4c57-84f5-7d055a8a5dec',
    "type": 'searchset',
    "link": [
      {
        "relation": 'self',
        "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/DiagnosticReport?patient=12724066&category=http%3A%2F%2Fterminology.hl7.org%2FCodeSystem%2Fv2-
    0074%7CRAD'
      },
      {
        "relation": 'next',
        "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/DiagnosticReport?patient=12724066&category=http%3A%2F%2Fterminology.hl7.org%2FCodeSystem%2Fv2-
    0074%7CRAD&-
    pageContext=eJwdyk0KwjAURtG9fOME8jTNT8GJbqBQcVpCmtaCJJImKJTu3eLwHu4Gn2osaEkwjGFy9XXEBl_zmjJa3Lqclofsr59lpq7eSy8vYHi6
    dYjhe7wl18DwdnMYfIrlb2hO9mxISG61aLgkIbihMHIySupJKU3WYd9_FHYmXg%3D%3D&-pageDirection=NEXT'
      }
    ],
    "entry": [
      {
        "fullUrl": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/197369077',
        "resource": {
          "resourceType": 'DiagnosticReport',
          "id": '197369077',
          "meta": {
            "versionId": '1',
            "lastUpdated": '2020-08-13T19:36:06.000Z',
            "security":
              [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                  "code": "PRS",
                  "display": "patient requested information sensitivity",
                  "userSelected": false
                },
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                  "code": "PHY",
                  "display": "physician requested information sensitivity",
                  "userSelected": false
                }
              ]
          },
          "text": {
            "status": 'generated',
            "div": '<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Meta Security</b>:
    patient requested information sensitivity, physician requested information sensitivity</p><p><b>Patient</b>: Smart
    II, Nancy</p><p><b>Document Title</b>: Some Title 4x</p><p><b>Status</b>: Final</p><p><b>Code</b>: Radiology
    Reports</p><p><b>Effective End Date</b>: Aug 13, 2020  7:36 P.M. UTC</p><p><b>Verifying Provider</b>: Portal,
    Portal</p></div>'
          },
          "identifier": [
            {
              "system": 'https://fhir.cerner.com/ceuuid',
              "value": 'CE87caf4b7-9397-4667-9897-702218017c9e-197369077-2020081319360600'
            }
          ],
          "status": 'final',
          "category": [
            {
              "coding": [
                {
                  "system": 'http://loinc.org',
                  "code": 'LP29684-5',
                  "userSelected": false
                }
              ],
              "text": 'Radiology'
            }
          ],
          "code": {
            "coding": [
              {
                "system": 'https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72',
                "code": '63293819',
                "display": 'Radiology Reports',
                "userSelected": true
              },
              {
                "system": 'http://loinc.org',
                "code": '75490-3',
                "userSelected": false
              }
            ],
            "text": 'Radiology Reports'
```

```
      },
      "subject": {
        "reference": 'Patient/12724066',
        "display": 'Smart II, Nancy'
      },
      "encounter": {
        "reference": 'Encounter/97953477'
      },
      "effectivePeriod": {
        "end": '2020-08-13T19:36:00.000Z'
      },
      "issued": '2020-08-13T19:36:06Z',
      "performer": [
        {
          "reference": 'Practitioner/12742069',
          "display": 'Portal, Portal'
        }
      ],
      "resultsInterpreter": [
        {
          "reference": 'Practitioner/12742069',
          "display": 'Portal, Portal'
        }
      ],
      "media": [
        {
          "link": {
            "reference": 'Media/drm197369077-InpBMTk3NzA0Njg0QjE5NzcwNDY4OEMi'
          }
        }
      ],
      "presentedForm": [
        {
          "contentType": 'application/pdf',
          "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-197369077',
          "title": 'Some Title 4x',
          "creation": '2020-08-13T19:36:00.000Z'
        },
        {
          "contentType": 'application/xml',
          "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XML-197369077',
          "title": 'Some Title 4x',
          "creation": '2020-08-13T19:36:00.000Z'
        },
        {
          "contentType": 'text/html',
          "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/TR-197369077',
          "title": 'Some Title 4x',
          "creation": '2020-08-13T19:36:00.000Z'
        }
      ]
    },
    "search": {
      "mode": 'match'
    }
  },
  {
    "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/205995338",
    "resource": {
      "resourceType": "DiagnosticReport",
      "id": "205995338",
      "meta": {
        "versionId": "4",
        "lastUpdated": "2023-02-21T20:49:53Z"
      },
      "text": {
        "status": "generated",
        "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Document
Category</b>: Laboratory</p><p><b>Status</b>: Final</p><p><b>Code</b>: Blood Culture</p><p><b>Effective Date</b>:
Feb 21, 2023  1:50 P.M. UTC</p></div>"
      },
      "identifier": [
        {
          "system": "https://fhir.cerner.com/ceuuid",
          "value": "CE87caf4b7-9397-4667-9897-702218017c9e-205995338-2023022120434100"
        }
      ],
      "basedOn": [
        {
          "reference": "ServiceRequest/378475797"
        }
      ],
      "status": "final",
      "category": [
        {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
              "code": "LAB",
```

```
        "display": "Laboratory",
        "userSelected": false
      }
    ],
    "text": "Laboratory"
  },
  {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
        "code": "MB",
        "display": "Microbiology",
        "userSelected": false
      }
    ],
    "text": "Microbiology"
  }
],
"code": {
  "coding": [
    {
      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
      "code": "21647436",
      "display": "Blood Culture",
      "userSelected": true
    },
    {
      "system": "http://loinc.org",
      "code": "600-7",
      "userSelected": false
    }
  ],
  "text": "Blood Culture"
},
"subject": {
  "reference": 'Patient/12724066',
  "display": 'Smart II, Nancy'
},
"encounter": {
  "reference": "Encounter/97970192"
},
"effectiveDateTime": "2023-02-21T13:50:00Z",
"issued": "2023-02-21T20:49:53Z",
"performer": [
  {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
              "code": "OP",
              "display": "Ordering Provider"
            }
          ],
          "text": "Ordering Provider"
        },
        "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
      }
    ],
    "reference": "Practitioner/11460104"
  },
  {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
              "code": "LA",
              "display": "legal authenticator"
            }
          ],
          "text": "legal authenticator"
        },
        "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
      }
    ],
    "reference": "Practitioner/11786060"
  }
],
"resultsInterpreter": [
  {
    "reference": "Practitioner/11786060"
  }
],
"specimen": [
  {
    "reference": "Specimen/275745679"
```

```
          }
        ],
        "result": [
          {
            "reference": "Observation/MIC-CE-205995342",
            "display": "Final"
          },
          {
            "reference": "Observation/MIC-CE-205995340",
            "display": "Pre"
          },
          {
            "reference": "Observation/MIC-CE-ORG-PNL-205995338-1",
            "display": "Klebsiella pneumoniae ESBL"
          }
        ],
        "conclusionCode": [
          {
            "coding": [
              {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/52",
                "code": "213",
                "display": "NEG",
                "userSelected": true
              },
              {
                "system": "http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation",
                "code": "NEG",
                "display": "Negative",
                "userSelected": false
              }
            ],
            "text": "Negative"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-confidential-ap-response Response

Example search by and with confidential information.

patient

category

Example Request:

```
GET https://fhir-
    open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport?patient=12798425&category=LP7839-6
```

Example Response:

```
{
  "resourceType": "Bundle",
  "id": "a58b94e9-249e-4438-9046-57e22fc6221f",
  "type": "searchset",
  "link":
  [
    {
      "relation": "self",
      "url": "https://fhir-
  open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport?patient=12798425&category=LP7839-6"
    }
  ],
  "entry":
  [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/198107434",
      "resource":
        {
          "resourceType": "DiagnosticReport",
          "id": "198107434",
          "meta":
            {
              "versionId": "1",
              "lastUpdated": "2022-06-09T05:16:26Z",
              "security":
                [
```

```
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                  "code": "PRS",
                  "display": "patient requested information sensitivity",
                  "userSelected": false
                },
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                  "code": "PHY",
                  "display": "physician requested information sensitivity",
                  "userSelected": false
                }
              ]
          },
        "text":
          {
            "status": "generated",
            "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Meta
Security</b>: patient requested information sensitivity, physician requested information
sensitivity</p><p><b>Patient</b>: SMART, PATHOLOGY</p><p><b>Document Category</b>: Pathology</p><p><b>Document
Title</b>: Anatomic Pathology</p><p><b>Status</b>: Final</p><p><b>Code</b>: Anatomic Pathology</p><p><b>Effective
Date</b>: Jun  9, 2022  5:13 A.M. UTC</p><p><b>Verifying Provider</b>: Tara, Associate, J</p></div>"
          },
        "identifier":
          [
            {
              "system": "https://fhir.cerner.com/ceuuid",
              "value": "CE87caf4b7-9397-4667-9897-702218017c9e-198107434-2022060905133300"
            },
            {
              "type":
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
                        "code": "ACSN",
                        "display": "Accession ID",
                        "userSelected": false
                      }
                    ],
                  "text": "Accession number"
                },
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/acsn",
              "value": "00000GY20220000001"
            }
          ],
        "basedOn":
          [
            {
              "reference": "ServiceRequest/356458395"
            }
          ],
        "status": "final",
        "category":
          [
            {
              "coding":
                [
                  {
                    "system": "http://loinc.org",
                    "code": "LP7839-6",
                    "display": "Pathology",
                    "userSelected": false
                  }
                ],
              "text": "Pathology"
            }
          ],
        "code":
          {
            "coding":
              [
                {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
                  "code": "4187236",
                  "display": "Anatomic Pathology",
                  "userSelected": true
                },
                {
                  "system": "http://loinc.org",
                  "code": "11526-1",
                  "userSelected": false
                }
              ],
            "text": "Anatomic Pathology"
          },
        "subject":
          {
```

```
            "reference": "Patient/12798425",
            "display": "SMART, PATHOLOGY"
          },
        "encounter":
          {
            "reference": "Encounter/97977755"
          },
        "effectiveDateTime": "2022-06-09T05:13:00Z",
        "issued": "2022-06-09T05:16:26Z",
        "performer":
          [
            {
              "reference": "Practitioner/12798386",
              "display": "Tara, Associate, J"
            },
            {
              "reference": "Organization/675844",
              "display": "Model Hospital"
            }
          ],
        "resultsInterpreter":
          [
            {
              "reference": "Practitioner/12798386",
              "display": "Tara, Associate, J"
            },
            {
              "reference": "Organization/675844",
              "display": "Model Hospital"
            }
          ],
        "specimen":
          [
            {
              "reference": "Specimen/275714360"
            }
          ],
        "presentedForm":
          [
            {
              "contentType": "application/xml",
              "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XML-198107434",
              "title": "Anatomic Pathology",
              "creation": "2022-06-09T05:16:26Z"
            },
            {
              "contentType": "application/pdf",
              "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-198107434",
              "title": "Anatomic Pathology",
              "creation": "2022-06-09T05:16:26Z"
            }
          ]
      },
    "search":
      {
        "mode": "match"
      }
  },
  {
    "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/198107424",
    "resource":
      {
        "resourceType": "DiagnosticReport",
        "id": "198107424",
        "meta":
          {
            "versionId": "2",
            "lastUpdated": "2022-06-09T05:15:45Z"
          },
        "text":
          {
            "status": "generated",
            "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Patient</b>:
SMART, PATHOLOGY</p><p><b>Document Category</b>: Pathology</p><p><b>Document Title</b>: Anatomic
Pathology</p><p><b>Status</b>: Final</p><p><b>Code</b>: Anatomic Pathology</p><p><b>Effective Date</b>: Jun  9, 2022
  5:12 A.M. UTC</p><p><b>Verifying Provider</b>: Tara, Associate, J</p></div>"
          },
        "identifier":
          [
            {
              "system": "https://fhir.cerner.com/ceuuid",
              "value": "CE87caf4b7-9397-4667-9897-702218017c9e-198107424-2022060905125800"
            },
            {
              "type":
                {
                  "coding":
                    [
                      {
```

```
                "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
                "code": "ACSN",
                "display": "Accession ID",
                "userSelected": false
              }
            ],
          "text": "Accession number"
        },
      "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/acsn",
      "value": "00000SP20220000002"
    }
  ],
"basedOn":
  [
    {
      "reference": "ServiceRequest/356458373"
    }
  ],
"status": "final",
"category":
  [
    {
      "coding":
        [
          {
            "system": "http://loinc.org",
            "code": "LP7839-6",
            "display": "Pathology",
            "userSelected": false
          }
        ],
      "text": "Pathology"
    }
  ],
"code":
  {
    "coding":
      [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
          "code": "4187236",
          "display": "Anatomic Pathology",
          "userSelected": true
        },
        {
          "system": "http://loinc.org",
          "code": "11526-1",
          "userSelected": false
        }
      ],
    "text": "Anatomic Pathology"
  },
"subject":
  {
    "reference": "Patient/12798425",
    "display": "SMART, PATHOLOGY"
  },
"encounter":
  {
    "reference": "Encounter/97977755"
  },
"effectiveDateTime": "2022-06-09T05:12:00Z",
"issued": "2022-06-09T05:15:45Z",
"performer":
  [
    {
      "reference": "Practitioner/12798386",
      "display": "Tara, Associate, J"
    },
    {
      "reference": "Organization/675844",
      "display": "Model Hospital"
    }
  ],
"resultsInterpreter":
  [
    {
      "reference": "Practitioner/12798386",
      "display": "Tara, Associate, J"
    },
    {
      "reference": "Organization/675844",
      "display": "Model Hospital"
    }
  ],
"specimen":
  [
    {
      "reference": "Specimen/275714357"
```

```
            }
          ],
        "presentedForm":
          [
            {
              "contentType": "application/xml",
              "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XML-198107424",
              "title": "Anatomic Pathology",
              "creation": "2022-06-09T05:15:45Z"
            },
            {
              "contentType": "application/pdf",
              "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-198107424",
              "title": "Anatomic Pathology",
              "creation": "2022-06-09T05:15:45Z"
            }
          ]
      },
    "search":
      {
        "mode": "match"
      }
  },
  {
    "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/198107414",
    "resource":
      {
        "resourceType": "DiagnosticReport",
        "id": "198107414",
        "meta":
          {
            "versionId": "1",
            "lastUpdated": "2022-06-09T05:14:38Z"
          },
        "text":
          {
            "status": "generated",
            "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Patient</b>:
SMART, PATHOLOGY</p><p><b>Document Category</b>: Pathology</p><p><b>Document Title</b>: Anatomic
Pathology</p><p><b>Status</b>: Final</p><p><b>Code</b>: Anatomic Pathology</p><p><b>Effective Date</b>: Jun  9, 2022
  5:11 A.M. UTC</p><p><b>Verifying Provider</b>: Tara, Associate, J</p></div>"
          },
        "identifier":
          [
            {
              "system": "https://fhir.cerner.com/ceuuid",
              "value": "CE87caf4b7-9397-4667-9897-702218017c9e-198107414-2022060905120800"
            },
            {
              "type":
                {
                  "coding":
                    [
                      {
                        "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
                        "code": "ACSN",
                        "display": "Accession ID",
                        "userSelected": false
                      }
                    ],
                  "text": "Accession number"
                },
              "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/acsn",
              "value": "00000SP20220000001"
            }
          ],
        "basedOn":
          [
            {
              "reference": "ServiceRequest/356458351"
            }
          ],
        "status": "final",
        "category":
          [
            {
              "coding":
                [
                  {
                    "system": "http://loinc.org",
                    "code": "LP7839-6",
                    "display": "Pathology",
                    "userSelected": false
                  }
                ],
              "text": "Pathology"
            }
          ],
        "code":
```

```
            {
              "coding":
                [
                  {
                    "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
                    "code": "4187236",
                    "display": "Anatomic Pathology",
                    "userSelected": true
                  },
                  {
                    "system": "http://loinc.org",
                    "code": "11526-1",
                    "userSelected": false
                  }
                ],
              "text": "Anatomic Pathology"
            },
          "subject":
            {
              "reference": "Patient/12798425",
              "display": "SMART, PATHOLOGY"
            },
          "encounter":
            {
              "reference": "Encounter/97977755"
            },
          "effectiveDateTime": "2022-06-09T05:11:00Z",
          "issued": "2022-06-09T05:14:37Z",
          "performer":
            [
              {
                "reference": "Practitioner/12798386",
                "display": "Tara, Associate, J"
              },
              {
                "reference": "Organization/675844",
                "display": "Model Hospital"
              }
            ],
          "resultsInterpreter":
            [
              {
                "reference": "Practitioner/12798386",
                "display": "Tara, Associate, J"
              },
              {
                "reference": "Organization/675844",
                "display": "Model Hospital"
              }
            ],
          "specimen":
            [
              {
                "reference": "Specimen/275714353"
              }
            ],
          "presentedForm":
            [
              {
                "contentType": "application/xml",
                "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XML-198107414",
                "title": "Anatomic Pathology",
                "creation": "2022-06-09T05:14:37Z"
              },
              {
                "contentType": "application/pdf",
                "url": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-198107414",
                "title": "Anatomic Pathology",
                "creation": "2022-06-09T05:14:37Z"
              }
            ]
        },
      "search":
        {
          "mode": "match"
        }
    }
  ]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-confidential-laboratory-response Response

Example search by and category with confidential information.

patient

LAB

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport?patient=12510003&category=LAB
```

Example Response:


```
{
  "resourceType": "Bundle",
  "id": "48d98602-3e8f-49e9-8571-bc3c36d360c8",
  "type": "searchset",
  "link":
  [
    {
      "relation": "self",
      "url": "https://fhir-
open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport?patient=12510003&category=LAB"
    }
  ],
  "entry":
  [
    {
      "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/197184014",
      "resource":
        {
          "resourceType": "DiagnosticReport",
          "id": "197184014",
          "meta":
            {
              "versionId": "4",
              "lastUpdated": "2019-04-17T19:48:27Z",
              "security":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                    "code": "PRS",
                    "display": "patient requested information sensitivity",
                    "userSelected": false
                  },
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                    "code": "PHY",
                    "display": "physician requested information sensitivity",
                    "userSelected": false
                  },
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                    "code": "PROCESSINLINELABEL",
                    "display": "process inline security label"
                  }
                ]
            },
          "text":
            {
              "status": "generated",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Meta
Security</b>: patient requested information sensitivity, physician requested information sensitivity, process inline
 security label</p><p><b>Document Category</b>: Laboratory</p><p><b>Status</b>: Corrected</p><p><b>Code</b>: Urine
Culture</p><p><b>Effective Date</b>: Apr 17, 2019  3:48 P.M. UTC</p></div>"
            },
          "identifier":
            [
              {
                "system": "https://fhir.cerner.com/ceuuid",
                "value": "CE87caf4b7-9397-4667-9897-702218017c9e-197184014-2019041715521600"
              }
            ],
          "basedOn":
            [
              {
                "reference": "ServiceRequest/306627321"
              }
            ],
          "status": "corrected",
          "category":
            [
              {
                "coding":
                  [
                    {
                      "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
                      "code": "LAB",
                      "display": "Laboratory",
                      "userSelected": false
                    }
                  ],
```

```
      "text": "Laboratory"
    },
    {
      "coding":
        [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
            "code": "MB",
            "display": "Microbiology",
            "userSelected": false
          }
        ],
      "text": "Microbiology"
    }
  ],
"code":
  {
    "coding":
      [
        {
          "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
          "code": "21647486",
          "display": "Urine Culture",
          "userSelected": true
        },
        {
          "system": "http://loinc.org",
          "code": "630-4",
          "userSelected": false
        }
      ],
    "text": "Urine Culture"
  },
"subject":
  {
    "reference": "Patient/12510003"
  },
"encounter":
  {
    "reference": "Encounter/97905447"
  },
"effectiveDateTime": "2019-04-17T15:48:00Z",
"issued": "2019-04-17T19:48:27Z",
"performer":
  [
    {
      "extension":
        [
          {
            "valueCodeableConcept":
              {
                "coding":
                  [
                    {
                      "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
                      "code": "OP",
                      "display": "Ordering Provider"
                    }
                  ],
                "text": "Ordering Provider"
              },
            "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
          }
        ],
      "reference": "Practitioner/2"
    },
    {
      "extension":
        [
          {
            "valueCodeableConcept":
              {
                "coding":
                  [
                    {
                      "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
                      "code": "LA",
                      "display": "legal authenticator"
                    }
                  ],
                "text": "legal authenticator"
              },
            "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
          }
        ],
      "reference": "Practitioner/11648102"
    }
  ],
"resultsInterpreter":
```

```
        [
          {
            "reference": "Practitioner/11648102"
          }
        ],
      "specimen":
        [
          {
            "reference": "Specimen/275651349"
          }
        ],
      "result":
        [
          {
            "extension": [
              {
                "valueCoding": {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                  "code": "PRS",
                  "display": "patient requested information sensitivity",
                  "userSelected": false
                },
                "url": "http://hl7.org/fhir/uv/security-label-ds4p/StructureDefinition/extension-inline-sec-label"
              },
              {
                "valueCoding": {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                  "code": "PHY",
                  "display": "physician requested information sensitivity",
                  "userSelected": false
                },
                "url": "http://hl7.org/fhir/uv/security-label-ds4p/StructureDefinition/extension-inline-sec-label"
              }
            ],
            "reference": "Observation/MIC-CE-197184019",
            "display": "Final"
          },
          {
            "reference": "Observation/MIC-CE-197184016",
            "display": "Pre"
          },
          {
            "reference": "Observation/MIC-CE-197184448",
            "display": "Amend"
          },
          {
            "reference": "Observation/MIC-CE-ORG-PNL-197184014-1",
            "display": "Escherichia coli"
          }
        ],
      "conclusionCode":
        [
          {
            "coding":
              [
                {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/52",
                  "code": "215",
                  "display": "See Result",
                  "userSelected": true
                },
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation",
                  "code": "POS",
                  "display": "Positive",
                  "userSelected": false
                }
              ],
            "text": "Positive"
          }
        ]
    },
  "search":
    {
      "mode": "match"
    }
},
{
  "fullUrl": "https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/196755792",
  "resource":
    {
      "resourceType": "DiagnosticReport",
      "id": "196755792",
      "meta":
        {
          "versionId": "3",
          "lastUpdated": "2018-09-07T20:34:58Z"
        },
      "text":
```

```
          {
            "status": "generated",
            "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p><b>Diagnostic Report</b></p><p><b>Document
Category</b>: Laboratory</p><p><b>Status</b>: Final</p><p><b>Code</b>: Urine Culture</p><p><b>Effective Date</b>:
Sep  7, 2018  8:18 P.M. UTC</p></div>"
          },
        "identifier":
          [
            {
              "system": "https://fhir.cerner.com/ceuuid",
              "value": "CE87caf4b7-9397-4667-9897-702218017c9e-196755792-2018090720334600"
            }
          ],
        "basedOn":
          [
            {
              "reference": "ServiceRequest/303096133"
            }
          ],
        "status": "final",
        "category":
          [
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
                    "code": "LAB",
                    "display": "Laboratory",
                    "userSelected": false
                  }
                ],
              "text": "Laboratory"
            },
            {
              "coding":
                [
                  {
                    "system": "http://terminology.hl7.org/CodeSystem/v2-0074",
                    "code": "MB",
                    "display": "Microbiology",
                    "userSelected": false
                  }
                ],
              "text": "Microbiology"
            }
          ],
        "code":
          {
            "coding":
              [
                {
                  "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72",
                  "code": "21647486",
                  "display": "Urine Culture",
                  "userSelected": true
                },
                {
                  "system": "http://loinc.org",
                  "code": "630-4",
                  "userSelected": false
                }
              ],
            "text": "Urine Culture"
          },
        "subject":
          {
            "reference": "Patient/12510003"
          },
        "encounter":
          {
            "reference": "Encounter/97841433"
          },
        "effectiveDateTime": "2018-09-07T20:18:00Z",
        "issued": "2018-09-07T20:34:58Z",
        "performer":
          [
            {
              "extension":
                [
                  {
                    "valueCodeableConcept":
                      {
                        "coding":
                          [
                            {
                              "system": "http://terminology.hl7.org/CodeSystem/v2-0912",
                              "code": "OP",
                              "display": "Ordering Provider"
```

```
                        }
                      ],
                    "text": "Ordering Provider"
                  },
                "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
              }
            ],
          "reference": "Practitioner/11817978"
        },
        {
          "extension":
            [
              {
                "valueCodeableConcept":
                  {
                    "coding":
                      [
                        {
                          "system": "http://terminology.hl7.org/CodeSystem/v3-ParticipationType",
                          "code": "LA",
                          "display": "legal authenticator"
                        }
                      ],
                    "text": "legal authenticator"
                  },
                "url": "http://hl7.org/fhir/StructureDefinition/event-performerFunction"
              }
            ],
          "reference": "Practitioner/11648102"
        }
      ],
    "resultsInterpreter":
      [
        {
          "reference": "Practitioner/11648102"
        }
      ],
    "specimen":
      [
        {
          "reference": "Specimen/275577345"
        }
      ],
    "result":
      [
        {
          "reference": "Observation/MIC-CE-196755794",
          "display": "Pre"
        },
        {
          "reference": "Observation/MIC-CE-196755797",
          "display": "Final"
        },
        {
          "reference": "Observation/MIC-CE-ORG-PNL-196755792-1",
          "display": "Escherichia coli"
        }
      ],
    "conclusionCode":
      [
        {
          "coding":
            [
              {
                "system": "https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/52",
                "code": "215",
                "display": "See Result",
                "userSelected": true
              },
              {
                "system": "http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation",
                "code": "POS",
                "display": "Positive",
                "userSelected": false
              }
            ],
          "text": "Positive"
        }
      ]
  },
"search":
  {
    "mode": "match"
  }
}
]
}
```


Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

x-search-with-_revinclude Response

Example search by using .

_id

_revinclude

Example Request:

```
GET https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/DiagnosticReport?_id=196151517,198381928&_revinclude=Provenance:target
```

Example Response:


```
{
    "resourceType": 'Bundle',
    "id": 'b40dab9d-354b-4f8c-b5d4-f47e89a1fc6a',
    "type": 'searchset',
    "link": [
      {
        "relation": 'self',
        "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/DiagnosticReport?_id=196151517%2C198381928&_revinclude=Provenance%3Atarget'
      }
    ],
    "entry": [
      {
        "fullUrl": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/196151517',
        "resource": {
          "resourceType": 'DiagnosticReport',
          "id": '196151517',
          "meta": {
            "versionId": '3',
            "lastUpdated": '2017-01-06T20:09:17.000+00:00'
          },
          "text": {
            "status": 'generated',
            "div": '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Diagnostic Report</b></p><p><b>Patient</b>:
    RADIOLOGY, TESTTWO</p><p><b>Document Category</b>: Unknown</p><p><b>Document Title</b>: MG Mammo Digital Diagnostic
    Bilat</p><p><b>Status</b>: Final</p><p><b>Code</b>: MG Mammo Digital Diagnostic Bilat</p><p><b>Effective Date</b>:
    Jan  6, 2017  7:59 P.M. UTC</p></div>'
          },
          "identifier": [
            {
              "system": 'https://fhir.cerner.com/ceuuid',
              "value": 'CE87caf4b7-9397-4667-9897-702218017c9e-196151517-2017010620084300'
            },
            {
              "system": 'https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/acsn',
              "value": '00000MG20170000004'
            }
          ],
          "basedOn": [
            {
              "reference": 'ServiceRequest/294749597'
            }
          ],
          "status": 'final',
          "category": [
            {
              "coding": [
                {
                  "system": 'http://terminology.hl7.org/CodeSystem/data-absent-reason',
                  "code": 'unknown',
                  "display": 'Unknown'
                }
              ],
              "text": 'Unknown'
            }
          ],
          "code": {
            "coding": [
              {
                "system": 'https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72',
                "code": '21660139',
                "display": 'MG Mammo Digital Diagnostic Bilat',
                "userSelected": true
              },
              {
                "system": 'http://loinc.org',
                "code": '26346-7'
              }
            ],
            "text": 'MG Mammo Digital Diagnostic Bilat'
```

```
      },
      "subject": {
        "reference": 'Patient/12458002',
        "display": 'RADIOLOGY, TESTTWO'
      },
      "encounter": {
        "reference": 'Encounter/97697440'
      },
      "effectiveDateTime": '2017-01-06T19:59:20Z',
      "issued": '2017-01-06T20:09:17Z',
      "performer": [
        {
          "reference": 'Practitioner/11648064',
          "display": 'Model, User 437 Cerner'
        }
      ],
      "resultsInterpreter": [
        {
          "reference": 'Practitioner/11648064',
          "display": 'Model, User 437 Cerner'
        }
      ],
      "media": [
        {
          "link": {
            "reference": 'Media/drm196151517-InpBMTk3NzA0Njg0QjE5NzcwNDY4OEMi'
          }
        }
      ],
      "presentedForm": [
        {
          "contentType": 'application/pdf',
          "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-196151517',
          "title": 'MG Mammo Digital Diagnostic Bilat',
          "creation": '2017-01-06T20:09:17Z'
        },
        {
          "contentType": 'application/xml',
          "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/R-196151517',
          "title": 'MG Mammo Digital Diagnostic Bilat',
          "creation": '2017-01-06T20:09:17Z'
        }
      ]
    },
    "search": {
      "mode": 'match'
    }
  },
  {
    "fullUrl": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/DiagnosticReport/198381928',
    "resource": {
      "resourceType": 'DiagnosticReport',
      "id": '198381928',
      "meta": {
        "versionId": '1',
        "lastUpdated": '2022-07-07T09:44:40.000Z'
      },
      "text": {
        "status": 'generated',
        "div": '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Diagnostic Report</b></p><p><b>Patient</b>: GETEST,
PatientOneHundredSeventyOne</p><p><b>Document Title</b>:test1</p><p><b>Status</b>: Final</p><p><b>Code</b>: Waveform
 Strip</p><p><b>Effective Start Date</b>:Jul  7, 2022  9:44 A.M. UTC</p><p><b>Effective End Date</b>: Jul  7, 2022
9:44 A.M.UTC</p><p><b>Verifying Provider</b>: Model, User 212 Cerner</p></div>'
      },
      "identifier": [
        {
          "system": 'https://fhir.cerner.com/ceuuid',
          "value": 'CE87caf4b7-9397-4667-9897-702218017c9e-198381928-2022070709444100'
        }
      ],
      "status": 'final',
      "category": [
        {
          "coding": [
            {
              "system": 'http://loinc.org',
              "code": '8716-3',
              "userSelected": false
            }
          ]
        }
      ],
      "code": {
        "coding": [
          {
            "system": 'https://fhir.cerner.com/ec2458f2-1e24-41c8-b71b-0e701af7583d/codeSet/72',
            "code": '2574499721',
            "display": 'Waveform Strip',
            "userSelected": true
```

```
          }
        ],
        "text": 'Waveform Strip'
      },
      "subject": {
        "reference": 'Patient/12769858',
        "display": 'GETEST, PatientOneHundredSeventyOne'
      },
      "encounter": {
        "reference": 'Encounter/97966187'
      },
      "effectivePeriod": {
        "start": '2022-07-07T09:44:40.000Z',
        "end": '2022-07-07T09:44:40.000Z'
      },
      "issued": '2022-07-07T09:44:40Z',
      "performer": [
        {
          "reference": 'Practitioner/11638486',
          "display": 'Model, User 212 Cerner'
        }
      ],
      "resultsInterpreter": [
        {
          "reference": 'Practitioner/11638486',
          "display": 'Model, User 212 Cerner'
        }
      ],
      "media": [
        {
          "link": {
            "reference": 'Media/drm198381928-InpBMjM3NTIzNzgwQjIzNzUyMzc5MkMi'
          }
        }
      ],
      "presentedForm": [
        {
          "contentType": 'application/pdf',
          "url": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Binary/XR-198381928',
          "title": 'test1',
          "creation": '2022-07-07T09:44:40.000Z'
        }
      ]
    },
    "search": {
      "mode": 'match'
    }
  },
  {
    "fullUrl": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/INT.doc-198381928',
    "resource": {
      "resourceType": 'Provenance',
      "id": 'INT.doc-198381928',
      "meta": {
        "versionId": '198381928',
        "lastUpdated": '2022-07-07T09:44:40Z'
      },
      "text": {
        "status": 'generated',
        "div": '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><li>Diagn
osticReport/198381928</li></ul><p><b>Recorded</b>: Jul  7, 2022  9:44 A.M.
UTC</p><p><b>Agents</b>:</p><dl><dt>Model, User 212 Cerner</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent
Role</b>: Source</dd></dl></div>'
      },
      "target": [
        {
          "reference": 'DiagnosticReport/198381928'
        }
      ],
      "recorded": '2022-07-07T09:44:40Z',
      "agent": [
        {
          "type": {
            "coding": [
              {
                "system": 'http://terminology.hl7.org/CodeSystem/provenance-participant-type',
                "code": 'author'
              }
            ],
            "text": 'Author'
          },
          "role": [
            {
              "coding": [
                {
                  "system": 'http://terminology.hl7.org/CodeSystem/contractsignertypecodes',
                  "code": 'SOURCE'
                }
              ],
```

```
              "text": 'Source'
            }
          ],
          "who": {
            "reference": 'Practitioner/11638486',
            "display": 'Model, User 212 Cerner'
          }
        }
      ]
    },
    "search": {
      "mode": 'include'
    }
  },
  {
    "fullUrl": 'https://fhir-open.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Provenance/INT.doc-196151517',
    "resource": {
      "resourceType": 'Provenance',
      "id": 'INT.doc-196151517',
      "meta": {
        "versionId": '196151517',
        "lastUpdated": '2017-01-06T20:09:17Z'
      },
      "text": {
        "status": 'generated',
        "div": '<div xmlns="http://www.w3.org/1999/xhtml"><p><b>Provenance</b></p><p><b>Target</b>:</p><ul><li>Diagn
osticReport/196151517</li></ul><p><b>Recorded</b>: Jan  6, 2017  8:09 P.M.
UTC</p><p><b>Agents</b>:</p><dl><dt>Model, User 437 Cerner</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent
Role</b>: Source</dd><dt>Model Hospital</dt><dd><b>Agent Type</b>: Author</dd><dd><b>Agent Role</b>:
Source</dd></dl></div>'
      },
      "target": [
        {
          "reference": 'DiagnosticReport/196151517'
        }
      ],
      "recorded": '2017-01-06T20:09:17Z',
      "agent": [
        {
          "type": {
            "coding": [
              {
                "system": 'http://terminology.hl7.org/CodeSystem/provenance-participant-type',
                "code": 'author'
              }
            ],
            "text": 'Author'
          },
          "role": [
            {
              "coding": [
                {
                  "system": 'http://terminology.hl7.org/CodeSystem/contractsignertypecodes',
                  "code": 'SOURCE'
                }
              ],
              "text": 'Source'
            }
          ],
          "who": {
            "reference": 'Practitioner/11648064',
            "display": 'Model, User 437 Cerner'
          }
        },
        {
          "type": {
            "coding": [
              {
                "system": 'http://terminology.hl7.org/CodeSystem/provenance-participant-type',
                "code": 'author'
              }
            ],
            "text": 'Author'
          },
          "role": [
            {
              "coding": [
                {
                  "system": 'http://terminology.hl7.org/CodeSystem/contractsignertypecodes',
                  "code": 'SOURCE'
                }
              ],
              "text": 'Source'
            }
          ],
          "who": {
            "reference": 'Organization/675844',
            "display": 'Model Hospital'
          }
```

```
            }
          ]
        },
        "search": {
          "mode": 'include'
        }
      }
    ]
  }
```

Headers

* X-Request-Id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the X-Request-Id, if present.

* opc-request-id: string Unique Oracle-assigned identifier for the request. If you need to contact Oracle about a particular request, provide the opc-Request-Id, if present.

Back to Top