

Cucumber Report

Jan 22, 2023 2:36:28 PM

Start : Jan 22, 2:35:39.594 PM

End : Jan 22, 2:36:27.839 PM

Duration : 48.245 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 10
FAILED - 2
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>add to cart functionality</u>	27.773 s	1	0	1	0	7	6	1	0
<u>Login functionality</u>	20.456 s	2	1	1	0	6	4	1	1

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	3	1	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>add to cart functionality</u>	1	0	1	0	27.773 s
2	<u>Login functionality</u>	2	1	1	0	20.456 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>add to cart functionality</u>	<u>User should be able to add item to cart</u>	7	6	1	0	27.770 s
2	<u>Login functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	8.163 s
3	<u>Login functionality</u>	<u>User should not be able to login with invalid username and password</u>	3	1	1	1	12.289 s

add to cart functionality

FAILED	DURATION - 27.773 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 2:35:39.594 PM // 2:36:07.367 PM /					


User should be able to add item to cart

<div>FAILED</div>	<div>DURATION - 27.770 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:35:39.597 PM // 2:36:07.367 PM /</div>				
<div>add to cart functionality</div>				
<div>@Smoke</div>				



#	Step / Hook Details	Status	Duration
1	Given Navigate to Amazon	PASSED	5.443 s
2	When Enter username and password and click login button	PASSED	2.157 s
3	Then User should be login successfully	PASSED	1.788 s
4	Given Search in item	PASSED	2.342 s
5	And Choose an item randomly	PASSED	4.365 s
	searchResults		
6	Then Add item to cart	PASSED	0.183 s
	addButton		
7	And Item should be appeared in cart	FAILED	10.171 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('Added') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: (//*[text()='Added to Cart'])[2]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.verifyContainsTextFunction(Parent.java:57) at Pages.DialogContent.findAndContainsText(DialogContent.java:113)		

#	Step / Hook Details	Status	Duration
	<p>at StepDefinitions.addToCart.itemShouldBeAppearedInCart(addToCart.java:41)</p> <p>at ?.Item should be appeared in cart(file:///C:/javaDemos/Trendyol/src/test/java/Features/AddToCart.feature:16)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@text()='Added to Cart']}[2]"} (Session info: chrome=109.0.5414.75) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_352' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0575932277a2129e51f854e72cf00095, findElement {using=xpath, value=//*[@text()='Added to Cart']}[2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.75, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\lereny\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51096}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51096/devtoo..., se:cdpVersion: 109.0.5414.75, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0575932277a2129e51f854e72cf00095</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at com.sun.proxy.\$Proxy27.getText(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:346)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:342)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at Pages.Parent.verifyContainsTextFunction(Parent.java:57)</p> <p>at Pages.DialogContent.findAndContainsText(DialogContent.java:113)</p> <p>at StepDefinitions.addToCart.itemShouldBeAppearedInCart(addToCart.java:41)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.lang.reflect.Method.invoke(Method.java:498)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p>		



#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84) at org.testng.internal.Invoker.invokeMethod(Invoker.java:714) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111) at org.testng.TestRunner.privateRun(TestRunner.java:767) at org.testng.TestRunner.run(TestRunner.java:617) at org.testng.SuiteRunner.runTest(SuiteRunner.java:334) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291) at org.testng.SuiteRunner.run(SuiteRunner.java:240) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224) at org.testng.TestNG.runSuitesLocally(TestNG.java:1149) at org.testng.TestNG.run(TestNG.java:1057) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </p> <p>* Not displayable characters are replaced by '?'. </p>		

#	Step / Hook Details	Status	Duration
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	1.308 s
	screenshot name		
			

Login functionality



FAILED	DURATION - 20.456 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 2:36:07.383 PM // 2:36:27.839 PM /					

Login with valid username and password

PASSED	DURATION - 8.163 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:36:07.383 PM // 2:36:15.546 PM /				
Login functionality				
@Smoke				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Amazon	PASSED	4.208 s
2	When Enter username and password and click login button	PASSED	2.219 s
3	Then User should be login successfully	PASSED	1.657 s

User should not be able to login with invalid username and password

FAILED	DURATION - 12.289 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:36:15.550 PM // 2:36:27.839 PM /				
Login functionality				
@Smoke				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Amazon	PASSED	0.769 s
2	When Enter invalid username and password <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: ap_email' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.waitForVisible(Parent.java:35) at Pages.Parent.sendKeysFunction(Parent.java:20) at Pages.DialogContent.findAndSend(DialogContent.java:70) at StepDefinitions.LoginFunc.enterInvalidUsernameAndPassword(LoginFunc.java:38) at ?.Enter invalid username and password(file:///C:/javaDemos/Trendyol/src/test/java/Features/Login.feature:14) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#ap_email"} (Session info: chrome=109.0.5414.75) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_352' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [96c1961e5b33f523d2ec311a3b167036, findElement {using=id, value=ap_email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.75, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\lereny\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51243}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51243/devtoo..., se:cdpVersion: 109.0.5414.75, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 96c1961e5b33f523d2ec311a3b167036 at sun.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) </pre>	FAILED	10.761 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy27.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilVisible(Parent.java:35) at Pages.Parent.sendKeysFunction(Parent.java:20) at Pages.DialogContent.findAndSend(DialogContent.java:70) at StepDefinitions.LoginFunc.enterInvalidUsernameAndPassword(LoginFunc.java:38) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84) at org.testng.internal.Invoker.invokeMethod(Invoker.java:714) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111) at org.testng.TestRunner.privateRun(TestRunner.java:767) at org.testng.TestRunner.run(TestRunner.java:617) at org.testng.SuiteRunner.runTest(SuiteRunner.java:334) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291) at org.testng.SuiteRunner.run(SuiteRunner.java:240) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224) at org.testng.TestNG.runSuitesLocally(TestNG.java:1149) at org.testng.TestNG.run(TestNG.java:1057) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then User should not be able to login	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	0.757 s
	<p>screenshot name</p> 