## **HTML**

```
!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
initial-scale=1.0">
   <title>Recenziranje albuma</title>
   <form class="container" onsubmit="submitHandler(event)">
        <label for="name">Naziv albuma</label>
       <input type="text" id="name" required/>
       <label for="rating">Ocjena</label>
       <input type="number" id="rating" required/>
       <input type="submit" value="Pošalji"/>
           Album 1, Ocjena 3, Datum i vrijeme pohrane: 20.03. 14:30
           <button id="buttonA">Označi me kao favorita/button>
           <button id="buttonB">Izbriši me sa ove liste</button>
```

## **CSS**

```
body {
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
    margin: 0;
```

```
width: 200px;
   border: solid black 4px;
   display: flex;
   flex-direction: column;
   align-items: center;
   margin: 10px;
   padding: 10px;
   list-style-type: circle;
   margin: 0;
   padding: 0;
@media (max-width: 768px) {
       width: 50%;
       padding: 20px;
       margin: 10px;
    .predefined {
       padding: 20px;
```

## JavaScript

```
function submitHandler(e) {
    e.preventDefault();

    const name = e.target.elements.name.value;
    const rating = e.target.elements.rating.value;

    const albumList = document.getElementById("albumList");
```

```
const newItem = document.createElement("li");
   newItem.innerHTML =
       Album: ${name};
       Ocjena: ${rating};
       Datum i vrijeme pohrane:
${createdAt.getDate()}.${createdAt.getMonth() + 1}
${createdAt.getHours()}:${createdAt.getMinutes()}h
       <button onclick="favorit(event)">Označi me kao
favorita</button>
       <button onclick="remove(event)">Izbriši me sa ove
liste</button>;
   albumList.appendChild(newItem);
   e.target.elements.name.value = "";
   e.target.elements.rating.value = "";
function favorit(e) {
   e.target.parentNode.classList.toggle("favorit");
function remove(e) {
   e.target.parentNode.remove();
```