

```

PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker build -t petcare-hernandez-ocon .
[+] Building 1.1s (10/10) FINISHED                                docker:desktop-linux
=> [internal] load build definition from Dockerfile              0.1s
=> => transferring dockerfile: 336B                             0.0s
=> [internal] load metadata for docker.io/library/mysql:8.0     0.1s
=> [internal] load .dockerignore                                0.0s
=> => transferring context: 2B                                    0.0s
=> CACHED [1/5] FROM docker.io/library/mysql:8.0@sha256:7dcddc01f13bab2f15cde676d44d01f61fc9f99fe7785e86196dfc07 0.0s
=> => resolve docker.io/library/mysql:8.0@sha256:7dcddc01f13bab2f15cde676d44d01f61fc9f99fe7785e86196dfc07d358ae2 0.0s
=> [internal] load build context                                0.1s
=> => transferring context: 5.85kB                               0.0s
=> [2/5] COPY 01_crear_base_datos.sql /docker-entrypoint-initdb.d/ 0.0s
=> [3/5] COPY 02_crear_tablas.sql /docker-entrypoint-initdb.d/    0.0s
=> [4/5] COPY 03_crear_relaciones.sql /docker-entrypoint-initdb.d/ 0.0s
=> [5/5] COPY 04_insertar_registros.sql /docker-entrypoint-initdb.d/ 0.0s
=> exporting to image                                           0.4s
=> => exporting layers                                          0.2s
=> => exporting manifest sha256:5b8ffdb52122d0ef6ce886dddb1f9b27e8d2f967de99e907fac3bc12f2ef5913 0.0s
=> => exporting config sha256:999d30cc0474f0d94734296c94a89ef468477cd0e786036ac7b8b4c8be416116 0.0s
=> => exporting attestation manifest sha256:0b6b9434a64b1743a8bf6daec6c25f1b5581707f54119dc2671b4a857d02d19e 0.0s
=> => exporting manifest list sha256:858d26b4a82ead53419e10dc8610aace9238e2b7a350e67d4c53164f4426869c 0.0s
=> => naming to docker.io/library/petcare-hernandez-ocon:latest 0.0s
=> => unpacking to docker.io/library/petcare-hernandez-ocon:latest 0.1s

1 warning found (use docker --debug to expand):
- SecretsUsedInArgOrEnv: Do not use ARG or ENV instructions for sensitive data (ENV "MYSQL_ROOT_PASSWORD") (line 3)

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/nvee62mgc8gi2o43dhdhd4r1a
PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker volume create petcare-datos
petcare-datos
PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker volume ls
DRIVER      VOLUME NAME
local       6d72eaa99c382bac66a9cc59b13ccee5156bcfae49a6d3f282cbe9d1a182785f
local       27f396448b16b02a514ba391a51966b42cfdb3398de31cf812f99349417538b2

```

```

PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker run -d

```

What's next:

Debug this container error with Gordon → docker ai "help me fix this container error"
 docker: 'docker run' requires at least 1 argument

Usage: docker run [OPTIONS] IMAGE [COMMAND] [ARG...]

See 'docker run --help' for more information

```

PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker run -d `
>> --name petcare-mysql `
>> -p 3306:3306 `
>> -v petcare-datos:/var/lib/mysql `
>> petcare-hernandez-ocon
adbe1e694af173918edaa359171c3df7fb542c7f9a859bc376e7b2fc276cf25f

```

```

PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker start petcare-mysql
petcare-mysql
PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS        NAMES
adbe1e694af1   petcare-hernandez-ocon              "docker-entrypoint.s..." 2 minutes ago  Up 3 seconds  3306/tcp     petcare-mysql
PS C:\Users\eh101\downloads\Practica-2_Dockerfile-Tarea> docker exec -it petcare-mysql mysql -u root -proot
mysql: [Warning] Using a password on the command line interface can be insecure.
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```

```
mysql> show databases;
```

Database
hernandez-ocon
information_schema
mysql
performance_schema
sys

```
5 rows in set (0.02 sec)
```

```
mysql> use hernandez-ocon
```

Reading table information for completion of table and column names

You can turn off this feature to get a quicker startup with -A

Database changed

```
mysql> SHOW TABLES;
```

Tables_in_hernandez-ocon
atenciones_medicas
clientes
mascotas
medicamentos
prescripciones
veterinarios

```
6 rows in set (0.00 sec)
```

```
mysql> select * from clientes;
```

id_cliente	documento_identidad	nombre_completo	telefono	correo_electronico
1	CLI001	Ana López	5551000001	ana.lopez@example.com
2	CLI002	Carlos Pérez	5551000002	carlos.perez@example.com
3	CLI003	María García	5551000003	maria.garcia@example.com
4	CLI004	José Ramírez	5551000004	jose.ramirez@example.com
5	CLI005	Laura Martínez	5551000005	laura.martinez@example.com

```
5 rows in set (0.00 sec)
```

```
mysql> SHOW TABLES;
```