

Actividad-M1-03

Nicolás Guerrero Ernesto

UNIVERSIDAD NACIONAL AUTÓNOMA DE MÉXICO
FACULTAD DE CONTADURÍA Y ADMINISTRACIÓN
LICENCIATURA: INFORMÁTICA
MATERIA: PROGRAMACIÓN DE DISPOSITIVOS MÓVILES

12/04/2026 CIUDAD DE MÉXICO



Primero se generó el par de llaves, no se estableció ninguna contraseña y se copió la llave publica para añadirse a Github

```
MINGW64~/Users/Ajusco/.ssh
Ajusco@LAPTOP-D8DFV815 MINGW64 ~
$ ssh-keygen -t ed25519 -C "ernestong@comunidad.unam.mx"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/Ajusco/.ssh/id_ed25519):
Enter passphrase for "/c/Users/Ajusco/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Ajusco/.ssh/id_ed25519
Your public key has been saved in /c/Users/Ajusco/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:N2VSA1mmAp4uJ1b1PK01PbNnpvht+UzLTtEa5AXY4 ernestong@comunidad.unam.mx
The key's randomart image is:
+--[ED25519 256]--+
|      .+ .+      |
|    .+ .+ .+    |
|  o .+ .+ .+ o  |
| o o   S+   o o  |
| o .+ .+ o o =  |
|=.+ .+ o .+ o .+|
|+.+ o .+ .+ .+ .|
|..o .+ .+ .+ .+|
+---[SHA256]-----+

Ajusco@LAPTOP-D8DFV815 MINGW64 ~
$ cd .ssh
Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$ ls
id_ed25519  id_ed25519.pub  known_hosts  known_hosts.old
Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$ cat id_ed25519.pub
cat: id: No such file or directory
ssh-ed25519 AAAAC3NzaC1lZD1lbnR5b25519AAAAI1XtvQXZkdjZB6Tj7c/dku4uj8lyu0dIv6U22a0UP84L ernestong@comunidad.unam.mx

Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$ cat id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZD1lbnR5b25519AAAAI1XtvQXZkdjZB6Tj7c/dku4uj8lyu0dIv6U22a0UP84L ernestong@comunidad.unam.mx
Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$
```

```
Ajusco@LAPTOP-D8DFV815 MINGW64 ~
$ ssh-keygen -t ed25519 -C "ernestong@comunidad.unam.mx"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/Ajusco/.ssh/id_ed25519):
Enter passphrase for "/c/Users/Ajusco/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Ajusco/.ssh/id_ed25519
Your public key has been saved in /c/Users/Ajusco/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:N2VSA1mmAp4uJ1b1PK01PbNnpvht+UzLTtEa5AXY4 ernestong@comunidad.unam.mx
The key's randomart image is:
+--[ED25519 256]--+
|      .+ .+      |
|    .+ .+ .+    |
|  o .+ .+ .+ o  |
| o o   S+   o o  |
| o .+ .+ o o =  |
|=.+ .+ o .+ o .+|
|+.+ o .+ .+ .+ .|
|..o .+ .+ .+ .+|
+---[SHA256]-----+

Ajusco@LAPTOP-D8DFV815 MINGW64 ~
$ cd .ssh
Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$ ls
id_ed25519  id_ed25519.pub  known_hosts  known_hosts.old
Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$ cat id_ed25519.pub
cat: id: No such file or directory
ssh-ed25519 AAAAC3NzaC1lZD1lbnR5b25519AAAAI1XtvQXZkdjZB6Tj7c/dku4uj8lyu0dIv6U22a0UP84L ernestong@comunidad.unam.mx

Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$ cat id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZD1lbnR5b25519AAAAI1XtvQXZkdjZB6Tj7c/dku4uj8lyu0dIv6U22a0UP84L ernestong@comunidad.unam.mx
Ajusco@LAPTOP-D8DFV815 MINGW64 ~/.ssh
$
```

```
MINGW64/c/Users/Ajusco/Documents/Actividad-M2-01
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents
$ git clone git@github.com:Ernst7712/Actividad-M2-01.git
Cloning into 'Actividad-M2-01'...
warning: You appear to have cloned an empty repository.
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents
$ cd Actividad-M2-01
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (main)
$ git checkout -b M2-01
Switched to a new branch 'M2-01'
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (M2-01)
$ touch M2-01.txt
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (M2-01)
$ git add M2-01.txt
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (M2-01)
$ git config --global user.name "ernesto_nicolas_guerrero"
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (M2-01)
$ git commit -m "Commit M201 ENG"
[M2-01 (root-commit) dc77a8c] Commit M201 ENG
1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 M2-01.txt
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (M2-01)
$ git push origin m2-01
fatal: m2-01 cannot be resolved to branch
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (M2-01)
$ git push origin M2-01
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 232 bytes | 116.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Ernst7712/Actividad-M2-01.git
 * [new branch]      M2-01 -> M2-01
ajusco@LAPTOP-D8DFV815 MINGW64 ~/Documents/Actividad-M2-01 (M2-01)
$ |
```

El repositorio se creo mediante las instrucciones en el sitio web de github.

Se siguió el procedimiento visto en asesoría además de las recomendaciones de Github una vez creado el repositorio. Se realizó el commit del repositorio vacío.

Conclusión

La creación de ramas y el hacer commit en github es una herramienta útil, aunque en proyectos pequeños no sea notorio, cuando existen colaboradores en un mismo repositorio es importante que haya registro de todos los cambios, para un buen control de versiones.

Referencias

- GitHub. *Setting your username in Git.* <https://docs.github.com/en/get-started/git-basics/setting-your-username-in-git>
- GitHub. *Clonar un repositorio.* <https://docs.github.com/es/repositories/creating-and-managing-repositories/cloning-a-repository>
- GitHub. *Git Commit.* <https://github.com/git-guides/git-commit>