

# Cucumber Report

Apr 20, 2025, 9:34:29 PM

Start : Apr 20, 9:33:08.189 PM

End : Apr 20, 9:34:20.331 PM

Duration : 1 m 12.142 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 17  
FAILED - 2  
SKIPPED - 5




| Feature                 |              | Scenario |   |   |   | Step |    |   |   |
|-------------------------|--------------|----------|---|---|---|------|----|---|---|
| Name                    | Duration     | T        | P | F | S | T    | P  | F | S |
| <u>Create a project</u> | 1 m 12.142 s | 2        | 0 | 2 | 0 | 24   | 17 | 2 | 5 |

| # | Feature Name            | Scenario Name                                   |
|---|-------------------------|---|
| 1 | <u>Create a project</u> | <u>create a project with passing valid data</u> |
| 2 |                         | <u>delete a project with passing valid data</u> |

| TAG             | Scenario |   |   |   | Feature |   |   |   |
|-----------------|----------|---|---|---|---------|---|---|---|
| Name            | T        | P | F | S | T       | P | F | S |
| @FunctionalTest | 2        | 0 | 2 | 0 | 1       | 0 | 1 | 0 |





| # | Feature Name     | T | P | F | S | Duration     |
|---|------------------|---|---|---|---|--------------|
| 1 | Create a project | 2 | 0 | 2 | 0 | 1 m 12.142 s |





| # | Feature Name            | Scenario Name                                   | T  | P  | F | S | Duration |
|---|-------------------------|---|----|----|---|---|----------|
| 1 | <u>Create a project</u> | <u>create a project with passing valid data</u> | 13 | 11 | 1 | 1 | 50.168 s |
| 2 |                         | <u>delete a project with passing valid data</u> | 11 | 6  | 1 | 4 | 21.761 s |


## Create a project

|                                      |                         |  |   |  |   |
|--------------------------------------|-------------------------|--|---|--|---|
| <b>FAILED</b>                        | DURATION - 1 m 12.142 s | Scenarios<br>Total - 2<br>Pass - 0<br>Fail - 2<br>Skip - 0 |  | Steps<br>Total - 24<br>Pass - 17<br>Fail - 2<br>Skip - 5 |  |
| / 9:33:08.189 PM // 9:34:20.331 PM / |                         |  |   |  |   |
|                                      |                         |  |   |  |   |



## create a project with passing valid data

|  |  |  |   |   |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 50.168 s</div> |  |  | <div>Steps</div> <div>Total - 13</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 9:33:08.235 PM // 9:33:58.403 PM /             |  |  |   |   |
| Create a project                                 |  |  |   |   |
| @FunctionalTest                                  |  |  |   |   |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 1  | Given I am on the rmg yantra login page  | PASSED | 3.585 s  |
| 2  | When I have entered valid username and password  | PASSED | 0.415 s  |
| 3  | And I click on login button  | PASSED | 3.246 s  |
| 4  | Then I should be logged in successfully  | PASSED | 0.139 s  |
| 5  | When I click on projects feature   | PASSED | 0.202 s  |
| 6  | Then List of projects page should be displayed   | PASSED | 0.063 s  |
| 7  | When I click on create project button  | PASSED | 0.260 s  |
| 8  | And I enter project name "RMG_BDD"   | PASSED | 0.191 s  |
| 9  | And I enter project manager name "Pankaj_"   | PASSED | 0.119 s  |
| 10 | And I select project status "On Going"   | PASSED | 0.227 s  |
| 11 | And I click on addProject button   | PASSED | 0.675 s  |
| 12 | Then I validate toast message "Project RMG_BDD Successfully Added"   | FAILED | 20.628 s |
|    | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //div[@class='Toastify']/descendant::div[@class='Toastify__toast-body'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <p>135.0.7049.96, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\kisku\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51123}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51123/devtoo..., se:cdpVersion: 135.0.7049.96, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5b6ff2e3db50ca9b1dcd89088e527020</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)<br/> at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)<br/> at utilities.SeleniumSupport.explicitWait(SeleniumSupport.java:36)<br/> at pages.ProjectsPage.getToastMessage(ProjectsPage.java:87)<br/> at stepDefinition.ProjectsPageStepDef.i_validate_toast_message(ProjectsPageStepDef.java:46)<br/> at ?.I validate toast message "Project RMG_BDD Successfully Added"(file:///C:/Users/kisku/IdeaProjects/My_BDD_Rmg_Yantra/src/test/resources/features/createProject.feature:22)<br/> * Not displayable characters are replaced by '?'. </p> |         |          |
| 13 | Then I validate the "RMG_BDD" should be successfully created   | SKIPPED | 0.008 s  |
|    | AFTER - appHooks.Hooks.tearDown(io.cucumber.java.Scenario)   | PASSED  | 0.320 s  |
|    | create a project with passing valid data   |         |          |
|    |   |         |          |


### delete a project with passing valid data

|  |  |  |  |  |
|--|--|--|--|--|
| <div>FAILED</div> <div>DURATION - 21.761 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 11</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 4</div> | <div></div> |
| <div>/ 9:33:58.570 PM // 9:34:20.331 PM /</div>  |  |  |  |  |
| <div>Create a project</div>                      |  |  |  |  |
| <div>@FunctionalTest</div>                       |  |  |  |  |

| # | Step / Hook Details                             | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the rmg yantra login page         | PASSED | 3.586 s  |
| 2 | When I have entered valid username and password | PASSED | 0.371 s  |
| 3 | And I click on login button                     | PASSED | 3.168 s  |



| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 4  | Then I should be logged in successfully  | PASSED  | 0.076 s  |
| 5  | When I click on projects feature   | PASSED  | 0.366 s  |
| 6  | Then List of projects page should be displayed   | PASSED  | 0.166 s  |
| 7  | When I click on delete button of a project "RMG_BDD"   | FAILED  | 10.026 s |
|    | <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//tr/td[text()='RMG_BDD']/../descendant::a[@class='delete']"} (Session info: chrome=135.0.7049.96) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f0ddf367cdd96f97e6971e5bf3af5526, findElement {using=xpath, value=//tr/td[text()='RMG_BDD']/../descendant::a[@class='delete']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.96, chrome: {chromedriverVersion: 135.0.7049.95 (de2eb485a195..., userDataDir: C:\Users\kisku\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51177/devtoo..., se:cdpVersion: 135.0.7049.96, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f0ddf367cdd96f97e6971e5bf3af5526</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)<br/> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br/> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)<br/> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)<br/> at pages.ProjectsPage.clickDeleteBtnOfProject(ProjectsPage.java:95)<br/> at stepDefinition.ProjectsPageStepDef.i_click_on_delete_button_of_a_project(ProjectsPageStepDef.java:64)<br/> at ?.I click on delete button of a project "RMG_BDD"(file:///C:/Users/kisku/IdeaProjects/My_BDD_Rmg_Yantra/src/test/resources/features/createProject.feature:33)<br/> * Not displayable characters are replaced by '?'. </p> |         |          |
| 8  | Then I validate a delete project popup should be displayed   | SKIPPED | 0.001 s  |
| 9  | When I click on delete button of the popup   | SKIPPED | 0.001 s  |
| 10 | Then I validate toast message "RMG_BDDProject Successfully Deleted"  | SKIPPED | 0.001 s  |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
| 11 | Then I validate the project "RMG_BDD" should be deleted successfully              | SKIPPED | 0.001 s  |
|    | AFTER - appHooks.Hooks.tearDown(io.cucumber.java.Scenario)                        | PASSED  | 0.180 s  |
|    | delete a project with passing valid data  |         |          |
|    |  |         |          |