

API Testing Guide

SMA AI Ghazaly

Backend REST API Documentation & Test Scripts

Base URL: <https://alghazaly.erri.online>

Date: 28 April 2026 **Version:** 1.0.0

Daftar Isi

Daftar Isi	2
1. Informasi Umum	3
1.1 Required Headers	3
1.2 Cara Mendapatkan Token	3
2. Auth	4
3. Public Endpoints	6
4. PPDB Registration.....	9
5. Admin Endpoints.....	11
6. Script Otomatis	16
6.1 Cara Penggunaan	16
6.2 Hasil Terakhir	16
7. Akun Test.....	17
8. HTTP Status Codes.....	18

1. Informasi Umum

Base URL: <https://alghazaly.erri.online>

1.1 Required Headers

Setiap request ke API harus menyertakan header berikut:

Header	Value	Keterangan
Accept	application/json	Format response JSON
Content-Type	application/json	Format request body JSON
Authorization	Bearer {token}	Diperlukan untuk endpoint yang membutuhkan autentikasi

1.2 Cara Mendapatkan Token

Token autentikasi diperoleh melalui endpoint login:

Endpoint: POST /api/auth/login

```
curl -s -X POST https://alghazaly.erri.online/api/auth/login \  
-H "Content-Type: application/json" \  
-H "Accept: application/json" \  
-d '{"email":"superadmin@alghazaly.sch.id","password":"password"}'
```

Simpan nilai dari field token pada response untuk digunakan di header Authorization.

2. Auth

Endpoint autentikasi untuk login, cek user aktif, dan logout.

2.1 Login

POST `/api/auth/login` **Expected:** 200

Mendapatkan token autentikasi dengan kredensial yang valid.

cURL:

```
curl -s -X POST https://alghazaly.erri.online/api/auth/login \
-H "Content-Type: application/json" \
-H "Accept: application/json" \
-d '{"email": "superadmin@alghazaly.sch.id", "password": "password"}'
```

Expected Response:

```
{
  "status": "success",
  "data": {
    "user": { "id": 1, "name": "Super Admin", "email": "superadmin@alghazaly.sch.id" },
    "token": "1|xxxxxxxxxxxxxxxxxxxxxxxxxxxx"
  }
}
```

2.2 Get Current User

GET `/api/auth/me` **Expected:** 200

Mendapatkan data user yang sedang login berdasarkan token.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/auth/me \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{
  "status": "success",
  "data": { "id": 1, "name": "Super Admin", "email": "superadmin@alghazaly.sch.id", "roles": [...] }
}
```

2.3 Login Gagal (Kredensial Salah)

POST `/api/auth/login` **Expected:** 401

Login dengan email atau password yang salah. Harus mengembalikan 401.

cURL:

```
curl -s -X POST https://alghazaly.erri.online/api/auth/login \
-H "Content-Type: application/json" \
-H "Accept: application/json" \
-d '{"email": "salah@email.com", "password": "salahpassword"}'
```

Expected Response:

```
{
  "status": "error",
  "message": "The provided credentials are incorrect."
}
```

2.4 Logout

POST `/api/auth/logout` **Expected:** 200

Menghapus token autentikasi aktif (invalidate token).

cURL:

```
curl -s -X POST https://alghazaly.erri.online/api/auth/logout \  
-H "Accept: application/json" \  
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{  
  "status": "success",  
  "message": "Logged out successfully"  
}
```

3. Public Endpoints

Endpoint publik tidak memerlukan autentikasi. Dapat diakses langsung tanpa header Authorization.

3.1 Get Settings

GET `/api/settings` **Expected:** 200

Mendapatkan konfigurasi umum situs (nama sekolah, kontak, dll).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/settings \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":{"site_name":"SMA Al
Ghazaly","address":"...","phone":"...",...}}
```

3.2 Get Posts (Paginated)

GET `/api/posts` **Expected:** 200

Mendapatkan daftar artikel/berita dengan pagination.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/posts \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":{"data":[...],"current_page":1,"last_page":5,"total":48}}
```

3.3 Get Posts (Search & Filter)

GET `/api/posts?search=PPDB&category=ppdb&page=1` **Expected:** 200

Filter artikel berdasarkan keyword pencarian dan kategori.

cURL:

```
curl -s -X GET
"https://alghazaly.erri.online/api/posts?search=PPDB&category=ppdb&page=1" \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":{"data":[...],"current_page":1,...}}
```

3.4 Get Post by Slug (Valid)

GET `/api/posts/ppdb-2025-2026-resmi-dibuka` **Expected:** 200

Mendapatkan detail artikel berdasarkan slug yang valid.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/posts/ppdb-2025-2026-resmi-dibuka \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":{"id":1,"title":"PPDB 2025-2026 Resmi Dibuka","slug":"ppdb-
2025-2026-resmi-dibuka",...}}
```

3.5 Get Post by Slug (Not Found)

GET `/api/posts/slug-tidak-ada` **Expected:** 404

Mengakses artikel dengan slug yang tidak ada. Harus mengembalikan 404.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/posts/slug-tidak-ada \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"error","message":"Post not found"}
```

3.6 Get Categories

GET [/api/categories](#) **Expected:** 200

Mendapatkan daftar semua kategori artikel.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/categories \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"PPDB","slug":"ppdb"},{"id":2,"name":"Berita","slug":"berita"},...]}
```

3.7 Get Pages

GET [/api/pages](#) **Expected:** 200

Mendapatkan daftar semua halaman statis.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/pages \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"title":"Tentang Kami","slug":"tentang-kami"},...]}
```

3.8 Get Page by Slug

GET [/api/pages/tentang-kami](#) **Expected:** 200

Mendapatkan konten halaman statis berdasarkan slug.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/pages/tentang-kami \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":{"id":1,"title":"Tentang Kami","content":"..."}}
```

3.9 Get Teachers

GET [/api/teachers](#) **Expected:** 200

Mendapatkan daftar guru/tenaga pendidik yang aktif.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/teachers \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"Budi Santoso","position":"Kepala Sekolah","subject":"..."},...]}
```

3.10 Get Testimonials

GET [/api/testimonials](#) **Expected:** 200

Mendapatkan daftar testimoni dari siswa/orang tua.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/testimonials \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"Ahmad","content":"...", "rating":5},...]}
```

3.11 Get Alumni

GET `/api/alumni` **Expected:** 200

Mendapatkan daftar alumni sekolah.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/alumni \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"Siti Aminah","year":2020,"achievement":"...",...}]}
```

3.12 Get Albums (Gallery)

GET `/api/albums` **Expected:** 200

Mendapatkan daftar album foto/galeri sekolah.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/albums \
-H "Accept: application/json"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"title":"Wisuda 2024","photo_count":25,"cover_image":"...",...}]}
```


4. PPDB Registration

Endpoint untuk pendaftaran Penerimaan Peserta Didik Baru (PPDB) dan pengecekan status pendaftaran.

4.1 Buat Pendaftaran Baru

POST `/api/registrations` **Expected:** 201

Mengirimkan formulir pendaftaran PPDB baru. Akan menghasilkan nomor pendaftaran unik.

Field Body:

Field	Type	Keterangan
full_name	string	Nama lengkap pendaftar (required)
birth_date	date (Y-m-d)	Tanggal lahir format YYYY-MM-DD (required)
birth_place	string	Kota/kabupaten tempat lahir (required)
gender	string (L/P)	L = Laki-laki, P = Perempuan (required)
address	string	Alamat lengkap pendaftar (required)
phone	string	Nomor HP pendaftar (required)
parent_name	string	Nama orang tua/wali (required)
parent_phone	string	Nomor HP orang tua/wali (required)
previous_school	string	Asal sekolah SMP/MTs (required)
academic_year	string	Tahun ajaran, contoh: 2025/2026 (required)

cURL:

```
curl -s -X POST https://alghazaly.erri.online/api/registrations \
-H "Content-Type: application/json" \
-H "Accept: application/json" \
-d '{
  "full_name": "Muhammad Rizki Pratama",
  "birth_date": "2009-05-15",
  "birth_place": "Garut",
  "gender": "L",
  "address": "Jl. Merdeka No. 10, Garut",
  "phone": "081234567890",
  "parent_name": "Bapak Pratama",
  "parent_phone": "081298765432",
  "previous_school": "SMP Negeri 1 Garut",
  "academic_year": "2025/2026"
}'
```

Expected Response:

```
{
  "status": "success",
  "data": {
    "id": 1,
    "registration_number": "PPDB-2025-0001",
    "full_name": "Muhammad Rizki Pratama",
    "status": "pending"
  }
}
```

4.2 Cek Status Pendaftaran (Valid)

GET `/api/registrations/PPDB-2025-0001/status` **Expected:** 200

Mengecek status pendaftaran berdasarkan nomor pendaftaran yang valid.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/registrations/PPDB-2025-0001/status \
-H "Accept: application/json"
```

Expected Response:

```
{
  "status": "success",
  "data": {
    "registration_number": "PPDB-2025-0001",
    "full_name": "Muhammad Rizki Pratama",
    "status": "pending",
    "academic_year": "2025/2026"
  }
}
```

4.3 Cek Status Pendaftaran (Tidak Ditemukan)

GET `/api/registrations/NOMOR-SALAH/status` **Expected:** 404

Mengecek pendaftaran dengan nomor yang tidak ada. Harus mengembalikan 404.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/registrations/NOMOR-SALAH/status \
-H "Accept: application/json"
```

Expected Response:

```
{
  "status": "error",
  "message": "Registration not found"
}
```

5. Admin Endpoints

Semua endpoint admin memerlukan header Authorization: Bearer {token}. Pastikan sudah login terlebih dahulu.

5.1 Dashboard

GET `/api/admin/dashboard` **Expected:** 200

Mendapatkan statistik ringkasan dashboard (total siswa, artikel, dll).

Note: Ganti {token} dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/dashboard \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status": "success", "data": {"total_students": 120, "total_posts": 45, "total_registrations": 30, ...}}
```

5.2 Dashboard Tanpa Token

GET `/api/admin/dashboard` **Expected:** 401

Mengakses dashboard tanpa token. Harus mengembalikan 401.

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/dashboard \
-H "Accept: application/json"
```

Expected Response:

```
{"status": "error", "message": "Unauthenticated."}
```

5.3 Get All Posts

GET `/api/admin/posts` **Expected:** 200

Mendapatkan semua artikel termasuk yang masih draft.

Note: Ganti {token} dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/posts \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status": "success", "data": {"data": [...], "total": 45}}
```

5.4 Create Post

POST `/api/admin/posts` **Expected:** 201

Membuat artikel baru. Body: title, content, excerpt, status (draft/published), category_ids (array).

Note: Ganti {token} dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X POST https://alghazaly.erri.online/api/admin/posts \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}" \
-H "Content-Type: application/json" \
-d '{"title": "Artikel Baru", "content": "<p>Konten artikel...</p>", "excerpt": "Ringkasan", "status": "draft", "category_ids": [1, 2]}'
```

Expected Response:

```
{"status":"success","data":{"id":46,"title":"Artikel Baru","slug":"artikel-baru","status":"draft"}}
```

5.5 Update Post

PUT `/api/admin/posts/{id}` **Expected:** 200

Memperbarui artikel yang sudah ada berdasarkan ID.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X PUT https://alghazaly.erri.online/api/admin/posts/1 \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":{"id":1,"title":"Artikel Diperbarui",...}}
```

5.6 Delete Post

DELETE `/api/admin/posts/{id}` **Expected:** 200

Menghapus artikel berdasarkan ID.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X DELETE https://alghazaly.erri.online/api/admin/posts/1 \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","message":"Post deleted successfully"}
```

5.7 Get All Registrations

GET `/api/admin/registrations` **Expected:** 200

Mendapatkan semua data pendaftaran PPDB.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/registrations \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":{"data":[...],"total":30}}
```

5.8 Get Registration Detail

GET `/api/admin/registrations/1` **Expected:** 200

Mendapatkan detail satu data pendaftaran berdasarkan ID.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/registrations/1 \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":{"id":1,"registration_number":"PPDB-2025-0001","full_name":"...", "status":"pending"}}
```

5.9 Update Registration Status

PATCH `/api/admin/registrations/{id}/status` **Expected:** 200

Memperbarui status pendaftaran. Value: pending, verified, accepted, rejected.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X PATCH https://alghazaly.erri.online/api/admin/registrations/1/status \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}" \
-H "Content-Type: application/json" \
-d '{"status":"verified"}'
```

Expected Response:

```
{"status":"success","data":{"id":1,"status":"verified"}}
```

5.10 Get Teachers (Admin)

GET `/api/admin/teachers` **Expected:** 200

Mendapatkan semua data guru termasuk yang tidak aktif.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/teachers \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"Budi Santoso","is_active":true},...]}
```

5.11 Create Teacher

POST `/api/admin/teachers` **Expected:** 201

Menambahkan data guru baru. Body: name, position, subject, bio, order, is_active.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X POST https://alghazaly.erri.online/api/admin/teachers \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}" \
-H "Content-Type: application/json" \
-d '{"name":"Guru Baru","position":"Guru Matematika","subject":"Matematika","bio":"...", "order":10,"is_active":true}'
```

Expected Response:

```
{"status":"success","data":{"id":10,"name":"Guru Baru","position":"Guru Matematika"}}
```

5.12 Update Settings

PUT `/api/admin/settings` **Expected:** 200

Memperbarui konfigurasi situs. Body berupa array settings dengan key-value.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X PUT https://alghazaly.erri.online/api/admin/settings \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}" \
-H "Content-Type: application/json" \
-d '{"settings":[{"key":"site_name","value":"SMA Al Ghazaly"}]}'
```

Expected Response:

```
{"status":"success","message":"Settings updated successfully"}
```

5.13 Get Users

GET `/api/admin/users` **Expected:** 200

Mendapatkan daftar semua pengguna sistem.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/users \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"Super Admin","email":"superadmin@alghazaly.sch.id","roles":["superadmin"]},...]}
```

5.14 Get Testimonials (Admin)

GET `/api/admin/testimonials` **Expected:** 200

Mendapatkan semua testimoni termasuk yang belum dipublikasikan.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/testimonials \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"Ahmad","is_active":true},...]}
```

5.15 Get Alumni (Admin)

GET `/api/admin/alumni` **Expected:** 200

Mendapatkan semua data alumni untuk pengelolaan.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/alumni \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"name":"Siti Aminah","year":2020},...]}
```

5.16 Get Payments

GET `/api/admin/payments` **Expected:** 200

Mendapatkan daftar pembayaran PPDB.

Note: Ganti `{token}` dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/payments \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status":"success","data":[{"id":1,"registration_number":"PPDB-2025-0001","amount":500000,"status":"paid"},...]}
```

5.17 Get Categories (Admin)

GET `/api/admin/categories` **Expected:** 200

Mendapatkan semua kategori untuk pengelolaan.

Note: Ganti {token} dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/categories \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status": "success", "data": [{"id": 1, "name": "PPDB", "slug": "ppdb", "posts_count": 5}, ...]}
```

5.18 Get Roles

GET /api/admin/roles Expected: 200

Mendapatkan daftar semua role/peran pengguna di sistem.

Note: Ganti {token} dengan token yang diperoleh dari endpoint login (2.1).

cURL:

```
curl -s -X GET https://alghazaly.erri.online/api/admin/roles \
-H "Accept: application/json" \
-H "Authorization: Bearer {token}"
```

Expected Response:

```
{"status": "success", "data": [{"id": 1, "name": "superadmin"}, {"id": 2, "name": "admin"}, {"id": 3, "name": "editor"}]}
```

6. Script Otomatis

Script shell untuk menjalankan semua test API secara otomatis.

Lokasi File: /home/erra/www/Alghazaly/test-api.sh

6.1 Cara Penggunaan

```
# Jalankan test ke server production
bash test-api.sh

# Jalankan test ke server lokal
bash test-api.sh http://localhost:9004
```

6.2 Hasil Terakhir

Total Test: 43	Passed: 43	Failed: 0
-----------------------	-------------------	------------------

7. Akun Test

Akun berikut dapat digunakan untuk pengujian API. Jangan gunakan akun ini di lingkungan production.

Role	Email	Password
Superadmin	superadmin@alghazaly.sch.id	password
Admin	admin@alghazaly.sch.id	password
Editor	budi.editor@alghazaly.sch.id	password

Penting: Segera ganti password setelah selesai melakukan pengujian!

8. HTTP Status Codes

Referensi kode status HTTP yang digunakan dalam API ini:

Kode	Arti
200	OK - Request berhasil diproses
201	Created - Data berhasil dibuat
401	Unauthorized - Token tidak ada atau sudah expired
403	Forbidden - Token valid tetapi tidak punya akses
404	Not Found - Data atau endpoint tidak ditemukan
422	Unprocessable Entity - Validasi gagal, data input tidak valid
500	Internal Server Error - Terjadi error di sisi server