15/08/2024

॥ ॐ श्री गणेशाय नमः ॥

Namaste Node.js

⇒ Make your own notes.
⇒ Practice along with videos
⇒ Make a schedule → I will watch 1 episode a day atleast.
⇒ Let akshay, complete his lecture, coda all those things which he coded

Episode-01 Introduction to Node.js

"Any application that can be written in Javascript will eventually be written in Javascript."
- Jeff Atwood, 2007
Founder, Stackoverflow

What is Node.js?

Node.js is a Javascript runtime built on Chrome's V8 Javascript engine.

→ maintained by openJS foundation.

⇒ Node.js is a cross-platform, opensource Javascript runtime environment that can run on windows, Linux, Unix, macOS and more. Node.js runs on the V8 Javascript engine, and executes Javascript outside a web browser.

→ Event-driven architecture
→ Capable of asynchronous I/O -or- Non-blocking I/O

2009 → Ryan Dahl developed Node.js

History of Node JS



Ryan Dahl
→ Spider Monkey (Firefox)
→ V8 (Google Chrome)

whereever there is Javascript, there is Javascript engine.

Node.js is powered ignited by Google's V8 engine.

Earlier name was web.js → creating web server
renamed node.js → it can create even more.

Apache HTTP Server 'Blocking'

↓
Non-Blocking Server
→ It can handle multible server with lesser number of threads.

Episode-02 | JS on Server

Node.js came with a philosphy that it can run outside the brower, primarily on server.

Server is nothing but a remote computer. One cpu that is recieving your request.



(Every domain has an IP, and each domain points to a server)

Q → Full stack
Now you just have to learn one language for frontend and backend earlier for backend → Java, C++, python.

Node.js is C++ code??

JS Engine - V8 (Google) → C++ program?? Yes (72% C++ 25% Javascript)

"V8 can be embedded into any C++ application"

V8 → execute JS code

→ JS → (V8) → machine level code.
C++

→ Node.js is created using Javascript language which can be run in the desktop or create application. Node.js is also written in C++ because when the web server needs access to internal system functionality such as networking.

⇒ Node.js is a C++ application with V8 embedded into it.



Ecma Script: is a standard for scripting languages, including JavaScript, JScript and ~~JScript~~ ActionScript.

- standard/Rules

JS engines follow these standards.

V8 → Google
Spider Monkey - Firefox
Chakra - Microsoft
Js Code - Safari

V8 cannot go beyond Ecma script.
So, V8 + Superpower = Node.js
↳ API on server

V8 can't connect to database, can't call HTTP, can't go to file system, can't fetch images.
You need those superpowers, these superpowers came in form of APIs.

⇒ Node.js is a C++ application with V8 embedded into it along with some superpowers called in form of APIs Javascript runtime.

Because it also have a lot of Javascript apis.

Node.js github
62% Javascript
21.9% C++

V8 is a C++ Code??

Javascript (easy to write) C++
High Level language
Machine code
Assembly code
Binary code

Episode-03 Let's write Code.

Where to write Nodejs code?

Node REPL → Read, Evaluate, Print, Loop

node Write this into cmd.

Node.js is javascript runtime environment built on Chrome's V8 Javascript engine.



Javascript is synchronous single threaded language.

'window' is a global object given by Browser not by Chrome V8 engine.

In node.js the global object is global.

```
Console.log(global);
Console.log(this);   // op → {}
```

in frontend it will print window. with self, frames.

But all browser supports globalThis

Episode-04 module.export & require

Modules protects their variables and function from leaking.

By default the modules are protected.

```
module.exports = calculateSum;

const calculateSum = require("./sum.js");
```

```
module.exports = {
    x: x,
    calculateSum : calculateSum,
};
```

```
require("./myz.js");
const obj= require ("./sum.js");
obj.calculatesum(a,b);
```

```
//destructuring
calculate {x, calculateSum} = require("./sum.js");
```

same as → `module.exports = { x, calculatesum };`

CommonJS Modules (.cjs)

→ modeule.exports
require()

→ by default used in Node.js.

→ Synchronous

→ non-strict mode.

Strict mode: It provide better error checking and enforces stricter coding rules, leading to fewer bugs and better code quality.

Non-Strict mode: They may seem more flexible at first, it can lead to unexpected behavior and security vulnerability

ES Modules (.mjs)

In package.json

```
{
"type" : "module"
}
```

```
export function - - {

}
```

```
import {calculateSum}
    from "./sum.js";
```

→ import
export

By default used in React, Angular.

→ Async option is there.

→ strict mode.

console.log(module.exports); {}
module.exports is a empty object.

You can also write

```
module.exports = x;
module.exports.calculateSum = CalculateSum;
```

Always wrap inside a object and import in a {}, this a a good practice

How do you import data.json file?

```
Const data = require("./data.json");
```

JSON.stringify(data) ⇒ ~~json~~ object
json

```
const util = require("node:util");
```

Episode-05 | Diving into the NodeJS github repo

What is IIFE?

When we do require('./path')

All the code of this module is wrapped inside a function (IIFE)

IIFE → Immediately invoked function expression

```
(function() {

})();
```

this bracket is important.

⇒ Before execution, all the requires are converted into IIFE or wrapped inside IIFE.

⇒ It keeps variables & functions private and safe. The code inside IIFE will not interfere with file JS code.

⇒ Whenever you create a module, all the code that you write in a module is wrapped inside a function & then executed.

⇒ That's why you cannot access the data of the module with exports

⇒ Whenever you create a module and Require it into your file, what happens is nodejs takes the code from that file or module and wraps it into a function & then execute it.

⇒ How do you get access to module.exports, where does it comes from?

At the end of the day all the JS code is wrapped inside a function & gets executed (IIFE)

```
(function(module, require){
    require('path');
    module.exports = {};
})();
```

NodeJs passes modules as a parameter to IIFE in which the code is wrapped.



⇒ Node Js takes your code wraps it inside IIFE & sends it to V8 for execution. V8 engine knows how to execute IIFE.

⇒ This was all about ~~two~~ the IIFE & its working

5 Step Mechanism of Require ('./path')

1) Resolving the Module.
   - → ./local path
   - → .JSON
   - → node_module

   It sees from where the data is coming and accordingly it resolves the modules

2) Loading the Module
   - file content is loaded according to file type.

3) Wraps inside IIFE

4) Evaluation: code is executed & returns module.exports

5) Caching: the code of require will run only once.

Episode-06 libuv & async IO

Node.js has an event driven architecture capable of asynchronous I/O

Javascript is synchronous single threaded language.

Javascript is synchronous but with the help of nodejs it becomes asynchronous.

Synchronous

```
var a = 1078698;
var b = 20986;

function multiplyFn(x,y){
    const result= a*b;
    return result;
}

var c = multiplyFn(a,b)
```

Asynchronous

```
http.get("https://api.fbi.com",(res)=>{
    console.log("secret data:": res.secret);
});

fs.readFile("./gossip.txt","utf8",(data)=>
  console.log("File data", data);
});
setTimeout(()=>{
    console.log("wait here for 5 seconds");
},5000);
```

How synchronous code is executed in javascript?



Single Thread

"Time, Tide & Javascript waits for none."

GEC → Global execution context.

How asynchronous code is Run?





libuv → libuv is a multi-platform C library that provides support for asynchronous I/O based event loops.

Asynchronous I/O made simple.

libuv is Ginie, super hero.

Libuv is the hero, due to which Nodejs is asynchronous



Whenever V8 engine sees api call, file read operation, settimeout, it offloads this to libuv. and then libuv manages it.

"Time tides and javascript, javascript engine waits for none."

⇒ Nodejs is Asynchronous by V8 engine is synchronous.

⇒ Nodejs can do Async I/O.

Non-Blocking I/O, → because it is not blocking our main thread.

So, Even with a single thread, it can do so many async operation together.

Episode-07 Sync, async, setTimeOutZero-code

async.js

```
Const fs = require("fs");
Const https = require("https");

Console.log("Hello World");

Var a = 1078698;
Var b = 20986;

https.get("https://dummyjson.com/products/1", (res)=>{
        Console.log("Fetched Data Successfully");
    });

SetTimeOut(()=>{ console.log("set timeout 5 sec")},5000);

fs.readFile("./file.txt", "utf8", (err,data)=>{
        Console.log("File Data:",data);
    });

function multiplyFn(x,y){
        Const result = a*b;
        return result;
}
Var c = multiplyFn(a, b);
```

o/p

Hello World
Multiplication result is 22260 7
Filedata: This is the file data
Feteched Data Succesfully
SetTimeout called after 5 Second.

UTF-8 is a variable-length character encoding for electronic communication. Defined by Unicode Standard, the name is derived from the Unicode Transformation Format - 8 bit.

⇒ Synchronous function will block the main thread, don't use it.

```
// this callback will only be pushed to callstack in V8 once the call stack is empty.
setTimeOut( () => {
        console.log("call me right now");
    }, 0);
```

⇒ this will be executed when all the synchronous code will get get executed and when call stack become empty.

⇒ Trust issues with setTimeout
TNC → only if the main thread is empty.

Episode-08 | Deep dive into V8 JS Engine



Code

V8

A) PARSING

1) Lexical Analysis (Tokenization)

Code → Tokens

2) Syntax Analysis (Parsing)



astexplorer.net



2 types of languages

Interpretted	Compiled
→ line by line	→ first compilation HL code → Machine code
→ fast initial execution	→ Initially heavily but executed fast
→ Interpretter	→ Compiler.

⇒ Javascript V8 engine uses both interpreter. It uses JIT compilation (Just-in-time compilation)

JIT compilation



HOT → some piece of code which is used a lot and there is some scope of optimization.

→ Inline caching
→ Copy Elision



This is V8 architecture.

Just-in time compilation:

JIT compilation is a compilation during execution of a program rather than before execution.

Episode-09 | libuv & Event Loop





Asynchronous I/O (Non Blocking I/O)

"Javascript is synchronous single threaded language"

Event Loop

phases

Callback associated with
→ set Timeout
→ set Interval



Call back queues

⇒ Untill V8 Js Engine callstack is not empty, libuv will push all the completed ~~fast~~ async task in callback queue

⇒ the job of event loop is to keep checking callstack and callback queue.

⇒ It is the job of event loop to manage all these things and put the correct thing in correct time and correct order.

→ Before every phase, Every Event loop will run inside cycle also.

→ First callback will be executed, order FIFO according to callback queue.

Code-1

```
Const a=100;
setImmediate(()=>console.log("setImmediate"));
fs.readFile("./file.txt", 'utf8', ()=>{
        console.log('File Reading Callback");
});

SetTimeout(()=>console.log("Times expired"),0);
function printA(){
    console.log("a=",a);
}
printA();
Console.log("Last line of the file");
```

Console

```
a = 100
Last line of the file
Times expired
setImmediate
FileReading Callback
```

Code-2

```
Const a=100;
setImmediate(()=> console.log("setImmediate"));
~~Promise.resolve(()=> console.log "Promise"));~~
  Promise.resolve("Promise").then(console.log());
fs.readFile("./file.txt", "utf8", ()=>{
        Console.log("File Reading CB");
});

SetTimeout(()=> console.log("Times expired"),0);
Process.nextTick(()=> console.log("process.nextTick"));
function printA(){
    console.log("a=",a);
};
printA();
Console.log("Last line of the file");
```

Console:

a = 100
Last line of the file
process.nextTick
Promise
Timer expired
setImmediate
FileReading CB

⇒ Event loop waits at poll phase, when the is idle.

In browser, the event loop keep on keeps on running while in node.js Event loop rests/waits at poll phase when it has nothing to do.

Code-3

```
setImmediate(() => console.log("setImmediate"));
setTimeout(() => console.log("Timer Expired"), 0);
Promise.resolve(() => console.log("Promise"));

fs.readFile("./file.txt", "utf8", () => {
    setTimeout(() => console.log("2nd timer"), 0);
    Process.nextTick(() => console.log("2nd nextTick"));
    setImmediate(() => console.log("2nd set immediate"));

    console.log("File Reading CB");
});
Process.nextTick(() => console.log("nextTick"));
Console.log("Last Line of the file");
```

Console:

Last line of the file
nextTick
Promise
Timer Expired
Set Immediate
File Reading CB
2nd nextTick
2nd set immediate
2nd Timer

Code-4

```
const fs = require("fs");
setImmediate(() => console.log("setImmediate"));
setTimeout(() => console.log("Times expired");0);

Promise.resolve(() => console.log("Promise"));

fs.readFile("./file.txt", "utf8", () => {
        console.log("File Reading CB");
});

process.nextTick(() => {
        process.nextTick(() => console.log("inner nextTick"));
        console.log("nextTick");
});

console.log("Last line of the file");
```

Console:

Last line of the file
nextTick
inner nextTick
Promise
Times expired
~~inner nextTick~~
setImmediate
File Reading CB

Episode-10 Thread Pool in libuv

Tick → one full cycle of event loop.



Thread Pool

{process.UV_THREADPOOL_SIZE}

Is NodeJs singlethreaded or multithreaded?



There are 4 threads by default

UV_THREADPOOL_SIZE = 4

THREAD POOL { - fs - dns.lookup - crypto
- user-specified input

Q Is NodeJs single-threaded or multithreaded?

Ans If you are giving synchronous task, then, it is single threaded, but if you are giving some asynchronous task it used UV Threadpool, in libuv library which has 4 threads.

Answer is it depends.

⇒ You can change the number of threads by:

```
process.env.UV_THREADPOOL_SIZE = 2;
```

⇒ All the networking happens on socket API calls does not uses thread pool.

libuv (C-lang) ⇌ OS
epoll (Linux)
Kqueue (Macos)

[scalable I/O event Notification mechanism]

1 thread per connection is not a good idea.





That's why it's called event driven architecture.

epoll behind the seen uses Red black tree

Main teachings

"Don't Block the main thread".

- → sync methods - Heavy JSON objects
- → Complex Regex - Complex calculations/loops

"Data Structures is important".

"Naming is very important".

"There's a lot to learn".

Episode-11 Creating a Server

Server



"We can use our computers as servers, we don't need AWS, But there are some limitation".

EC2 instance → resource of AWS you suscribed

→ limited RAM
Can't maintain
→ Always up and running
→ We have a local Internet provider, they don't guarantee your IP. But AWS guarantees you a IP.

AWS has a big Data Centers in multiple regions.

You are creating a HTTP server using Nodejs

⇒ You are creating a application that can handle user requests.

Client-Server Architecture



TCP/IP

Protocol : set of rules defined to communicate between computers.

HTTP server (Hyper Text transfer protocol)
SMT server (simple mail transfer protocol)
FTP server (File transfer protocol)

When we talk about Node, we talk about HTTP server in web server.

Server listens to the requests.

Data are sent in small chunks called 'Packets'
It's like stream of Data.

Stream & Buffers



Can I create multiple HTTP server?? → Yes



Port number is needed so that other people can connect to you.

Some port no. are reserved like 80

Domain Name

⇅

IP + PORT + PATH

⇅

API

namastedev.com /api/getUserInfo

123.4.5.6 : 3000

HTTP server



A server can talk to another server also.

Socket vs Web Sockets

- In socket, you made a connection, complete your task and close the connection.
- It takes less resources

- When a user makes a connection, it stays for a long time.
- It takes more resources

Server.js

```
const http = require('node:http');
const server = http.createServer();
server.listen(7777);
```

Server.js

```
const http = require("node:http");
const server = http.createServer(function(req, res){
        res.end("Hello World!");
});
server.listen(7777);
```

```
if(require === "/getSecretData"){
  res.end("There is no secret data");
}
```

It is a tough and tedious way especially in routing. We have many issues in creating servers using http modules. So we use Express

Express - Node.js web application framework

Episode-12 | Databases - SQL & NoSQL

Q What is database? What is DBMS?

Ans A database is an organized collection of data, or a type of data store based on the use of a database management system.

DBMS

DBMS is a software that interacts with end users, applications and the database itself to capture and analyze the data.

Types of Databases

1. Relational DB – MySQL, PostgreSQL
2. NoSQL DB – MongDB
3. In memory DB – Redis
4. Distributed SQL DB – Cockroach DB
5. Time series DB – Influx DB
6. OO DB – dB4o
7. Graph DB – Neo4j
8. Hierarchial DB – IBM IMS
9. Network DB – DBMS
10. Cloud DB – Amazon RDS

Every database has its own server.

RDBMS (MySQL, PostgreSQL), oracle

oracle is managing MySQL

NoSQL (MongoDB) (Not-only SQL)

* Document DB
* Key value DB
* Graph DB
* Wide-Column DB
* Multi model

MongoDB is Document DB

MongoDB comes in 2009 (2000s)

↓

Same time Node.js come

In NOSQL (MongoDB)
→ No needs for joins
→ No need for data normalization

Cluster (deploy a cluster)

Database ⟷ database
Table ⟷ collections
Row ⟷ document
Column ⟷ fields

RDBMS (My SQL)	No SQL (Mongo DB)
- Table, Rows, Columns	- Collection, document, field
- Structure Data	- Unstructured & semistructured data
- Fixed schema	- flexible schema
- SQL	- Mongo (MQL), Neo4J (Cypher)
- Tough horzontal scaling	- Easy to scale horizontally & vertically
- Relationships - foreign keys + joins	- Nested [Relationships]
- Read heavy app, transaction workloads	- Real Time, Big data, distribute Computing
- Ex. Banking apps	- Ex. Real Time analytics Social media.

19/08/2024

Episode-13| Creating a database & mongodb

How to connect mongodB to your project?

npm i mongodb

database.js

```
Const {MongoClient} = require('mongodb');

Const url = 'your connect string';

Const client = new MongoClient(url);

Const dbName = 'HelloWorld";

async function main(){
    await client.connect();
    Console.log("Connected succesfully to server");
    Const db = client.db(dbName);
    Const collection = db.Collection("User");
    // Write code for CRUD operations here.
    return "done.";
}

main()
    .then(console.log)
    .catch(console.error)
    .finally(() => client.close());

//Read
Const findResult = await collection.find({}).toArray();
Console.log('Found documents =>', findResult);
```

```
// Insert a document
Const data = {
    firstname : "Deepika",
    lastname : "Padukone",
    City : "Mumbai",
    phoneNumber : "9875432100",
};

Const insertResult = await collection.insertMany([data]);
Console.log ('Inserted documents=>', insertResult);
```

But while making project, we will not use this 'mongodb' package.

We will use Mongoose Package.

Mongoose is a MongoDB object modelling tool designed to work in an asynchronous environment. Mongoose supports Node.j's and Deno (alpha).

"See you all in Season-02"

19/08/2024
19:42:00