

OIG V

Park (par)

<https://szkopul.edu.pl/problemset/problem/vFeShE0nczXpanZEaYQpDnus/site/>

Bytonian National Park is famous for its long (and not really wide) mountains that span across the whole park from west to east. There are n peaks numbered from 1 to n . The i -th of them has height w_i .

In order to help tourists in planning their routes, on every peak there should be a guidepost with information what is the heighest peak to the west from here and the heighest peak to the east from here, both including this peak. Can you find these two numbers for every peak?

Input

The first line of the input contains an integer n ($1 \leq n \leq 10^6$) denoting the length of the mountains (the number of peaks). The i -th of next n lines contains an integer w_i ($1 \leq w_i \leq 10^9$) denoting the height of the i -th peak from the west.

In tests worth 40 points, there is an additional constraint $n \leq 10\,000$.

Output

In the i -th line of the output, print two integers — the heighest peak to the west from here (including this peak) and the heighest peak to the east from here (including this peak).

Example

For the following input

```
5
1
3
2
4
3
```

the correct output is

```
1 4
3 4
3 4
4 4
4 3
```

Cake (tor)

<https://szkopul.edu.pl/problemset/problem/G500wjoYk8gUak-2HGHG114o/site>

It's Baytek's birthday today. He already blew the candles and he cut the birthday cake into $(n+1)^2$ pieces. Unfortunately, the pieces have various sizes – some are bigger, some are smaller. Baytek will choose his piece first and would like to take the k -th biggest one. That is, there should be $k-1$ pieces not smaller than the chosen one, and $(n+1)^2 - k$ pieces not bigger than the chosen one.

We know that the birthday cake has rectangular shape and Baytek used n horizontal and n vertical cuts. Given the description of cuts, find the area of the piece of cake chosen by Baytek.

Input

The first line of the input contains four integers a, b, n and k ($1 \leq a, b \leq 10^9, 0 \leq n \leq 2 \cdot 10^5, 1 \leq k \leq (n+1)^2$), where a and b denote the width and height of cake, n is the number of cuts in each direction, and Baytek wants the k -th biggest piece.

The second line contains n integers x_1, x_2, \dots, x_n ($0 < x_i < a$) describing vertical cuts. The i -th cut is at distance x_i from the left side of the rectangle. The numbers are increasing ($x_i < x_{i+1}$).

The third line contains n integers y_1, y_2, \dots, y_n ($0 < y_i < b$) describing horizontal cuts. The i -th cut is at distance y_i from the bottom side of the rectangle. The numbers are increasing ($y_i < y_{i+1}$).

In tests worth 40 points, there is an additional constraint $n \leq 1000$.

Output

Print a single integer — the area of Baytek's piece.


Example

For the following input

```
6 7 2 3
1 3
1 5
```

the correct output is

6



Highly prime numbers (skr)

https://szkopul.edu.pl/problemset/problem/zuhxhEWkqUBA_QpwCLsYqn68/site

A prime number is a number that has exactly two divisors.

We say that a number is *highly prime* if its every prefix is prime. For example, number 239 is highly prime because numbers 2, 3 and 239 are all prime (all prefixes including the whole number).

Find the number of highly prime numbers in the given interval $[a, b]$.

Input

The first and only line of the input contains two integers a and b ($1 \leq a \leq b \leq 10^{18}$).

In tests worth 50 points, there is an additional constraint $b \leq 10^6$.

Output

Print a single integer — the number of numbers x such that $a \leq x \leq b$ and x is highly prime.

Example

For the following input

20 24

the correct output is

1

Matches (zap)

https://szkopul.edu.pl/problemset/problem/ZLG7FB_afACLMh8-zsupw5zV/site

Baytek plays with matches.

One end (called *head*) of every match is coated with a material that is inflammable (it burns easily). Baytek arranged matches in a line and for every match we know if its head is on the left or on the right.



Baytek will ignite the leftmost match. Then a match can ignite the next match if at least one of them touches the other with a head.

What is the minimum possible number of matches that we need to flip (rotate by 180 degrees) so that all matches would burn after Baytek ignites the first match?

Input

The first line of the input contains an integer n ($1 \leq n \leq 10^6$). Matches are numbered 1 through n from left to right.

The second line contains n integers x_1, x_2, \dots, x_n . If $x_i = 0$, the i -th match has head on the left, and otherwise ($x_i = 1$) the head on the right.

In tests worth 50 points, there is an additional constraint $n \leq 10\,000$.

Output

Print a single integer — the number of matches we need to flip.

Example

For the following input

```
5
1 0 0 1 1
```

the correct output is

```
2
```

Matches are arranged as shown in the drawing below. If we don't flip anything, only first three matches will burn. One optimal solution (but not necessarily the only one) is to flip the last two matches, so they would be pointed to the left.

