

PARALLEL

Source of Truth — Product Vision, Experience, Features & Engineering Direction

Core thesis: Parallel is a social discovery platform for exploring different versions of yourself. It is **not Instagram with multiple accounts**. The core product is identity discovery and exploration; feeds, people, communities, recommendations and real-world activities support that experience.

1. Product Vision

People are not one-dimensional. The same person can be a programmer, gamer, music lover, photographer, traveller, creator, night owl or something they have not discovered yet. Existing platforms compress these sides into one profile and one algorithmic feed. Parallel creates a dynamic map of a user's interests and lets them explore different versions of themselves without maintaining separate accounts.

2. What Parallel Is NOT

A generic social network is not the product. Posts, likes, comments, followers, following, messaging and communities are supporting infrastructure. Multiple profiles are also not the novelty because people already use alternate accounts. The differentiator is the identity layer: **“What other version of you could exist?”**

3. The User Promise

“You are more than one person.” Parallel should create curiosity about the user themselves. The ideal reaction is: **“Wait... I didn't know the app saw this side of me.”**

4. First-Time Experience

Onboarding asks a small set of fun preference questions: what the user would rather do on a Friday night, learn vs make, plan vs improvise, and which activities they naturally choose. This provides first-party signals before a social graph exists.

5. Your Parallel Map

The first major aha screen shows a playful identity map such as: **Builder 42%, Music Head 26%, Gamer 18%, Explorer 14%**. These are interest-strength indicators, not psychological diagnoses. They evolve with behavior.

6. Enter a Parallel

A Parallel is not a separate account. It is a dynamic discovery context. Entering Builder You changes the content, people, communities, challenges and recommendations. Entering Music You creates a different information environment. **Same person. Different world.**

7. New Parallel Discovered

Parallel can detect an emerging interest cluster. For example, repeated interaction with photography, architecture, street art and travel could produce **The Urbanist**. The user sees why it was suggested and can explore, reject, edit or hide it.

8. What If?

Users can explore hypothetical selves: “What if I became a photographer?” Parallel creates a temporary discovery world around that possibility: people, communities, content, challenges and activities. It is identity experimentation, not a claim about the user's true personality.

9. Identity Experiments

Each Parallel can offer small challenges: Builder—build something in two hours; Music Head—discover an unknown artist; Photographer—notice and capture something unusual; Explorer—visit somewhere new. Completing activities creates new signals and makes exploration active.

10. Identity Collisions

Parallel combines interests to discover unexpected intersections: Builder + Music → Creative Engineer; Gamer + Foodie → Gaming Foodie; Photographer + Night Owl → Night Photographer. These intersections can drive recommendations, communities, people and challenges.

11. Meet People Through Identity

Instead of only “People You May Know,” Parallel recommends people through unusual interest combinations. A Parallel Match communicates overlap without pretending to scientifically measure personality. The goal is discovery of people users would not normally encounter.

12. Communities

Communities should emerge from behavior rather than empty user-created groups. If many users show the same intersection, such as photography + architecture, Parallel can surface the emerging interest and eventually form or suggest a community.

13. Parallel Feeds

Feeds exist, but they are subordinate to the Parallel. Builder may contain projects, programming discoveries and hackathons; Music Head may contain artists and performances. **The user chooses or discovers the self through which the feed is experienced.**

14. Identity Evolution

Parallel visualizes how interests change. A monthly/yearly view can show Builder becoming smaller while Music or Photography grows. It can highlight newest Parallel, biggest evolution, most explored identity and most unexpected interest.

15. Hidden Parallels

A long-term curiosity mechanic can hide an emerging identity. Users may need to explore new topics or complete challenges before unlocking it. The goal is to reward curiosity rather than endless scrolling.

16. Friends, Comparisons & Parallel Twin

Users can compare identity maps with friends, see shared interests and major differences, or discover a Parallel Twin: someone whose current interest combination is unusually similar. These also create natural sharing loops.

17. Real-World Discovery

A Music Parallel could surface an indie gig; a Photographer Parallel a photo walk; an Explorer Parallel a nearby activity. The long-term goal is **discover** → **try** → **experience** → **evolve**, not merely discover → scroll.

18. AI Role

AI stays behind the experience. Useful jobs include semantic interest classification, emerging-identity detection, content understanding, recommendation assistance, identity descriptions and challenge generation. Parallel should not become an “AI chatbot with a social feed.”

19. Cold Start & Growth

The first user gets value from onboarding, an identity map and curated/ingested discovery content without needing a populated network. Early growth should focus on one campus or tightly connected community. Shareable identity cards, Parallel Twins, comparisons, Hidden Parallels and challenges create curiosity-driven invitations.

20. Growth Loop

User → **identity result** → **share** → **friend becomes curious** → **friend joins** → **identity result** → **social overlap** → **more content** → **better recommendations** → **more sharing**. The product should make bringing another person in a consequence

of using the core features, not a forced invite mechanic.

21. Data Flywheel

Signals can include onboarding choices, selected interests, views, likes, saves, searches, follows, community participation, challenge completion and other voluntary interactions. Start with rules-based ranking, then add behavioral weighting, collaborative filtering, embeddings and more advanced ranking as usage grows.

22. Privacy

Users should be able to understand why a Parallel was suggested, reject/remove Parallels, hide interests, control visibility, manage personalization and delete behavioral history where supported. Parallel must avoid opaque psychological judgments and make personalization explainable.

23. Technical Architecture

Initial architecture should be a modular full-stack application, not premature microservices. Frontend: Next.js, React, TypeScript, TanStack Query. Backend: Node.js, TypeScript, Fastify or equivalent. Database: PostgreSQL. Redis: caching, rate limiting, temporary state and pub/sub. BullMQ: background jobs. WebSockets/Socket.IO: real-time features. pgvector: embeddings when needed. PostGIS: geospatial discovery if introduced. Object storage + CDN: media. Docker + CI/CD: deployment. Observability: structured logs, metrics and error/tracing tools.

24. Engineering Concepts

The project should demonstrate API design, authentication/authorization, relational modelling, indexes, transactions, query optimization, Redis, WebSockets, presence, asynchronous workers, event-driven architecture, behavioral event tracking, recommendation/ranking, embeddings, graph relationships, media pipelines, security, privacy, testing, CI/CD, observability and performance optimization.

25. Development Phases

0 Validation: peer interviews and concept testing. **1 Product:** PRD, thesis, MVP and success metrics. **2 UX:** complete Figma flows and edge states. **3 Architecture:** schema, APIs and security model. **4 Foundation:** repo, TypeScript, DB, auth, CI and local infrastructure. **5 Core:** onboarding, interests, profile and basic discovery. **6 Identity Engine:** scoring, identity generation, evolution and Hidden Parallels. **7 Social:** content, people and communities. **8 Real-time:** Redis, WebSockets, notifications and workers. **9 AI:** behavioral ranking, embeddings and emerging identity. **10 Hardening:** security, privacy, tests and abuse prevention. **11 Production:** observability, performance and deployment. **12 Beta:** 20 → 50 → 100 users. **13 Iteration:** double down on what genuinely excites users.

26. MVP

The MVP proves the identity-discovery thesis: authentication, onboarding, interests, identity generation, Parallel map, Parallel-specific discovery/feed, basic interactions, people discovery and identity evolution. Advanced ML, complex messaging, video calls, microservices and Kubernetes should wait.

27. The “Holy Shit” Demo

A new user signs up, answers questions, receives an identity map, enters one Parallel, sees a meaningfully different discovery world and gets surprised by a newly discovered Parallel. If this works without a long explanation, the core product thesis is working.

28. Product Success

Users should understand the concept quickly, feel curiosity about their identity result, experience meaningful differences between Parallels, discover at least one unexpected interest, return to see evolution, share results/invite friends voluntarily, and receive better recommendations as behavioral data accumulates.

29. Final Positioning

Parallel is a **social identity discovery platform**. Its central question is: “**What other version of you is waiting to be discovered?**” The core loop is **Explore → discover a self → enter that self → meet people/content → experiment → act → learn → evolve → discover another self**.

SOURCE-OF-TRUTH RULE

Future product and engineering decisions should preserve the core thesis: **Parallel is not valuable because it has multiple profiles; it is valuable because it helps users discover, explore and evolve different versions of themselves**. Features that do not strengthen identity discovery, exploration, social connection through identity, or the learning loop are secondary.

Version 1.0 • September 1, 2026