

PRÁCTICA DE LABORATORIO 3

Nombre: Erwin Crosby Paredes Villanueva

Actividad 1: Archivo de usuarios del sistema:

Contenido del archivo `/etc/passwd` — lista de cuentas del sistema.

```
File Actions Edit View Help
(kali@kali)-[~]
└─$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mail list Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
_apt:x:42:65534::/nonexistent:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:998:998:systemd Network Management:/usr/sbin/nologin
mysql:x:100:107:MySQL Server:/usr/sbin/nologin
tss:x:101:108:TPM software stack:/usr/lib/tpm:/bin/false
strongswan:x:102:65534:/var/lib/strongswan:/usr/sbin/nologin
systemd-timesync:x:997:997:systemd Time Synchronization:/usr/sbin/nologin
redsocks:x:103:109:/var/run/redsocks:/usr/sbin/nologin
rwhod:x:104:65534:/var/spool/rwho:/usr/sbin/nologin
_gophish:x:105:111:/var/lib/gophish:/usr/sbin/nologin
iodine:x:106:65534:/run/iodine:/usr/sbin/nologin
messagebus:x:107:112:/nonexistent:/usr/sbin/nologin
miredo:x:108:65534:/var/run/miredo:/usr/sbin/nologin
redis:x:109:115:/var/lib/redis:/usr/sbin/nologin
usbmux:x:110:146:usbmuxd daemon:/usr/lib/usbmux:/usr/sbin/nologin
mosquitto:x:111:117:/var/lib/mosquitto:/usr/sbin/nologin
tcpdump:x:112:119:/nonexistent:/usr/sbin/nologin
sshd:x:113:65534:/run/ssh:/usr/sbin/nologin
_rpc:x:114:65534:/run/rpcbind:/usr/sbin/nologin
dnsmasq:x:115:65534:dnsmasq:/usr/lib/misc:/usr/sbin/nologin
stated:x:116:65534:/var/lib/nfs:/usr/sbin/nologin
avahi:x:117:123:Avahi mDNS daemon:/usr/lib/avahi-daemon:/usr/sbin/nologin
stunnel:x:996:996:stunnel service system account:/var/run/stunnel4:/usr/sbin/nologin
Debian-snpmp:x:118:124:/var/lib/snpmp:/bin/false
_gvm:x:119:125:/var/lib/openscap:/usr/sbin/nologin
speech-dispatcher:x:120:129:speech-dispatcher:/usr/sbin/nologin
ssldh:x:121:126:/nonexistent:/usr/sbin/nologin
postgres:x:122:127:PostgreSQL administrator:/usr/lib/postgresql:/bin/bash
pulse:x:123:129:PulseAudio daemon:/usr/lib/pulse:/usr/sbin/nologin
inetsim:x:124:131:/var/lib/inetsim:/usr/sbin/nologin
lightdm:x:125:132:light Display Manager:/usr/lib/lightdm:/bin/false
geoclue:x:126:133:/var/lib/geoclue:/usr/sbin/nologin
saned:x:127:135:/var/lib/saned:/usr/sbin/nologin
polkitd:x:994:994:polkit:/nonexistent:/usr/sbin/nologin
rtkit:x:128:136:RealtimeKit:/usr/sbin/nologin
colord:x:129:137:colord colour management daemon:/usr/lib/colord:/usr/sbin/nologin
nm-openvpn:x:130:138:NetworkManager OpenVPN plugin:/usr/lib/openvpn/chroot:/usr/sbin/nologin
nm-openconnect:x:131:139:NetworkManager OpenConnect plugin:/usr/lib/NetworkManager:/usr/sbin/nologin
kali:x:1000:1000:Default user for EH course:/home/kali:/bin/bash
beef-xss:x:132:143:/var/lib/beef-xss:/usr/sbin/nologin
```

Actividad 2: Servicios en ejecución:

Visualización de procesos activos del sistema mediante el comando `top`.

```
File Actions Edit View Help
(kali@kali)-[~]
└─$ top
top - 17:02:16 up 17 min, 1 user, load average: 0.37, 0.61, 0.88
Tasks: 377 total, 3 running, 374 sleeping, 0 stopped, 0 zombie
%Cpu(s): 7.8 us, 9.4 sy, 0.0 ni, 82.3 id, 0.0 wa, 0.0 hi, 0.5 si, 0.0 st
MiB Mem : 3915.2 total, 289.2 free, 2626.1 used, 1219.6 buff/cache
MiB Swap: 976.0 total, 976.0 free, 0.0 used, 1289.2 avail Mem

  PID USER      PR  NI   VIRT   RES   SHR  S %CPU  MEM     TIME+ COMMAND
 782 root        20   0 480256 156632 67972 S 12.3  3.9  0:38.77 Xorg
15192 kali       20   0 453124 109908 99120 R 6.0  2.7  0:05.12 qterminal
4630 kali       20   0 958816 104572 77764 S 2.7  2.6  0:13.05 firefox
5415 kali       20   0 432528 28344 21004 S 1.7  0.7  0:08.30 panel-15-genmon
8011 root        20   0 12276 3328 2176 S 1.7  0.1  0:10.85 ruby
13415 kali     20   0 13424 5888 3712 R 1.7  0.1  0:05.41 top
8034 root        20   0 12276 3200 2048 S 1.3  0.1  0:10.90 ruby
1030 root        20   0 2064976 102200 54744 S 1.0  2.5  0:09.97 dockerd
5401 kali       20   0 277996 25096 18688 S 1.0  0.6  0:11.33 panel-13-cpugra
15 root        20   0 0 0 0 R 0.7  0.0  0:09.15 rcu_preempt
579 root        20   0 241892 14860 7168 S 0.7  0.4  0:04.87 vmtoolsd
2999 kali       20   0 3629064 387712 27264 S 0.7  9.7  0:47.66 java
3282 kali       20   0 3629064 362208 27264 S 0.7  9.0  0:48.01 java
5178 rwhod        20   0 574556 65120 10624 S 0.7  1.6  0:03.21 mysqld
6147 kali       20   0 362576 41144 29852 S 0.7  1.0  0:04.67 vmtoolsd
728 redis        20   0 66772 16324 9600 S 0.3  0.4  0:04.28 redis-server
4587 rwhod        20   0 566360 65288 10752 S 0.3  1.6  0:03.14 mysqld
4815 rwhod        20   0 574556 64352 10752 S 0.3  1.6  0:03.20 mysqld
6184 strongswan+ 20   0 508072 62664 10112 S 0.3  1.6  0:03.07 mysqld
6350 strongswan+ 20   0 508076 63572 10240 S 0.3  1.6  0:03.48 mysqld
8053 root        20   0 10664 5756 4476 S 0.3  0.1  0:00.21 apache2
17654 root       20   0 0 0 0 I 0.3  0.0  0:00.13 kworker/u4:0-flush-254:0
17717 root       20   0 0 0 0 I 0.3  0.0  0:00.21 kworker/0:3-mm_percpu_wq
1 root        20   0 21488 12996 9412 S 0.0  0.3  0:02.07 systemd
2 root        20   0 0 0 0 S 0.0  0.0  0:00.03 kthread
3 root        20   0 -20 0 0 I 0.0  0.0  0:00.00 rcu_gp
4 root        20   0 -20 0 0 I 0.0  0.0  0:00.00 rcu_par_gp
5 root        20   0 -20 0 0 I 0.0  0.0  0:00.00 slab_flushwq
6 root        20   0 -20 0 0 I 0.0  0.0  0:00.00 netns
7 root        20   0 0 0 0 I 0.0  0.0  0:01.07 kworker/0:0-cgroup_destroy
8 root        20   0 -20 0 0 I 0.0  0.0  0:00.00 kworker/0:0H-events_highpri
10 root        20   0 -20 0 0 I 0.0  0.0  0:00.00 mm_percpu_wq
11 root        20   0 0 0 0 I 0.0  0.0  0:00.00 rcu_tasks_kthread
12 root        20   0 0 0 0 I 0.0  0.0  0:00.00 rcu_tasks_rude_kthread
13 root        20   0 0 0 0 I 0.0  0.0  0:00.00 rcu_tasks_trace_kthread
```

Actividad 3: Prueba de conectividad:

Prueba de conexión con cisco.com usando 10 paquetes ICMP.

```
(kali㉿Kali)-[~]
$ ping -c 10 cisco.com
PING cisco.com (72.163.4.185) 56(84) bytes of data:
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=1 ttl=43 time=103 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=2 ttl=43 time=104 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=3 ttl=43 time=119 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=4 ttl=43 time=103 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=5 ttl=43 time=101 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=6 ttl=43 time=102 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=7 ttl=43 time=103 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=8 ttl=43 time=103 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=9 ttl=43 time=100 ms
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=10 ttl=43 time=115 ms

— cisco.com ping statistics —
10 packets transmitted, 10 received, 0% packet loss, time 9021ms
rtt min/avg/max/mdev = 100.371/105.389/118.611/5.874 ms
```

Actividad 4: Información del sistema operativo:

Detalles del kernel y arquitectura del sistema con uname -a.

```
(kali㉿Kali)-[~]
$ uname -a
Linux Kali 6.3.0-kali1-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.3.7-1kali1 (2023-06-29) x86_64 GNU/Linux
```

Actividad 5: Usuarios conectados actualmente:

Listado de usuarios con sesión activa en el sistema.

```
(kali㉿Kali)-[~]
$ who
kali      tty7          2026-04-22 16:45 (:0)
```

Actividad 6: Permisos de un archivo:

Creación de archivo de prueba y visualización de permisos.

```
(kali㉿Kali)-[~]
$ mkdir prueba

(kali㉿Kali)-[~]
$ cd prueba

(kali㉿Kali)-[~/prueba]
$ nano prueba.txt

(kali㉿Kali)-[~/prueba]
$ ls -l prueba.txt
-rw-r--r-- 1 kali kali 5 Apr 22 17:15 prueba.txt
```

Actividad 7: Búsqueda de un archivo en el sistema:

Ubicación del archivo prueba.txt mediante el comando find.

```
(kali@kali)-[~/prueba]
$ find . -name "prueba.txt"
./prueba.txt
```

Actividad 8: Interfaces de red:

Configuración e información de interfaces de red del sistema.

```
kali@kali: ~
File Actions Edit View Help
(kali@kali)-[~]
$ ifconfig
br-339414195aeb: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.5.5.1 netmask 255.255.255.0 broadcast 10.5.5.255
    inet6 fe80::42:d5ff:fe2c:3149 prefixlen 64 scopeid 0x20<link>
    ether 02:42:d5:2c:31:49 txqueuelen 0 (Ethernet)
    RX packets 53 bytes 3078 (3.0 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 23 bytes 3036 (2.9 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

br-355ee7945a88: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.0.1 netmask 255.255.255.0 broadcast 192.168.0.255
    inet6 fe80::42:1ff:fe75:9739 prefixlen 64 scopeid 0x20<link>
    ether 02:42:01:75:97:39 txqueuelen 0 (Ethernet)
    RX packets 72 bytes 9053 (8.8 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 15 bytes 2360 (2.3 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

br-internal: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.6.6.1 netmask 255.255.255.0 broadcast 10.6.6.255
    inet6 fe80::42:8eff:fe1d:cfbf prefixlen 64 scopeid 0x20<link>
    ether 02:42:8e:1d:cf:bf txqueuelen 0 (Ethernet)
    RX packets 52 bytes 3050 (2.9 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 23 bytes 3104 (3.0 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

docker0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
    inet6 fe80::42:a3ff:fee0:75da prefixlen 64 scopeid 0x20<link>
    ether 02:42:a3:e0:75:da txqueuelen 0 (Ethernet)
    RX packets 70 bytes 9169 (8.9 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 30 bytes 3893 (3.8 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.16.106 netmask 255.255.255.0 broadcast 192.168.16.255
    inet6 fe80::20c:29ff:fe3f:f7ae prefixlen 64 scopeid 0x20<link>
    ether 00:0c:29:3f:f7:ae txqueuelen 1000 (Ethernet)
    RX packets 200 bytes 16925 (16.5 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 211 bytes 17762 (17.3 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 4 bytes 240 (240.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4 bytes 240 (240.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

veth1021296: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet6 fe80::e4c6:53ff:fe8b:9d7f prefixlen 64 scopeid 0x20<link>
    ether e6:c6:53:8b:9d:7f txqueuelen 0 (Ethernet)
    RX packets 28 bytes 2040 (1.9 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
```

Actividad 9: Puertos y conexiones abiertas:

Puertos en escucha y servicios activos del sistema.

```
(kali@kali) [~]  
$ ss -tuln
```

Netid	State	Recv-Q	Send-Q	Local Address:Port	Peer Address:Port	Process
tcp	LISTEN	0	128	*.*.*.*:22	*.*.*.*:*	
tcp	LISTEN	0	128	:::22	:::*	

Actividad 10: Fecha y hora del sistema:

Visualización de la fecha y hora actual del sistema.

```
(kali@kali) [~]  
$ date  
Wed Apr 22 17:23:49 UTC 2026
```