

PRÁCTICA DE LABORATORIO 5

Nombre: Erwin Crosby Paredes Villanueva

BLOQUE 1 — WHOIS

Consulta WHOIS básica Pantallazo ejecutando:
whois cisco.com

```
(kali㉿Kali)-[~/laboratorio_linux]
$ whois cisco.com
Domain Name: CISCO.COM
Registry Domain ID: 4987030_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.markmonitor.com
Registrar URL: http://www.markmonitor.com
Updated Date: 2026-04-13T09:54:02Z
Creation Date: 1987-05-14T04:00:00Z
Registry Expiry Date: 2027-05-15T04:00:00Z
Registrar: MarkMonitor Inc.
Registrar IANA ID: 292
Registrar Abuse Contact Email: abusecomplaints@markmonitor.com
Registrar Abuse Contact Phone: +1.2086851750
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Domain Status: serverDeleteProhibited https://icann.org/epp#serverDeleteProhibited
Domain Status: serverTransferProhibited https://icann.org/epp#serverTransferProhibited
Domain Status: serverUpdateProhibited https://icann.org/epp#serverUpdateProhibited
Name Server: A28-64.AKAM.NET
Name Server: A3-64.AKAM.NET
Name Server: NS1.CISCO.COM
Name Server: NS2.CISCO.COM
Name Server: NS3.CISCO.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
```

Filtrar registrador Pantallazo ejecutando:
whois cisco.com | grep -i "registrar"

```
(kali㉿Kali)-[~/laboratorio_linux]
$ whois cisco.com | grep -i "registrar"
Registrar WHOIS Server: whois.markmonitor.com
Registrar URL: http://www.markmonitor.com
Registrar: MarkMonitor Inc.
Registrar IANA ID: 292
Registrar Abuse Contact Email: abusecomplaints@markmonitor.com
Registrar Abuse Contact Phone: +1.2086851750
registrar's sponsorship of the domain name registration in the registry is
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.
Registrars.
Registrar WHOIS Server: whois.markmonitor.com
Registrar URL: http://www.markmonitor.com
Registrar Registration Expiration Date: 2027-05-15T00:00:00+0000
Registrar: MarkMonitor, Inc.
Registrar IANA ID: 292
Registrar Abuse Contact: https://corp.markmonitor.com/domain/ui/abuse-report
Registrar Abuse Contact Phone: +1.2086851750
```

Filtrar fechas Pantallazo ejecutando:

whois cisco.com | grep -i "date"

```
(kali㉿Kali)-[~/Laboratorio_linux]
$ whois cisco.com | grep -i "date"
Updated Date: 2026-04-13T09:54:02Z
Creation Date: 1987-05-14T04:00:00Z
Registry Expiry Date: 2027-05-15T04:00:00Z
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Domain Status: serverUpdateProhibited https://icann.org/epp#serverUpdateProhibited
>>> Last update of whois database: 2026-04-22T20:15:19Z <<<
NOTICE: The expiration date displayed in this record is the date the
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
view the registrar's reported date of expiration for this registration.
Updated Date: 2026-04-13T09:54:02+0000
Creation Date: 1987-05-14T04:00:00+0000
Registrar Registration Expiration Date: 2027-05-15T00:00:00+0000
Domain Status: clientUpdateProhibited (https://www.icann.org/epp#clientUpdateProhibited)
Domain Status: serverUpdateProhibited (https://www.icann.org/epp#serverUpdateProhibited)
>>> Last update of WHOIS database: 2026-04-22T20:10:49+0000 <<<
```

Filtrar contacto Pantallazo ejecutando:

whois cisco.com | grep -i "registrant"

```
(kali㉿Kali)-[~/laboratorio_linux]
$ whois cisco.com | grep -i "registrant"
date of the domain name registrant's agreement with the sponsoring
Registrant Name: Domain Administrator
Registrant Organization: Cisco Technology Inc.
Registrant Street: 170 W. Tasman Dr.
Registrant City: San Jose
Registrant State/Province: CA
Registrant Postal Code: 95134
Registrant Country: US
Registrant Phone: +1.4085273842
Registrant Phone Ext:
Registrant Fax: +1.4085264575
Registrant Fax Ext:
Registrant Email: infosec@cisco.com
If you wish to contact this domain's Registrant or Technical
```

BLOQUE 2 — dig

Consulta básica Pantallazo ejecutando:

dig cisco.com

```
(kali㉿Kali)-[~]
$ dig cisco.com

; <<>> DiG 9.18.16-1-Debian <<>> cisco.com
;; global options: +cmd
;; Got answer:
;; -->HEADER<-- opcode: QUERY, status: NOERROR, id: 49522
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;cisco.com.                IN      A

;; ANSWER SECTION:
cisco.com.                 93      IN      A      72.163.4.185

;; Query time: 16 msec
;; SERVER: 192.168.16.1#53(192.168.16.1) (UDP)
;; WHEN: Wed Apr 22 20:18:17 UTC 2026
;; MSG SIZE rcvd: 54
```

Registros TXT Pantallazo ejecutando:

dig res.cisco.com TXT | grep -i "v=spf"

```
(kali@kali)-[~]
└─$ dig res.cisco.com TXT | grep -i "v=spf"
res.cisco.com.        60      IN       TXT      "v=spf1 mx:res.cisco.com exists:%{i}.spf.res.cisco.com -a
ll"
```

Registros MX Pantallazo ejecutando:

dig cisco.com MX | grep "MX"

```
(kali@kali)-[~]
└─$ dig cisco.com MX | grep "MX"
; <<>> DiG 9.18.16-1-Debian <<>> cisco.com MX
;cisco.com.                IN      MX
cisco.com.                 0       IN      MX      0 errdomain.
```

Nameservers Pantallazo ejecutando:

dig cisco.com NS | grep "NS"

```
(kali@kali)-[~]
└─$ dig cisco.com NS | grep "NS"
; <<>> DiG 9.18.16-1-Debian <<>> cisco.com NS
;; flags: qr rd ra; QUERY: 1, ANSWER: 5, AUTHORITY: 0, ADDITIONAL: 8
; EDNS: version: 0, flags:; udp: 512
;cisco.com.                IN      NS
;; ANSWER SECTION:
cisco.com.                 1800    IN      NS      ns3.cisco.com.
cisco.com.                 1800    IN      NS      ns2.cisco.com.
cisco.com.                 1800    IN      NS      a28-64.akam.net.
cisco.com.                 1800    IN      NS      a3-64.akam.net.
cisco.com.                 1800    IN      NS      ns1.cisco.com.
```

BLOQUE 3 — host

Consulta básica Pantallazo ejecutando:

host cisco.com

```
(kali@kali)-[~]
└─$ host cisco.com
cisco.com has address 72.163.4.185
cisco.com has IPv6 address 2001:420:1101:1::185
cisco.com mail is handled by 0 errdomain.
```

Nameservers Pantallazo ejecutando:

host -t ns cisco.com

```
(kali@kali)-[~]
└─$ host -t ns cisco.com
cisco.com name server ns1.cisco.com.
cisco.com name server a28-64.akam.net.
cisco.com name server ns2.cisco.com.
cisco.com name server ns3.cisco.com.
cisco.com name server a3-64.akam.net.
```

Registros MX Pantallazo ejecutando:

host -t mx cisco.com

```
(kali@kali)-[~]  
$ host -t mx cisco.com  
cisco.com mail is handled by 0 errdomain.
```

BLOQUE 4 — dnsrecon

Escaneo básico Pantallazo ejecutando:

dnsrecon -d cisco.com

```
(kali@kali)-[~]  
$ dnsrecon -d cisco.com  
[*] std: Performing General Enumeration against: cisco.com...  
[-] DNSSEC is not configured for cisco.com  
[*] SOA ns1.cisco.com 72.163.5.201  
[*] SOA ns1.cisco.com 2001:420:1101:6::a  
[*] NS a28-64.akam.net 95.100.173.64  
[*] Bind Version for 95.100.173.64 "43165.31"  
[*] NS a28-64.akam.net 2600:1480:d800::40  
[*] NS ns2.cisco.com 64.102.255.44  
[*] Bind Version for 64.102.255.44 "Unavailable"  
[*] NS ns2.cisco.com 2001:420:2041:5000::a  
[*] NS ns3.cisco.com 173.37.146.41  
[*] Bind Version for 173.37.146.41 "Unavailable"  
[*] NS ns3.cisco.com 2001:420:1201:7::a  
[*] NS a3-64.akam.net 96.7.49.64  
[*] Bind Version for 96.7.49.64 "51967.189"  
[*] NS a3-64.akam.net 2600:1408:1c::40  
[*] NS ns1.cisco.com 72.163.5.201  
[*] NS ns1.cisco.com 2001:420:1101:6::a  
[*] MX errdomain 127.0.0.1  
[*] A cisco.com 72.163.4.185  
[*] AAAA cisco.com 2001:420:1101:1::185  
[*] TXT cisco.com 926723159-3188410  
[*] TXT cisco.com google-site-verification=qPS9ZkoQ-0g1rBrM1_N7z-tNJNy2BVxE8lw6SB2iFdk  
[*] TXT cisco.com facebook-domain-verification=1zoxo8z7t013gpruxmhc8dkerq47vh  
[*] TXT cisco.com stripe-verification=0BAD851A6A7ACC4A12DDCE03460CCEFAC86320A8494FDCED35F71EE25EF3D03  
[*] TXT cisco.com miro-verification=53bf5ccd47cb6239fe5cf14c3b328050dd5679ac  
[*] TXT cisco.com amazonses:QbUv5pPHGQxRy1vKA0J7Y/biE9oR6MTx0TI1bZIfjsw=
```

Enumeración de subdominios Pantallazo ejecutando dnsrecon con diccionario sobre cisco.com. **Filtrar registros tipo A** Pantallazo ejecutando:

dnsrecon -d cisco.com 2>&1 | grep "A cisco"

```
(kali@kali)-[~]  
$ dnsrecon -d cisco.com 2>&1 | grep "A cisco"  
[*] A cisco.com 72.163.4.185  
[*] AAAA cisco.com 2001:420:1101:1::185
```

BLOQUE 5 — crt.sh

Búsqueda de certificados Pantallazo del navegador en:

<https://crt.sh/?q=cisco.com>

Subdominios encontrados Pantallazo mostrando al menos 5 subdominios visibles en la columna **Common Name**.

cert.sh ID	Logged At	Not Before	Not After	Common Name	Matching Identities	Issuer Name
238286742	2020-01-27	2015-11-25	2017-11-25	ldpswd-stage.cloudapps.cisco.com	ldpswd-stage.cloudapps.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
238286726	2020-01-27	2015-10-12	2017-10-12	swims.cisco.com	swims.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
					swims-mtv1.cisco.com	
					swims-mtv2.cisco.com	
					swims-mtv3.cisco.com	
					swims-mtv4.cisco.com	
					swims-mtv.cisco.com	
					swims-rtpl.cisco.com	
					swims-rtpl.cisco.com	
					swims-rtpl.cisco.com	
					swims-rtpl.cisco.com	
238283341	2020-01-27	2015-09-03	2017-09-03	dfapi.cisco.com	dfapi.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
238282669	2020-01-27	2015-09-01	2017-09-01	lbpm-stage.cloudapps.cisco.com	lbpm-stage.cloudapps.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
2382811554	2020-01-27	2015-11-08	2017-11-08	uck-ap4-gss.cisco.com	uck-ap401-eyd.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
					uck-ap4-gss.cisco.com	
2382761070	2020-01-27	2015-09-21	2017-09-21	jdfrw20.cloudapps.cisco.com	jdfrw20.cloudapps.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
2382743523	2020-01-27	2015-09-30	2017-09-30	cortn.cloudapps.cisco.com	cortn.cloudapps.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
2382737922	2020-01-27	2014-11-06	2016-11-06	www-ts3xsc.cisco.com	www-ts2xsc-1.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
					www-ts2xsc-2.cisco.com	
					www-ts2xsc-prot.cisco.com	
					www-ts3xsc-1.cisco.com	
					www-ts3xsc-2.cisco.com	
					www-ts3xsc-prot.cisco.com	
					www-ts3xsc-prot-1.cisco.com	
					www-ts3xsc-prot-2.cisco.com	
					www-ts3xsc-prot.cisco.com	
2382723835	2020-01-27	2015-09-17	2017-09-17	loli.cisco.com	loli.cisco.com	C=US, O=HydantID (Avalanche Cloud Corporation), CN=HydantID SSL ICA G2
					loli-sjc-001.cisco.com	
					loli-sjc-002.cisco.com	
					loli-sjc-003.cisco.com	
					loli-sjc-004.cisco.com	
					loli-sjc.cisco.com	
					loliweb.cisco.com	



BLOQUE 6 — h8mail y Have I Been Pwned

Consulta en Have I Been Pwned Pantallazo del navegador consultando infosec@cisco.com en haveibeenpwned.com. Ejecutar h8mail Pantallazo ejecutando:

h8mail -t infosec@cisco.com

Check if your email address is in a data breach

Using Have I Been Pwned is subject to the [Terms of Use](#)

Email Breach History

Timeline of data breaches affecting your email address

11

Data Breaches

Oh no — pwned! This email address has been found in multiple data breaches. Review the details below to see where your data was exposed.

```

File Actions Edit View Help
(kali@kali):[~]
$ h8mail -t infosec@cisco.com
Official h8mail posts:
https://kxast3x.club/tags/h8mail/

Version 2.5.6 - "ROCKSMASSEN.6"

[+] h8mail is up to date
[+] Removing duplicates
[+] Targets:
[+] infosec@cisco.com
[+] scylla.so is down, skipping
[+] Target factory started for infosec@cisco.com
[+] [infosec@cisco.com]>[hunter.io public]
[+] hunter.io (public API) error: infosec@cisco.com
'data'

[+] Showing results for infosec@cisco.com
[+] No results founds

[+] Stay Protected
[+] Stay Protected

Session Recap:

Target | Status
infosec@cisco.com | Not Compromised

Execution time (seconds): 15.763582268687744

```

BLOQUE 7 — Análisis final

Comparar dig y host Pantallazo ejecutando:

`dig cisco.com | grep -E "^cisco"`

```
(kali㉿kali)-[~]  
$ dig cisco.com | grep -E "^cisco"  
cisco.com.          213      IN      A       72.163.4.185
```

`host cisco.com | grep "has address"`

```
(kali㉿kali)-[~]  
$ host cisco.com | grep "has address"  
cisco.com has address 72.163.4.185
```

Archivo de resumen Pantallazo creando y escribiendo en nano el archivo `recon_cisco.txt` con los hallazgos de la práctica.

```
(kali㉿kali)-[~]  
$ nano recon_cisco.txt  
  
(kali㉿kali)-[~]  
$ cat recon_cisco.txt  
whois cisco.com  
Domain Name: CISCO.COM  
Registry Domain ID: 4987030_DOMAIN_COM-VRSN  
Registrar WHOIS Server: whois.markmonitor.com  
  
dig cisco.com  
;; ANSWER SECTION:  
cisco.com.      IN      A       72.163.4.185  
  
host cisco.com  
cisco.com has address 72.163.4.185  
cisco.com has IPv6 address 2001:420:1101:1::185  
cisco.com mail is handled by 0 errdomain.  
  
dnsrecon -d cisco.com  
INFO Starting enumeration for domain: cisco.com  
INFO std: Performing General Enumeration against: cisco.com  
INFO SOA ns1.cisco.com 72.163.5.201
```