

PRÁCTICA DE LABORATORIO 12

ingresar en www.whoami-labs.com
descargar los laboratorios.

DOCS-INTERNAL
LEGACY-FTP-SERVER
Critical System
DATAVAULT

🔊 Ejecutar **Nmap** contra la dirección IP asignada de cada laboratorio.

Identificar y documentar y adjuntar screenshot:

Los **puertos abiertos** encontrados.

El **servicio asociado** a cada puerto.

La **versión o número de versión** del servicio detectado (ejemplo: Apache 2.4.41, OpenSSH 8.2p1).

Adjuntar todas las evidencias en 1 archivo **PDF**.

Desarrollo:

DOCS-INTERNAL

```
(kali@kali)-[~/Downloads]
$ unzip -o lab_docs_internal.zip
Archive:  lab_docs_internal.zip
  inflating: startlab.sh
  inflating: lab_docs_internal.tar
```

```
sudo bash startlab.sh lab_docs_internal.tar
```

```
kali@Kali: ~/Downloads
File Actions Edit View Help

W H O A M I - L A B S . C O M

OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde lab_docs_internal.tar...
[*] Iniciando laboratorio...

[v] Laboratorio desplegado correctamente.

LAB: DOCS-INTERNAL
DIFICULTAD: ★★★ Fácil (1 punto)

IP del laboratorio: 172.17.0.4

Ingresa la ROOT flag (formato CTF{...}):
```

```
(kali@Kali)-[~]
$ nmap 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:23 +0000
Nmap scan report for 172.17.0.4
Host is up (0.000011s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
MAC Address: 3A:CC:D5:99:16:38 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 0.72 seconds
```

```
(kali@Kali)-[~]
$ nmap -sV 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:23 +0000
Nmap scan report for 172.17.0.4
Host is up (0.0000030s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.41 ((Ubuntu))
MAC Address: 3A:CC:D5:99:16:38 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 7.28 seconds
```

```

(kali㉿kali)-[~]
$ sudo nmap -sS -sV -O 172.17.0.4
[sudo] password for kali:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:24 +0000
Nmap scan report for 172.17.0.4
Host is up (0.00025s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.41 ((Ubuntu))
MAC Address: 3A:CC:D5:99:16:38 (Unknown)
Device type: general purpose
Running: Linux 4.X|5.X
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5
OS details: Linux 4.15 - 5.19
Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 8.45 seconds

```

- **IP:** 172.17.0.4
- **OS:** Linux 4.15 - 5.19 (Ubuntu)

Puerto Estado Servicio

Versión

22/tcp	open	SSH	OpenSSH 8.2p1 Ubuntu 4ubuntu0.13
80/tcp	open	HTTP	Apache httpd 2.4.41 (Ubuntu)

LEGACY-FTP-SERVER

```

(kali㉿kali)-[~/Downloads]
$ unzip -o legacyftp_server.zip
Archive:  legacyftp_server.zip
  inflating: startlab.sh
  inflating: legacyftp_server.rar

```

```

sudo bash startlab.sh legacyftp_server.rar

```

```
kali@Kali: ~/Downloads
File Actions Edit View Help

WELCOME TO WHOAMI-LABS.COM

Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde legacy_ftp_server.rar...
[*] Iniciando laboratorio...

[v] Laboratorio desplegado correctamente.

LAB: LEGACY-FTP-SERVER
DIFICULTAD: ★★☆☆ Fácil (1 punto)

IP del laboratorio: 172.17.0.4

Ingresa la ROOT flag (formato CTF{... }):
```

```
(kali@Kali)-[~]
$ nmap 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:30 +0000
Nmap scan report for 172.17.0.4
Host is up (0.0000030s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
80/tcp    open  http
MAC Address: 2A:18:B9:53:16:97 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 0.71 seconds

(kali@Kali)-[~]
$ nmap -sV 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:30 +0000
Nmap scan report for 172.17.0.4
Host is up (0.0000090s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      ProFTPD 1.3.5a
80/tcp    open  http     Apache httpd 2.4.18 ((Ubuntu))
MAC Address: 2A:18:B9:53:16:97 (Unknown)
Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 7.09 seconds

(kali@Kali)-[~]
$ sudo nmap -sS -sV -O 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:30 +0000
Nmap scan report for 172.17.0.4
Host is up (0.00013s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      ProFTPD 1.3.5a
80/tcp    open  http     Apache httpd 2.4.18 ((Ubuntu))
MAC Address: 2A:18:B9:53:16:97 (Unknown)
Device type: general purpose
Running: Linux 4.X|5.X
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5
OS details: Linux 4.15 - 5.19, OpenWrt 21.02 (Linux 5.4)
Network Distance: 1 hop
Service Info: OS: Unix

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 8.56 seconds
```

- IP: 172.17.0.4
- OS: Linux / Unix

Puerto	Estado	Servicio	Versión
21/tcp	open	FTP	ProFTPD 1.3.5a
80/tcp	open	HTTP	Apache httpd 2.4.18 (Ubuntu)

Critical System

```
(kali@kali)-[~/Downloads]
$ unzip -o critical_system.zip
Archive: critical_system.zip
  inflating: startlab.sh
  inflating: critical_system.tar
```

```
sudo bash startlab.sh critical_system.tar
```

```
File Actions Edit View Help
kali@kali: ~/Downloads

W1H0AMI-LAB5.COM

Bienvenido a W1H0AMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde critical_system.tar...
[*] Iniciando laboratorio ...

[v] Laboratorio desplegado correctamente.

LAB: CRITICAL-SYSTEM
DIFICULTAD: ★☆☆ F cil (1 punto)

IP del laboratorio: 172.17.0.4

Ingresa la ROOT flag (formato CTF{...}):
```

```

(kali@kali)-[~]
$ nmap 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:33 +0000
Nmap scan report for 172.17.0.4
Host is up (0.000010s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
139/tcp    open  netbios-ssn
445/tcp    open  microsoft-ds
MAC Address: 76:3B:54:B3:33:F6 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 0.77 seconds

(kali@kali)-[~]
$ nmap -sV 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:33 +0000
Nmap scan report for 172.17.0.4
Host is up (0.000010s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
22/tcp    open  ssh          OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
139/tcp    open  netbios-ssn  Samba smbd 4
445/tcp    open  netbios-ssn  Samba smbd 4
MAC Address: 76:3B:54:B3:33:F6 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 11.98 seconds

(kali@kali)-[~]
$ sudo nmap -sS -sV -O 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:34 +0000
Nmap scan report for 172.17.0.4
Host is up (0.00028s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
22/tcp    open  ssh          OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
139/tcp    open  netbios-ssn  Samba smbd 4
445/tcp    open  netbios-ssn  Samba smbd 4
MAC Address: 76:3B:54:B3:33:F6 (Unknown)
Device type: general purpose
Running: Linux 4.X|5.X
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5
OS details: Linux 4.15 - 5.19, OpenWrt 21.02 (Linux 5.4)
Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 13.47 seconds

```

- **IP:** 172.17.0.4
- **OS:** Linux / Ubuntu

Puerto	Estado	Servicio	Versión
22/tcp	open	SSH	OpenSSH 8.2p1 Ubuntu 4ubuntu0.13
139/tcp	open	NetBIOS-SSN	Samba smbd 4
445/tcp	open	Microsoft-DS	Samba smbd 4

DATAVault

```

(kali@kali)-[~/Downloads]
$ unzip -o datavault-ctf.zip
Archive: datavault-ctf.zip
  inflating: startlab.sh
  inflating: datavault-ctf.tar

```

```

sudo bash startlab.sh datavault-ctf.tar

```

```
kali@Kali: ~/Downloads
File Actions Edit View Help

WHOAMI-LABS.COM
[+] Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.

[*] Cargando imagen desde datavault-ctf.tar ...
[+] Imagen cargada exitosamente

[*] Iniciando laboratorio ...

[v] Laboratorio desplegado correctamente.

LAB: DATAVAULT
DIFICULTAD: ★★★★★★ fácil (1 puntos)

IP del laboratorio: 172.17.0.4

Ingresa la ROOT flag (formato FLAG{ ... }):
```

```
(kali@Kali)-[~]
$ nmap 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:39 +0000
Nmap scan report for 172.17.0.4
Host is up (0.0000050s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
MAC Address: F2:B0:3F:36:3D:A2 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 0.79 seconds

(kali@Kali)-[~]
$ nmap -sV 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:39 +0000
Nmap scan report for 172.17.0.4
Host is up (0.0000090s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.9p1 Ubuntu 3ubuntu0.13 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.52 ((Ubuntu))
MAC Address: F2:B0:3F:36:3D:A2 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 7.34 seconds

(kali@Kali)-[~]
$ sudo nmap -sS -sV -O 172.17.0.4
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-18 22:40 +0000
Nmap scan report for 172.17.0.4
Host is up (0.00026s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.9p1 Ubuntu 3ubuntu0.13 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.52 ((Ubuntu))
MAC Address: F2:B0:3F:36:3D:A2 (Unknown)
Device type: general purpose/router
Running: Linux 4.X|5.X, MikroTik RouterOS 7.X
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5 cpe:/o:mikrotik:routeros:7 cpe:/o:linux:linux_kernel:5.6.3
OS details: Linux 4.15 - 5.19, OpenWrt 21.02 (Linux 5.4), MikroTik RouterOS 7.2 - 7.5 (Linux 5.6.3)
Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 8.46 seconds
```

- IP: 172.17.0.4
- OS: Linux / Ubuntu

Puerto Estado Servicio

Versión

22/tcp	open	SSH	OpenSSH 8.9p1 Ubuntu 3ubuntu0.13
80/tcp	open	HTTP	Apache httpd 2.4.52 (Ubuntu)