
PITCH TÉCNICO

Visión General del proyecto




Error desplegando subnet con precompilado de despliegue de contratos y manejo de fees

```
juan@LAPTOP-0DQLKBMV:~$ avalanche subnet deploy Petcarepoliza --local
Deploying [Petcarepoliza] to Local Network
Backend controller started, pid: 56522, output at: /home/juan/.avalanche-cli/runs/server_20240310_003159/avalanche-cli-backend.log
Booting Network. Wait until healthy...
Node logs directory: /home/juan/.avalanche-cli/runs/network_20240310_003200/node<i>/logs
Network ready to use.
Deploying Blockchain. Wait until network acknowledges...
Loading stored key "cli-awm-relayer" for relayer ops
```


Teleporter Messenger successfully deployed to c-chain (0x253b2784c75e510dD0fF1da844684a1aC0aa5fcf) Teleporter Registry successfully deployed to c-chain (0x17aB05351fC94a1a67Bf3f56DdbB941aE6c63E25)

Loading cli-teleporter-deployer key Error: failure sending tx


fujilqwqm5rkkevvywg0y2f4jv3g4kmfvv5xl4eu02l




creación de nodo y subnet en fuji



creación de nodo y subnet en fuji





subnet ya en Core (desplegadas)