
ASSIGNMENT

PROGRAMMING USING C

WEEK – 10

NAME : K.Venkateshwari
ROLL NO : 2116240801373
DEPT & SEC :ECE F

Week – 10

Given a string, **s**, consisting of alphabets and digits, find the frequency of each digit in the given string.

```
#include<stdio.h>
int main()
{
    char str[1000];
    scanf("%s",str);
    int hash[10]={0,0,0,0,0,0,0,0,0,0};
    int temp;
    for(int i=0;str[i]!='\0';i++)
    {
        temp=str[i]-'0';
        if(temp<=9&&temp>=0)
        {
            hash[temp]++;
        }
    }
    for(int i=0;i<=9;i++)
    {
        printf("%d ",hash[i]);
    }
    return 0;
}
```

	Input	Expected	Got	
✓	a11472o5t6	0 2 1 0 1 1 1 1 0 0	0 2 1 0 1 1 1 1 0 0	✓
✓	lw4n88j12n1	0 2 1 0 1 0 0 0 2 0	0 2 1 0 1 0 0 0 2 0	✓
✓	1v888861256338ar0ekk	1 1 1 2 0 1 2 0 5 0	1 1 1 2 0 1 2 0 5 0	✓

Passed all tests! ✓

Today, Monk went for a walk in a garden. There are many trees in the garden and each tree has an English alphabet on it. While Monk was walking, he noticed that all trees with vowels on it are not in good state. He decided to take care of them. So, he asked you to tell him the count of such trees in the garden.

```
#include<stdio.h>
int main()
{
    int t;
    scanf("%d",&t);
    while(t-->0)
    {
        char str[100000];
        int count=0;
        scanf("%s",str);
        for(int i=0;str[i]!='\0';i++)
        {
            char c= str[i];
            if((c=='a')||(c=='e')||(c=='i')||(c=='o')||(c=='u')||(c=='A')||(c=='E')||(c=='I')||(c=='O'))
                count++;
        }
        printf("%d\n",count);
    }
    return 0;
}
```

	Input	Expected	Got	
✓	2 nBBZLaosnm JHkIsnZtTL	2 1	2 1	✓
✓	2 nBBZLaosnm JHkIsnZtTL	2 1	2 1	✓

Passed all tests! ✓

Given a sentence, *s*, print each word of the sentence in a new line.

```
#include<stdio.h>
int main()
{
    char s[1000];
    scanf("%[^\n]s",s);
    for(int i=0;s[i]!='\0';i++)
    {
        if (s[i]!=' ')
            printf("%c",s[i]);
        else
            printf("\n");
    }
    return 0;
}
```

	Input	Expected	Got	
✓	This is C	This is C	This is C	✓
✓	Learning C is fun	Learning C is fun	Learning C is fun	✓

Passed all tests! ✓

Input Format

You are given two strings, **a** and **b**, separated by a new line. Each string will consist of lower case Latin characters ('a'-'z').

```
#include<stdio.h>
int main()
{
    char str1[10],str2[10],t;
    int i=0,j=0;
    int count1=0,count2=0;
    scanf("%s",str1);
    scanf("%s",str2);
    while(str1[i]!='\0')
    {
        count1++;
        i++;
    }
    while(str2[j]!='\0')
    {
        count2++;
        j++;
    }
    printf("%d %d\n",count1,count2);
    printf("%s%s\n",str1,str2);
    t=str1[0];
    str1[0]=str2[0];
    str2[0]=t;
    printf("%s %s",str1,str2);
    return 0;
}
```

	Input	Expected	Got	
✓	abcd ef	4 2 abcdef ebcd af	4 2 abcdef ebcd af	✓

Passed all tests! ✓