
Oracle® REST Data Services

https://docs.oracle.com/en/database/oracle/oracle-rest-data-services/24.1/orddg/oracle-rest-data-services-developers-guide.pdf



2 Developing Oracle REST Data Services Applications


2.1 Introduction to Relevant Software 2-2
2.1.1 Oracle APEX 2-2
2.1.2 REST APIs 2-2
2.2 Getting Started with RESTful Services 2-2
2.2.1 RESTful Services Terminology 2-3
2.2.2 ORDS RESTful Web Services Architecture Diagrams 2-3
2.2.3 About Request Path Syntax Requirements 2-5
2.2.4 "Getting Started" Documents Included in Installation 2-5
2.2.5 About cURL and Testing RESTful Services 2-6
2.3 Automatic Enabling of Schema Objects for REST Access (AutoREST) 2-6
2.3.1 Examples: Accessing Objects Using RESTful Services 2-8
2.3.1.1 Get Schema Metadata 2-8
2.3.1.2 Get Object Metadata 2-9
2.3.1.3 Get Object Data 2-10
2.3.1.4 Get Table Data Using Paging 2-12
2.3.1.5 Get Table Data Using Query 2-13
2.3.1.6 Get Table Row Using Primary Key 2-14

ORACLE iii

2.3.1.7 Insert Table Row 2-15
2.3.1.8 Update/Insert Table Row 2-16
2.3.1.9 Delete Using Filter 2-17
2.3.1.10 Post by Batch Load 2-17
2.3.2 Filtering in Queries 2-18
2.3.2.1 FilterObject Grammar 2-19
2.3.2.2 Examples: FilterObject Specifications 2-22
2.3.3 Auto PL/SQL 2-27
2.3.3.1 Method and Content Type Supported for Auto Enabling PL/SQL Objects 2-27
2.3.3.2 Auto-Enabling the PL/SQL Objects 2-28
2.3.3.3 Generating the PL/SQL Endpoints 2-31
2.3.3.4 Resource Input Payload 2-32
2.3.3.5 Resource Payload Response 2-32
2.3.3.6 Function Return Value 2-33

How to setup a web server on a Compute instance

https://www.youtube.com/watch?v=IyQ9iyn6QOY



Generate SSH Key Pairs to Access Linux Instances in the Oracle Cloud Infrastructure


https://www.youtube.com/watch?v=v5fGdgIrdd0

Generate SSH Keys

- `ssh-keygen` command generates the SSH key pair on a Linux system:

```
$ ssh-keygen
```

- PuTTY key generator generates SSH key pairs on a Microsoft Windows client:



- Generate and save SSH key pair from Oracle Cloud Infrastructure:

