



ZAP by Checkmarx Scanning Report

Sites: <https://telem-edge.smartscreen.microsoft.com> <https://data-edge.smartscreen.microsoft.com> <https://cdn.jsdelivr.net> <https://edge.microsoft.com> <http://172.16.171.165:8003> <http://172.16.171.165:8002> <http://172.16.171.165:8001>

Generated on Thu, 11 Jun 2026 13:15:47

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	4
Low	4
Informational	2

Insights

Level	Reason	Site	Description	Statistic
High	Exceeded High		Percentage of memory used	98
Low	Warning		ZAP warnings logged - see the zap.log file for details	43
Info	Informational	http://172.16.171.165:8001	Percentage of responses with status code 2xx	28 %
Info	Informational	http://172.16.171.165:8001	Percentage of responses with status code 4xx	71 %
Info	Informational	http://172.16.171.165:8001	Percentage of endpoints with content	66 %

			type application /json	
Info	Informational	http://172.16.171.165:8001	Percentage of endpoints with content type text /html	33 %
Info	Informational	http://172.16.171.165:8001	Percentage of endpoints with method GET	100 %
Info	Informational	http://172.16.171.165:8001	Count of total endpoints	3
Info	Informational	http://172.16.171.165:8001	Percentage of slow responses	28 %
Info	Informational	http://172.16.171.165:8002	Percentage of responses with status code 2xx	28 %
Info	Informational	http://172.16.171.165:8002	Percentage of responses with status code 4xx	71 %
Info	Informational	http://172.16.171.165:8002	Percentage of endpoints with content type application /json	66 %
Info	Informational	http://172.16.171.165:8002	Percentage of endpoints with content type text /html	33 %
Info	Informational	http://172.16.171.165:8002	Percentage of endpoints with method GET	100 %
Info	Informational	http://172.16.171.165:8002	Count of total endpoints	3
Info	Informational	http://172.16.171.165:8002	Percentage of slow responses	28 %
			Percentage of	

Info	Informational	http://172.16.171.165:8003	responses with status code 2xx	97 %
Info	Informational	http://172.16.171.165:8003	Percentage of responses with status code 4xx	2 %
Info	Informational	http://172.16.171.165:8003	Percentage of endpoints with content type application/json	83 %
Info	Informational	http://172.16.171.165:8003	Percentage of endpoints with content type text/html	16 %
Info	Informational	http://172.16.171.165:8003	Percentage of endpoints with method GET	100 %
Info	Informational	http://172.16.171.165:8003	Count of total endpoints	6
Info	Informational	http://172.16.171.165:8003	Percentage of slow responses	13 %
Info	Informational	https://cdn.jsdelivr.net	Percentage of responses with status code 2xx	100 %
Info	Informational	https://cdn.jsdelivr.net	Percentage of endpoints with content type application/javascript	50 %
Info	Informational	https://cdn.jsdelivr.net	Percentage of endpoints with content type text/css	50 %
Info	Informational	https://cdn.jsdelivr.net	Percentage of endpoints with method GET	100 %

Info	Informational	https://cdn.jsdelivr.net	Count of total endpoints	2
Info	Informational	https://cdn.jsdelivr.net	Percentage of slow responses	100 %
Info	Informational	https://data-edge.smartscreen.microsoft.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://data-edge.smartscreen.microsoft.com	Percentage of endpoints with content type application/octet-stream	100 %
Info	Informational	https://data-edge.smartscreen.microsoft.com	Percentage of endpoints with method POST	100 %
Info	Informational	https://data-edge.smartscreen.microsoft.com	Count of total endpoints	2
Info	Informational	https://data-edge.smartscreen.microsoft.com	Percentage of slow responses	100 %
Info	Informational	https://edge.microsoft.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://edge.microsoft.com	Percentage of endpoints with content type application/json	100 %
Info	Informational	https://edge.microsoft.com	Percentage of endpoints with method POST	100 %
Info	Informational	https://edge.microsoft.com	Count of total endpoints	1
Info	Informational	https://edge.microsoft.com	Percentage of slow responses	100 %

Info	Informational	https://telem-edge.smartscreen.microsoft.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://telem-edge.smartscreen.microsoft.com	Percentage of endpoints with method POST	100 %
Info	Informational	https://telem-edge.smartscreen.microsoft.com	Count of total endpoints	1
Info	Informational	https://telem-edge.smartscreen.microsoft.com	Percentage of slow responses	100 %

Alerts

Name	Risk Level	Number of Instances
Content Security Policy (CSP) Header Not Set	Medium	3
Cross-Domain Misconfiguration	Medium	2
Missing Anti-clickjacking Header	Medium	3
Sub Resource Integrity Attribute Missing	Medium	6
Cross-Domain JavaScript Source File Inclusion	Low	3
Strict-Transport-Security Header Not Set	Low	4
Timestamp Disclosure - Unix	Low	Systemic
X-Content-Type-Options Header Missing	Low	7
Modern Web Application	Informational	3
Retrieved from Cache	Informational	2

Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://172.16.171.165:8001/docs
Node Name	http://172.16.171.165:8001/docs
Method	GET
Attack	

Evidence	
Other Info	
URL	http://172.16.171.165:8002/docs
Node Name	http://172.16.171.165:8002/docs
Method	GET
Attack	
Evidence	
Other Info	
URL	http://172.16.171.165:8003/docs
Node Name	http://172.16.171.165:8003/docs
Method	GET
Attack	
Evidence	
Other Info	
Instances	3
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css

Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
Instances	2
Solution	Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance). Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.
Reference	https://vuln.catfortify.com/en/detail?category=HTML5&subcategory=Overly%20Permissive%20CORS%20Policy
CWE Id	264
WASC Id	14
Plugin Id	10098

Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	http://172.16.171.165:8001/docs
Node Name	http://172.16.171.165:8001/docs
Method	GET
Attack	
Evidence	
Other Info	
URL	http://172.16.171.165:8002/docs
Node Name	http://172.16.171.165:8002/docs
Method	GET
Attack	
Evidence	
Other Info	
URL	http://172.16.171.165:8003/docs
Node Name	http://172.16.171.165:8003/docs
Method	GET
Attack	
Evidence	

Other Info	
Instances	3
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Sub Resource Integrity Attribute Missing
Description	The integrity attribute is missing on a script or link tag served by an external server. The integrity tag prevents an attacker who have gained access to this server from injecting a malicious content.
URL	http://172.16.171.165:8001/docs
Node Name	http://172.16.171.165:8001/docs
Method	GET
Attack	
Evidence	<link type="text/css" rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css">
Other Info	
URL	http://172.16.171.165:8001/docs
Node Name	http://172.16.171.165:8001/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	
URL	http://172.16.171.165:8002/docs
Node Name	http://172.16.171.165:8002/docs
Method	GET
Attack	
Evidence	<link type="text/css" rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css">
Other Info	
URL	http://172.16.171.165:8002/docs
Node Name	http://172.16.171.165:8002/docs
Method	GET

Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	
URL	http://172.16.171.165:8003/docs
Node Name	http://172.16.171.165:8003/docs
Method	GET
Attack	
Evidence	<link type="text/css" rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css">
Other Info	
URL	http://172.16.171.165:8003/docs
Node Name	http://172.16.171.165:8003/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	
Instances	6
Solution	Provide a valid integrity attribute to the tag.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity
CWE Id	345
WASC Id	15
Plugin Id	90003

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	http://172.16.171.165:8001/docs
Node Name	http://172.16.171.165:8001/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	
URL	http://172.16.171.165:8002/docs
Node Name	http://172.16.171.165:8002/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	

URL	http://172.16.171.165:8003/docs
Node Name	http://172.16.171.165:8003/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	
Instances	3
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server and web browser are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS protocol and is specified in RFC 6797).
URL	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/settings/3
Node Name	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/settings/3 ()({identity:{user:locale,osVersion,browser:{internetExplorer},netJoinStatus,enterprise:{},cloudSku,architecture},correlationId,debugId})
Method	POST
Attack	
Evidence	
Other Info	
URL	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/toptraffic/3
Node Name	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/toptraffic/3 ()({identity:{user:locale,osVersion,browser:{internetExplorer},netJoinStatus,enterprise:{},cloudSku,architecture},correlationId,debugId})
Method	POST
Attack	
Evidence	
Other Info	
URL	https://edge.microsoft.com/componentupdater/api/v1/update?cup2key=7:bCtQiUZeIwNEROTBxLT2P9qcxovlijKmdp0b3pCo1M&cup2hreq=c4764ba70ac68481048531c
Node Name	https://edge.microsoft.com/componentupdater/api/v1/update (cup2hreq,cup2key)({request:{@os:cohort,enabled,installdate,installsource,lang,ping:{r},targetingattributes:{AppCohort,AppMajorVersion,Priority,Updater,UpdaterVersion},updatecheck:{},version}},arch,dedup,domainjoined,hw:{avx,phishmachine,os:{arch,platform,version},prodversion,protocol,requestid,sessionid,updaters:{autoupdate,laststarted,name,updatepolicy,version},updateverve...})
Method	POST
Attack	
Evidence	
Other	

Info	
URL	https://telem-edge.smartscreen.microsoft.com/api/browser/edge/telemetry/3
Node Name	https://telem-edge.smartscreen.microsoft.com/api/browser/edge/telemetry/3 ()({executionTime,r config:{user:{uriReputation:{enforcedByPolicy,level}},device:{appControl:{level},appReputation:{ {user:{locale},device:{id,customId,onlineIdTicket,family,locale,osVersion,browser:{internetExplor architecture},caller:{locale,name,version},client:{version,data:{topTraffic,customSynchronousLoc userAgent,events:[{\$type,nam...})
Method	POST
Attack	
Evidence	
Other Info	
Instances	4
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Stri
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet https://owasp.org/www-community/Security-Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server. - Unix
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Method	GET
Attack	
Evidence	1518500249
Other Info	1518500249, which evaluates to: 2018-02-13 10:37:29.
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Method	GET
Attack	
Evidence	1732584193
Other Info	1732584193, which evaluates to: 2024-11-26 06:23:13.
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Method	GET
Attack	
Evidence	1750603025
Other	

Info	1750603025, which evaluates to: 2025-06-22 19:37:05.
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Method	GET
Attack	
Evidence	1859775393
Other Info	1859775393, which evaluates to: 2028-12-07 09:16:33.
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Method	GET
Attack	
Evidence	1894007588
Other Info	1894007588, which evaluates to: 2030-01-07 14:13:08.
URL	https://edge.microsoft.com/componentupdater/api/v1/update?cup2key=7:bCtQiUZeiwNEROTBxLxT2P9gcxovlijKmdp0b3pCo1M&cup2hreq=c4764ba70ac68481048531c
Node Name	https://edge.microsoft.com/componentupdater/api/v1/update (cup2hreq,cup2key)({request:{@os enabled,installdate,installsource,lang,ping:{r},targetingattributes:{AppCohort,AppMajorVersion,AppMinorVersion,AppVersion,Updater,UpdaterVersion},updatecheck:{},version}},arch,dedup,domainjoined,hw:{avx,physmem,processor,processorid,platform,version},prodversion,protocol,requestid,sessionid,updaters:{autoupdatecheckena updatepolicy,version},updateverve...)
Method	POST
Attack	
Evidence	1781213145
Other Info	1781213145, which evaluates to: 2026-06-12 02:25:45.
URL	https://edge.microsoft.com/componentupdater/api/v1/update?cup2key=7:yVyjkuJXegsCzMTeChqgNuq1bU4gf1oe5UIFqmG4Pvw&cup2hreq=d119eb55ca692e32edde84
Node Name	https://edge.microsoft.com/componentupdater/api/v1/update (cup2hreq,cup2key)({request:{@os enabled,installdate,installsource,lang,ping:{r},targetingattributes:{AppCohort,AppMajorVersion,AppMinorVersion,AppVersion,Updater,UpdaterVersion},updatecheck:{},version}},arch,dedup,domainjoined,hw:{avx,physmem,processor,processorid,platform,version},prodversion,protocol,requestid,sessionid,updaters:{autoupdatecheckena updatepolicy,version},updateverve...)
Method	POST
Attack	
Evidence	1781725990
Other Info	1781725990, which evaluates to: 2026-06-18 00:53:10.
Instances	Systemic
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	497
WASC Id	13
Plugin Id	10096

Low

X-Content-Type-Options Header Missing

Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://172.16.171.165:8001/docs
Node Name	http://172.16.171.165:8001/docs
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://172.16.171.165:8002/docs
Node Name	http://172.16.171.165:8002/docs
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://172.16.171.165:8003/docs
Node Name	http://172.16.171.165:8003/docs
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://172.16.171.165:8003/health
Node Name	http://172.16.171.165:8003/health
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://172.16.171.165:8003/openapi.json

Node Name	http://172.16.171.165:8003/openapi.json
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/settings/3
Node Name	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/settings/3 ()({identity: {user:{locale},device:{id,customId,onlineIdTicket,family,locale,osVersion,browser:{internetExplorer},netJoinStatus,enterprise:{},cloudSku,architecture},caller:{locale,name,version},client:{version,data:{topTraffic,customSynchronousLookupUris,edgeSettings,customSettings}}},correlationId,debugInfo:{clientId}})
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/toptraffic/3
Node Name	https://data-edge.smartscreen.microsoft.com/api/browser/edge/data/toptraffic/3 ()({identity: {user:{locale},device:{id,customId,onlineIdTicket,family,locale,osVersion,browser:{internetExplorer},netJoinStatus,enterprise:{},cloudSku,architecture},caller:{locale,name,version},client:{version,data:{topTraffic,customSynchronousLookupUris,edgeSettings,customSettings}}},correlationId,debugInfo:{clientId}})
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	7
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021
Informational	Modern Web Application

Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://172.16.171.165:8001/docs
Node Name	http://172.16.171.165:8001/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://172.16.171.165:8002/docs
Node Name	http://172.16.171.165:8002/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://172.16.171.165:8003/docs
Node Name	http://172.16.171.165:8003/docs
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
Instances	3
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui-bundle.js
Method	GET
Attack	
Evidence	HIT

Other Info	
URL	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css
Node Name	https://cdn.jsdelivr.net/npm/swagger-ui-dist@5/swagger-ui.css
Method	GET
Attack	
Evidence	HIT
Other Info	
Instances	2
Solution	Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user: Cache-Control: no-cache, no-store, must-revalidate, private Pragma: no-cache Expires: 0 This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.
Reference	https://datatracker.ietf.org/doc/html/rfc7234 https://datatracker.ietf.org/doc/html/rfc7231 https://www.rfc-editor.org/rfc/rfc9110.html
CWE Id	525
WASC Id	
Plugin Id	10050