

Test Specifications: Vendors Domain

Gema Event Management Platform
Generated: 2026-02-25

Source files: routes/vendor.routes.ts, routes/event.routes.ts
Controllers: vendor.controller.ts, vendor.event.controller.ts
Validators: vendor.validator.ts, employee.validator.ts

Access summary:

- **Public:** GET /vendors, GET /vendors/public/:id, GET /vendors/:vendorId/payment-info
- **Authenticated vendor only:** all other routes (via router.use(authenticate) + authorize([UserRole.VENDOR]))
- **Event admin routes:** GET /events/admin/all, PUT /events/admin/:id/approval, PUT /events/admin/:id/featured

Public Vendor Endpoints

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-VND-001	Happy path: list all public vendors	Multiple active/verified vendors in DB	GET /vendors (no auth)	HTTP 200; paginated list of active, verified vendors only	High
TC-VND-002	Pagination params respected	Multiple vendors in DB	GET /vendors?page=2&limit=5	HTTP 200; page 2 of 5 results; totalPages in response	High
TC-VND-003	Search filter by name	Vendors with varying names	GET /vendors?search=Dubai	HTTP 200; only vendors whose name matches "Dubai"	Medium
TC-VND-004	Sort by field	N/A	GET /vendors?sortBy=name&sortOrder=asc	HTTP 200; results sorted alphabetically	Low
TC-VND-005	Inactive or unverified vendors excluded	Inactive vendors in DB	GET /vendors	Inactive/unverified vendors not in response	High
TC-VND-006	Happy path: get public vendor profile by ID	Vendor exists, active	GET /vendors/public/:id	HTTP 200; public-safe vendor fields (no bank details, no keys)	High
TC-VND-007	Public profile — non-existent vendor ID	No vendor with given ID	GET /vendors/public/000000000000000000000000	HTTP 404	High
TC-VND-008	Public profile — invalid ObjectID format	N/A	GET /vendors/public/notanid	HTTP 422 or 400; invalid ID error	Medium
TC-VND-009	Get vendor payment info — valid vendor	Vendor exists	GET /vendors/:vendorId/payment-info	HTTP 200; payment mode info (no secret keys exposed)	High
TC-VND-010	Get vendor payment info — non-existent vendor	N/A	Non-existent vendorId	HTTP 404	High
TC-VND-011	Sensitive fields not exposed in public endpoints	Vendor has stripeSecretKey and bankDetails	GET /vendors/public/:id or GET /vendors	No stripeSecretKey, bankDetails, or private credentials in response	Critical

Vendor Dashboard & Stats

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-					

TC-VND-012	Happy path: get dashboard stats	Vendor authenticated, has orders and events	GET /vendors/stats	HTTP 200; totalRevenue, totalOrders, totalEvents, upcomingEvents etc.	High
TC-VND-013	Dashboard stats — user role blocked	Authenticated as user	GET /vendors/stats	HTTP 403	High
TC-VND-014	Dashboard stats — unauthenticated	No token	GET /vendors/stats	HTTP 401	High
TC-VND-015	Dashboard stats — new vendor with no data	Vendor authenticated, no events or orders	GET /vendors/stats	HTTP 200; all counts at zero, no errors	Medium

Vendor Event Management

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-VND-016	Happy path: create event as vendor	Vendor authenticated	POST /vendors/events with all required fields	HTTP 201; event created with vendorId set; status = pending approval	High
TC-VND-017	Create event — missing required field (title)	Vendor authenticated	Payload without title	HTTP 422; validation error	High
TC-VND-018	Create event — schedule date in the past	Vendor authenticated	dateSchedule[0].startDate = yesterday	HTTP 422; "Schedule date cannot be in the past"	High
TC-VND-019	Create event — endDate before startDate	Vendor authenticated	startDate > endDate in schedule	HTTP 422; "End date must be after start date"	High
TC-VND-020	Create event — invalid event type	Vendor authenticated	type = "Concert" (not in allowed enum)	HTTP 422; type must be one of allowed values	Medium
TC-VND-021	Create event — invalid venue type	Vendor authenticated	venueType = "Hybrid"	HTTP 422	Medium
TC-VND-022	Create event — invalid age range (min > max)	Vendor authenticated	ageRange = [18, 5]	HTTP 422; invalid age range values	Medium
TC-VND-023	Create event — too many tags	Vendor authenticated	tags array with 21 items	HTTP 422; cannot exceed 20 tags	Low
TC-VND-024	Create event — too many images	Vendor authenticated	images array with 11 items	HTTP 422; cannot exceed 10 images	Low
TC-VND-025	Create event — invalid coordinates	Vendor authenticated	location.coordinates.lat = 95 (>90)	HTTP 422; invalid latitude	Medium
TC-VND-026	Create event — unsupported currency	Vendor authenticated	currency = "GBP"	HTTP 422; must be AED, EGP, CAD, or USD	Medium
TC-VND-027	Happy path: get vendor's own events	Vendor authenticated, has events	GET /vendors/events	HTTP 200; only events belonging to this vendor	High
TC-VND-028	Get vendor events — user role blocked	Authenticated as user	GET /vendors/events	HTTP 403	High
TC-VND-029	Happy path: get single vendor event by ID	Vendor authenticated, owns event	GET /vendors/events/:id	HTTP 200; event details	High
TC-VND-030	Get vendor event — another vendor's event	Vendor A authenticated	id of Vendor B's event	HTTP 403 or 404	High
TC-VND-	Happy path: update vendor event	Vendor authenticated, owns event	PUT /vendors/events/:id with changed title	HTTP 200; event updated	High

TC-VND-031	Update event — invalid event ID	Vendor authenticated	Non-existent :id	HTTP 404	Medium
TC-VND-032	Update event — title exceeds 200 chars	Vendor authenticated	title = 201-char string	HTTP 422; validation error	Medium
TC-VND-033	Update event — another vendor's event	Vendor A authenticated	PUT /vendors/events/:id for Vendor B's event	HTTP 403	High
TC-VND-034	Happy path: soft delete vendor event	Vendor authenticated, owns event	DELETE /vendors/events/:id	HTTP 200; event soft-deleted (not purged from DB)	High
TC-VND-035	Delete event — another vendor's event	Vendor A authenticated	DELETE /vendors/events/:id for Vendor B	HTTP 403	High
TC-VND-036	Happy path: restore deleted event	Vendor authenticated, event soft-deleted	PUT /vendors/events/:id/restore	HTTP 200; event status restored	High
TC-VND-037	Restore event — event not deleted	Vendor authenticated, event active	PUT /vendors/events/:id/restore	HTTP 400; event is not deleted	Medium
TC-VND-038	Admin approves event	Admin authenticated	PUT /events/admin/:id/approval { isApproved: true }	HTTP 200; event isApproved: true	High
TC-VND-039	Admin rejects event with reason	Admin authenticated	{ isApproved: false, reason: "Insufficient info" }	HTTP 200; event rejected; vendor notified	High
TC-VND-040	Admin approval — reason > 500 chars	Admin authenticated	reason = 501-char string	HTTP 422; validation error	Low
TC-VND-041	Admin approval — user role blocked	Authenticated as user	PUT /events/admin/:id/approval	HTTP 403	High
TC-VND-042	Admin toggle featured event	Admin authenticated, event approved	PUT /events/admin/:id/featured	HTTP 200; isFeatured toggled	Medium
TC-VND-043	Vendor claims unclaimed event	Vendor authenticated, event has no owner	POST /events/:id/claim	HTTP 200; vendorId set on event	Medium
TC-VND-044	Vendor claims already-claimed event	Vendor authenticated, event has owner	POST /events/:id/claim	HTTP 409; event already claimed	Medium
TC-VND-045					

Vendor Booking Management

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-VND-046	Happy path: get vendor bookings	Vendor authenticated, has bookings	GET /vendors/bookings	HTTP 200; paginated bookings for vendor's events only	High
TC-VND-047	Get bookings — user role blocked	Authenticated as user	GET /vendors/bookings	HTTP 403	High
TC-VND-048	Get single booking by ID	Vendor authenticated, booking belongs to vendor's event	GET /vendors/bookings/:id	HTTP 200; booking details	High
TC-VND-049	Get booking — another vendor's booking	Vendor A authenticated	id belonging to Vendor B's event	HTTP 403 or 404	High
TC-VND-050	Update booking status	Vendor authenticated, owns booking's event	PUT /vendors/bookings/:id { status: "confirmed" }	HTTP 200; status updated	High
TC-	Update booking —		PUT /vendors/bookings/:id	Financial fields ignored or	

VND-051	attempt to change financial fields	Vendor authenticated	{ total: 9999 }	HTTP 400; only status/notes editable	High
TC-VND-052	Export bookings to CSV	Vendor authenticated	GET /vendors/bookings/export?format=csv	HTTP 200; CSV file download	Medium
TC-VND-053	Export bookings to JSON	Vendor authenticated	GET /vendors/bookings/export?format=json	HTTP 200; JSON response	Medium
TC-VND-054	Import bookings from CSV	Vendor authenticated	POST /vendors/bookings/import with valid CSV file	HTTP 200; bookings imported or mapped	Low

Vendor Profile Management

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-VND-055	Happy path: get vendor profile	Vendor authenticated	GET /vendors/profile	HTTP 200; full vendor profile (masked sensitive fields)	High
TC-VND-056	Update vendor profile	Vendor authenticated	PUT /vendors/profile with valid fields	HTTP 200; profile updated	High
TC-VND-057	Update profile — invalid field value	Vendor authenticated	Validation rule violation per validateUpdateProfile	HTTP 422; validation error	Medium
TC-VND-058	Upload vendor image (logo)	Vendor authenticated	POST /vendors/upload-image with valid image	HTTP 200; Cloudinary URL stored	High
TC-VND-059	Upload image — invalid file type	Vendor authenticated	Non-image file	HTTP 422; invalid file type	High
TC-VND-060	Update business hours	Vendor authenticated	PUT /vendors/business-hours with valid schedule object	HTTP 200; business hours updated	High
TC-VND-061	Update social media links	Vendor authenticated	PUT /vendors/social-media with valid URLs	HTTP 200; social media links updated	Medium
TC-VND-062	Update bank details	Vendor authenticated	PUT /vendors/bank-details with valid bank fields	HTTP 200; bank details stored securely	High
TC-VND-063	Bank details — invalid IBAN format	Vendor authenticated	Invalid IBAN string	HTTP 422; validation error	Medium

Vendor Phone Verification

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-VND-064	Happy path: send phone OTP	Vendor authenticated	POST /vendors/verify-phone/send with valid { phone }	HTTP 200; OTP sent	High
TC-VND-065	Send phone OTP — invalid number	Vendor authenticated	Invalid phone format	HTTP 422; validation error	High
TC-VND-066	Happy path: confirm phone OTP	Vendor authenticated, OTP sent	POST /vendors/verify-phone/confirm with correct OTP	HTTP 200; vendor phone verified	High
TC-VND-067	Confirm phone OTP — wrong OTP	Vendor authenticated	Incorrect OTP	HTTP 400; invalid OTP	High

Vendor Document Management

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-VND-068	Happy path: get vendor documents	Vendor authenticated	GET /vendors/documents	HTTP 200; document status list	High
TC-	Upload verification	Vendor authenticated	POST /vendors/documents/upload with	HTTP 200; document	High

VND-069	document		valid document file	stored in Cloudinary		
TC-VND-070	Upload document — invalid type	Vendor authenticated	POST /vendors/documents/upload with executable or disallowed file	HTTP 422	High	
TC-VND-071	Delete document by type	Vendor authenticated, document exists	DELETE /vendors/documents/:type with valid type	HTTP 200; document removed	Medium	
TC-VND-072	Delete document — invalid type value	Vendor authenticated	:type not in allowed document types	HTTP 422; validateDocumentType fails	Medium	

Employee Management

Test ID	Description	Preconditions	Input	Expected Output	Priority	
TC-VND-073	Happy path: get vendor employees list	Vendor authenticated, has employees	GET /vendors/employees	HTTP 200; paginated list of this vendor's employees	High	
TC-VND-074	Create employee	Vendor authenticated	POST /vendors/employees with valid employee fields	HTTP 201; employee created linked to vendor	High	
TC-VND-075	Create employee — duplicate email	Vendor authenticated, email in use	Same employee email	HTTP 409; duplicate error	High	
TC-VND-076	Create employee — missing required fields	Vendor authenticated	Incomplete employee payload	HTTP 422; validation errors	High	
TC-VND-077	Get single employee	Vendor authenticated, owns employee	GET /vendors/employees/:id	HTTP 200; employee details	High	
TC-VND-078	Get employee — another vendor's employee	Vendor A authenticated	id of Vendor B's employee	HTTP 403 or 404	High	
TC-VND-079	Update employee	Vendor authenticated, owns employee	PUT /vendors/employees/:id with changed fields	HTTP 200; employee updated	High	
TC-VND-080	Delete employee (soft)	Vendor authenticated, owns employee	DELETE /vendors/employees/:id	HTTP 200; employee deactivated	High	
TC-VND-081	Assign employee to event	Vendor authenticated, owns both employee and event	POST /vendors/employees/:id/assign-event with { eventId }	HTTP 200; employee assigned	High	
TC-VND-082	Assign employee — event not owned by vendor	Vendor A authenticated	eventId contains Vendor B's event ID	HTTP 403	High	
TC-VND-083	Remove employee from event	Vendor authenticated	POST /vendors/employees/:id/remove-event with { eventId }	HTTP 200; employee removed from event	High	
TC-VND-084	Export employees to CSV	Vendor authenticated	POST /vendors/employees/export with format	HTTP 200; CSV or JSON returned	Medium	

Stripe Connect

Test ID	Description	Preconditions	Input	Expected Output	Priority	
TC-VND-085	Happy path: initialize Stripe Connect onboarding	Vendor authenticated, no existing Connect account	POST /vendors/stripe-connect/onboard	HTTP 200; Stripe onboarding URL returned	High	
TC-VND-086	Re-initialize onboarding — account already exists	Vendor with existing Connect account	POST /vendors/stripe-connect/onboard	HTTP 200; new onboarding link or status message	Medium	

TC-VND-087	Get Stripe Connect status — Vendor with complete onboarding complete	Connect account	GET /vendors/stripe-connect/status	HTTP 200; onboardingComplete: true, capabilities status	High
TC-VND-088	Get Stripe Connect status — Vendor mid-onboarding onboarding incomplete		GET /vendors/stripe-connect/status	HTTP 200; onboardingComplete: false, pending requirements	High
TC-VND-089	Stripe Connect endpoints — user role blocked	Authenticated as user	POST /vendors/stripe-connect/onboard	HTTP 403	High
TC-VND-090	Stripe Connect — Stripe API failure	Stripe unavailable	POST /vendors/stripe-connect/onboard	HTTP 500; error logged; no partial state saved	High

Security Tests

Test ID	Description	Preconditions	Input	Expected Output	Priority
TC-VND-091	IDOR: vendor reads another vendor's profile	Vendor A authenticated	GET /vendors/profile — should return own data only	HTTP 200; returns Vendor A's profile, not B's	Critical
TC-VND-092	IDOR: vendor updates another vendor's event	Vendor A authenticated	PUT /vendors/events/:id with Vendor B's event ID	HTTP 403	Critical
TC-VND-093	IDOR: vendor reads another vendor's bookings	Vendor A authenticated	GET /vendors/bookings/:id with Vendor B's booking	HTTP 403 or 404	Critical
TC-VND-094	Stripe secret key not returned in any API response	Vendor authenticated	GET /vendors/profile or GET /vendors/stats	stripeSecretKey field absent from all responses	Critical
TC-VND-095	Bank details not returned in public endpoints	N/A	GET /vendors or GET /vendors/public/:id	No bank account fields in response	Critical
TC-VND-096	Mass assignment: attempt to set vendor role via profile update	Vendor authenticated	PUT /vendors/profile { role: "admin" }	Role field ignored; vendor remains vendor	High
TC-VND-097	Rate limiting on heavy dashboard endpoint	N/A	21+ requests to GET /vendors/stats within window	HTTP 429 after threshold (20 req/min heavy limit)	High
TC-VND-098	Non-vendor authenticated user hits vendor-protected route	Authenticated as user	GET /vendors/events	HTTP 403; authorize([UserRole.VENDOR]) rejects	High
TC-VND-099	Path traversal in document type param	Vendor authenticated	DELETE /vendors/documents/../../../../etc/passwd	HTTP 422 or 400; param validation rejects non-enum value	High
TC-VND-100	Vendor accesses admin-only event approval endpoint	Vendor authenticated	PUT /events/admin/:id/approval	HTTP 403; admin only	Critical