

KidzApp Clone - Full-Feature MERN/Next.js Stack Project

Project Overview

A scalable full-stack application modeled after [Kidzapp.com](https://kidzapp.com/) (<https://kidzapp.com/>), enabling families to discover and book kids' activities. The system includes user role management, e-commerce with affiliate tracking, multilingual/multi-currency features, and an interactive UI built for both performance and user engagement.

Estimated Project Costing (2025)

Item	Monthly Cost (USD)	Notes
Domain & Hosting	\$10 - \$30	Domain (~\$10/year), Vercel/Render/Netlify (free or premium tiers)
MongoDB Atlas	\$0 - \$29	Free for small usage, shared or dedicated clusters
Cloudinary (Media Hosting)	\$0 - \$99	Free tier available (25GB bandwidth, 10GB storage)
Cursor.AI Subscription	\$20 - \$40	AI coding assistant (optional, developer productivity tool)
Fixer.io / CurrencyAPI	\$10 - \$50	Currency conversion API pricing based on usage
Email Services (SendGrid/Mailgun)	\$0 - \$35	Free tiers up to 100-300 emails/day
Cloudflare CDN + Security	\$0 - \$20	Free tier sufficient for most, Pro plan optional
Marketing Tools (Branch.io, GA4)	Free	GA4 and Branch offer generous free tiers
WhatsApp Business API	Variable	Meta pricing per conversation (chat support)
Stripe/PayPal/Razorpay Fees	Transactional	~2.9% + \$0.30 per successful transaction

Total Monthly Estimate (Basic Setup): ~\$30–\$120/month depending on scale.

Tech Stack (Updated to Reflect Kidzapp)

☐ Frontend

- **React.js** or **Next.js 15.3.3** (recommended)
- **TailwindCSS**, **Bootstrap** (for styling)
- **Swiper.js** (sliders and carousels)
- **Font Awesome**

☐ Backend

- **Next.js API Routes** or **Express.js + Node.js**
- **MongoDB + Mongoose**
- **NextAuth.js** (for secure authentication)

☐ Tools & Services

- **Cloudflare CDN + Rocket Loader** (performance)
- **Google Tag Manager**, **GA4**, **Facebook Pixel** (analytics)
- **Branch.io** (marketing automation + deep linking)
- **Cloudinary** (media hosting)
- **i18next** (multilingual support)
- **Fixer.io** or **CurrencyAPI** (currency conversion)
- **WhatsApp Chat Button** (live support)

☐ User Roles & Permissions

Role	Permissions
Admin	Full access. Approve users/events, manage content, view analytics
Customer	Browse and book events/products, manage profile and dashboard
Vendor	Submit events (pending approval), manage their listings/dashboard

☐ Key Features

1. Interactive UI

- Real-time event and product filters
- Carousel displays for popular items
- Responsive layout for desktop/mobile

2. Dynamic Content Updates

- State-managed UI updates with React Context or Redux
- API-driven content via REST or Next.js routes

3. Authentication System

- Secure login via **NextAuth.js**
- Social login (Google, Facebook optional)
- JWT-based session handling

4. Multi-Type Registration

- Customers and Event Vendors register separately
- Vendors must be admin-approved to list events
- Admin dashboard to manage all users

5. User Dashboards

- **Customer:** Bookings, saved events, settings
- **Vendor:** Submit/edit events, earnings report
- **Admin:** Approvals, user roles, site moderation

6. Event/Product Management

- Image upload via Cloudinary
- Categorized: Events, Venues, Courses
- Include filters like location, age, indoor/outdoor
- Calendar picker for scheduling

7. E-Commerce & Payment Gateway

- Integration with **Stripe**, **PayPal**, or **Razorpay**
- Checkout cart and order summary
- Email confirmation after successful booking

8. Affiliate System

- Unique affiliate codes per product/vendor
- Affiliate link click tracking
- Admin dashboard with referral sales reporting

9. Advanced Filters (Like Kidzapp)

- Location-based search
- Date range & calendar filter
- Categories: Indoor, Outdoor, Learning, Play, etc.
- Age group, pricing, availability

10. Category-Wise Home Page

- Events grouped under tabs or horizontal carousels
- "Top Picks", "Recently Added", "Free Events" sections

11. Multilingual Support (English/Arabic)

- Language toggle using **i18next**
- RTL layout support for Arabic
- Dynamic translation using JSON resource files

12. Multi-Currency Switching

- Currency toggle (AED, EGP, CAD, USD)
- Live conversion using **Fixer.io** or **CurrencyAPI**
- Prices auto-update across listings

☐ Database Schema (MongoDB)

Refer to `Database Schema.md` for full collection structure.

☐ External Services (Integrated)

Feature	Service
Auth	NextAuth.js
Analytics	GA4, Facebook Pixel
Payments	Stripe, PayPal, Razorpay
Currency Conversion	Fixer.io, CurrencyAPI
Images	Cloudinary
Multilingual	i18next
Chat Support	WhatsApp Chat
Performance	Cloudflare CDN + Rocket Loader
Marketing	Branch.io

☐ Deployment Options

- **Frontend:** Vercel (preferred for Next.js) or Netlify
 - **Backend:** Vercel (API routes) or Render / VPS with PM2
 - **Database:** MongoDB Atlas
 - **Domain + CDN:** Cloudflare
-

□ Testing & Security

- Form validation via Yup or React Hook Form
 - Route protection (middleware in Next.js or Express)
 - Environment variables secured using `.env.local`
 - HTTPS enforced via deployment/CDN layer
-

□ Future Enhancements

- Admin dashboard charts (Recharts, Chart.js)
 - Email marketing integration (Mailchimp)
 - Booking calendars and availability slots
 - Real-time chat between users and vendors
 - Push notifications (web/mobile)
-

□ Folder Structure (for Next.js)

```
/app
  /dashboard
  /events
  /auth
  /components
  /context
  /i18n
  layout.tsx
  page.tsx

/lib
/middleware
/models
/pages/api
/public
/styles
.env.local
```

□ Final Notes

This improved version of the Kidzapp-inspired platform is optimized for SEO, performance, user accessibility, and international reach. It is designed to be scalable and modular while offering monetization capabilities for both direct and affiliate-based models.

You can build this using either traditional **MERN** or modern **Next.js + MongoDB** stack for maximum flexibility and performance.

Database Schema Documentation

This document outlines the **MongoDB schema** for the Kidzapp Clone project using either **MERN** or **Next.js + MongoDB** architecture.

Users Collection (users)

```
{
  _id: ObjectId,
  name: String,
  email: String,
  passwordHash: String,
  roles: [ObjectId], // Refers to roles collection
  isApproved: Boolean,
  profileImage: String,
  preferredLanguage: "en" | "ar",
  preferredCurrency: "AED" | "EGP" | "USD" | "CAD",
  vendorProfile: {
    companyName: String,
    businessLicense: String,
    payoutAccount: String
  },
  timezone: String,
  loginProvider: String,
  isEmailVerified: Boolean,
  createdAt: Date,
  updatedAt: Date
}
```

□ Roles Collection (`roles`)

```
{
  _id: ObjectId,
  name: "admin" | "vendor" | "customer",
  permissions: ["event:create", "user:approve", "dashboard:view"]
}
```

□ Events Collection (`events`)

```
{
  _id: ObjectId,
  title: String,
  description: String,
  category: String,
  type: "Event" | "Course" | "Venue",
  venueType: "Indoor" | "Outdoor",
  ageRange: [Number, Number],
  location: {
    city: String,
    address: String,
    coordinates: { lat: Number, lng: Number }
  },
  vendorId: ObjectId,
  price: Number,
  currency: String,
  isApproved: Boolean,
  affiliateCode: String,
  tags: [String],
  dateSchedule: [
    {
      date: Date,
      availableSeats: Number,
      price: Number
    }
  ],
  seoMeta: {
    title: String,
    description: String,
    keywords: [String]
  },
  faqs: [
    {
      question: String,
      answer: String
    }
  ],
  viewsCount: Number,
  isFeatured: Boolean,
  images: [String],
  isDeleted: Boolean,
  createdAt: Date,
```



```
    updatedAt: Date
  }
}
```

□ Orders Collection (orders)

```
{
  _id: ObjectId,
  userId: ObjectId,
  items: [
    {
      itemId: ObjectId,
      name: String,
      quantity: Number,
      price: Number,
      currency: String
    }
  ],
  totalCost: Number,
  currency: String,
  paymentStatus: "pending" | "paid" | "failed",
  affiliateCode: String,
  couponUsedId: ObjectId,
  trackingId: String,
  refundedAmount: Number,
  createdAt: Date
}
```

□ Payment Transactions (payments)

```
{
  _id: ObjectId,
  userId: ObjectId,
  orderId: ObjectId,
  gateway: "Stripe" | "PayPal" | "Razorpay",
  amount: Number,
  currency: String,
  paymentStatus: "pending" | "completed" | "refunded" | "failed",
  transactionId: String,
  paidAt: Date
}
```

□ Affiliate Logs Collection (affiliates)

```
{
  _id: ObjectId,
  affiliateCode: String,
  referrerUserId: ObjectId,
  eventId: ObjectId,
  clicks: Number,
  conversions: Number,
  commissionEarned: Number,
  lastUpdated: Date
}
```

□ Submissions/Requests (submissions)

```
{
  _id: ObjectId,
  userId: ObjectId,
  type: "event" | "support" | "vendor",
  status: "pending" | "approved" | "rejected",
  message: String,
  submittedAt: Date
}
```

☐ Analytics Collection (Optional)

```
{
  _id: ObjectId,
  eventId: ObjectId,
  views: Number,
  uniqueVisitors: Number,
  shares: Number,
  sourceChannel: String,
  date: Date
}
```

☐ Contact/Leads Collection (contacts)

```
{
  _id: ObjectId,
  name: String,
  email: String,
  phone: String,
  message: String,
  status: "new" | "read" | "archived",
  createdAt: Date
}
```

☐ Blog Posts Collection (blogPosts)

```
{
  _id: ObjectId,
  title: String,
  slug: String,
  authorId: ObjectId,
  content: {
    en: String,
    ar: String
  },
  featuredImage: String,
  tags: [String],
  categories: [String],
  isPublished: Boolean,
  publishedAt: Date,
  seoMeta: {
    title: String,
    description: String,
    keywords: [String]
  },
  createdAt: Date,
  updatedAt: Date
}
```

□ Blog Comments Collection (blogComments)

```
{
  _id: ObjectId,
  postId: ObjectId,
  userId: ObjectId,
  comment: String,
  isApproved: Boolean,
  createdAt: Date,
  updatedAt: Date
}
```

□ Reviews Collection (reviews)

```
{
  _id: ObjectId,
  userId: ObjectId,
  eventId: ObjectId,
  rating: Number,
  comment: String,
  isVerified: Boolean,
  likesCount: Number,
  isFlagged: Boolean,
  createdAt: Date
}
```

☐ Currencies and Rates (currencies)

```
{
  _id: ObjectId,
  base: String,
  rates: {
    AED: Number,
    EGP: Number,
    CAD: Number,
    USD: Number
  },
  updatedAt: Date
}
```

☐ Languages (Translations) Collection (Optional)

```
{
  _id: ObjectId,
  namespace: String,
  key: String,
  translations: {
    en: String,
    ar: String
  }
}
```

❑ Coupons Collection (coupons)

```
{
  _id: ObjectId,
  code: String,
  type: "percentage" | "fixed",
  value: Number,
  applicableTo: [ObjectId],
  validTill: Date,
  createdBy: ObjectId
}
```

❑ Saved Items Collection (savedItems)

```
{
  _id: ObjectId,
  userId: ObjectId,
  itemType: "event" | "course" | "product",
  itemId: ObjectId,
  createdAt: Date
}
```

❑ Notifications (notifications)

```
{
  _id: ObjectId,
  userId: ObjectId,
  type: "booking" | "admin",
  message: String,
  isRead: Boolean,
  createdAt: Date
}
```

✉ Audit Logs (auditLogs)

```
{
  _id: ObjectId,
  userId: ObjectId,
  action: String,
  targetId: ObjectId,
  targetType: String,
  timestamp: Date,
  metadata: Object
}
```

□ Login Attempts (loginAttempts)

```
{
  _id: ObjectId,
  userId: ObjectId,
  ipAddress: String,
  attemptType: "login" | "forgot_password",
  count: Number,
  lastAttempt: Date
}
```

□ User Sessions (userSessions)

```
{
  _id: ObjectId,
  userId: ObjectId,
  sessionToken: String,
  deviceInfo: String,
  ipAddress: String,
  isActive: Boolean,
  createdAt: Date,
  expiresAt: Date
}
```

□ AB Tests (abTests)

```
{
  _id: ObjectId,
  name: String,
  variantA: Object,
  variantB: Object,
  targetAudience: String,
  startDate: Date,
  endDate: Date,
  metricsTracked: [String]
}
```

⚠ Reports Collection (reports)

```
{
  _id: ObjectId,
  reportedBy: ObjectId,
  targetType: "user" | "event" | "review",
  targetId: ObjectId,
  reason: String,
  status: "pending" | "resolved" | "ignored",
  createdAt: Date
}
```

□ Feature Flags (featureFlags)

```
{
  _id: ObjectId,
  key: String,
  isEnabled: Boolean,
  userSegment: String,
  updatedAt: Date
}
```

□ Vendor Payouts (payouts)

```
{
  _id: ObjectId,
  vendorId: ObjectId,
  amount: Number,
  currency: String,
  status: "pending" | "approved" | "paid",
  payoutMethod: "bank_transfer" | "wallet",
  requestedAt: Date,
  paidAt: Date
}
```

□ CMS Pages (cmsPages)

```
{
  _id: ObjectId,
  slug: String,
  content: {
    en: String,
    ar: String
  },
  isPublished: Boolean,
  updatedAt: Date
}
```

□ Media Library (media)

```
{
  _id: ObjectId,
  uploaderId: ObjectId,
  url: String,
  type: "image" | "video",
  context: "event" | "profile" | "blog",
  altText: String,
  publicId: String,
  createdAt: Date
}
```

□ Refund Requests (refundRequests)

```
{
  _id: ObjectId,
  userId: ObjectId,
  orderId: ObjectId,
  reason: String,
  status: "requested" | "approved" | "rejected" | "processed",
  requestedAt: Date,
  processedAt: Date
}
```

Let me know if you need **ER diagrams**, **Mongoose models**, or **access control logic examples** next!