

TipTap Editor Usage Guide

Overview

The TipTap rich text editor is now integrated into your blog system, providing a modern WYSIWYG editing experience. This guide explains how to use all features of the editor.

Accessing the Editor

Admin Blog Page

1. Open your browser and navigate to: `http://localhost:3000/admin/blogs`
2. Click "**Create Blog**" button to create a new blog, OR
3. Click "**Edit**" button on an existing blog

The Editor Interface

The editor consists of two main parts:

1. **Toolbar** (top) - Contains all formatting and media buttons
2. **Content Area** (bottom) - Where you write your blog content

Text Formatting

Basic Formatting

Located in the **first section** of the toolbar:

Button	Action	Shortcut
B (Bold icon)	Make text bold	Ctrl/Cmd + B
<i>I</i> (Italic icon)	Make text italic	Ctrl/Cmd + I
<u><u>U</u></u> (Underline icon)	Underline text	Ctrl/Cmd + U
§ (Strikethrough icon)	Strike through text	Ctrl/Cmd + Shift + X
<code></></code> (Code icon)	Format as inline code	Ctrl/Cmd + E

How to use:

1. Select the text you want to format
2. Click the formatting button
3. Or use keyboard shortcuts while typing

Example:

```
Type: This is important text
Select "important"
Click Bold button
Result: This is important text
```

Headings

Located in the **second section** of the toolbar:

Button	Creates	Use For
H1	Large heading	Main title, major sections
H2	Medium heading	Subsections
H3	Small heading	Minor sections, sub-topics

How to use:

1. Place cursor on the line you want to convert
2. Click H1, H2, or H3 button
3. The entire line becomes a heading

Example:

```
Type: Introduction
Click H2 button
Result: ## Introduction (large, bold text)
```

Keyboard shortcuts:

- H1: Ctrl/Cmd + Alt + 1
- H2: Ctrl/Cmd + Alt + 2
- H3: Ctrl/Cmd + Alt + 3

Lists

Located in the **third section** of the toolbar:

Bullet List

- Click the **bullet list icon** (three dots with lines)
- Each line becomes a bullet point
- Press Enter to create new bullet
- Press Enter twice to exit list

Example:

```
Click bullet list button
Type: First item [Enter]
Type: Second item [Enter]
Type: Third item
```

Result:

- First item
- Second item
- Third item

Numbered List

- Click the **numbered list icon** (1,2,3 with lines)
- Each line gets a number
- Numbers auto-increment

Example:

```
Click numbered list button
Type: Step one [Enter]
Type: Step two [Enter]
Type: Step three
```

Result:

1. Step one
2. Step two
3. Step three

Blockquote

- Click the **quote icon** (quotation marks)
- Creates an indented, stylized quote block

Example:

```
Click blockquote button
Type: "The only way to do great work is to love what you do."
```

Result:

```
"The only way to do great work is to love what you do."
```

Text Alignment

Located in the **fourth section** of the toolbar:

Icon	Alignment	Use For
Left align	Left	Default, normal text
Center align	Center	Titles, centered quotes
Right align	Right	Signatures, dates
Justify	Full width	Formal documents

How to use:

1. Place cursor in the paragraph
2. Click alignment button
3. Entire paragraph aligns

Adding Images

You have **TWO OPTIONS** for adding images:

Option 1: Upload Image from Computer

Located in the **fifth section** (media buttons):

1. Click the **Upload icon** (first icon in media section)
2. Select an image file from your computer
 - Supported formats: JPG, JPEG, PNG, WebP, GIF
 - Max size: 5MB (configurable)
3. Wait for upload to complete
4. Image appears in your content automatically

What happens:

- Image is uploaded to Cloudinary
- Stored in `gema/blogs/content/` folder
- Optimized for web automatically
- Responsive and mobile-friendly

Example Flow:

```
1. Write some text
2. Click Upload icon (upload button)
3. Choose "beach-photo.jpg" from your computer
4. Wait 2-3 seconds
5. See "Image uploaded successfully" toast
6. Image appears in content
```

Option 2: Insert Image from URL

1. Click the **Image icon** (second icon in media section)
2. Enter image URL in the prompt box
 - Example: `https://example.com/image.jpg`
3. Click OK
4. Image appears in your content

Example:

```
Click Image URL button
Popup appears: "Enter image URL:"
Type: https://picsum.photos/800/400
Click OK
Image appears
```

Image Features:

- ☒ Automatically responsive
- ☒ Rounded corners
- ☒ Proper spacing (margin top/bottom)
- ☒ Click and drag to reposition (in some browsers)

Adding Videos

You have **TWO OPTIONS** for adding videos:

Option 1: Upload Video from Computer

Located in media section:

1. Click the **Red Upload icon** (video upload)
2. Select a video file from your computer
 - Supported formats: MP4, WebM, MOV
 - Max size: Configured in backend (default 5MB)
3. Wait for upload to complete
4. Video player appears in your content

What happens:

- Video is uploaded to Cloundinary
- Stored in `gema/blogs/content/` folder
- Converted to web-optimized format
- HTML5 video player embedded

Example Flow:

```
1. Click Red Upload icon (video upload)
2. Choose "tutorial.mp4" from your computer
3. Wait for upload (may take 10-30 seconds for large videos)
4. See "Video uploaded successfully" toast
5. Video player appears with controls
```

Video Player Features:

- ☒ Play/Pause controls
- ☒ Volume control
- ☒ Fullscreen option
- ☒ Responsive sizing
- ☒ Rounded corners

Option 2: Embed YouTube Video

1. Go to YouTube and copy the video URL
2. Click the **YouTube icon** (in media section)
3. Paste the YouTube URL in the prompt
 - Accepts formats:
 - `https://www.youtube.com/watch?v=VIDEO_ID`
 - `https://youtu.be/VIDEO_ID`
 - Just the VIDEO_ID
4. Click OK
5. YouTube video embed appears

Example:

```
Copy YouTube URL: https://www.youtube.com/watch?v=dQw4w9WgXcQ
Click YouTube icon
Popup appears: "Enter YouTube URL:"
Paste: https://www.youtube.com/watch?v=dQw4w9WgXcQ
Click OK
YouTube embed appears (responsive 16:9 player)
```

YouTube Embed Features:

- ☒ Responsive 16:9 aspect ratio
 - ☒ Rounded corners
 - ☒ Click to play
 - ☒ Full YouTube controls
-

Adding Links

Located in the media section:

Add a Link

1. Select the text you want to link
2. Click the **Link icon** (chain link)
3. Enter the URL in the prompt
 - Example: `https://example.com`
4. Click OK
5. Text becomes a clickable link

Example:

```
Type: Visit our website
Select "our website"
Click Link icon
Popup: "Enter URL:"
Type: https://kidrove.com
Click OK
Result: Visit [our website](https://kidrove.com) (blue, underlined)
```

Edit a Link

1. Click on the linked text
2. Click Link icon again
3. Modify the URL
4. Click OK

Remove a Link

1. Click on the linked text
2. Click Link icon
3. Delete the URL (leave blank)
4. Click OK
5. Link is removed, text remains

Link Styling:

- Blue color (#3B82F6)
- Underlined
- Hover effect (darker blue)

Inserting Custom HTML

When to Use This Feature

The HTML insertion feature allows you to paste complete, styled HTML content directly into your blog. This is perfect for:

- **Landing pages** - Complex layouts with multiple sections
- **Styled content** - Pre-designed content with specific colors, spacing, and layouts
- **Email-style templates** - Newsletter-like content with boxes and cards
- **Complex layouts** - Multi-column designs, grid galleries, sticky sidebars
- **Pre-built components** - Tip boxes, call-to-action buttons, testimonial cards

How to Insert HTML

Located in the **Media section** of the toolbar (Code2 icon: `</>`):

Step-by-Step:

1. Click the **Code2 icon** (`</>`) in the toolbar
2. Modal window opens titled "Insert HTML Content"
3. Paste your HTML code in the large textarea
4. Click **"Insert HTML"** button
5. Your styled content appears in the editor immediately

Keyboard shortcuts: None (use toolbar button)

What HTML is Supported

☒ FULLY SUPPORTED (All Working)

Inline Styles:

- All CSS properties via `style="..."` attributes
- Colors, fonts, spacing, borders, shadows, gradients
- **Modern layouts:** Flexbox (`display: flex; gap: 20px`)
- **CSS Grid:** Responsive galleries (`display: grid; grid-template-columns: repeat(auto-fit, minmax(200px, 1fr))`)
- **Advanced positioning:** `position: sticky, position: relative/absolute`

HTML Elements:

- **Semantic tags:** `<main>`, `<aside>`, `<nav>`, `<article>`, `<section>`
- **Structure:** `<div>`, `<span>`, `<p>`, **all heading levels**
- **Text formatting:** `<strong>`, `<em>`, `<u>`, `<s>`, `<code>`
- **Lists:** `<ul>`, `<ol>`, `<li>`
- **Links:** `<a href="...">` with inline styles
- **Images:** `<img>` with absolute URLs
- **Blockquotes:** `<blockquote>`

Media & Embeds:

- External images (Google Photos, Cloudinary URLs, etc.)
- Instagram iframes (may need testing - see troubleshooting)
- YouTube embeds (use YouTube button for better compatibility)
- HTML5 video tags

Responsive Design:

- Flexbox with `flex-wrap: wrap`
- CSS Grid with `auto-fit` and `minmax()`
- Media-query-style inline responsiveness

☒ NOT SUPPORTED (Will Be Stripped/Ignored)

Document Structure:

- `<!DOCTYPE html>` declarations
- `<html>`, `<head>`, `<body>` tags
- `<title>`, `<meta>` tags

External Resources:

- `<link rel="stylesheet">` (external CSS files)
- `<style>` blocks in document head
- CSS class names without global definitions

Security Restrictions:

- `<script>` tags (removed automatically)
- `onclick`, `onload`, and other event handlers
- JavaScript of any kind
- Some iframe sources (security policy dependent)

Example: Pottery Workshop Page (Real-World Use Case)

☒ THIS HTML STYLE IS FULLY SUPPORTED

Here's a complete example demonstrating the FULL POWER of HTML insertion with inline styles:

Supported Features (All Working in This Example):

- ☒ **Flexbox layout** - Main content + sticky sidebar (`display: flex; flex-wrap: wrap; gap: 50px`)
- ☒ **CSS Grid galleries** - Responsive image grids (`display: grid; grid-template-columns: repeat(auto-fit, minmax(200px, 1fr))`)
- ☒ **Sticky positioning** - Table of contents that follows scroll (`position: sticky; top: 40px`)

- ☒ **Styled components** - Colored tip boxes with borders and backgrounds
- ☒ **Instagram embeds** - iframe embeds (test first, may be restricted)
- ☒ **External images** - Google Photos URLs
- ☒ **Complex styling** - Borders, shadows, rounded corners, hover effects
- ☒ **Semantic HTML** - <main>, <aside>, <nav> for structure
- ☒ **Call-to-action buttons** - Styled links with inline CSS

HTML Code Snippet (Ready to Use):

```
<!-- Main Wrapper with Flexbox -->
<div style="max-width: 1100px; margin: 0 auto; padding: 40px 20px; display: flex; flex-wrap: wrap; gap: 50px; position: relative;">

  <!-- Main Content Area -->
  <main style="flex: 1; min-width: 300px;">
    <h1 id="title" style="color: #111111; font-size: 2.5rem; border-bottom: 1px solid #e5e7eb; padding-bottom: 1rem; margin-top: 0; margin-bottom: 1rem; line-height: 1.3;">
      Why Kids Love Pottery Workshops in Malls
    </h1>

    <!-- Styled Tip Box -->
    <div style="padding: 20px 25px; border-radius: 0 8px 8px 0; margin-bottom: 1.5rem; position: relative; background-color: #ecfdf5; border-left: 5px solid #10b981;">
      <h4 style="color: #047857; margin-top: 0; margin-bottom: 8px; text-transform: uppercase; font-size: 0.9rem; letter-spacing: 0.05em; font-weight: 700;">
        ☒ DO: Plan Ahead
      </h4>
      <p style="margin-bottom: 0;">Weekends can be busy. Book online to avoid disappointment.</p>
    </div>

    <!-- Location Card with Grid Gallery -->
    <div style="background: #fff; border: 1px solid #e5e7eb; border-radius: 12px; padding: 25px; margin-bottom: 40px; box-shadow: 0 4px 6px rgba(0,0,0,0.02);">
      <h3 style="color: #111111; margin-top: 0; margin-bottom: 1rem; font-size: 1.25rem; font-weight: 600;">
        1. Bedia Pottery Classes
      </h3>
      <span style="font-style: italic; color: #666; margin-bottom: 15px; display: block; font-size: 0.9rem;">
        📍 Dubai Warehouse, Al Khayat Avenue - 10 19 Street - Al Quoz - Dubai
      </span>

      <!-- CSS Grid for Images -->
      <div style="display: grid; grid-template-columns: repeat(auto-fit, minmax(200px, 1fr)); gap: 15px; margin-top: 20px;">
        <div style="height: 200px; overflow: hidden; border-radius: 8px; box-shadow: 0 2px 4px rgba(0,0,0,0.1);">
          
        </div>
      </div>
    </div>

    <!-- Call-to-Action Button -->
    <div style="text-align: center; margin-top: 40px;">
      <a href="#" style="display: inline-block; background-color: #E07A5F; color: white; padding: 12px 24px; border-radius: 6px; font-weight: bold; text-align: center; text-decoration: none;">
        Visit KidRove Today
      </a>
    </div>
  </main>

  <!-- Sticky Table of Contents Sidebar -->
  <aside style="width: 250px; min-width: 200px; flex-shrink: 0; display: block; position: sticky; top: 40px; height: fit-content; border-left: 2px solid #e5e7eb; padding-left: 20px;">
    <h4 style="margin-top: 0; margin-bottom: 15px; font-size: 0.85rem; text-transform: uppercase;">
```

```
letter-spacing: 0.05em; color: #666; ">
    On this page
  </h4>
  <nav>
    <ul style="list-style: none; padding: 0; margin: 0;">
      <li style="margin-bottom: 10px;">
        <a href="#introduction" style="color: #555; font-size: 0.95rem; text-decoration: none;
display: block;">
          Introduction
        </a>
      </li>
      <li style="margin-bottom: 10px;">
        <a href="#benefits" style="color: #555; font-size: 0.95rem; text-decoration: none;
display: block;">
          Learning Benefits
        </a>
      </li>
    </ul>
  </nav>
</aside>
</div>
```

How to Use This Exact HTML:

1. **Remove** <body> opening tag (if present)
2. **Remove** </body> closing tag (if present)
3. **Copy** everything between them
4. Click **Code2 button** (</>) in TipTap toolbar
5. **Paste** the content into the modal textarea
6. Click **"Insert HTML"**
7. **Complex HTML Detected!** - A confirmation dialog will appear
8. Click **OK** to use **Raw HTML Mode** (recommended for pottery workshop HTML)
9. ☒ Your content is saved and will render perfectly with all styles!

Important: When using Raw HTML mode:

- ☒ ALL features preserved (iframes, flexbox, grid, sticky positioning, semantic tags)
- ☒ Content renders exactly as designed on the blog page
- ⚠️ Toolbar editing is disabled for this content (edit the raw HTML directly if needed)
- 🛡️ Still secured with DOMPurify sanitization (scripts removed, XSS prevention)

Security Notice

HTML content is **automatically sanitized** for security:

Removed for Safety:

- <script> tags and JavaScript code
- Event handlers (onclick, onload, onerror, etc.)
- Potentially dangerous attributes
- Some iframe sources (depending on security policy)

What Stays:

- Inline styles (all CSS properties)
- Safe HTML tags (divs, headings, paragraphs, links, images)
- Structure and layout
- External image URLs

This ensures your blog remains secure while allowing rich, styled content.

Troubleshooting

Problem: Styles not appearing

Solution: Use inline `style="..."` attributes, not CSS classes. CSS classes only work if defined globally in your app.

Problem: Layout looks broken

Solution: Remove <html>, <head>, <body> tags. Paste only the inner content (divs, sections, etc.).

Problem: Images not loading

Solution: Use absolute URLs (starting with `https://`). Relative paths won't work. Upload images to media library first if needed.

Problem: Instagram iframes not showing

Cause: TipTap sanitizer may restrict iframes for security.

Solution: Test first. If blocked, replace with static images linking to Instagram posts:

```
<a href="https://www.instagram.com/p/POST_ID/" target="_blank">
  
</a>
```

Problem: Complex grids/layouts look distorted

Solution: Test in smaller chunks. Simplify grid configurations if needed. Use `minmax(200px, 1fr)` for better responsiveness.

Problem: Sticky positioning not working

Cause: TipTap's prose classes may override `position: sticky`.

Solution:

- Add `!important: style="position: sticky !important; top: 40px !important;"`
- Test in blog preview mode to see actual rendering

Problem: Fonts not matching

Solution: Specify font families inline: `style="font-family: 'Inter', 'Segoe UI', system-ui, sans-serif;"`

Problem: Colors look different

Solution: Use hex codes (`#111111`) or RGB values (`rgb(17, 17, 17)`) for consistent colors.

Bubble Menu

When you **select any text**, a floating menu appears with quick actions:

Button	Action
Bold	Make selection bold
Italic	Make selection italic
Link	Add/edit link on selection

How to use:

1. Select any text with your mouse
2. Bubble menu appears above selection
3. Click any button for instant formatting
4. Menu disappears when you click elsewhere

Example:

```
Type: This is important information
Drag mouse to select "important information"
Bubble menu appears
Click "Bold" in bubble menu
Selection becomes bold
```

Undo & Redo

Located in the **last section** of the toolbar:

Icon	Action	Shortcut
← (Undo)	Undo last action	Ctrl/Cmd + Z
→ (Redo)	Redo last undone action	Ctrl/Cmd + Shift + Z

Example:

Type some text
Click Bold button
Text becomes bold
Click Undo
Text returns to normal
Click Redo
Text becomes bold again

Complete Workflow Examples

Example 1: Creating a Blog Post with Everything

1. CREATE TITLE
 - **Type:** "10 Best Activities for Kids in 2024"
 - Select the line
 - Click H1 button
2. ADD INTRODUCTION
 - Type your intro paragraph
 - Select first sentence
 - Click Italic button
3. ADD A SECTION
 - **Type:** "Outdoor Activities"
 - Select it
 - Click H2 button
4. ADD A LIST
 - Click Bullet List button
 - **Type:** "Swimming"
 - Press Enter
 - **Type:** "Hiking"
 - Press Enter
 - **Type:** "Cycling"
5. ADD AN IMAGE
 - Click Upload Image icon
 - Select "kids-outdoor.jpg"
 - Wait **for** upload
 - Image appears
6. ADD VIDEO
 - Click YouTube icon
 - **Paste:** <https://www.youtube.com/watch?v=example>
 - Video embed appears
7. ADD QUOTE
 - Click Blockquote button
 - **Type:** "Children learn as they play."
8. ADD LINK
 - **Type:** "Learn more on our activities page"
 - Select "activities page"
 - Click Link icon
 - **Enter:** <https://kidrove.com/activities>
9. REVIEW
 - Use Undo **if** you make mistakes
 - Scroll through content
 - Click "Preview" to see how it looks
10. SAVE
 - Click "Save as Draft" or "Publish"

Example 2: Formatting Existing Text

Already have text? Here's how to format it:

Original Text:

Introduction
Welcome to our blog about kids activities. We have many fun ideas.
Visit our website for more."

Steps:

1. **Select "Introduction"**
→ Click H2
2. **Select "kids activities"**
→ Click Bold
3. **Select "many fun ideas"**
→ Click Italic
4. **Select "Visit our website"**
→ Click Link icon
→ Enter URL

Result:

Introduction
Welcome to our blog about ****kids activities****. We have **many fun ideas**.
[Visit our website](https://example.com) **for** more.

Example 3: Creating a Tutorial with Images

1. Title
 - Type: "How to Setup Your Account"
 - Make it H1
2. Step 1
 - Type: "Step 1: Create Account"
 - Make it H2
 - Type instructions
 - Upload screenshot-1.jpg
3. Step 2
 - Type: "Step 2: Verify Email"
 - Make it H2
 - Type instructions
 - Upload screenshot-2.jpg
4. Step 3
 - Type: "Step 3: Complete Profile"
 - Make it H2
 - Type instructions
 - Upload screenshot-3.jpg
5. Add Video Tutorial
 - Type: "Watch this video for a complete walkthrough:"
 - Click YouTube icon
 - Paste tutorial video URL

Keyboard Shortcuts Cheat Sheet

Action	Windows/Linux	Mac
Bold	Ctrl + B	Cmd + B
Italic	Ctrl + I	Cmd + I
Underline	Ctrl + U	Cmd + U
Strikethrough	Ctrl + Shift + X	Cmd + Shift + X
Code	Ctrl + E	Cmd + E
Heading 1	Ctrl + Alt + 1	Cmd + Alt + 1
Heading 2	Ctrl + Alt + 2	Cmd + Alt + 2
Heading 3	Ctrl + Alt + 3	Cmd + Alt + 3

Bullet List	Ctrl + Shift + 8	Cmd + Shift + 8
Numbered List	Ctrl + Shift + 7	Cmd + Shift + 7
Blockquote	Ctrl + Shift + B	Cmd + Shift + B
Undo	Ctrl + Z	Cmd + Z
Redo	Ctrl + Shift + Z	Cmd + Shift + Z

Tips & Best Practices

1. Content Structure

- ☒ DO:
- Use H1 for main title (once per blog)
 - Use H2 for major sections
 - Use H3 for subsections
 - Add images every 2-3 paragraphs
 - Break long text into lists
- ☒ DON'T:
- Use multiple H1 tags
 - Write long paragraphs without breaks
 - Add too many images (slows page)
 - Forget to add alt text (accessibility)

2. Image Best Practices

- ☒ DO:
- Use high-quality images (min 800px width)
 - Compress images before upload
 - Use relevant images only
 - Test on mobile devices
- ☒ DON'T:
- Upload huge files (>2MB)
 - Use blurry/pixelated images
 - Add too many images
 - Use copyrighted images without permission

3. Video Best Practices

- ☒ DO:
- Prefer YouTube embeds (faster loading)
 - Keep uploaded videos short (<2 min)
 - Compress videos before upload
 - Test video playback
- ☒ DON'T:
- Upload very large video files
 - Add multiple uploaded videos (use YouTube)
 - Use videos without permission
 - Forget to test on mobile

4. Writing Tips

- ☒ DO:
- Write in short paragraphs
 - Use bullet points for lists
 - Add links to relevant pages
 - Preview before publishing
- ☒ DON'T:
- Write walls of text
 - Overuse bold/italic
 - Add too many links
 - Skip proofreading

Troubleshooting

Problem: Image won't upload

Solution:

1. Check file size (must be <5MB)
2. Check file format (JPG, PNG, WebP, GIF only)
3. Check internet connection
4. Try again in 30 seconds
5. Try using Image URL instead

Problem: Video upload fails

Solution:

1. Video may be too large (check size limit)
2. Format may not be supported (use MP4)
3. Try uploading to YouTube first
4. Use YouTube embed option instead

Problem: YouTube embed not working

Solution:

1. Verify URL is correct YouTube link
2. Check if video is public (not private)
3. Try different URL format
4. Copy URL from browser address bar

Problem: Can't see toolbar buttons

Solution:

1. Scroll up in the editor
2. Check browser zoom (should be 100%)
3. Refresh the page
4. Try different browser

Problem: Text formatting not applying

Solution:

1. Make sure text is selected
2. Try clicking button again
3. Use keyboard shortcut instead
4. Refresh and try again

Problem: Link not clickable in preview

Solution:

- Links are clickable after publishing
- In editor, links show blue color but aren't clickable
- Preview published blog to test

Content Migration

If You Have Existing Blogs

Your existing blogs will continue to work! The system supports:

- Plain HTML content
- Legacy blog format
- New TipTap format

To migrate existing blogs:

1. Edit an old blog
2. Content loads in TipTap editor
3. Make any changes you want
4. Save
5. Content is now in TipTap format

Automatic Migration:

Run this command to migrate all blogs at once:

```
cd backend
npx tsx src/scripts/migrateBlogContentToTipTap.ts
```

Advanced Features

Combining Formats

You can combine multiple formats:

```
Example: Bold + Italic + Underline
1. Type: "Important announcement"
2. Select text
3. Click Bold
4. With text still selected, click Italic
5. With text still selected, click Underline
Result: ***<u>Important announcement</u>***
```

Nested Lists

Create sub-lists by pressing Tab:

```
1. Main item
  [Press Tab]
  - Sub item 1
  - Sub item 2
  [Press Shift+Tab to go back]
2. Main item 2
```

Image Positioning

Images are centered by default.

To adjust:

```
1. Click image in editor
2. Some browsers allow drag-to-resize
3. Use text before/after for context
```

Quick Reference Card

TOOLBAR LAYOUT:

[B] [I] [U] [S] [<>]	[H1] [H2] [H3]	[•] [1] ["]	[L] [C] [R] [J]	[Img] [Link] [Vid] [YT]	[↶] [↷]
Text Format	Headings	Lists	Alignment	Media	History

Media Buttons Detail:

-  = Upload Image
-  = Image URL
-  = Upload Video
-  = YouTube Embed
-  = Add Link
-  = Insert HTML (Code2 button - custom styled content)

Summary

The TipTap editor gives you complete control over your blog content without needing to know HTML. Use the toolbar buttons, keyboard shortcuts, and media upload features to create beautiful, engaging blog posts.

Remember:

- ☒ Experiment freely (you can always Undo)
- ☒ Preview before publishing
- ☒ Save drafts frequently

- ☒ Use images and videos to enhance content
- ☒ Keep content well-structured with headings
- ☒ Use HTML insertion (Code2 button) for complex layouts with inline styles

Need Help?

- Check this guide
- Refer to BLOG_IMPLEMENTATION.md for technical details
- Test in draft mode before publishing

Happy blogging! 🍷