FinLedger Enterprise Banking & Payments API Guide

Version 3.4 of the FinLedger API provides programmatic access to corporate treasury accounts, ACH/SEPA/Wire transfers, commercial card issuing, real-time FX conversion, compliance KYC screening and webhook subscriptions.

Base URL

Send all API requests to `https://api.finledger.io/v3`. Request and response payloads are formatted as UTF-8 JSON.

Authentication

All requests must include an OAuth 2.0 Bearer JWT in the `Authorization` header: `Authorization: Bearer <access_token>`. Unauthenticated requests return `401 Unauthorized`.

Treasury Accounts

List treasury accounts

`GET /accounts`

Returns a paginated list of corporate treasury accounts across all operating currencies and legal entities.

Query parameters:

Parameter	In	Type	Required	Description
limit	query	integer	No	Maximum number of records to return per page (1-200). Defaults to 50.
cursor	query	string	No	Opaque pagination cursor from the previous response.
currency	query	string	No	Filter accounts by three-letter ISO 4217 currency code.
status	query	string	No	Filter accounts by operational status (active, frozen, closed).

Response 200 OK:

```
{
  "data": [
    {
      "id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
      "nickname": "EMEA Operating EUR",
      "currency": "EUR",
      "available_balance_cents": 48500000,
      "ledger_balance_cents": 49120000,
      "iban": "DE89370400440532013000",
      "routing_number": "021000021",
      "status": "active",
      "created_at": "2026-01-10T08:00:00Z"
    }
  ],
  "has_more": false,
  "next_cursor": "cur_acct_001"
}
```

Returns `401 Unauthorized` if the bearer token is missing or invalid.

Open a treasury account

`POST /accounts`

Opens a new multi-currency corporate sub-account under the authenticated organization and assigns a dedicated IBAN and routing number.

Request body:

Field	Type	Required	Description
nickname	string	Yes	Human-readable label for the sub-account.

Field	Type	Required	Description
currency	string	Yes	Three-letter ISO 4217 currency code.
entityId	string	Yes	Legal entity UUID that owns the account.
purpose	string	Yes	Treasury purpose classification.

Response 201 Created:

```
{
  "id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "nickname": "EMEA Operating EUR",
  "currency": "EUR",
  "available_balance_cents": 0,
  "ledger_balance_cents": 0,
  "iban": "DE89370400440532013000",
  "routing_number": "021000021",
  "status": "active",
  "created_at": "2026-01-10T08:00:00Z"
}
```

Error codes:

Status	Description
400	Validation failed on one or more request parameters.
409	An account with the same nickname and currency already exists.

Retrieve an account

`GET /accounts/{account_id}`

Retrieves real-time available balance, ledger balance and routing details for a specific treasury account.

Path parameters:

Parameter	In	Type	Required	Description
account_id	path	integer	Yes	Unique identifier of the treasury account.

Response 200 OK:

```
{
  "id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "nickname": "EMEA Operating EUR",
  "currency": "EUR",
  "available_balance_cents": 48500000,
  "ledger_balance_cents": 49120000,
  "iban": "DE89370400440532013000",
  "routing_number": "021000021",
  "status": "active",
  "created_at": "2026-01-10T08:00:00Z"
}
```

Returns `404 Not Found` if the account does not exist.

List ledger transactions

`GET /accounts/{account_id}/transactions`

Returns settled and pending ledger entries for the specified account in reverse chronological order.

Parameters:

Parameter	In	Type	Required	Description
account_id	path	string	Yes	Unique UUID identifier of the treasury account.
limit	query	integer	No	Maximum number of records to return per page.
min_amount_cents	query	float	No	Filter transactions with an absolute amount greater than or equal to this value.

Parameter	In	Type	Required	Description
direction	query	string	No	Filter by credit or debit ledger entries.

Response 200 OK:

```
{
  "data": [
    {
      "id": "txn_990182",
      "account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
      "amount_cents": 125000,
      "currency": "EUR",
      "direction": "debit",
      "counterparty_name": "CloudHost GmbH",
      "reference": "INV-2026-041",
      "posted_at": "2026-02-01T10:12:00Z"
    }
  ],
  "has_more": false
}
```

Returns `404 Not Found` if the account does not exist.

Outbound Transfers & Payments

List outbound transfers

`GET /transfers`

Lists ACH, SEPA and domestic/international wire transfers initiated by the organization.

Query parameters:

Parameter	In	Type	Required	Description
limit	query	integer	No	Maximum number of records to return per page.
cursor	query	string	No	Opaque pagination cursor from the previous response.
source_account	query	string	No	Only return transfers debited from this treasury account.
rail	query	string	No	Payment rail used for the transfer (ach, wire, sepa, swift).

Response 200 OK:

```
{
  "data": [
    {
      "id": "trf_55019283",
      "source_account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
      "amount_cents": 2500000,
      "currency": "USD",
      "rail": "wire",
      "status": "settled",
      "trace_number": "20260201B1Q8021C001928",
      "beneficiary": {
        "name": "Apex Logistics Inc",
        "bank_routing_number": "026009593",
        "account_number": "4401928371",
        "country": "US"
      },
      "created_at": "2026-02-01T14:20:00Z"
    }
  ],
  "has_more": false
}
```

Returns `401 Unauthorized` if the bearer token is missing.

Initiate a payment transfer

`POST /transfers`

Initiates an outbound ACH, SEPA or wire payment from a source treasury account to an external beneficiary. Funds are reserved immediately.

Parameters:

Parameter	In	Type	Required	Description
Idempotency-Key	query	string	No	UUID key preventing duplicate payment execution across retries.

Request body:

```
{
  "source_account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "amount": 2500000,
  "rail": "wire",
  "beneficiary": {
    "name": "Apex Logistics Inc",
    "routing_number": "026009593",
    "account_number": "4401928371",
    "country": "US"
  },
  "remittance_memo": "Settlement for Q1 Freight"
}
```

Response 201 Created:

```
{
  "id": "trf_55019283",
  "source_account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "amount_cents": 2500000,
  "currency": "USD",
  "rail": "wire",
  "status": "pending",
  "beneficiary": {
    "name": "Apex Logistics Inc",
    "bank_routing_number": "026009593",
    "account_number": "4401928371",
    "country": "US"
  },
  "created_at": "2026-02-01T14:20:00Z"
}
```

Possible errors: `400 Bad Request` on validation failure and `422 Unprocessable Entity` on insufficient balance or sanctions hold.

Retrieve a transfer

`GET /transfers/{transfer_id}`

Retrieves settlement status, IMAD/OMAD wire trace numbers and beneficiary details for a single transfer.

Path parameters:

Parameter	In	Type	Required	Description
transfer_id	path	string	Yes	Unique UUID identifier of the payment transfer.

Response 200 OK:

```
{
  "id": "trf_55019283",
  "source_account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "amount_cents": 2500000,
  "currency": "USD",
  "rail": "wire",
  "status": "settled",
  "trace_number": "20260201B1Q8021C001928",
  "beneficiary": {
    "name": "Apex Logistics Inc",
    "bank_routing_number": "026009593",
    "account_number": "4401928371",
```

```
    "country": "US"
  },
  "created_at": "2026-02-01T14:20:00Z"
}
```

Returns `404 Not Found` if the transfer does not exist.

Recall a transfer

`POST /transfers/{transfer_id}/recall`

Request body:

Field	Type	Required	Description
recall_reason	string	Yes	Reason code (duplicate_payment, fraudulent_origin, incorrect_amount).
notes	string	No	Additional operator notes.

Status codes:

Status	Description
202	Recall request accepted for clearing house processing.
409	Transfer has already settled and cannot be recalled automatically.

List ACH NACHA batches

`GET /transfers/ach-batches`

Returns raw NACHA batch files generated for overnight Federal Reserve settlement windows.

```
{
  "batches": [
    {
      "batch_id": "ach_b_20260201",
      "entry_count": 42,
      "total_debit_cents": 9100000
    }
  ]
}
```

Corporate Cards

List corporate cards

`GET /cards`

Lists virtual and physical commercial cards issued under the organization's treasury accounts.

Query parameters:

Parameter	In	Type	Required	Description
limit	query	integer	No	Maximum number of records to return per page.
cardholder_email	query	string	No	Filter cards assigned to a specific employee email address.
card_type	query	string	No	Filter by virtual or physical form factor.

Response 200 OK:

```
{
  "data": [
    {
      "id": "crd_771029",
      "account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
      "cardholder_name": "Elena Rostova",
      "cardholder_email": "elena@company.io",
      "card_type": "virtual",
      "masked_pan": "**** **** **** 4821",
      "expiry_month": 9,
      "expiry_year": 2029,
```

```
      "status": "active",
      "spending_limits": {
        "daily_limit_cents": 500000,
        "monthly_limit_cents": 2500000,
        "allowed_mcc_codes": ["5734", "7372"]
      }
    }
  ],
  "has_more": false
}
```

Issue a corporate card

`POST /cards`

Issues a new virtual or physical corporate card backed by a designated treasury account with configurable velocity limits.

Request body:

```
{
  "account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "cardholder_name": "Elena Rostova",
  "cardholder_email": "elena@company.io",
  "card_type": "virtual",
  "spending_limits": {
    "daily_limit_cents": 500000,
    "monthly_limit_cents": 2500000
  }
}
```

Response 200 OK:

```
{
  "id": "crd_771029",
  "account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "cardholder_name": "Elena Rostova",
  "cardholder_email": "elena@company.io",
  "card_type": "virtual",
  "card_number_last4": "4821",
  "expiry_month": 9,
  "expiry_year": 2029,
  "status": "active",
  "spending_limits": {
    "daily_limit_cents": 500000,
    "monthly_limit_cents": 2500000
  }
}
```

Returns `400 Bad Request` on invalid parameters.

Retrieve a corporate card

`GET /cards/{card_id}`

Retrieves metadata, spending velocity controls and current status of an issued corporate card.

Path parameters:

Parameter	In	Type	Required	Description
card_id	path	string	Yes	Unique UUID identifier of the corporate card.

Response 200 OK:

```
{
  "id": "crd_771029",
  "account_id": "8e10b2a4-6f91-4d32-9c12-71a4b90d1122",
  "cardholder_name": "Elena Rostova",
  "cardholder_email": "elena@company.io",
  "card_type": "virtual",
  "masked_pan": "**** **** **** 4821",
  "expiry_month": 9,
  "expiry_year": 2029,
```

```
  "status": "active",
  "spending_limits": {
    "daily_limit_cents": 500000,
    "monthly_limit_cents": 2500000
  }
}
```

Returns `404 Not Found` if the card does not exist.

FX & Treasury

Get live FX spot rates

`GET /fx/rates`

Returns real-time interbank foreign exchange mid-market and executable rates for a currency pair. This endpoint is public and does not require authentication.

Query parameters:

Parameter	In	Type	Required	Description
base_currency	query	string	Yes	Three-letter ISO 4217 sell currency code.
target_currency	query	string	Yes	Three-letter ISO 4217 buy currency code.

Response 200 OK:

```
{
  "quote_id": "fxq_109283",
  "base_currency": "EUR",
  "target_currency": "USD",
  "exchange_rate": 1.0842,
  "expires_at": "2026-02-01T14:25:30Z"
}
```

Lock an executable FX quote

`POST /fx/quotes`

Locks a guaranteed foreign exchange conversion rate for 30 seconds so the caller can execute a cross-currency transfer.

Request body:

Field	Type	Required	Description
base_currency	string	Yes	Sell currency code.
target_currency	string	Yes	Buy currency code.
sell_amount_cents	integer	Yes	Amount to convert in minor units.

Response 201 Created:

```
{
  "quote_id": "fxq_109283",
  "base_currency": "EUR",
  "target_currency": "USD",
  "exchange_rate": 1.0842,
  "buy_amount_cents": 1084200,
  "expires_at": "2026-02-01T14:25:30Z"
}
```

Compliance & Webhooks

Retrieve a KYC verification check

`GET /v1/compliance/kyc/{check_id}`

Retrieves the identity verification, beneficial ownership and sanctions screening result for an onboarding counterparty.

Path parameters:

Parameter	In	Type	Required	Description
check_id	path	string	Yes	Unique identifier of the KYC compliance check.

Response 200 OK:

```
{
  "id": "kyc_882716",
  "entity_name": "Nordic Freight AS",
  "status": "approved",
  "risk_rating": "low",
  "sanctions_hit": false,
  "verified_at": "2026-01-20T16:40:00Z"
}
```

Returns `404 Not Found` if the KYC check ID does not exist.

Register a webhook endpoint

`POST /v2/webhooks/endpoints`

Registers an HTTPS callback URL to receive signed real-time event notifications for transfers, ledger postings and card authorizations.

Request body:

```
{
  "url": "https://treasury.example.com/webhooks/finledger",
  "subscribed_events": ["transfer.settled", "card.authorized"],
  "description": "Production ERP listener"
}
```

Response 201 Created:

```
{
  "id": "wh_331920",
  "url": "https://treasury.example.com/webhooks/finledger",
  "signing_secret": "whsec_9918273645abcdef",
  "subscribed_events": ["transfer.settled", "card.authorized"],
  "active": true,
  "created_at": "2026-01-05T11:00:00Z"
}
```

Delete a webhook endpoint

`DELETE /webhooks/endpoints/{webhook_id}`

Temporarily pauses delivery to the webhook endpoint and retains all undelivered events in a holding queue for 7 days so they can be replayed later.

Path parameters:

Parameter	In	Type	Required	Description
webhook_id	path	string	Yes	Unique identifier of the webhook endpoint.

Status codes:

Status	Description
204	The webhook endpoint was deleted.
404	The webhook endpoint does not exist.