

Phase 9: Reporting, Dashboards & Security Review

1.Reports

Purpose:

To analyze and present Salesforce data for insights. Using reports, we can track project progress, carbon credits issued, and partner involvement.

Steps Completed:

1. Go to **Setup** → **Reports** → **New Report**.
2. Selected object: **Carbon_Credit__c**.
3. Applied **filter**: Status__c = 'Planned'.
4. Ran the report → **2 records** displayed.
5. Added relevant fields to display:
 - Name (Carbon Credit Name)
 - Project__c (Linked Project)
 - Date_Recorded__c
 - Credit_Amount__c
 - Status__c

Report Format Used:

- **Tabular**: Simple list showing 2 Planned records.

Observations:

- Report shows only records with Status__c = 'Planned'.
- Can later use **Summary, Matrix, or Joined formats** once more data is available to show grouped totals, trends by project, partner, or month.

The screenshot displays the Salesforce Reports interface. At the top, the navigation bar shows 'GreenFuture CRM' and various tabs like 'Sustainability Projects', 'Carbon Credits', 'Partners', 'Reports', and 'Dashboards'. The 'Reports' tab is active, showing a 'New Sustainability Projects Report' for the 'Sustainability Projects' object. The report is in 'Tabular' format and shows a list of 13 records. The table columns are 'Sustainability Project: Sustainability Project Name', 'Start Date', and 'Sustainability Project: ID'. The records are numbered 1 through 13, with the first record being 'Solar Farm Initiative' and the last being 'Project 10'. The interface includes a search bar, filters, and a 'Run' button.

	Sustainability Project: Sustainability Project Name	Start Date	Sustainability Project: ID
1	Solar Farm Initiative	01/10/2025	a00dM0000231VF7
2	a00dM000023FTyJ	26/09/2025	a00dM000023FTyJ
3	Project 1	28/09/2025	a00dM000023yN3
4	Project 1	18/09/2025	a00dM000023uOp8
5	Project 2	08/09/2025	a00dM000023uOpT
6	Project 3	29/08/2025	a00dM000023uOpU
7	Project 4	19/08/2025	a00dM000023uOpV
8	Project 5	09/08/2025	a00dM000023uOpW
9	Project 6	30/07/2025	a00dM000023uOpX
10	Project 7	20/07/2025	a00dM000023uOpY
11	Project 8	10/07/2025	a00dM000023uOpZ
12	Project 9	30/06/2025	a00dM000023uOpA
13	Project 10	20/06/2025	a00dM000023uOpB




Fig.9.1. Show applied filter




Fig.9.2. Total Records Page

2.Custom Report Types

Purpose:

Allow reports on specific object relationships or custom fields. In this case, we want to report on Carbon_Credit__c records.

Steps Completed:

1. Go to Setup → Report Types → New Custom Report Type.
2. **Primary Object:** Carbon_Credit__c.

3. **Related Object:** None selected → only Carbon Credit fields will be available in the report.
4. **Relationship:** Default (Each Carbon_Credit__c record may or may not have related records).
5. **Deployment Status:** Set to **Deployed**.
6. Saved the Custom Report Type.

Observations:

- Report shows only fields from **Carbon_Credit__c**.
- Since no related object was selected (like SustainabilityProject__c), **related project fields are not available**.

The image shows two screenshots of the Salesforce Lightning interface. The top screenshot displays the 'Custom Report Types' page with a list of 18 report types. The bottom screenshot shows the detailed view for the 'Carbon Credit Report'.

Custom Report Types List:

Label	Name	Description	Category	Created By	Created Date
Carbon Credit Report	Carbon_Credit_Report	Report of Carbon Credit Custom object	Other Report...	ESant	28/09/2025, 2:01 am
Login History for Experience Cloud Site	prn_total_portal_login_crt	Report on the login history of your Experience Cloud site users.	Other Report...	autopro	25/09/2025, 12:31 am
Orchestration Run Logs Spring '24	flow_orchestration_log_oott_crt_two_four_eight	Find out which orchestration run logs were created and what happened in ...	Other Report...	autopro	24/09/2025, 4:50 pm
Orchestration Runs Spring '24	flow_orchestration_run_oott_crt_two_four_eight	Find out which orchestration runs were created.	Other Report...	autopro	24/09/2025, 4:50 pm
Orchestration Stage Runs Spring '24	flow_orchestration_stage_run_oott_crt_two_four_eight	Find out which orchestration stage runs were created and the current status...	Other Report...	autopro	24/09/2025, 4:50 pm
Orchestration Step Runs Spring '24	flow_orchestration_step_run_oott_crt_two_four_eight	Find out which orchestration step runs were created and the current status...	Other Report...	autopro	24/09/2025, 4:50 pm
Orchestration Work Items Spring '24	flow_orchestration_work_item_oott_crt_two_four_eig...	Find out which orchestration work items were created, who's the associate...	Other Report...	autopro	24/09/2025, 4:50 pm
Partner Fund Requests	prn_partner_fund_request_crt	Report on market development fund requests from partners.	Other Report...	autopro	25/09/2025, 12:31 am
Partner Fund Requests and Partner Fund C	MDF_Claim_Request_Crt	Report on market development fund requests and fund claims from partne...	Other Report...	autopro	25/09/2025, 12:31 am
Partner Marketing Budgets	prn_partner_marketing_budget_crt	Report on your partner marketing budgets, including budget amounts per ...	Other Report...	autopro	25/09/2025, 12:31 am
Program Definition Spring '24	Program_Definition_stdSEsv60	Review your analytics with a program-like structure. See each program tas...	Other Report...	autopro	24/09/2025, 4:50 pm
Program Definition Summer '24	Program_Definition_stdSEsv61	Review your analytics with a program-like structure. See each program tas...	Other Report...	autopro	24/09/2025, 4:50 pm
Program Item Progress Spring '24	Program_Task_Progress_stdSEsv60	Report on tasks like exercises, milestones, and outcomes progress. Overall ...	Other Report...	autopro	24/09/2025, 4:50 pm
Program Item Progress Summer '24	Program_Task_Progress_stdSEsv61	Report on tasks like exercises, milestones, and outcomes progress. Overall ...	Other Report...	autopro	24/09/2025, 4:50 pm

Carbon Credit Report Details:

- Display Label:** Carbon Credit Report
- API Name:** Carbon_Credit_Report
- Description:** Report of Carbon Credit Custom object
- Created By:** Eshwari Santosh Lade, 9/28/25, 2:01 AM
- Store in Category:** other
- Deployment Status:** Deployed
- Modified By:** Eshwari Santosh Lade, 9/28/25, 2:01 AM

Object Relationships:

Carbon Credits (A)

↓

A

Fields:

Source Object	Included Fields
Carbon Credits	17



Fig.9.3. Custom Report Type Page

3.Dashboards

Purpose: Visualize reports in charts, gauges, metrics, and tables.

Steps:

1. Setup → Dashboards → **New Dashboard**.
2. Enter **Name** (e.g., Sustainability Dashboard) and select **Folder**.
3. Add **Components**:
 - Chart, Gauge, Metric, Table.
 - Link each component to a report (Credits Issued vs Sold).
4. Configure **Component Settings**:
 - Chart type (Bar, Pie, Line).
 - Data labels, grouping, filters.
5. Save → Refresh






Fig.9.4. Sustainability Dashboard

4.Sharing Settings

Purpose

- Define **how records are shared** among users in Salesforce.
- Ensure proper **data visibility and access control** while maintaining security.
- Supports compliance and auditing for **Carbon Credits** and **Sustainability Projects**.

Object	Public Read/Write	Private	Controlled by Parent
Service Territory	Public Read/Write	Private	✓
Shift	Private	Private	✓
Shipment	Private	Private	✓
Shipping Carrier	Public Read Only	Private	✓
Shipping Carrier Method	Public Read Only	Private	✓
Shipping Configuration Set	Public Read Only	Private	✓
Streaming Channel	Public Read/Write	Private	✓
Tableau Host Mapping	Public Read Only	Private	✓
User Provisioning Request	Private	Private	✓
Waitlist	Private	Private	✓
Web Cart Document	Private	Private	✓
Work Order	Private	Private	✓
Work Plan	Private	Private	✓
Work Plan Template	Private	Private	✓
Work Step Template	Private	Private	✓
Work Type	Private	Private	✓
Work Type Group	Public Read/Write	Private	✓
Carbon Credit	Public Read/Write	Private	✓
Partner	Public Read/Write	Private	✓
Project Partner	Controlled by Parent	Controlled by Parent	✓
Sustainability Project	Public Read/Write	Private	✓

Fig.9.5. OWD Setup of Sharing Settings

Grant Access Using Hierarchies ensures that managers can see records owned by their subordinates.

Carbon Credit and Sustainability Project objects are set to **Public Read/Write** internally but **Private externally**, securing sensitive data.




Fig.9.6. Sharing Rules Setup Page

Any **Carbon Credit** owned by a **Project Officer** is shared with the **Sustainability Manager**.

Access level **Read/Write** allows the manager to view and edit the record.

Key Observations from Org Settings

1. Most standard objects (Lead, Account, Opportunity) are **Public Read/Write internally** and **Private externally**.
2. Custom objects like **Carbon Credit** and **Sustainability Project** are **Public Read/Write internally**, allowing managers to view/edit records.
3. **Partner** and **Project Partner** objects use **Controlled by Parent**, ensuring access depends on the parent record.
4. Many objects are **Private**, emphasizing security for sensitive data like **Authorization Forms, Finance Transactions, and Scratch Org Info**.
5. **Sharing Rules complement OWD** to provide additional access without making the object fully public.

5.Field-Level Security (FLS)

Purpose

Field-Level Security (FLS) controls **which fields a user can see or edit** based on their profile. It is an essential part of Salesforce's **security and access model**, ensuring that sensitive data is visible only to authorized users. FLS helps enforce compliance, prevent unauthorized modifications, and maintain data integrity.

Key Points to Include

1. **Visibility Control:** Determines if a field is visible to a user for viewing.
2. **Edit Access:** Determines if a user can modify the field's value.
3. **Profile-Based:** Settings are configured per **profile**, so different users can have different access to the same object's fields.
4. **Overrides Page Layouts:** FLS can hide fields even if the page layout includes them.
5. **Security Compliance:** Ensures that auditors, managers, and operational users only access the fields they are authorized to see.
6. **Objects Covered:** Can be applied to both **standard and custom objects**, such as projects, accounts, or Carbon Credits.
7. **Implementation Steps (Generic):**
 - Navigate to **Setup → Object Manager → Select Object → Fields & Relationships**.
 - Click **Set Field-Level Security** on the desired field.
 - Configure **Visible** and **Read-Only** settings for profiles.
 - Save changes.

The screenshot shows the Salesforce Setup interface. The left sidebar contains navigation options like Setup, Home, and Object Manager. The main content area is titled 'Set Field-Level Security' and displays a table of security settings for the 'Analytics Cloud Security User' profile. The table has columns for 'Field Label', 'Status', 'Visible', and 'Read-Only'. The 'Analytics Cloud Security User' profile is highlighted in blue. The 'Visible' column shows checkmarks for all listed fields, and the 'Read-Only' column shows checkboxes.

Field Label	Status	Visible	Read-Only
Field Level Security for Profile			
Admin Profile		✓	☐
Analytics Cloud Integration User		✓	☐
Analytics Cloud Security User		✓	☐
Anypoint Integration		✓	☐
Auditor Profile		✓	☐
Authenticated Website		✓	☐
Authenticated Website		✓	☐
B2B Reordering Portal Buyer Profile		✓	☐
Contract Manager		✓	☐
Cross Org Data Proxy User		✓	☐
Custom: Marketing Profile		✓	☐
Custom: Sales Profile		✓	☐
Custom: Support Profile		✓	☐




Fig.9.7. Field Level Security

6.Session Settings

Purpose

Session Settings control how long users can stay logged in and enforce security policies on user sessions. Proper configuration helps **prevent unauthorized access** and ensures secure usage of Salesforce data.

Implementation Steps

1. Go to **Setup** → **Security** → **Session Settings**.
2. Configure the following options:
 - **Session Timeout:** Set the maximum inactive time before users are automatically logged out (e.g., 30 minutes).
 - **Lock sessions to IP ranges (optional):** Restrict sessions to trusted IP addresses to prevent access from unknown networks.
 - **Enable secure cookies:** Ensure cookies are transmitted securely to protect user sessions.
3. Click **Save** to apply changes.




Fig.9.8. Session Settings Page

Notes

- Works in conjunction with **Login IP Ranges** and **Profile access settings**.
- Helps prevent unauthorized access if a user leaves their session open.
- Recommended to align session timeout with your organization's security policies.

7.Login IP Ranges

Purpose

Login IP Ranges restrict the **Sustainability Manager** profile to log in only from trusted IP addresses. This ensures that sensitive sustainability project and carbon credit data is accessed **only from approved networks**, preventing unauthorized access.

Configuration Steps

1. **Access the Profile:**
 - Go to **Setup** → **Profiles**.
 - Search for and select the **Sustainability Manager** profile.
2. **Open Login IP Ranges Section:**
 - Scroll to the **Login IP Ranges** section within the profile settings.
 - Click **New** to add a new IP range.
3. **Define IP Range:**
 - **Start IP Address:** Enter the first IP in your allowed range.
 - **End IP Address:** Enter the last IP in your allowed range.
 - Ensure that your **current IP address** is included within this range.

- Example:
 - Start IP: 106.210.131.0
 - End IP: 106.210.131.255

4. Save Changes:

- Click **Save** to apply the login restrictions.

5. Validation:

- Salesforce will check if your current IP is within the defined range.
- If the IP is outside the range, a warning will appear:

“The list of IP Ranges do not cover your current IP address. Users with this profile will not be able to log in from this IP.”

- Adjust the range to include your current IP if necessary.




Fig.9.9. Login IP Ranges Page

Best Practices

- Use **IP ranges** to protect sensitive roles such as Sustainability Managers or Auditors.
 - Combine with **Session Settings** for session timeouts and secure cookies.
 - Update ranges periodically if the organization's network changes.
 - Document all IP ranges for compliance and auditing purposes.
-

Impact

- Users in this profile can **only log in from approved IP addresses**.
- Any login attempts outside the defined range will be blocked.
- Ensures compliance and secures sensitive sustainability project data.

8.Audit Trail

Purpose

The **Audit Trail** in Salesforce tracks **administrative changes** to metadata and setup. This helps maintain transparency, ensures compliance, and provides a historical record of configuration changes. It is particularly useful for auditing **profiles, sharing rules, workflows, Apex classes, and other critical setup components**.

Configuration Steps

1. **Access Audit Trail:**
 - Go to **Setup** → **Security** → **View Setup Audit Trail**.
2. **Review Changes:**
 - The Audit Trail lists all administrative changes in the last 6 months.
 - Key information includes:
 - **Date & Time** – When the change occurred.
 - **User** – Who made the change.
 - **Action** – Type of change (Created, Modified, Deleted).
 - **Object / Metadata** – What was changed (Field, Profile, Workflow, Apex, etc.).
 - **Details** – Specifics of the change (e.g., “Field ‘Status__c’ on CarbonCredit__c modified from Visible to Hidden for Auditor Profile”).
3. **Export for Documentation / Compliance:**
 - Click **Download** to export the last 6 months of changes as a CSV file.
 - Use this for internal audits, compliance reporting, or troubleshooting configuration issues.

The screenshot displays the 'View Setup Audit Trail' page in Salesforce. The left sidebar lists various setup categories, with 'View Setup Audit Trail' selected. The main content area shows a table of recent setup changes, including user management, rule duplication, and matching rule updates. The table columns are Date, User, Source Namespace Prefix, Action, Section, and Delegate User.

Date	User	Source Namespace Prefix	Action	Section	Delegate User
28/09/2025, 4:42:08 pm IST	eshwarilade2005@gmail.com		Added Login to Range to Sustainability Manager Profile from 106.210.131.0 to 106.210.131.255	Manage Users	
28/09/2025, 12:48:50 am IST	eshwarilade2005@gmail.com		For the 01idM00000AKaCr duplicate rule CarbonCredit_Duplicate_Rule, changed "Active" from "false" to "true"	Duplicate Rule	
28/09/2025, 12:48:32 am IST	eshwarilade2005@gmail.com		Carbon Credit matching rule, CarbonCredit_MatchingRule, activating by Eshwari Santosh Lade	Matching Rule	
28/09/2025, 12:47:09 am IST	eshwarilade2005@gmail.com		Carbon Credit matching rule, CarbonCredit_MatchingRule, deactivating by Eshwari Santosh Lade	Matching Rule	
28/09/2025, 12:46:54 am IST	eshwarilade2005@gmail.com		Carbon Credit matching rule, CarbonCredit_MatchingRule, activating by Eshwari Santosh Lade	Matching Rule	
28/09/2025, 12:46:32 am IST	eshwarilade2005@gmail.com		For matching rule CarbonCredit_MatchingRule, added matching criteria where matching method is Exact, the field is Project and match blank fields is "Does Not Match If Null"	Matching Rule	
28/09/2025, 12:46:32 am IST	eshwarilade2005@gmail.com		For matching rule CarbonCredit_MatchingRule, matching engine set to Exact Match Engine.	Matching Rule	
28/09/2025, 12:46:32 am IST	eshwarilade2005@gmail.com		For matching rule CarbonCredit_MatchingRule, changed Advanced Logic from null to 1 AND 2	Matching Rule	
28/09/2025, 12:46:32 am IST	eshwarilade2005@gmail.com		For matching rule CarbonCredit_MatchingRule, added matching criteria where matching method is Exact, the field is Name and match blank fields is "Does Not Match If Null"	Matching Rule	
28/09/2025, 12:46:32 am IST	eshwarilade2005@gmail.com		For matching rule CarbonCredit_MatchingRule, matching engine set to Exact Match Engine.	Matching Rule	
28/09/2025, 12:46:32 am IST	eshwarilade2005@gmail.com		For matching rule CarbonCredit_MatchingRule, changed Advanced Logic from null to 1 AND 2	Matching Rule	
28/09/2025, 12:46:32 am IST	eshwarilade2005@gmail.com		Created new Carbon Credit matching rule CarbonCredit_MatchingRule	Matching Rule	

Fig.9.10. Audit Trial Page

Impact

- Provides accountability for administrative actions.
- Facilitates compliance audits and internal reviews.
- Assists in troubleshooting issues caused by configuration changes.