ASSIGNMENT NO.7

Title:- Use Docker Compose to manage multiple containers for a web-based AI app, including containers for the AI model, database, and frontend.

Name: - Esha Zagde **Class: - TY(B)** **Roll No: - 23107138**
Batch: - C





Activities Terminal Mar 12 16:25

admin1@bflcomp20: ~/ai-web-app/ai-api

```
 => => extracting sha256:c32126d2b96c212b17a4fa8384c2aaf3e3418d4b2988c303  0.0s
 => => extracting sha256:c24026275c332ec39b54c7094c7ce6d97b0dde17bb91e53b  0.3s
 => [ai-api] exporting to image                                            0.7s
 => => exporting layers                                                    0.5s
 => => exporting manifest sha256:cc9802f5b7b88eec71a6f281c99e766fb5c04489  0.0s
 => => exporting config sha256:51483b60d08bd5a3c592b1743da11183afef285e6d  0.0s
 => => exporting attestation manifest sha256:de0f77f6f10b34178884aa699f39  0.0s
 => => exporting manifest list sha256:6774e0990c28b4109f15a3c4c0688b01529  0.0s
 => => naming to docker.io/library/ai-web-app-ai-api:latest                0.0s
 => => unpacking to docker.io/library/ai-web-app-ai-api:latest             0.1s
 => [frontend 2/2] COPY . /usr/share/nginx/html                            0.0s
 => [frontend] exporting to image                                          0.1s
 => => exporting layers                                                    0.0s
 => => exporting manifest sha256:5523faffcde7e92842bd2fb7827345ed5f9ff273  0.0s
 => => exporting config sha256:f9833d4852b6986d6a59e9c6ee2df256684b466c06  0.0s
 => => exporting attestation manifest sha256:5a4675ec4614cb01bf8d29b04554  0.0s
 => => exporting manifest list sha256:601f3ee9972a2981ff3ef1cbfe225afcb67  0.0s
 => => naming to docker.io/library/ai-web-app-frontend:latest              0.0s
 => => unpacking to docker.io/library/ai-web-app-frontend:latest           0.0s
 => [frontend] resolving provenance for metadata file                      0.0s
 => [ai-api] resolving provenance for metadata file                        0.0s
[+] up 6/6
 ✔ Image ai-web-app-frontend       Built                                   5.4s
 ✔ Image ai-web-app-ai-api         Built                                   5.4s
 ✔ Network ai-web-app_default      Created                                 0.0s
 ✔ Container ai-web-app-db-1       Created                                 0.1s
 ✔ Container ai-web-app-ai-api-1   Created                                 0.0s
 ✔ Container ai-web-app-frontend-1 Created                                 0.0s
Attaching to ai-api-1, db-1, frontend-1
db-1        | 2026-03-12 10:52:41+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.0.45-1.el9 started.
db-1        | 2026-03-12 10:52:42+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
db-1        | 2026-03-12 10:52:42+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.0.45-1.el9 started.
frontend-1  | /docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
frontend-1  | /docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
frontend-1  | /docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
db-1        | 2026-03-12 10:52:42+00:00 [Note] [Entrypoint]: Initializing database files
frontend-1  | 10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
frontend-1  | 10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
frontend-1  | /docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
frontend-1  | /docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
ai-api-1    |  * Serving Flask app 'app'
ai-api-1    |  * Debug mode: off
ai-api-1    | WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
ai-api-1    |  * Running on all addresses (0.0.0.0)
ai-api-1    |  * Running on http://127.0.0.1:5000
ai-api-1    |  * Running on http://172.18.0.3:5000
ai-api-1    | Press CTRL+C to quit
frontend-1  | /docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
frontend-1  | /docker-entrypoint.sh: Configuration complete; ready for start up
db-1        | 2026-03-12T10:52:42.185986Z 0 [Warning] [MY-011068] [Server] The syntax '--skip-host-cache' is deprecated and will be removed in a future release. Please use SET GLOBAL host_cache_size=0 in
stead.
db-1        | 2026-03-12T10:52:42.186097Z 0 [System] [MY-013169] [Server] /usr/sbin/mysqld (mysqld 8.0.45) initializing of server in progress as process 80
db-1        | 2026-03-12T10:52:42.193984Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: using the "epoll" event method
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: nginx/1.29.6
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: built by gcc 15.2.0 (Alpine 15.2.0)
```

Activities Terminal Mar 12 16:25

admin1@bflcomp20: ~/ai-web-app/ai-api

ai-api-1 | WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
ai-api-1 | * Running on all addresses (0.0.0.0)
ai-api-1 | * Running on http://127.0.0.1:5000
ai-api-1 | * Running on http://172.18.0.3:5000
ai-api-1 | Press CTRL+C to quit
frontend-1 | /docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
frontend-1 | /docker-entrypoint.sh: Configuration complete; ready for start up
db-1 | 2026-03-12T10:52:42.185986Z 0 [Warning] [MY-011068] [Server] The syntax '--skip-host-cache' is deprecated and will be removed in a future release. Please use SET GLOBAL host_cache_size=0 in
stead.
db-1 | 2026-03-12T10:52:42.186097Z 0 [System] [MY-013169] [Server] /usr/sbin/mysqld (mysqld 8.0.45) initializing of server in progress as process 80
db-1 | 2026-03-12T10:52:42.193984Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
frontend-1 | 2026/03/12 10:52:42 [notice] 1#1: using the "epoll" event method
frontend-1 | 2026/03/12 10:52:42 [notice] 1#1: nginx/1.29.6
frontend-1 | 2026/03/12 10:52:42 [notice] 1#1: built by gcc 15.2.0 (Alpine 15.2.0)

```
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: OS: Linux 6.12.72-linuxkit
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker processes
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 30
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 31
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 32
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 33
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 34
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 35
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 36
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 37
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 38
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 39
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 40
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 41
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 42
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 43
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 44
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 45
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 46
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 47
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 48
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 49
db-1        | 2026-03-12T10:52:42.685356Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1        | 2026-03-12T10:52:43.756992Z 6 [Warning] [MY-010453] [Server] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.
db-1        | 2026-03-12 10:52:46+00:00 [Note] [Entrypoint]: Database files initialized
db-1        | 2026-03-12 10:52:46+00:00 [Note] [Entrypoint]: Starting temporary server
db-1        | 2026-03-12T10:52:46.551924Z 0 [Warning] [MY-011068] [Server] The syntax '--skip-host-cache' is deprecated and will be removed in a future release. Please use SET GLOBAL host_cache_size=0 in
stead.
db-1        | 2026-03-12T10:52:46.554599Z 0 [System] [MY-010116] [Server] /usr/sbin/mysqld (mysqld 8.0.45) starting as process 124
db-1        | 2026-03-12T10:52:46.567996Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
db-1        | 2026-03-12T10:52:46.774690Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1        | 2026-03-12T10:52:47.005580Z 0 [Warning] [MY-010068] [Server] CA certificate ca.pem is self signed.
db-1        | 2026-03-12T10:52:47.005627Z 0 [System] [MY-013602] [Server] Channel mysql_main configured to support TLS. Encrypted connections are now supported for this channel.
db-1        | 2026-03-12T10:52:47.009098Z 0 [Warning] [MY-011810] [Server] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a
 different directory.
db-1        | 2026-03-12T10:52:47.033631Z 0 [System] [MY-010931] [Server] /usr/sbin/mysqld: ready for connections. Version: '8.0.45'  socket: '/var/run/mysqld/mysqld.sock'  port: 0  MySQL Community Serve
r - GPL.
db-1        | 2026-03-12T10:52:47.033652Z 0 [System] [MY-011323] [Server] X Plugin ready for connections. Socket: /var/run/mysqld/mysqlx.sock
db-1        | 2026-03-12 10:52:47+00:00 [Note] [Entrypoint]: Temporary server started.
db-1        | '/var/lib/mysql/mysql.sock' -> '/var/run/mysqld/mysqld.sock'
db-1        | Warning: Unable to load '/usr/share/zoneinfo/iso3166.tab' as time zone. Skipping it.
```

Activities Terminal Mar 12 16:25

admin1@bflcomp20: ~/ai-web-app/ai-api

```
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker processes
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 30
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 31
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 32
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 33
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 34
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 35
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 36
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 37
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 38
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 39
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 40
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 41
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 42
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 43
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 44
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 45
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 46
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 47
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 48
frontend-1  | 2026/03/12 10:52:42 [notice] 1#1: start worker process 49
db-1        | 2026-03-12T10:52:42.685356Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1        | 2026-03-12T10:52:43.756992Z 6 [Warning] [MY-010453] [Server] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.
db-1        | 2026-03-12 10:52:46+00:00 [Note] [Entrypoint]: Database files initialized
db-1        | 2026-03-12 10:52:46+00:00 [Note] [Entrypoint]: Starting temporary server
db-1        | 2026-03-12T10:52:46.551924Z 0 [Warning] [MY-011068] [Server] The syntax '--skip-host-cache' is deprecated and will be removed in a future release. Please use SET GLOBAL host_cache_size=0 in
stead.
db-1        | 2026-03-12T10:52:46.554599Z 0 [System] [MY-010116] [Server] /usr/sbin/mysqld (mysqld 8.0.45) starting as process 124
db-1        | 2026-03-12T10:52:46.567996Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
db-1        | 2026-03-12T10:52:46.774690Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1        | 2026-03-12T10:52:47.005580Z 0 [Warning] [MY-010068] [Server] CA certificate ca.pem is self signed.
db-1        | 2026-03-12T10:52:47.005627Z 0 [System] [MY-013602] [Server] Channel mysql_main configured to support TLS. Encrypted connections are now supported for this channel.
db-1        | 2026-03-12T10:52:47.009098Z 0 [Warning] [MY-011810] [Server] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a
 different directory.
db-1        | 2026-03-12T10:52:47.033631Z 0 [System] [MY-010931] [Server] /usr/sbin/mysqld: ready for connections. Version: '8.0.45'  socket: '/var/run/mysqld/mysqld.sock'  port: 0  MySQL Community Serve
r - GPL.
db-1        | 2026-03-12T10:52:47.033652Z 0 [System] [MY-011323] [Server] X Plugin ready for connections. Socket: /var/run/mysqld/mysqlx.sock
db-1        | 2026-03-12 10:52:47+00:00 [Note] [Entrypoint]: Temporary server started.
db-1        | '/var/lib/mysql/mysql.sock' -> '/var/run/mysqld/mysqld.sock'
db-1        | Warning: Unable to load '/usr/share/zoneinfo/iso3166.tab' as time zone. Skipping it.
db-1        | Warning: Unable to load '/usr/share/zoneinfo/leap-seconds.list' as time zone. Skipping it.
db-1        | Warning: Unable to load '/usr/share/zoneinfo/leapseconds' as time zone. Skipping it.
db-1        | Warning: Unable to load '/usr/share/zoneinfo/tzdata.zi' as time zone. Skipping it.
db-1        | Warning: Unable to load '/usr/share/zoneinfo/zone.tab' as time zone. Skipping it.
db-1        | Warning: Unable to load '/usr/share/zoneinfo/zone1970.tab' as time zone. Skipping it.
db-1        | 2026-03-12 10:52:47+00:00 [Note] [Entrypoint]: Creating database ai_app
db-1        |
db-1        | 2026-03-12 10:52:47+00:00 [Note] [Entrypoint]: /usr/local/bin/docker-entrypoint.sh: running /docker-entrypoint-initdb.d/init.sql
db-1        | ERROR 1007 (HY000) at line 1: Can't create database 'ai_app'; database exists
db-1 exited with code 1
ai-api-1    | 192.168.65.1 - - [12/Mar/2026 10:53:20] "GET / HTTP/1.1" 200 -
ai-api-1    | 192.168.65.1 - - [12/Mar/2026 10:53:20] "GET /favicon.ico HTTP/1.1" 404 -
(base) admin1@bflcomp20:~/ai-web-app/ai-api$
```


Activities
Google Chrome
Mar 12 15:32
New Tab
Thanks for downloading
ChatGPT
VPKBIET | Baramati
T.Y.B.Tech_AIDS_2023_F
127.0.0.1:5000
127.0.0.1:5000
Guest
Relaunch to update
AI Model API Running