249 discrete data-gathering scopes

Revised for the BMW hackathon: one vehicle part, feature, measurable attribute, service or price item per row. “Engine” is broken down into engine type, cylinder count, displacement, rated power, torque and operating RPM. Price, seat ventilation, seat heating, screens and each assistance function have separate rows.

Project and source boundary

This is the scope register for the supplied G60 option-list document, not a catalogue of unrelated BMW model projects. The supplied document is titled BMW 5 Series Saloon, July 2026, edition 2 dated 22.06.2026. Its columns cover petrol, diesel, PHEV and electric i5 configurations; those distinctions are retained only where they change the meaning of a fact. Electric specifications should not be treated as combustion-engine G60 specifications.

Clean source-based presentation

The register identifies the analysed part of the PDF (for example, “Technical values — combustion engine” or “Options — seat comfort”) and the physical PDF page. Model-name lists have been removed. Multiple numbers represent the discrete values or configuration intervals printed in this G60 source; they do not describe one configuration and must not be mixed to construct a car.

How this fits the keynote

Keynote slides 3–4: gather findings → classify, cluster and contextualise → analyse baseline/customer/business evidence → prioritise → decide requirements → define measurable targets and acceptance criteria → document and track. Use these rows as granular tags for customer findings. Catalogue facts are baseline evidence, not proof of customer demand or proposed future targets.

Notation and limits

Prices are gross EUR including 19% VAT. SA is the catalogue option identifier. The source contains configuration-specific standard/optional status, net prices and compatibility matrices; this cleaner register summarises those facts without recreating model columns. Refer to the cited source page for an exact configuration. No original catalogue appendix is repeated in this revision. No numerical values have been invented for attributes absent from the PDF.

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Engine and propulsion			
001 Engine type	Electric, petrol plug-in hybrid, petrol 48 V mild hybrid, diesel 48 V mild hybrid.	Technical values — overall drivetrain	21–24
002 Combustion-engine technology	TwinPower Turbo combustion engine is specified.	Technical values — combustion engine	22, 24
003 Cylinder count	4 or 6 cylinders.	Technical values — combustion engine	22, 24
004 Engine displacement	1,995; 1,998; 2,993; 2,998 cm³.	Technical values — combustion engine	22, 24
005 Combustion-engine rated power	140, 145, 210 or 230 kW; 190, 197, 286 or 313 PS.	Technical values — combustion engine	22, 24
006 Combustion-engine power RPM	4,400–6,500; 4,000; or 5,000–6,500 rpm, depending on engine.	Technical values — combustion engine	22, 24
007 Combustion-engine rated torque	310, 400, 450 or 650 Nm.	Technical values — combustion engine	22, 24
008 Combustion-engine torque RPM	1,500–4,000; 1,500–2,750; 1,750–4,700; or 1,500–2,500 rpm.	Technical values — combustion engine	22, 24
009 Fuel quality	Petrol performance reference ROZ 98. Allowed from ROZ 91, maximum E25. Recommended ROZ 95; high-performance recommendation ROZ 98.	Vehicle prices / technical footnotes	4–5, 22–24
010 Electric-motor count	1 or 2 motors for fully electric configurations.	Vehicle prices — fully electric	4
011 Electric-motor rated power	BEV 250, 290 or 442 kW; PHEV 135 or 145 kW; mild hybrid 8 or 13 kW.	Technical values — electric motor	21–22, 24

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Engine and propulsion (continued)			
012 Electric-motor 30-minute power	105 or 150 kW; 143 or 204 PS for BEV configurations.	Technical values — electric motor	21
013 Electric-motor rated torque	BEV 400, 590 or 795 Nm; PHEV 250 or 280 Nm; mild hybrid 25 or 200 Nm.	Technical values — electric motor	21–22, 24
014 Combined drivetrain power	145, 153, 220, 223, 250, 290, 360 or 442 kW; corresponding PS figures printed in source.	Technical values — overall drivetrain	21–22, 24
015 Combined drivetrain torque	330, 400, 450, 590, 670, 700 or 795 Nm.	Technical values — overall drivetrain	21–22, 24
016 Power dependence on charge	Electric/PHEV power subject to battery state of charge.	Vehicle prices / technical footnotes	4, 22
017 Cold-weather electric operation	PHEV pure electric operation below 0°C may begin only after several kilometres of battery warm-up.	Technical values — footnotes	22–23
018 Gearbox	1-speed automatic for BEV; 8-speed Steptronic for combustion/PHEV configurations.	Technical values — overall drivetrain	21–22, 24
019 Shift paddles	Steptronic with shift paddles listed as standard on combustion/PHEV configurations.	Standard equipment — drivetrain	7
020 Drive layout	Rear-wheel drive or all-wheel drive; xDrive described as intelligent all-wheel drive.	Technical values — overall drivetrain	21–22, 24

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Engine and propulsion (continued)			
021 0–100 km/h acceleration	Published values: 3.8, 4.3, 5.2, 5.4, 6.0, 6.3, 7.3 or 7.5 seconds.	Technical values — performance	21–22, 24
022 Maximum vehicle speed	Published values: 193, 215, 225, 228, 230, 233 or 250 km/h.	Technical values — performance	21–22, 24
023 PHEV maximum electric speed	140 km/h.	Technical values — performance	22
024 Launch Control	Included in M Sportpaket Pro equipment.	M Sportpaket Pro — equipment contents	10–11
Battery, charging and range			
025 Battery usable capacity	BEV 81.2 kWh net; PHEV 19.0 or 19.4 kWh net.	Technical values — battery / charging	21, 23
026 Mild-hybrid battery capacity	0.9 kWh gross.	Technical values — battery / charging	24
027 AC charging power	BEV 11 or 22 kW; PHEV 11 kW. 22 kW Professional option SA 4U6: EUR 1,200; standard in listed performance configuration.	Options — further functions / technical values	19, 21, 23
028 AC charging duration	BEV printed row: 8:30 / 4:15 h, 0–100%; PHEV 2:15 h. BEV performance-column timing and standard 22 kW need source verification.	Technical values — battery / charging	21, 23
029 DC charging power	Maximum 205 kW for BEV. No PHEV DC rating stated.	Technical values — battery / charging	21

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Battery, charging and range (continued)			
030 DC charging duration	Minimum 30 minutes, 10–80% state of charge.	Technical values — battery / charging	21
031 Range added during fast charging	After 10 min HPC: 157–211, 148–181 or 145–174 km; test/operating conditions in footnotes.	Technical values — battery / charging	21
032 Public charging cable	Ladekabel Professional, Mode 3, standard on BEV/PHEV configurations.	Standard equipment — drivetrain	7
033 Electric WLTP range	BEV published intervals 513–627, 487–581, 473–539 km; PHEV 95–105, 84–95, 85–93 km.	Technical values — consumption / range	21–22
034 Urban electric WLTP range	PHEV 100–112, 91–100 or 90–96 km.	Technical values — consumption / range	22
035 Range sensitivity	Driving style, route, outside temperature, HVAC and preconditioning affect range.	Technical values — footnotes	21–23
036 Charging sensitivity	Equipment, driving profile, ambient temperature, charge level and auxiliary loads affect charging performance.	Technical values — footnotes	21
037 Electrical energy consumption	BEV configuration intervals 17.9–14.7, 18.8–15.8, 19.5–17.1 kWh/100 km; PHEV 16.8–16.0, 16.1–15.5, 17.7–16.6.	Technical values — consumption	21–22
038 Fuel consumption, weighted PHEV	Combined WLTP: 2.6–2.1, 3.0–2.6 or 3.3–2.8 L/100 km; weighted combined measurement.	Technical values — consumption	22
039 Fuel consumption, depleted PHEV	Combined WLTP with empty battery: 7.1–6.5, 7.8–7.2 or 8.2–7.6 L/100 km.	Technical values — consumption	22
040 Fuel consumption, combustion	Combined WLTP: 6.3–5.8 petrol; diesel intervals 5.5–5.1, 5.9–5.5, 6.2–5.8 L/100 km.	Technical values — consumption	24

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Battery, charging and range (continued)			
041 Tailpipe CO_2 emissions	BEV 0 g/km; PHEV weighted 58–48, 68–58, 74–63; petrol/diesel 142–130, 145–133, 155–144, 163–152 g/km.	Vehicle prices / technical values — emissions	4, 22, 24
042 Depleted-battery PHEV CO_2	160–147, 176–163 or 186–173 g/km.	Technical values — emissions	22
043 CO_2 class	BEV A; weighted PHEV B; depleted PHEV F–E or G–F; petrol/diesel E–D, E or F–E.	Technical values — emissions	21–22, 24
044 Exhaust-emission standard	PHEV EU6e bis; combustion EU6e bis FCM, as printed.	Technical values — emissions	22, 24
Suspension, steering and brakes			
045 M Sport suspension	SA 704; part of M Sport equipment; two configurations explicitly excluded in catalogue.	M Sportpaket — equipment highlights	9
046 Adaptive suspension	SA 2VV Professional: electronic dampers and Integral Active Steering. EUR 2,440; eligible M Sport price EUR 1,990; also standard in selected configurations.	Options — drivetrain / chassis	18
047 Active steering	Integral-Aktivlenkung included in 2VV and 2VW suspension systems.	Options — drivetrain / chassis	18
048 Adaptive M suspension	SA 2VW Professional: electronic dampers, active steering and active roll stabilisation; EUR 4,100 on listed configurations.	Options — drivetrain / chassis	18
049 Roll stabilisation	Active roll stabilisation included in 2VW.	Options — drivetrain / chassis	18

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Suspension, steering and brakes (continued)			
050 M Sport brake, blue	SA 3M1 dark-blue metallic; EUR 700.	M Sportpaket — equipment highlights	9
051 M Sport brake, red	SA 3M2 high-gloss red; included M Sport Pro equipment.	M Sportpaket Pro — equipment contents	10–11
Wheels and tyres			
052 18-inch wheels	SA 3FY, Y-spoke 932, grey; 7.5J × 18; 225/55 tyres; standard in listed combustion configurations; no locking bolts.	Wheels and tyres	13
053 19-inch Triplex wheels	SA 3G0, style 933, silver; 8.5J × 19; 245/45; EUR 1,220 where optional; standard elsewhere. Locking-bolt inclusion varies.	Wheels and tyres	13
054 19-inch aerodynamic wheels	SA 3G3, style 934 bicolour grey; 8.5J × 19; 245/45; EUR 1,520 or 300 depending on baseline; locking bolts.	Wheels and tyres	13
055 19-inch M double-spoke wheels	SA 3G8, style 935 M bicolour black-grey; 8.5J × 19; 245/45; no extra price with M Sport; locking bolts.	Wheels and tyres	13
056 19-inch staggered M wheels	SA 3G9, style 935 M; front 8.5J / 245/45, rear 10J / 275/40; black-grey, locking bolts; standard listed configuration.	Wheels and tyres	13
057 19-inch M aerodynamic wheels	SA 3GC, style 936 M; 8.5J × 19 / 245/45; black-grey; EUR 600; M Sport required; locking bolts.	Wheels and tyres	13
058 19-inch staggered M aero wheels	SA 3GD, style 936 M; front 8.5J / 245/45, rear 10J / 275/40; EUR 600; black-grey, locking bolts.	Wheels and tyres	13
059 20-inch M star-spoke wheels	SA 3GN, style 938 M; front 8.5J / 245/40, rear 10J / 275/35; Jetblack; EUR 1,090 or 850; M Sport prerequisite where printed.	Wheels and tyres	13

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Wheels and tyres (continued)			
060 20-inch M aero wheels, 939	SA 3GQ; front 8.5J / 245/40, rear 10J / 275/35; black-grey; EUR 1,440 or 1,200; M Sport prerequisite; locking bolts.	Wheels and tyres	13
061 20-inch M aero wheels, 940	SA 3GT; front 8.5J / 245/40, rear 10J / 275/35; Jetblack; EUR 1,250; locking bolts.	Wheels and tyres	14
062 21-inch Individual wheels	SA 3GV, style 954 I bicolour; Jetblack / brushed aluminium. Front/rear 245/35 + 275/30 or 255/35 + 285/30; widths 8.5J + 10J or 8.5J + 9.5J. EUR 4,110 / 2,990 / 2,550; EUR 2,690 with M Sport where listed. Combustion fit requires sport/adaptive suspension.	Wheels and tyres	14
063 Sports tyres	Extra-cost availability for marked 20-inch aerodynamic wheels; significantly raises consumption and reduces range.	Wheels and tyres — footnote	13–14
064 Wheel locking bolts	Presence/absence is documented per wheel and configuration; no separate bolt price.	Wheels and tyres — notes	13–14
065 Tyre pressure monitoring	Standard Reifendruck-Kontrolle.	Standard equipment — safety	7
066 Puncture repair kit	Repair set or tyre emergency kit Plus; depends on selected wheel.	Standard equipment — safety	7
067 Tyre insurance	36 months for original tyres and BMW star-marked wheel/tyre sets; up to 100% reimbursement in first year; Allianz product.	Wheels and tyres — insurance note	13–14
Exterior appearance and lights			
068 Standard paint	Alpinweiß, SA 300; standard.	Exterior colour palette — solid paint	15
069 Black metallic paint	Saphirschwarz, SA 475; EUR 1,120.	Exterior colour palette — metallic	15

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Exterior appearance and lights (continued)			
070 Grey metallic paint	Sophistograu A90 or Oxidgrau C4A; EUR 1,120.	Exterior colour palette — metallic	15
071 White metallic paint	Mineralweiß A96; EUR 1,120.	Exterior colour palette — metallic	15
072 Blue metallic paint	Phytonicblau C1M; EUR 1,120.	Exterior colour palette — metallic	15
073 Green metallic paint	Cape York Grün C5Y; EUR 1,120.	Exterior colour palette — metallic	15
074 M black paint	M Carbonschwarz 416; EUR 1,120; requires M Sport.	Exterior colour palette — metallic	15
075 M grey paint	M Brooklyn Grau C4P; EUR 1,120; requires M Sport.	Exterior colour palette — metallic	15
076 Red metallic paint	Fire Red C68; EUR 1,120; requires M Sport.	Exterior colour palette — metallic	15
077 Individual blue paint	Tansanitblau C3Z; EUR 2,140.	Exterior colour palette — Individual	15
078 Frozen grey paint	Frozen Pure Grey C5A / Frozen Deep Grey C64; EUR 3,750; requires M Sport.	Exterior colour palette — Individual	15
079 Frozen blue paint	Frozen Portimao Blau X1E; EUR 5,900; requires M Sport.	Exterior colour palette — Individual	15
080 Custom paint	Individual special paint SA 490; EUR 5,900.	Exterior colour palette — Individual	15

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Exterior appearance and lights (continued)			
081 Model-badge deletion	SA 320; no extra charge.	Options — exterior	17
082 Illuminated exterior styling	BMW Iconic Glow SA 3DP; EUR 550; included M Sport Pro; standard in listed performance configuration.	Options — exterior	17
083 Carbon exterior elements	SA 71C; EUR 1,900, 1,800 or 1,600 depending on configuration/ package; M Sport prerequisite on listed configurations.	Options — exterior	17
084 Rear spoiler	SA 754; body colour EUR 300, requires M Sport, excluded with carbon exterior package. Black Sapphire with Pro no extra price.	Options — exterior	17
085 Shadow Line exterior trim	SA 760 high-gloss; extended version 7M9 in Pro.	M Sport / M Sport Pro equipment	9–11
086 Shadow Line light styling	SA 3MF included Pro.	M Sport Pro equipment	10
087 Adaptive headlights	Adaptive LED headlights standard.	Standard equipment — comfort	8
088 High-beam assistant	BMW Selective Beam standard.	Standard equipment — comfort	8
089 Exterior mirrors	Extended exterior mirror package standard; internal feature details not specified.	Standard equipment — comfort	8
Interior materials and steering wheel			
090 Standard upholstery	Perforated black Veganza KUSW; standard except listed sport configuration.	Interior colour palette — upholstery	16

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Interior materials and steering wheel (continued)			
091 M upholstery	Black Alcantara/Veganza KTSW; requires M Sport; no extra charge; standard in listed sport configuration.	Interior colour palette — upholstery	16
092 White quilted upholstery	Perforated/quilted Veganza Rauchweiß KSFU; EUR 800 or no extra with listed package/configuration.	Interior colour palette — upholstery	16
093 Brown quilted upholstery	Perforated/quilted Veganza Espressobraun KSJX; EUR 800 or no extra with listed package/configuration.	Interior colour palette — upholstery	16
094 Black quilted upholstery	Perforated/quilted Veganza Schwarz KSSW; EUR 800 or no extra with listed package/configuration.	Interior colour palette — upholstery	16
095 Black Merino leather	Individual Merino Schwarz / Atlasgrau VCJL; EUR 3,000 or 2,250 with listed package/configuration.	Interior colour palette — upholstery	16
096 Brown Merino leather	Individual Merino Kupferbraun / Atlasgrau VCJM; EUR 3,000 or 2,250 with listed package/configuration.	Interior colour palette — upholstery	16
097 Silver Merino leather	Individual Merino Silverstone II / Atlasgrau VCJN; EUR 3,000 or 2,250; electric front comfort-seat prerequisite.	Interior colour palette — upholstery	16
098 Standard interior trim	43G dark-silver accent + matt Dark Graphite effect finish; standard except listed sport configuration.	Interior colour palette — trim	16
099 Wood interior trim	43L dark high-gloss oak + dark silver; EUR 525 or 75 with listed package/configuration.	Interior colour palette — trim	16
100 Aluminium interior trim	43R M dark-silver + Rhombicle aluminium; EUR 450 or no extra with M Sport; standard in listed sport configuration.	Interior colour palette — trim	16
101 Carbon interior trim	43P carbon fibre with silver threads, high gloss; EUR 850 or 400 with listed package/configuration.	Interior colour palette — trim	16

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Interior materials and steering wheel (continued)			
102 Glass interior controls	CraftedClarity SA 4A2; EUR 610.	Options — interior	17
103 Ambient interior lighting	Standard ambient light including Interaction Bar with crystalline glass appearance.	Standard equipment — interior	6
104 Anthracite headliner	M headliner SA 775 in M equipment.	M Sport / performance equipment	9, 11
105 Alcantara headliner	SA 776, anthracite; EUR 1,600 or 1,200 with listed package/ configuration; requires panoramic roof.	Options — interior	17
106 M leather steering wheel	SA 710 included in M equipment.	M Sport / performance equipment	9, 11
107 Steering-wheel heating	SA 248; EUR 350.	Options — interior	17
108 M seat belts	SA 4GQ included in Pro.	M Sport Pro equipment	10
Seats and thermal comfort			
109 Front sport seats	Driver and passenger sport seats standard.	Standard equipment — comfort	8
110 Lumbar support	Driver and passenger lumbar support standard.	Standard equipment — comfort	8
111 Electric seat adjustment	SA 459; driver-memory feature; included Comfort and standard in listed performance configuration.	Standard equipment / Comfort package	8, 17
112 Seat memory	Driver-seat memory associated with SA 459; no separate price specified.	Comfort package	17

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Seats and thermal comfort (continued)			
113 Front comfort seats	SA 456 electrically adjustable; EUR 930; requires Comfort and specified Veganza/Merino combinations.	Options — seat comfort	18
114 M multifunction seats	SA 4MA; EUR 1,750; Merino and package prerequisites printed on sport pages. Upholstery descriptions differ across source sections; verify before enforcing rules.	M Sport / Pro / performance equipment	9–11
115 Front seat heating	Standard for driver and front passenger.	Standard equipment — comfort	8
116 Rear seat heating	Included in Comfort package; no separate option price given.	Options — Comfort package	17
117 Front seat ventilation	Active ventilation included Comfort; no cooling rate/time measurement given.	Options — Comfort package	17
118 Automatic climate control	Standard; zone count not specified for ordinary automatic-climate entry.	Standard equipment — comfort	8
119 Four-zone climate control	Included Comfort; standard in listed performance configuration, SA 4NB.	Comfort package / performance equipment	11, 17
120 Parking heater	SA 536; EUR 1,450; listed only for petrol/diesel mild-hybrid configurations.	Options — climate comfort	19
121 Panoramic glass roof	SA 402; EUR 1,630; includes high-gloss black roof paint.	Options — climate comfort	19
122 Rear-window sun blind	SA 416, electric rear blind; combined blind option EUR 600.	Options — climate comfort	19
123 Rear-side-window sun blinds	Manual rear door-window blinds, included in SA 416 EUR 600.	Options — climate comfort	19

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Seats and thermal comfort (continued)			
124 Sun-protection glass	SA 420; EUR 480; standard in listed performance configuration.	Options — climate comfort	19
Body dimensions and transport			
125 Vehicle length	5,060 mm.	Technical dimension drawings	25–26
126 Body width	1,900 mm.	Technical dimension drawings	25–26
127 Width including mirrors	2,156 mm.	Technical dimension drawings	25–26
128 Vehicle height	1,515 mm, or 1,505 mm in performance drawing.	Technical dimension drawings	25–26
129 Wheelbase	2,995 mm.	Technical dimension drawings	25–26
130 Front overhang	945 mm, shown in side drawing.	Technical dimension drawings	25–26
131 Rear overhang	1,120 mm, shown in side drawing.	Technical dimension drawings	25–26
132 Front track	Drawing values/ranges: 1,616–1,622; 1,634; 1,616–1,634 mm.	Technical dimension drawings	25–26
133 Rear track	Drawing values/ranges: 1,622–1,658; 1,624; 1,623–1,669 mm.	Technical dimension drawings	25–26

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Body dimensions and transport (continued)			
134 Cabin dimension callouts	1,033 / 969 and 1,536 / 1,497 mm shown at front/rear cabin positions. Exact measurement definitions not named in text; use drawing before interpreting as headroom or shoulder room.	Technical dimension drawings	25–26
135 Unladen vehicle weight	Published values 1,800–2,370 kg across catalogue configurations; source gives exact entries. Convention includes 90% fuel and 75 kg driver; excludes optional equipment.	Technical values — weights / footnotes	21, 23–24
136 Permitted gross weight	Published values 2,335–2,895 kg; configuration-specific.	Technical values — weights	21, 23–24
137 Payload	Published values 600, 610, 620, 630, 650, 655 or 675 kg. Use published values; do not infer from gross minus unladen without checking conventions.	Technical values — weights	21, 23–24
138 Unbraked towing capacity	750 kg.	Technical values — weights	21, 23–24
139 Braked towing capacity	1,500, 1,800 or 2,000 kg; 12% incline and equipment caveat. Table heading mentions nose load but separate nose-load figure not supplied.	Technical values — weights	21, 23–24
140 Towbar	SA 3AC; EUR 1,200.	Options — transport / storage	19
141 Boot capacity	490 L in BEV configurations; 520 L in combustion/PHEV configurations.	Technical values — weights / storage	21, 23–24
142 Split through-loading	40:20:40 through-loading system standard.	Standard equipment — comfort	8

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Body dimensions and transport (continued)			
143 Fuel-tank capacity	60 L in combustion/PHEV configurations.	Technical values — weights / storage	23–24
144 Automatic tailgate	Included Travel package; no standalone price specified.	Options — Travel package	17
145 Travel accessory system	Travel & Comfort System included Travel; component specification not detailed.	Options — Travel package	17
Safety and driving assistance			
146 Lane-change warning	Included standard radar-based Driving Assistant.	Standard equipment — driver assistance	7
147 Rear cross-traffic warning	Standard with brake intervention.	Standard equipment — driver assistance	7
148 Exit warning	Safe Exit included standard Driving Assistant.	Standard equipment — driver assistance	7
149 Rear-collision warning	Included standard Driving Assistant.	Standard equipment — driver assistance	7
150 Lane-departure warning	Standard with active return intervention.	Standard equipment — safety	7
151 Front-collision warning	Standard with braking, evasive assistance and brake intervention.	Standard equipment — safety	7
152 Left-turn collision warning	Vehicle left-turn warning with braking standard.	Standard equipment — safety	7
153 Speed-limit information	Standard; anticipation, no-overtaking display and manual Speed Limit Assist.	Standard equipment — safety	7

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Safety and driving assistance (continued)			
154 Acoustic pedestrian protection	Standard on BEV/PHEV configurations.	Standard equipment — safety	7
155 Warning triangle	Standard.	Standard equipment — safety	7
156 First-aid kit	Standard.	Standard equipment — safety	7
157 Adaptive cruise control	Driving Assistant Plus 30–180 km/h; Professional 30–210 km/h.	Options — driver assistance	18
158 Steering / lane guidance	Plus up to 180 km/h; Professional up to 210 km/h.	Options — driver assistance	18
159 Automatic speed adaptation	Speed Limit Assist with route-course adaptation in Plus and Professional.	Options — driver assistance	18
160 Emergency-stop assistant	Included Professional.	Options — driver assistance	18
161 Active lane-change assistant	Included Professional.	Options — driver assistance	18
162 Front cross-traffic warning	Included Professional, with front/rear crossing warnings.	Options — driver assistance	18
163 Wrong-way warning	Included Professional.	Options — driver assistance	18
164 Right-of-way warning	Included Professional.	Options — driver assistance	18

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Safety and driving assistance (continued)			
165 Side-collision intervention	Professional side-collision warning with active return.	Options — driver assistance	18
166 Traffic-light recognition	Included Professional.	Options — driver assistance	18
167 Emergency-corridor assistance	Included Professional.	Options — driver assistance	18
168 Following-distance information	Included Professional.	Options — driver assistance	18
169 Pedestrian / cyclist braking	Professional warning with city braking including turns.	Options — driver assistance	18
170 Motorway steering assistance	SA 5AX, EUR 850; enhanced steering up to 130 km/h on German motorways; requires Professional and relevant services.	Options — Autobahnassistent	18
171 Gaze-confirmed lane change	Included 5AX; function remains usable without specified connected services, per source.	Options — Autobahnassistent	18
Parking, cameras and access			
172 Parking distance control	Active PDC standard; duplicate source listing retained as one scope.	Standard equipment — Parking Assistant	7
173 Automatic parking	Park assistant standard; Professional adds Parkassistent Professional.	Standard equipment / parking options	7, 18
174 Rear camera	Standard rear camera with rear panorama; source wording “bis zu 50 m” requires verification.	Standard equipment — Parking Assistant	7

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Parking, cameras and access (continued)			
175 Side parking aid	Standard side parking assistance.	Standard equipment — Parking Assistant	7
176 Parking start monitoring	Parken-Anfahrüberwachung standard.	Standard equipment — Parking Assistant	7
177 Trailer assistant	Standard parking-assistant function.	Standard equipment — Parking Assistant	7
178 Surround-view camera	Parking Plus in Innovation includes Surround View System.	Options — Innovation package	17
179 Remote 3D view	Included Parking Plus in Innovation.	Options — Innovation package	17
180 Front panorama view	Included Parking Plus in Innovation.	Options — Innovation package	17
181 Drive Recorder	Included Parking Plus in Innovation; no recording duration specified.	Options — Innovation package	17
182 Anti-theft recorder	Included Parking Plus in Innovation.	Options — Innovation package	17
183 Reversing assistant	Professional reversing assistance up to 200 m.	Options — Parking Assistant Professional	18
184 Learned parking manoeuvres	Up to 10 learned routes; 200 m each manoeuvre; 600 m total recorded route distance.	Options — Parking Assistant Professional	18
185 Phone-controlled parking	Professional can be operated inside car or remotely outside with compatible smartphone.	Options — Parking Assistant Professional	18

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Parking, cameras and access (continued)			
186 Interior camera	Included Innovation; no resolution specification.	Options — Innovation package	17
187 Digital key	BMW Digital Key standard.	Standard equipment — comfort	8
188 Comfort access	Included Travel; no standalone option price.	Options — Travel package	17
189 Alarm system	Standard.	Standard equipment — safety	7
Displays, software and connectivity			
190 Instrument display	12.3-inch fully digital instrument display.	Standard equipment — Live Cockpit Plus	6
191 Central control display	14.9-inch Control Display; combined with instrument display as BMW Curved Display.	Standard equipment — Live Cockpit Plus	6
192 Operating system	BMW Operating System 8.5.	Standard equipment — Live Cockpit Plus	6
193 Head-up display	Included Live Cockpit Professional in Innovation.	Options — Innovation package	17
194 Navigation	Navigation / BMW Maps; Connected Navigation in connected package.	Standard equipment — infotainment	6
195 Physical controller	BMW Controller listed.	Standard equipment — Live Cockpit Plus	6
196 Bluetooth connection	Bluetooth interface with hands-free support.	Standard equipment — Live Cockpit Plus	6

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Displays, software and connectivity (continued)			
197 Wi-Fi connection	Wi-Fi interface listed.	Standard equipment — Live Cockpit Plus	6
198 Mobile data connectivity	Fixed SIM, 4G LTE connectivity.	Standard equipment — Live Cockpit Plus	6
199 Personal eSIM	Standard.	Standard equipment — infotainment	7
200 Wireless phone charging	Wireless charging tray standard; wattage not supplied.	Standard equipment — infotainment	7
201 Apple CarPlay	Smartphone integration requires compatible phone; permanently available in vehicle.	Standard equipment — Connected Package	6
202 Android Auto	Smartphone integration requires compatible phone; permanently available in vehicle.	Standard equipment — Connected Package	6
203 Remote vehicle services	Remote Services included Connected Package Professional; no response-time specification.	Standard equipment — Connected Package	6
204 Connected parking services	Connected Parking listed; functionality details not quantified.	Standard equipment — Connected Package	6
205 Third-party assistants	Third-party assistants listed; specific providers not identified.	Standard equipment — Connected Package	6
206 Voice / personal assistant	Intelligent Personal Assistant; marked 2-year duration.	Standard equipment — Live Cockpit Plus	6
207 Vehicle applications	Vehicle Apps; marked 2-year duration.	Standard equipment — Live Cockpit Plus	6

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Displays, software and connectivity (continued)			
208 Remote software updates	Remote Software Upgrade listed; no uptime/update success data.	Standard equipment — Live Cockpit Plus	6
209 OTA navigation map updates	Over-the-air navigation map update; marked 2-year duration.	Standard equipment — Live Cockpit Plus	6
210 ConnectedDrive services	Standard; marked services have 2-year term; terms and privacy contact reference supplied.	Standard equipment — connectivity / footnotes	6
211 Teleservices	Standard; detailed service metrics not supplied.	Standard equipment — connectivity	6
212 Connected music	Included connected package; marked 2-year duration.	Standard equipment — Connected Package	6
213 In-car games	AirConsole Games; marked 1-year duration.	Standard equipment — Connected Package	6
214 Video streaming	Listed alongside AirConsole; marked 1-year duration.	Standard equipment — Connected Package	6
215 Motorway-service term	Required ConnectedDrive services for motorway assistant: 2 years.	Options — Autobahnassistent	18
Audio and noise			
216 Standard audio system	Harman/kardon HiFi standard, SA 674 on performance page; no wattage or speaker count.	Standard equipment / performance highlights	7, 11
217 Optional surround audio	Bowers & Wilkins Surround SA 6F4; EUR 750.	Options — infotainment	17

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Audio and noise (continued)			
218 DAB radio	DAB tuner standard.	Standard equipment — infotainment	7
219 Audio tuner	Listed in Live Cockpit Plus.	Standard equipment — Live Cockpit Plus	6
220 Electric driving sound	BMW IconicSounds Electric listed for BEV/PHEV; SA 4V1 on performance page.	Standard equipment / performance highlights	7, 11
221 Stationary exterior noise	Combustion/PHEV values 71–75 dB(A), with measurement RPM in table; not a cabin-noise metric.	Technical values — emissions / noise	22, 24
222 Drive-by exterior noise	Published values 65, 66 or 67 dB(A), rounded under stated test basis.	Technical values — emissions / noise	21–22, 24
Price and option packages			
223 Base vehicle price	Gross EUR 60,000; 62,300; 64,900; 66,700; 69,300; 70,900; 71,900; 76,300; 78,700; 100,200. These are catalogue configuration prices, not one G60 configuration.	Vehicle prices	4–5
224 Tax / net-price basis	19% VAT; catalogue also prints net EUR prices. Register uses gross EUR throughout.	Vehicle prices / option-table headings	4–5, 9–19
225 Delivery-cost basis	Recommended ex-works prices exclude delivery/transport; no general dealer delivery amount supplied.	Vehicle prices — footnotes	4–5
226 M Sport package price	SA 337; gross EUR 4,600, 3,700 or 3,350 depending on configuration; contents on sport page.	M Sportpaket	9

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Price and option packages (continued)			
227 M Sport Pro package price	SA 33B; EUR 1,700; requires M Sport; standard in listed performance configuration.	M Sportpaket Pro	10
228 Innovation package price	SA 7EW EUR 2,400; includes cockpit/HUD, interior camera and Parking Plus.	Options — packages	17
229 Comfort package price	SA 7VB EUR 2,750 or 1,150; includes electric memory adjustment, front/rear heating, front ventilation, four-zone climate.	Options — packages	17
230 Travel package price	SA 7LK EUR 1,900; automatic tailgate, comfort access, Travel & Comfort System.	Options — packages	17
231 Driving Assistant Plus price	SA 5AT EUR 1,000; excluded with Professional.	Options — driver assistance	18
232 Driving Assistant Professional price	SA 5AU EUR 2,100; requires Innovation.	Options — driver assistance	18
233 Parking Assistant Professional price	SA 5DW EUR 1,150; EUR 350 with Innovation; requires Travel.	Options — parking assistance	18
234 Option compatibility rules	Explicit requires/excludes clauses throughout; standard ■, optional □, no-extra-price –,–. Blank cells mean not listed, not independently verified incompatible.	Equipment table legends and notes	9–19
Delivery, support and sustainability			
235 Vehicle collection price	BMW Welt Compact EUR 790; Premium 990; Exclusive 1,390; substitutes for dealer delivery fee, registration excluded.	BMW Welt vehicle collection	27
236 Handover duration	Compact 50 min, Premium 70 min, Exclusive 90 min; instruction depth increases.	BMW Welt vehicle collection	27

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Delivery, support and sustainability (continued)			
237 Lounge access	All-day Premium Lounge: owner +1 companion Compact, +3 Premium/ Exclusive.	BMW Welt vehicle collection	27
238 Handover location	Premiere / Premiere with staging / exclusive Premiere area, by collection tier.	BMW Welt vehicle collection	27
239 Fuel at delivery	Partial refuelling Compact/Premium; full Exclusive.	BMW Welt vehicle collection	27
240 Collection tours	Premium/Exclusive list BMW Welt, museum, Group Classic, factory tour; availability exclusions stated.	BMW Welt vehicle collection	27
241 Virtual vehicle introduction	Product Info Center included Premium/Exclusive.	BMW Welt vehicle collection	27
242 Collection dining	Four-course meal for two in Bavarie included Exclusive.	BMW Welt vehicle collection	27
243 Collection chauffeur	Included Exclusive.	BMW Welt vehicle collection	27
244 Collection privacy room	Exclusive Privacy room EUR 249 extra.	BMW Welt vehicle collection	27
245 Collection scheduling	Tuesday–Friday and selected Saturdays; no factory tours weekends/ bridge days/holidays; museum closed Monday.	BMW Welt vehicle collection — footnotes	27
246 Customer support availability	Monday–Sunday 08:00–20:00; customer contact information supplied.	Contents / support information	2
247 ConnectedDrive support	Telephone/email and terms/privacy references; telephone Monday–Sunday 08:00–20:00.	Standard equipment — connected-service footnote	6
248 End-of-life recoverability	At least 95% recoverable at end of life, per catalogue statement.	Recycling statement	28

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Delivery, support and sustainability (continued)			
249 End-of-life material recycling	At least 85% materially recyclable, per catalogue statement.	Recycling statement	28

Keep these needs available for data gathering

The keynote also mentions needs that cannot be quantified from this option list. These are separate research scopes, not assertions that the corresponding component is fitted or offered. “Not supplied” means this PDF gives no explicit usable metric for that attribute.

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Battery lifespan	No degradation, service-life or cycle-life metric supplied.	Keynote slide 3	—
Home charging equipment	No wallbox specification or installation cost supplied.	Keynote slide 3	—
App response time	Remote services listed; no response-time benchmark.	Keynote slide 3	—
Software reliability	Updates/apps listed; no failure rate or uptime.	Keynote slide 3	—
Menu usability	Screens/controller listed; no task-time or menu-depth measure.	Keynote slide 3	—
Child-seat fit	No child-seat installation or accommodation assessment.	Keynote slide 3	—
Cooler capacity	No cooler option or bottle capacity.	Keynote slide 4	—
Carbon roof	Carbon exterior/trim options are not a specified carbon roof.	Keynote slide 3	—
Art App	No explicitly named Art App feature.	Keynote slide 3	—
Lifecycle carbon footprint	Tailpipe CO_2 and recycling statement do not quantify lifecycle carbon.	Keynote slide 3	—
Maintenance cost	No service intervals or maintenance-cost table.	Keynote slide 3	—
Customer sentiment	No direct customer study results or satisfaction scores.	Keynote slides 2–4	—
Sales volume	No sales-volume figures.	Keynote slide 4	—

BMW G60 • Discrete scope register

Discrete scope	Data available in the supplied PDF	Analysed catalogue part	PDF p.
Competitor comparison	No competitor specifications or comparisons.	Keynote slides 2–4	—
Future acceptance targets	Baseline values only; no agreed future engineering targets.	Keynote slide 4	—