One baseline, three models

A stable scope vocabulary for F70, G60 and G70, grounded in the supplied PDF and Excel files

Baseline means shared questions and fields. Each answer stays tied to its model, exact variant, source edition and market context. A feature present on one model is never assumed to exist on another.

CONCRETE SCOPE CATEGORIES

SCOPE AREA	FIELDS STORED IN THE BASELINE
Identity and variants	Series, model code, body, variant and powertrain
Drive and performance	Drive, transmission, power, torque, acceleration, speed
Energy, emissions and charging	WLTP fuel/electricity/CO2; BEV/PHEV range and charge data
Chassis, brakes and wheels	Suspension, steering, brakes, wheels and tyre sizes
Exterior and lighting	Paint, lights, glazing, roof and exterior features
Cabin, seats and climate	Upholstery, trim, seats, HVAC and cabin lighting
Dimensions, cargo and towing	Body size, weight, luggage volume and tow ratings
Safety and driver assistance	Safety equipment and named assistance functions
Parking, cameras and access	Parking functions, cameras, keys, doors and tailgate
Screens, software and audio	Displays, OS, navigation, phone, connectivity, sound
Prices, packages and option rules	Variant price, SA code, standard/optional, bundles, rules
Delivery, support and sustainability	Published delivery services, support and recycling claims
Customer feedback signals	One comment per ID; many tags; reviewed feature mapping

Source rule: PDF pages establish published specifications, equipment and option rules. Excel rows establish customer signals. A feedback tag is not proof that a feature exists; a catalogue feature is not proof of customer demand.

Evidence and coverage

German-language EUR/19% VAT catalogues; multi-country feedback in each workbook's Feedback_Explorer sheet

F70 / BMW 1 Series

Catalogue: July 2026, issue 1, dated 2026-05-28, 23 PDF pages.
Feedback: 4,076 tagged rows, 2,128 distinct IDs; GB/JP dominate.

G60 / BMW 5 Series

Catalogue: July 2026, issue 2, dated 2026-06-22, 28 PDF pages.
Feedback: 5,005 tagged rows, 4,000 distinct IDs; US/KR dominate.

G70 / BMW 7 Series

Catalogue: July 2026, issue 1, dated 2026-05-28, 27 PDF pages.
Feedback: 4,690 tagged rows, 4,000 distinct IDs; US/KR dominate.

WHERE EACH CATALOGUE SCOPE APPEARS

AREA	F70 PDF	G60 PDF	G70 PDF
Identity and variants	4, 20	4-5, 21-24	4-5, 24-25
Drive and performance	4, 20	4-5, 21-24	4-5, 24-25
Energy, emissions and charging	4, 20	4-5, 21-24	4-5, 24-25
Chassis, brakes and wheels	5-6, 11, 13, 17, 20	6-7, 13-14, 18	6-7, 10-12, 21
Exterior and lighting	5, 14, 17	6, 15, 18-19	6, 16, 21-22
Cabin, seats and climate	5, 15, 18	6, 8, 16, 18-19	6, 9, 17-22
Dimensions, cargo and towing	20-21	21-26	24-25
Safety and driver assistance	7, 17	7, 18	8, 22
Parking, cameras and access	7, 18	7-8, 18	8-9, 22
Screens, software and audio	6, 17	7, 17-18	7, 21
Prices, packages and option rules	4, 8-18	4-5, 9-19	4-5, 10-22
Delivery, support and sustainability	22-23	27-28	26-27

SOURCE GAPS THAT MUST STAY VISIBLE

• F70: supplied catalogue is petrol/diesel, with some 48 V mild hybrid variants. Do not populate traction-battery charging or BEV range from its feedback tags.

• G70: PHEV and diesel variants appear in price pages 4-5, but the detailed equipment matrix and technical tables shown here cover i7 and 740 xDrive. Other variant facts need another source.

Database contract

A small relational core can expand without changing the baseline category vocabulary

RECORDS TO STORE

Model and variant	The three model codes; each named trim/powertrain separately.
Source document	Filename, type, edition/date, language, market, currency and checksum.
Evidence	Exact PDF page or Excel sheet and row for every stored assertion.
Attribute and fact	Canonical field; variant-specific typed value, unit, range and qualifier.
Feature and availability	Canonical feature; SA code, standard/optional state and price per variant.
Option rule	Package contents, prerequisites and exclusions with source evidence.
Feedback and tags	One comment per ID, many original tags; reviewed map to a canonical feature.

RULES FOR A TRUSTWORTHY ANSWER

- Return a value only for the requested model, variant, catalogue edition and market context; show the source location.
- Use unknown when the supplied source is silent. Use not applicable only when the powertrain or feature definition makes it impossible.
- Keep customer volume separate from published equipment. Deduplicate by feedback ID; preserve all tag rows and country/engine filters.
- Require human review before a feedback tag becomes a feature mapping or a manufacturing feasibility claim.

PROTOTYPE BUILD ORDER

1. Load the six primary files and retain source versions and row/page locations.
2. Create the shared category and attribute definitions; seed reviewed facts and option states by variant.
3. Let the PM select model/variant and see a sourced catalogue baseline beside filtered customer signals.
4. Add variable requirements and hypothetical scenarios in separate tables later.