

Mappeeksamen IDR4000

Eskil Strand

2024-09-10

Table of contents

Introduksjon	3
1 Assignment 1: Reliability and tools for reproducible data science	4
1.1 Elements of the report	4
1.2 Starten av rapport	4
1.3 Protokoll for vo2maks testing	4
1.3.1 Forberedelser før test	4
1.3.2 Arbeidsflyt	5
1.3.3 Test protocol	5
1.3.4 Tabell over o2-tester med utvalgt data	5
1.3.5 Figur fra o2-test	6
2 Assignment 2: Regression models, predicting from data	8
3 Assignment 3: Drawing inference from statistical models, and statistical power	9
4 Assignment 4: Study designs	10
4.1 Overview	10
5 Assignment 5: Analyzing repeated measures experiments	11
5.1 Assignment overview	11
5.2 Introduction	11
5.3 Methods	11
5.3.1 Participants and study overview	11
5.3.2 Muscle strength and hypertrophy	11
5.3.3 Data analysis and statistics	11
5.4 Results	11
5.5 Discussion	15
5.6 Conclusion	15
6 Philosophy of science	16
7 Molecular Laboratory report	17
References	18

Introduksjon

Mappeeksamen består av følgende deler:

- Rapport: “Deskriptiv statistikk, reliabilitet og validitet og verktøy for reproduserbar vitenskap”.
- Laborasjonsrapport fra molekylærlabb
- Arbeidskrav i vitenskapsteori
- Rapport: “Statistisk inferens, statistiske modeller og statistisk styrke”
- Rapport: “Studiedesign”
- Rapport: “Analyse av eksperimenter med repeterte målinger”

I templatet organiseres hver del som et kapittel.

Referanser finner du sist i dokumentet (eks. (Spiegelhalter 2019))

1 Assignment 1: Reliability and tools for reproducible data science

The purpose of this assignment is to present estimates of reliability of measures collected in the physiology lab. A second purpose is to use tools for reproducible data science. The report that you are expected to hand in therefore has some strict requirements in its format (see [assignment description](#)). The assignment is a group assignment and at least three students are expected to contribute to each report.

1.1 Elements of the report

Importantly, the report should contain:

- At least one table (created from your data)
- At least one figure (created from your data), and
- data presented in the text.
- The report should use a bibliography file to manage references.

1.2 Starten av rapport

1.3 Protokoll for vo2maks testing

1.3.1 Forberedelser før test

- Gjennomfør samme type trening dagen før test
- Standardiser siste måltid før test (frokost)
- Innta normal mengde (for deg) med koffein før test
- Unngå alkohol/nikotin/tobakk siste 72t før test

1.3.2 Arbeidsflyt

1. Skru på BIOSEN
2. Finne frem slange
3. Starte kalibrering (gass) av Vyntus
4. Skru sammen munnstykke mens kalibrering pågår
5. Ta volumkalibrering (Vyntus)
6. Ta vekt på personen
7. Legg inn deltagerprofil på LODE
8. Stille inn sykkel og montere riktige pedaler
9. Kalibrer krank
10. Zeroing av Vyntus

1.3.3 Test protocol

Vyntus (Jaeger Vyntus CPX, Hoechberg, Tyskland) kalibreres før test, og brukes til å måle oksygenopptak. Gassanalysator kalibreres til < 2,0% differanse og luftvolum kalibreres til < 0,2% differanse. Zeroing gjøres også alltid før test starter. Syklistene veies med de klærne de skal sykle med, og 0,3kg trekkes fra.

Sykkeltesten gjennomføres på en ergometersykkel med bukkestyre (Lode Excalibur Sport; Lode B.V., Groningen, Nederland). Kranken kalibreres på Lode sykkel før hver teststart, og sykkel stilles inn etter utøver sitt ønske ved første test og stilles inn til den samme sittestillingen påfølgende tester.

Test av det maksimale oksygenopptaket (VO₂maks) gjennomføres etter 5 min standarisert oppvarming 2min på 11-12 i Borg, deretter 2 min på 15 i Borg før 1 min på 11-12 i Borg. Testen starter på en watt bestemt utfra deltagerens nivå i samråd med deltager og testleder. Det viktigste er at videre tester starter på samme watt. Det er individuelt om testen øker med 20W eller 25W hvert minutt frem til utmattelse. Testleder gjør verbal oppmuntring og sekundering. Oksygenmålinger hvert 30 sek, og snittet av de to høyeste etterfølgende målingene er det som brukes som det maksimale oksygenopptaket. Deltager er på forhånd informert om at testen stopper når kadens er under 60 rpm. Umiddelbart ved utmattelse blir deltaker spurt om Borg skala. Ett minutt etter endt VO₂maks-test stikker vi på fingertupp og måler [bLa-].

1.3.4 Tabell over o2-tester med utvalgt data

```
df %>%  
  select(id, age, weight, w.max, vo2.max, hr.max, la.max, borg.max) %>%  
  mutate(rel.vo2max = vo2.max / weight) %>%  
  arrange(w.max) %>%
```

```

gt(auto_align = TRUE) %>%
  fmt_number(columns = w.max,
              decimals = 0) %>%
  fmt_number(columns = vo2.max,
              decimals = 0) %>%
  fmt_number(columns = rel.vo2max,
              decimals = 1) %>%
  fmt_number(columns = age,
              decimals = 0) %>%
  cols_label(id = "ID",
             age = "Alder",
             weight = "Vekt",
             w.max = md("Watt<sub>maks</sub>"),
             vo2.max = md("VO<sub>2maks</sub><br><small>(ml/min)</small>"),
             hr.max = md("HF<sub>maks</sub>"),
             la.max = md("Lak<sub>maks</sub>"),
             borg.max = "Borg",
             rel.vo2max = md("VO<sub>2maks</sub><br><small>(ml/kg/min)</small>"))

```

ID	Alder	Vekt	Wattmaks	VO2maks(ml/min)	HFmaks	Lakmaks	Borg	VO2maks(ml/kg/m
4	28	77.6	222	2,820	na	14.51	19	3
6	23	81.7	281	3,704	188	12.71	19	4
6	23	81.4	291	3,714	194	13.43	19	4
5	23	74.6	382	4,360	200	12.26	19	5
5	23	74.6	391	4,427	203	13.07	20	5
7	24	82.1	410	5,116	186	11.7	16	6
7	24	84.0	433	4,951	178	10.78	16	5
7	24	81.8	441	5,164	191	na	19	6

1.3.5 Figur fra o2-test

```

ggplot(data = df, aes(x = w.max,
                      y = vo2.max,
                      color = id,
                      shape = timepoint)) +
  geom_point() +
  labs(x = "Wattmaks",
       y = "Vo2maks") +
  facet_wrap(~timepoint)

```




Figure 1.1: Sammenheng mellom wattmaks og vo2maks

2 Assignment 2: Regression models, predicting from data

The assignment has three parts:

- Part 1: Lactate thresholds
- Part 2: Predicting sizes of DNA fragments
- Part 3: Interpreting a regression table

3 Assignment 3: Drawing inference from statistical models, and statistical power

This assignment is set up as a statistical laboratory, we will perform simulations and your assignment is to interpret and explain the results. Create a report based on the code used in the lab and make sure you answer the specified questions (1-8). You can be as creative as you want and explore the results further.

4 Assignment 4: Study designs

4.1 Overview

Choose an area of interest (e.g. protein supplementation for muscle hypertrophy or the effect of block periodization on VO2max). Find at least five *original research studies*¹ in your selected area and describe strength and weakness of these studies. The report should focus on the design of the studies and selection of statistical tests to answer study aims. Conclude your report with a recommendation, how should future studies in your area be designed to best answer similar questions?

¹Avoid using review articles or meta-analyses

5 Assignment 5: Analyzing repeated measures experiments

5.1 Assignment overview

In this assignment you will analyse and report on trial investigating the effect of resistance training volume on lean mass and muscle strength. The data are part of the `exscidata` package and can be accessed as `data("strengthvolume")` and `data("dxadata")`. Read the [instructions carefully!](#)

Below you will find a basic outline of the report and example code that we worked on in class.

5.2 Introduction

5.3 Methods

5.3.1 Participants and study overview

5.3.2 Muscle strength and hypertrophy

5.3.3 Data analysis and statistics

5.4 Results

The average difference in lean mass changes between sets were 122.8, 95% CI: [8.6, 237], $p = 0.036$.

```
## Time points in strength data set

strengthvolume %>%
  distinct(exercise)
```

```
# A tibble: 6 x 1
  exercise
  <chr>
1 legpress
2 legext
3 isok.60
4 isok.120
5 isok.240
6 isom
```


```
## Exploratory plot of strength data
```

```
str <- strengthvolume %>%
  filter(include == "incl") %>%
  mutate(time = factor(time, levels = c("pre", "session1",
                                         "week2", "week5",
                                         "week9", "post"))) %>%
  print()
```

```
# A tibble: 2,856 x 8
  participant sex   include time      sets    leg  exercise  load
  <chr>        <chr> <chr>   <fct>   <chr>   <chr> <chr>   <dbl>
1 FP13      male  incl   pre     single  R     legpress  115
2 FP13      male  incl   pre     multiple L     legpress  115
3 FP13      male  incl   pre     single  R     legext    55
4 FP13      male  incl   pre     multiple L     legext    55
5 FP13      male  incl   session1 single  R     legpress  125
6 FP13      male  incl   session1 multiple L     legpress  125
7 FP13      male  incl   session1 single  R     legext    55
8 FP13      male  incl   session1 multiple L     legext    55
9 FP13      male  incl   week2   single  R     legpress  185
10 FP13     male  incl   week2   multiple L     legpress  175
# i 2,846 more rows
```

```
str %>%
  ggplot(aes(time,
              load,
              group = paste(participant, sets),
              color = sets)) +
  geom_line() +
  facet_wrap(~ exercise, scales = "free")
```


Warning: Removed 5 rows containing missing values or values outside the scale range (`geom_line()`).



How many measurements per participant

```
str %>%
  filter(!is.na(load)) %>%
  group_by(participant, exercise, sets) %>%
  summarise(n = n() ) %>%
  ggplot(aes(n, participant, color = sets)) +
  geom_point() +
  facet_wrap(~ exercise) +
  theme(axis.text.y = element_blank())
```

`summarise()` has grouped output by 'participant', 'exercise'. You can override using the `.groups` argument.



```
## Use pre and post data
# Combine pre data prior to data analysis
# per exercise, leg, participant, and sets

str %>%
  mutate(time = if_else(time %in% c("pre", "session1"), "pre", time)) %>%

  filter(time %in% c("pre", "post")) %>%

  summarise(load = max(load, na.rm = TRUE),
            .by = c(participant,
                    sex,
                    time,
                    sets,
                    exercise,
                    leg)) %>%

  print()
```

Warning: There were 7 warnings in `summarise()`.
 The first warning was:
 i In argument: `load = max(load, na.rm = TRUE)`.

```
i In group 62: `participant = "FP6"`, `sex = "female"`, `time = "post"`, `sets
  = "multiple"`, `exercise = "legpress"`, `leg = "L"`.
Caused by warning in `max()``:
! no non-missing arguments to max; returning -Inf
i Run `dplyr::last_dplyr_warnings()` to see the 6 remaining warnings.
```

```
# A tibble: 816 x 7
  participant sex    time sets    exercise leg    load
  <chr>      <chr> <chr> <chr>    <chr>    <chr> <dbl>
1 FP13      male   pre   single  legpress R      125
2 FP13      male   pre   multiple legpress L      125
3 FP13      male   pre   single  legext   R       55
4 FP13      male   pre   multiple legext   L       55
5 FP13      male   post  single  legpress R      230
6 FP13      male   post  multiple legpress L      235
7 FP13      male   post  single  legext   R      97.5
8 FP13      male   post  multiple legext   L      100
9 FP16      female pre   single  legpress R       95
10 FP16     female pre   multiple legpress L       85
# i 806 more rows
```

5.5 Discussion

5.6 Conclusion

6 Philosophy of science

See instructions on canvas.

7 Molecular Laboratory report

Select one laboratory assignment and write a detailed report.

References

Spiegelhalter, D. J. 2019. *The Art of Statistics : How to Learn from Data*. Book. First US edition. New York: Basic Books.