

ELITE IGCSE ACADEMY

Private Past Paper Solutions

Jan 2021 P2HR Worked Solutions

Jan 2021 | P2HR

25 questions ■ question image followed by worked solution

PREPARED BY

Dr. Eslam Ahmed

Assistant Lecturer, Cairo University Faculty of Engineering

WhatsApp: +20 112 000 9622 | eliteigcse.com

PAST PAPER QUESTION**Q#: 1****Marks: 8****TOPIC: Expanding Brackets**

Jan 2021 P2HR - Jan 2021 | P2HR

1 $w = 5y^2 - y^3$

(a) Work out the value of w when $y = -2$

$$w = \dots\dots\dots$$

(2)

(b) Factorise fully $8p^2 - 2p$

$$\dots\dots\dots$$

(2)

(c) Expand $4t(3t - 2)$

$$\dots\dots\dots$$

(2)

(d) Expand and simplify $(5x - 2)(x + 4)$

$$\dots\dots\dots$$

(2)

(Total for Question 1 is 8 marks)

PAST PAPER SOLUTION**Q#: 1****Marks: 8****TOPIC: Expanding Brackets**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Expanding brackets. The tag is correct.**Solution**For $w = 5y^2 - y^3$ and $y = -2$:

$$w = 5(-2)^2 - (-2)^3 = 20 + 8 = 28$$

$$8p^2 - 2p = 2p(4p - 1)$$

$$4t(3t - 2) = 12t^2 - 8t$$


$$(5x - 2)(x + 4) = 5x^2 + 18x - 8$$

FINAL ANSWER28, $2p(4p - 1)$, $12t^2 - 8t$, $5x^2 + 18x - 8$

PAST PAPER QUESTION**Q#: 2** **Marks: 3****TOPIC: Area & Perimeter**

Jan 2021 P2HR - Jan 2021 | P2HR

- 2 The diagram shows a rectangle $ABCD$ and a semicircle with diameter AB where $AB = 12$ cm. The point E lies on DC and also on the semicircle.

Diagram **NOT**
accurately drawn

Work out the area of the shaded region.
Give your answer correct to 3 significant figures.

..... cm^2 **(Total for Question 2 is 3 marks)**

PAST PAPER SOLUTION**Q#: 2****Marks: 3**TOPIC: **Area & Perimeter**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Corrected to Area & Perimeter.**Solution**

The semicircle has diameter 12 cm, so its radius is 6 cm.

The rectangle has area

$$12 \times 6 = 72$$

Area of the semicircle:

$$\frac{1}{2}\pi(6)^2 = 18\pi$$

Shaded area:

$$72 - 18\pi = 15.451 \dots$$

FINAL ANSWER**15.5 cm².**

PAST PAPER QUESTION**Q#: 3****Marks: 3****TOPIC: Set Notation & Venn Diagrams**

Jan 2021 P2HR - Jan 2021 | P2HR

- 3 $\mathcal{E} = \{21, 22, 23, 24, 25, 26, 27, 28, 29, 30\}$
 $A = \{22, 24, 26, 28, 30\}$
 $B = \{21, 24, 27, 30\}$

(a) List the members of the set

(i) $A \cap B$

.....

(ii) A'

.....

(2)

 $C = \{23, 25, 29\}$ (b) Using set notation, find an expression for C in terms of A and B .

.....

(1)

(Total for Question 3 is 3 marks)

PAST PAPER SOLUTION**Q#: 3****Marks: 3****TOPIC: Set Notation & Venn Diagrams**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Corrected to Set Notation & Venn Diagrams.**Solution**

$$A \cap B = \{24, 30\}$$

The complement of A , using the given universal set, is

$$A' = \{21, 23, 25, 27, 29\}$$

The set

$$C = \{23, 25, 29\}$$

is everything not in A and not in B , so

$$C = A' \cap B'$$

Equivalently,

$$C = (A \cup B)'$$

FINAL ANSWER

$A \cap B = \{24, 30\}$, $A' = \{21, 23, 25, 27, 29\}$, and $C = A' \cap B'$.

PAST PAPER QUESTION**Q#: 4****Marks: 4**TOPIC: **Algebraic Roots & Indices**

Jan 2021 P2HR - Jan 2021 | P2HR

4 (a) Simplify $(3k^2)^4$

.....
(2)

(b) Simplify $(21m^4n) \div (3n^{-5})$

.....
(2)

(Total for Question 4 is 4 marks)

Dr. Eslam

PAST PAPER SOLUTION**Q#: 4****Marks: 4****TOPIC: Algebraic Roots & Indices**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Algebraic Roots and Indices. The tag is correct.**Method**

For part (a),

$$\begin{aligned}(3k^2)^4 &= 3^4(k^2)^4 \\ &= 81k^8\end{aligned}$$


For part (b),

$$\begin{aligned}(21m^4n) \div (3n^{-5}) &= \frac{21m^4n}{3n^{-5}} \\ &= 7m^4n^{1-(-5)} \\ &= 7m^4n^6\end{aligned}$$

FINAL ANSWER(a) $81k^8$, (b) $7m^4n^6$.

PAST PAPER QUESTIONTOPIC: **Transformations**

Jan 2021 P2HR - Jan 2021 | P2HR


Q#: 5 **Marks: 6**5 Here is a shape **P** drawn on a grid of squares.

- (a) On the grid, rotate shape **P** 180° about the point $(-3, 2)$.
Label the new shape **Q**.

(2)

- (b) On the grid, translate shape **P** by the vector $\begin{pmatrix} 10 \\ 8 \end{pmatrix}$.
Label the new shape **R**.

(1)

Here are triangle **T** and triangle **U** drawn on a grid of squares.

- (c) Describe fully the single transformation that maps triangle **T** onto triangle **U**.

(3)

(Total for Question 5 is 6 marks)

PAST PAPER SOLUTION**Q#: 5****Marks: 6****TOPIC: Transformations**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Transformations. The tag is correct.**Solution**(a) For a 180° rotation about $(-3, 2)$,

$$(x, y) \mapsto (-6 - x, 4 - y)$$

The image has vertices

$$(-3, 9), (-9, 9), (-9, 6), (-6, 6)$$

(b) Translate by

$$\begin{pmatrix} 10 \\ 8 \end{pmatrix}$$

The image has vertices

$$(7, 3), (13, 3), (13, 6), (10, 6)$$

(c) Triangle T is mapped to triangle U by an enlargement with scale factor 2 and centre $(-3, 3)$.**FINAL ANSWER**(a) vertices $(-3, 9), (-9, 9), (-9, 6), (-6, 6)$; (b) vertices $(7, 3), (13, 3), (13, 6), (10, 6)$; (c) enlargement, scale factor 2, centre $(-3, 3)$.

PAST PAPER QUESTION**Q#: 6****Marks: 3**TOPIC: **Percentages**

Jan 2021 P2HR - Jan 2021 | P2HR

- 6 On Wednesday, the price of 1 litre of petrol was £1.26
The price of petrol on Wednesday was 5% more than the price of petrol on the previous Monday.

Calculate the price of 30 litres of petrol on the previous Monday.

£.....

(Total for Question 6 is 3 marks)

PAST PAPER SOLUTION**Q#: 6****Marks: 3**TOPIC: **Percentages**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Percentages. The tag is correct.**Method**

Wednesday's price was 5% more than Monday's price.

So

$$1.26 = 1.05 \times \text{Monday price}$$

$$\text{Monday price} = \frac{1.26}{1.05} = 1.20$$

The cost of 30 litres on Monday was

$$30 \times 1.20 = 36$$


FINAL ANSWER**£36**

PAST PAPER QUESTION**Q#: 7** **Marks: 3****TOPIC: Graphing Inequalities**

Jan 2021 P2HR - Jan 2021 | P2HR

- 7 The shaded region **R**, shown in the diagram below, is bounded by the straight line with equation $y = 3x - 2$ and by two other straight lines.

Write down the three inequalities that define region **R**.



.....

.....

.....

(Total for Question 7 is 3 marks)

PAST PAPER SOLUTION**Q#: 7****Marks: 3****TOPIC: Graphing Inequalities**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Correct. This is identifying inequalities from a shaded region.**Solution**

The sloping boundary is

$$y = 3x - 2$$

The shaded region is below this line:

$$y \leq 3x - 2$$

The vertical boundary is

$$x = 3$$

so the region has

$$x \leq 3$$

The lower boundary is the x -axis, so

$$y \geq 0$$

FINAL ANSWER

$$y \leq 3x - 2, x \leq 3, y \geq 0.$$

PAST PAPER QUESTION**Q#: 8** **Marks: 3****TOPIC: Powers, Roots & Standard Form**

Jan 2021 P2HR - Jan 2021 | P2HR

- 8 The table gives the length of the coastline, in kilometres, of each of five oceans.

Ocean	Length of coastline (km)
Arctic	4.539×10^4
Atlantic	1.119×10^5
Pacific	1.357×10^5
Indian	6.653×10^4
Southern	1.797×10^4

- (a) Which ocean has the greatest length of coastline?

.....
(1)

- (b) Calculate the difference between the length of the Atlantic Ocean's coastline and the length of the Southern Ocean's coastline.
Give your answer in standard form.

..... km
(2)

(Total for Question 8 is 3 marks)

PAST PAPER SOLUTION**Q#: 8****Marks: 3****TOPIC: Powers, Roots & Standard Form**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Powers, roots and standard form. The tag is correct.**Method**

The greatest coastline is the largest number in standard form.

$$1.357 \times 10^5$$

is the largest, so the answer is the Pacific Ocean.

For part (b),

$$1.119 \times 10^5 = 111900$$

$$1.797 \times 10^4 = 17970$$

Difference:

$$111900 - 17970 = 93930$$

$$93930 = 9.393 \times 10^4$$

FINAL ANSWER

(a) Pacific Ocean, (b) 9.393×10^4 km

PAST PAPER QUESTION**Q#: 9****Marks: 3****TOPIC: Solving Quadratic Equations**

Jan 2021 P2HR - Jan 2021 | P2HR

- 9 Solve $x^2 - 21x + 20 = 0$
Show your working clearly.

.....
(Total for Question 9 is 3 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 9****Marks: 3****TOPIC: Solving Quadratic Equations**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Solving quadratic equations. The tag is correct.**Solution**

$$x^2 - 21x + 20 = 0$$

Factorise:

$$(x - 20)(x - 1) = 0$$

So

$$x = 20 \quad \text{or} \quad x = 1$$

FINAL ANSWER

$$x = 20 \text{ or } x = 1.$$

PAST PAPER QUESTION**Q#: 10****Marks: 4****TOPIC: Statistics Toolkit**

Jan 2021 P2HR - Jan 2021 | P2HR

- 10** A mathematics teacher at a school asked a group of students how far, in kilometres, each student had travelled to get to school that day.

The table gives information about their answers.

Distance travelled (d km)	Number of students
$0 < d \leq 2$	x
$2 < d \leq 4$	11
$4 < d \leq 6$	8
$6 < d \leq 8$	6
$8 < d \leq 10$	5

The teacher calculated that an estimate for the mean distance travelled by the whole group of students was 4.25 km.

Work out the value of x .
Show your working clearly.

$x = \dots\dots\dots$

(Total for Question 10 is 4 marks)

PAST PAPER SOLUTION**Q#: 10****Marks: 4**TOPIC: **Statistics Toolkit**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Statistics Toolkit. The tag is correct.**Solution**

Use class midpoints 1, 3, 5, 7, 9.

The total frequency is

$$x + 11 + 8 + 6 + 5 = x + 30$$

The total estimated distance is

$$1x + 3(11) + 5(8) + 7(6) + 9(5) = x + 160$$

The estimated mean is 4.25:

$$\frac{x + 160}{x + 30} = 4.25$$

$$x + 160 = 4.25x + 127.5$$

$$32.5 = 3.25x$$

$$x = 10$$

FINAL ANSWER

$$x = 10.$$

PAST PAPER QUESTION**Q#: 11****Marks: 4****TOPIC: Circles, Arcs & Sectors**

Jan 2021 P2HR - Jan 2021 | P2HR

- 11 A circle centre O has radius 9 cm.




Diagram **NOT**
accurately drawn

Calculate the perimeter of the shaded sector of the circle.
Give your answer correct to 3 significant figures.

..... cm

(Total for Question 11 is 4 marks)

PAST PAPER SOLUTION**Q#: 11** **Marks: 4****TOPIC: Circles, Arcs & Sectors**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Circles, Arcs & Sectors. The tag is correct.**Solution**

The shaded sector is the major sector:

$$360^\circ - 40^\circ = 320^\circ$$

Arc length:

$$\frac{320}{360} \times 2\pi(9) = 16\pi$$

Perimeter:

$$16\pi + 2(9) = 68.265\dots$$

FINAL ANSWER

68.3 cm.

PAST PAPER QUESTION**Q#: 12****Marks: 4****TOPIC: Simultaneous Equations**

Jan 2021 P2HR - Jan 2021 | P2HR

- 12** Solve the simultaneous equations $2x + 7y = 17$
 $5x + 3y = -1$

Show clear algebraic working.

 $x = \dots\dots\dots$ $y = \dots\dots\dots$

(Total for Question 12 is 4 marks)

Dr. Eslam

PAST PAPER SOLUTION**Q#: 12****Marks: 4****TOPIC: Simultaneous Equations**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Simultaneous equations. The tag is correct.**Solution**

$$2x + 7y = 17$$

$$5x + 3y = -1$$

Multiply the first equation by 5:

$$10x + 35y = 85$$

Multiply the second equation by 2:

$$10x + 6y = -2$$

Subtract:

$$29y = 87$$

$$y = 3$$

Substitute into $2x + 7y = 17$:

$$2x + 21 = 17$$

$$2x = -4$$


$$x = -2$$

FINAL ANSWER

$$x = -2, y = 3.$$

PAST PAPER QUESTION**Q#: 13****Marks: 3****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

Jan 2021 P2HR - Jan 2021 | P2HR

13 The diagram shows two hot air balloons. A is a point on the base of one of the balloons and B is a point on the base of the other balloon.Diagram **NOT**
accurately drawnThe distance between A and B is 500 metres.The angle of depression of B from A is 23° Calculate the vertical height of A above B .

Give your answer correct to one decimal place.

..... metres

(Total for Question 13 is 3 marks)

PAST PAPER SOLUTION**Q#: 13****Marks: 3****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Right-Angled Triangles - Pythagoras & Trigonometry. The tag is correct.**Solution**

The vertical height is opposite the 23° angle, and $AB = 500$ m is the hypotenuse.

$$\sin 23^\circ = \frac{h}{500}$$

$$h = 500 \sin 23^\circ = 195.365 \dots$$

FINAL ANSWER

195.4 m.

PAST PAPER QUESTION**Q#: 14****Marks: 4****TOPIC: Compound Interest & Depreciation**

Jan 2021 P2HR - Jan 2021 | P2HR

14 Simon bought a house at the beginning of 2018

The value of Simon's house had decreased by 15% by the end of 2018

The house increased in value during both 2019 and 2020

The percentage increases in the value of the house during 2019 and 2020 were the same.

The value of Simon's house at the end of 2020 was 2.85% greater than the amount he paid for his house at the beginning of 2018

Calculate the percentage increase in the value of the house during 2019

.....%

(Total for Question 14 is 4 marks)

PAST PAPER SOLUTION**Q#: 14****Marks: 4****TOPIC: Compound Interest & Depreciation**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed*

Topic check. Corrected to Compound Interest & Depreciation. The value changes by repeated percentage multipliers.

Method

Let the original house value be V .

After the 15% decrease in 2018:

$$0.85V$$

Let the percentage increase in each of 2019 and 2020 be r .

The final value is 2.85% greater than the original value:

$$1.0285V$$

So

$$0.85V(1+r)^2 = 1.0285V$$

$$(1+r)^2 = \frac{1.0285}{0.85} = 1.21$$

$$1+r = \sqrt{1.21} = 1.1$$

$$r = 0.1 = 10\%$$

FINAL ANSWER

10%

PAST PAPER QUESTION**Q#: 15****Marks: 4**TOPIC: **Algebraic Proof**

Jan 2021 P2HR - Jan 2021 | P2HR

15 Prove algebraically that the product of any two odd numbers is always an odd number.

(Total for Question 15 is 4 marks)

PAST PAPER SOLUTION**Q#: 15****Marks: 4**TOPIC: **Algebraic Proof**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed*

Topic check. Corrected to algebraic proof. The question asks for a general proof using odd numbers.

Solution

Let the two odd numbers be

$$2m + 1 \quad \text{and} \quad 2n + 1$$

Their product is

$$\begin{aligned} & (2m + 1)(2n + 1) \\ &= 4mn + 2m + 2n + 1 \\ &= 2(2mn + m + n) + 1 \end{aligned}$$

This is of the form

$$2k + 1$$

where k is an integer.

So the product is odd.

FINAL ANSWER

The product of any two odd numbers is always odd.


PAST PAPER QUESTION**Q#: 16****Marks: 5****TOPIC: Probability Diagrams - Venn & Tree Diagrams**

Jan 2021 P2HR - Jan 2021 | P2HR

16 Two events A and B are such that $n(A) = 62$ $n(B) = 30$ and $n(A \cup B) = 68$

Given that $n(\mathcal{E}) = 80$

(a) complete the Venn diagram to show the number of elements in each region.



(2)

An element is chosen at random from $\mathcal{E}$.

(b) Using the Venn diagram, find the probability that this element is in

(i) $A \cap B$

(1)

(ii) $A \cup B'$

(2)

(Total for Question 16 is 5 marks)

PAST PAPER SOLUTION**Q#: 16****Marks: 5****TOPIC: Probability Diagrams - Venn & Tree Diagrams**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Probability Diagrams - Venn & Tree Diagrams. The tag is correct.**Solution**

$$n(A \cap B) = 62 + 30 - 68 = 24$$

So the Venn diagram has:

$$A \text{ only} = 38, \quad B \text{ only} = 6, \quad A \cap B = 24, \quad \text{outside} = 12$$

$$P(A \cap B) = \frac{24}{80} = \frac{3}{10}$$

$$P(A \cup B') = \frac{74}{80} = \frac{37}{40}$$

FINAL ANSWER

$$\frac{3}{10}, \frac{37}{40}$$

PAST PAPER QUESTION**Q#: 17****Marks: 9****TOPIC: Functions**

Jan 2021 P2HR - Jan 2021 | P2HR

17 The functions f and g are defined as

$$f(x) = x^2 + 6$$

$$g(x) = x - 10$$

(a) Find $fg(3)$
(2)(b) Solve the equation $fg(x) = f(x)$
Show clear algebraic working......
(3)The function h is defined as

$$h(x) = \frac{2x - 4}{x}$$

(c) State the value of x that cannot be included in the domain of h
(1)(d) Express the inverse function h^{-1} in the form $h^{-1}(x) = \dots$

$$h^{-1}(x) = \dots$$

(3)

(Total for Question 17 is 9 marks)

PAST PAPER SOLUTION**Q#: 17****Marks: 9****TOPIC: Functions**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed*

Topic check. Corrected to Functions. The original tag was solving quadratic equations, but this question is mainly function composition, domain, and inverse functions.

Solution

$$f(x) = x^2 + 6, \quad g(x) = x - 10$$

(a)

$$g(3) = 3 - 10 = -7$$

$$fg(3) = f(-7) = (-7)^2 + 6 = 55$$

(b)

$$fg(x) = f(g(x)) = (x - 10)^2 + 6$$

Solve $fg(x) = f(x)$:

$$(x - 10)^2 + 6 = x^2 + 6$$

$$x^2 - 20x + 100 = x^2$$

$$-20x + 100 = 0$$

$$x = 5$$

(c)

$$h(x) = \frac{2x - 4}{x}$$

The denominator cannot be zero, so $x = 0$ cannot be included.

(d) Let

$$y = \frac{2x - 4}{x}$$

$$y = 2 - \frac{4}{x}$$

$$y - 2 = -\frac{4}{x}$$

$$x = \frac{4}{2 - y}$$

Therefore

$$h^{-1}(x) = \frac{4}{2-x}$$

FINAL ANSWER

$fg(3) = 55$, $x = 5$, excluded value 0, and $h^{-1}(x) = \frac{4}{2-x}$.

Dr. Eslam Ahmed

PAST PAPER QUESTION**Q#: 18****Marks: 5****TOPIC: Algebraic Fractions**

Jan 2021 P2HR - Jan 2021 | P2HR

18 Solve the equation

$$\frac{5}{x+2} + \frac{3}{x^2+2x} = 2$$

Show clear algebraic working.

(Total for Question 18 is 5 marks)

PAST PAPER SOLUTION**Q#: 18** **Marks: 5**TOPIC: **Algebraic Fractions**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed*

Topic check. Corrected to algebraic fractions. The equation is solved by combining algebraic fractions.

Solution

$$\frac{5}{x+2} + \frac{3}{x^2+2x} = 2$$

Since

$$x^2 + 2x = x(x+2)$$

multiply by $x(x+2)$:

$$5x + 3 = 2x(x+2)$$

$$5x + 3 = 2x^2 + 4x$$

$$2x^2 - x - 3 = 0$$

Factorise:

$$(2x - 3)(x + 1) = 0$$

$$x = \frac{3}{2} \quad \text{or} \quad x = -1$$

Both values are allowed because $x \neq 0$ and $x \neq -2$.**FINAL ANSWER**

$$x = \frac{3}{2} \text{ or } x = -1.$$

PAST PAPER QUESTION**Q#: 19****Marks: 7****TOPIC: Algebraic Roots & Indices**

Jan 2021 P2HR - Jan 2021 | P2HR

19 (a) Simplify $8^2 \times \sqrt[3]{4^6}$ Give your answer in the form 2^a where a is an integer.

Show each stage of your working clearly.

.....
(3)Given that $n^{\left(-\frac{4}{5}\right)} = \left(\frac{1}{2}\right)^4$ where $n > 0$ (b) find the value of n . $n =$
(4)**(Total for Question 19 is 7 marks)**

PAST PAPER SOLUTION**Q#: 19****Marks: 7**TOPIC: **Algebraic Roots & Indices**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Algebraic Roots and Indices. The tag is correct.**Method**

$$8^2 = (2^3)^2 = 2^6$$

$$\sqrt[3]{4^6} = \sqrt[3]{(2^2)^6} = \sqrt[3]{2^{12}} = 2^4$$

So

$$8^2 \times \sqrt[3]{4^6} = 2^6 \times 2^4 = 2^{10}$$

For part (b),

$$n^{-4/5} = \left(\frac{1}{2}\right)^4 = 2^{-4}$$

So

$$n^{4/5} = 2^4$$

Raise both sides to the power $\frac{5}{4}$:

$$n = (2^4)^{5/4} = 2^5 = 32$$

FINAL ANSWER(a) 2^{10} , (b) $n = 32$.

PAST PAPER QUESTION**Q#: 20****Marks: 5****TOPIC: Circles, Arcs & Sectors**

Jan 2021 P2HR - Jan 2021 | P2HR

20 A , B and C are points on a circle with centre O .




Diagram **NOT**
accurately drawn

Angle $ABC = 75^\circ$

The area of the shaded segment is 200 cm^2

Calculate the radius of the circle.

Give your answer correct to 3 significant figures.

..... cm

(Total for Question 20 is 5 marks)

PAST PAPER SOLUTION**Q#: 20** **Marks: 5**TOPIC: **Circles, Arcs & Sectors**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Moved to Circles, Arcs & Sectors.**Method**

$$\angle ABC = 75^\circ$$

The angle at the centre is twice the angle at the circumference, so

$$\angle AOC = 2(75^\circ) = 150^\circ$$

The shaded segment is:

$$\text{sector } AOC - \text{triangle } AOC$$

Let the radius be r .

Sector area:

$$\frac{150}{360}\pi r^2$$

Triangle area:

$$\frac{1}{2}r^2 \sin 150^\circ$$

So

$$\frac{150}{360}\pi r^2 - \frac{1}{2}r^2 \sin 150^\circ = 200$$

$$r^2 \left(\frac{5\pi}{12} - \frac{1}{4} \right) = 200$$

$$r^2 = \frac{200}{\frac{5\pi}{12} - \frac{1}{4}}$$


$$r = 13.7426 \dots$$

FINAL ANSWER

13.7 cm

PAST PAPER QUESTION**Q#: 20****Marks: 5****TOPIC: Circles, Arcs & Sectors**

Jan 2021 P2HR - Jan 2021 | P2HR

20 A , B and C are points on a circle with centre O .Diagram **NOT**
accurately drawnAngle $ABC = 75^\circ$ The area of the shaded segment is 200 cm^2

Calculate the radius of the circle.

Give your answer correct to 3 significant figures.

..... cm

(Total for Question 20 is 5 marks)

PAST PAPER SOLUTION**Q#: 20****Marks: 5****TOPIC: Circles, Arcs & Sectors**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Moved to Circles, Arcs & Sectors.**Method**

$$\angle ABC = 75^\circ$$

The angle at the centre is twice the angle at the circumference, so

$$\angle AOC = 2(75^\circ) = 150^\circ$$

The shaded segment is:

sector AOC – triangle AOC

Let the radius be r .

Sector area:

$$\frac{150}{360}\pi r^2$$

Triangle area:

$$\frac{1}{2}r^2 \sin 150^\circ$$

So

$$\frac{150}{360}\pi r^2 - \frac{1}{2}r^2 \sin 150^\circ = 200$$

$$r^2 \left(\frac{5\pi}{12} - \frac{1}{4} \right) = 200$$

$$r^2 = \frac{200}{\frac{5\pi}{12} - \frac{1}{4}}$$

$$r = 13.7426 \dots$$

FINAL ANSWER

13.7 cm

PAST PAPER QUESTION**Q#: 21****Marks: 6****TOPIC: Probability Toolkit**

Jan 2021 P2HR - Jan 2021 | P2HR

- 21** A bag contains n beads.
6 of the beads are red and the rest are blue.
Ravi is going to take at random 2 beads from the bag.
The probability that the 2 beads will be of the same colour is $\frac{9}{17}$
Using algebra, and showing each stage of your working, calculate the value of n .

 $n = \dots\dots\dots$

(Total for Question 21 is 6 marks)

PAST PAPER SOLUTION**Q#: 21****Marks: 6****TOPIC: Probability Toolkit**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Corrected from Right-Angled Triangles to Probability Toolkit.**Method**There are n beads altogether.

Red beads:

$$6$$

Blue beads:

$$n - 6$$

The probability of taking two beads of the same colour is

$$P(RR) + P(BB) = \frac{9}{17}$$

So

$$\frac{6}{n} \cdot \frac{5}{n-1} + \frac{n-6}{n} \cdot \frac{n-7}{n-1} = \frac{9}{17}$$

$$\frac{30 + (n-6)(n-7)}{n(n-1)} = \frac{9}{17}$$

Expand:

$$(n-6)(n-7) = n^2 - 13n + 42$$

So

$$\frac{n^2 - 13n + 72}{n(n-1)} = \frac{9}{17}$$

Cross multiply:

$$17(n^2 - 13n + 72) = 9n(n-1)$$

$$17n^2 - 221n + 1224 = 9n^2 - 9n$$

$$8n^2 - 212n + 1224 = 0$$

Divide by 4:

$$2n^2 - 53n + 306 = 0$$

Factor:

$$(2n-17)(n-18) = 0$$

So

$$n = \frac{17}{2} \quad \text{or} \quad n = 18$$

The number of beads must be a whole number, so

$$n = 18$$

FINAL ANSWER

18

Dr. Eslam Ahmed

PAST PAPER QUESTION**Q#: 21****Marks: 6****TOPIC: Probability Toolkit**

Jan 2021 P2HR - Jan 2021 | P2HR

- 21 A bag contains n beads.
6 of the beads are red and the rest are blue.

Ravi is going to take at random 2 beads from the bag.

The probability that the 2 beads will be of the same colour is $\frac{9}{17}$

Using algebra, and showing each stage of your working, calculate the value of n .

 $n = \dots\dots\dots$

(Total for Question 21 is 6 marks)

PAST PAPER SOLUTION**Q#: 21****Marks: 6****TOPIC: Probability Toolkit**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Corrected from Right-Angled Triangles to Probability Toolkit.**Method**There are n beads altogether.

Red beads:

$$6$$

Blue beads:

$$n - 6$$

The probability of taking two beads of the same colour is

$$P(RR) + P(BB) = \frac{9}{17}$$

So

$$\frac{6}{n} \cdot \frac{5}{n-1} + \frac{n-6}{n} \cdot \frac{n-7}{n-1} = \frac{9}{17}$$

$$\frac{30 + (n-6)(n-7)}{n(n-1)} = \frac{9}{17}$$

Expand:

$$(n-6)(n-7) = n^2 - 13n + 42$$

So

$$\frac{n^2 - 13n + 72}{n(n-1)} = \frac{9}{17}$$

Cross multiply:

$$17(n^2 - 13n + 72) = 9n(n-1)$$

$$17n^2 - 221n + 1224 = 9n^2 - 9n$$

$$8n^2 - 212n + 1224 = 0$$

Divide by 4:

$$2n^2 - 53n + 306 = 0$$

Factor:

$$(2n - 17)(n - 18) = 0$$

So

$$n = \frac{17}{2} \quad \text{or} \quad n = 18$$

The number of beads must be a whole number, so

$$n = 18$$

FINAL ANSWER


18

Dr. Eslam Ahmed

PAST PAPER QUESTION**Q#: 22****Marks: 4****TOPIC: 3D Pythagoras & Trigonometry**

Jan 2021 P2HR - Jan 2021 | P2HR

- 22 ABC is an isosceles triangle in a horizontal plane.
The point T is vertically above B .

Diagram NOT
accurately drawn

Angle $ABC = 140^\circ$
 $AB = BC = 8 \text{ cm}$
 $TB = 10 \text{ cm}$
 M is the midpoint of AC .

Calculate the size of the angle between MT and the horizontal plane ABC .
 Give your answer correct to one decimal place.

.....
 (Total for Question 22 is 4 marks)

PAST PAPER SOLUTION**Q#: 22** **Marks: 4****TOPIC: 3D Pythagoras & Trigonometry**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Moved from Coordinate Geometry to 3D Pythagoras & Trigonometry.**Method**Since $AB = BC = 8$, triangle ABC is isosceles.The line from B to the midpoint M bisects angle ABC .

$$\angle ABM = \frac{140^\circ}{2} = 70^\circ$$

In right triangle ABM ,

$$\cos 70^\circ = \frac{BM}{8}$$

$$BM = 8 \cos 70^\circ$$

Since T is vertically above B , the projection of MT onto the horizontal plane is MB .Let the required angle be θ .

$$\tan \theta = \frac{TB}{BM}$$

$$\tan \theta = \frac{10}{8 \cos 70^\circ}$$


$$\theta = 74.7^\circ$$

FINAL ANSWER**74.7°**

PAST PAPER QUESTION**Q#: 22****Marks: 4****TOPIC: 3D Pythagoras & Trigonometry**

Jan 2021 P2HR - Jan 2021 | P2HR

- 22 ABC is an isosceles triangle in a horizontal plane.
The point T is vertically above B .

Diagram NOT
accurately drawn

Angle $ABC = 140^\circ$
 $AB = BC = 8$ cm
 $TB = 10$ cm
 M is the midpoint of AC .

Calculate the size of the angle between MT and the horizontal plane ABC .
 Give your answer correct to one decimal place.

(Total for Question 22 is 4 marks)

PAST PAPER SOLUTION**Q#: 22****Marks: 4****TOPIC: 3D Pythagoras & Trigonometry**

Jan 2021 P2HR - Jan 2021 | P2HR

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Moved from Coordinate Geometry to 3D Pythagoras & Trigonometry.**Method**Since $AB = BC = 8$, triangle ABC is isosceles.The line from B to the midpoint M bisects angle ABC .

$$\angle ABM = \frac{140^\circ}{2} = 70^\circ$$

In right triangle ABM ,

$$\cos 70^\circ = \frac{BM}{8}$$

$$BM = 8 \cos 70^\circ$$

Since T is vertically above B , the projection of MT onto the horizontal plane is MB .Let the required angle be θ .

$$\tan \theta = \frac{TB}{BM}$$

$$\tan \theta = \frac{10}{8 \cos 70^\circ}$$

$$\theta = 74.7^\circ$$

FINAL ANSWER**74.7°**