

ELITE IGCSE ACADEMY

Student Past Paper Solutions

May 2025 4WM1HR Worked Solutions

May2025 | 4WM1HR | Unit 1

29 questions ■ question image followed by worked solution

PREPARED BY

Dr. Eslam Ahmed

Assistant Lecturer, Cairo University Faculty of Engineering

WhatsApp: +20 112 000 9622 | eliteigcse.com

PAST PAPER QUESTION**Q#: 1****Marks: 2****TOPIC: Rounding, Estimation & Bounds**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

1 The length of a ship is 142.8 m, correct to 1 decimal place.

(i) Write down the lower bound of the length of the ship.

.....m
(1)

(ii) Write down the upper bound of the length of the ship.

.....m
(1)

(Total for Question 1 is 2 marks)

PAST PAPER SOLUTION**Q#: 1****Marks: 2****TOPIC: Rounding, Estimation & Bounds**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The value is correct to 1 decimal place, so the half-unit is 0.05.

$$142.8 - 0.05 = 142.75, \quad 142.8 + 0.05 = 142.85$$

FINAL ANSWER

lower bound 142.75 m, upper bound 142.85 m.

Dr. Eslam Ahmed

PAST PAPER QUESTION**Q#: 2****Marks: 3**TOPIC: **Fractions**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

2 Show that $2\frac{1}{4} \times 1\frac{5}{7} = 3\frac{6}{7}$

(Total for Question 2 is 3 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 2****Marks: 3**TOPIC: **Fractions**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed*

Topic check. Algebraic proof. The tag is acceptable because the question asks to show the exact result.

Solution

$$2\frac{1}{4} = \frac{9}{4}, \quad 1\frac{5}{7} = \frac{12}{7}$$

$$2\frac{1}{4} \times 1\frac{5}{7} = \frac{9}{4} \times \frac{12}{7}$$

$$= \frac{108}{28} = \frac{27}{7} = 3\frac{6}{7}$$

FINAL ANSWER


$$3\frac{6}{7}.$$

PAST PAPER QUESTION**Q#: 3****Marks: 5****TOPIC: Probability Toolkit**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

3 Here is a biased 5-sided spinner.

When the spinner is spun, it can land on blue or on green or on purple or on red or on yellow.



The table gives information about the probability of the spinner landing on each colour.

Colour	blue	green	purple	red	yellow
Probability	0.12	0.20	0.38	$4x$	x

Sophie spins the spinner once.

(a) Work out the probability that the spinner lands on blue or on green or on purple.

.....
(1)

Max spins the spinner 350 times.

(b) Work out an estimate for the number of times the spinner lands on red.

.....
(4)

(Total for Question 3 is 5 marks)

PAST PAPER SOLUTION**Q#: 3****Marks: 5**TOPIC: **Probability Toolkit**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Probability Toolkit. The tag is correct.**Solution**

Let the yellow probability be x . Then the red probability is $4x$.

$$0.12 + 0.20 + 0.30 + 4x + x = 1$$

$$5x = 0.38$$

$$x = 0.076$$

So

$$P(\text{red}) = 4x = 0.304$$

$$P(\text{blue, green or purple}) = 0.12 + 0.20 + 0.30 = 0.62$$

Expected red:

$$350 \times 0.304 = 106.4$$

FINAL ANSWER

0.62, and about 106.

PAST PAPER QUESTION**Q#: 4****Marks: 4****TOPIC: Set Notation & Venn Diagrams**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

4 $\mathcal{E} = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$

$$A = \{2, 4, 6, 8, 10, 12\}$$

$$B = \{3, 6, 9, 12\}$$

$$C = \{1, 3, 5, 7, 9, 11\}$$

(a) List the members of the set

(i) $A \cup B$

.....

(ii) B'

.....

(2)

$$\mathcal{E} = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$$

$$A = \{2, 4, 6, 8, 10, 12\}$$

$$B = \{3, 6, 9, 12\}$$

$$C = \{1, 3, 5, 7, 9, 11\}$$

$\mathcal{E}$	$\cap$	$\cup$	$\emptyset$	$\in$	$\notin$
---------------	--------	--------	-------------	-------	----------

(b) Write a symbol from the box on each dotted line to make each of the following a true statement.

(i) $A \cap C = \dots\dots\dots$

(ii) $13 \dots\dots\dots \mathcal{E}$

(2)

(Total for Question 4 is 4 marks)

PAST PAPER SOLUTION**Q#: 4****Marks: 4****TOPIC: Set Notation & Venn Diagrams**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Set notation and Venn diagrams. The tag is correct.**Method**

$$\mathcal{E} = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$$

$$A = \{2, 4, 6, 8, 10, 12\}$$

$$B = \{3, 6, 9, 12\}$$

$$C = \{1, 3, 5, 7, 9, 11\}$$

Therefore

$$A \cup B = \{2, 3, 4, 6, 8, 9, 10, 12\}$$

and

$$B' = \{1, 2, 4, 5, 7, 8, 10, 11\}$$

No number is both even and odd, so

$$A \cap C = \emptyset$$

Also $13 \notin \mathcal{E}$ because 13 is not in the universal set.**FINAL ANSWER**(a)(i) $\{2, 3, 4, 6, 8, 9, 10, 12\}$, (a)(ii) $\{1, 2, 4, 5, 7, 8, 10, 11\}$, (b)(i) $\emptyset$, (b)(ii) $13 \notin \mathcal{E}$

PAST PAPER QUESTION**Q#: 5****Marks: 4**TOPIC: **Algebraic Roots & Indices**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

5 $3^8 \times 3^4 = 3^m$

(a) Find the value of m

$$m = \dots\dots\dots (1)$$

$4^{12} \div 4^7 = 4^n$

(b) Find the value of n

$$n = \dots\dots\dots (1)$$

$(6^2)^{10} = 6^p$

(c) Find the value of p

$$p = \dots\dots\dots (1)$$

$5^r = 1$

(d) Write down the value of r

$$r = \dots\dots\dots (1)$$

(Total for Question 5 is 4 marks)

PAST PAPER SOLUTION**Q#: 5****Marks: 4**TOPIC: **Algebraic Roots & Indices**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

$$3^8 \times 3^4 = 3^{8+4} = 3^{12}$$

$$\frac{4^{12}}{4^7} = 4^{12-7} = 4^5$$

$$(6^2)^{10} = 6^{20}$$

$$5^0 = 1$$

FINAL ANSWER

$$m = 12, n = 5, p = 20, r = 0.$$

PAST PAPER QUESTION**Q#: 6****Marks: 3****TOPIC: Forming & Solving Equations**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

$$(6^2)^{10} = 6^p$$

(c) Find the value of p

$$p = \dots\dots\dots$$


(1)

$$5^r = 1$$

(d) Write down the value of r

$$r = \dots\dots\dots$$

(1)

(Total for Question 5 is 4 marks)**6** The diagram shows triangle ABC Diagram **NOT**
accurately drawn

$$CA = (4x + 6)\text{ cm} \quad CB = (30 - x)\text{ cm} \quad \text{angle } CAB = \text{angle } CBA$$

Work out the value of x

$$x = \dots\dots\dots$$

(Total for Question 6 is 3 marks)

PAST PAPER SOLUTION**Q#: 6****Marks: 3****TOPIC: Forming & Solving Equations**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The base angles are equal, so the opposite sides are equal.

$$4x + 6 = 30 - x$$

$$5x = 24$$

$$x = 4.8$$

FINAL ANSWER

$$x = 4.8.$$

PAST PAPER QUESTION**Q#: 7****Marks: 3****TOPIC: Standard & Compound Units**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

- 7 Change a speed of 40 metres per second to a speed in kilometres per hour.
Show your working clearly.

..... kilometres per hour

(Total for Question 7 is 3 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 7****Marks: 3****TOPIC: Standard & Compound Units**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**


$$\begin{aligned} 40 \text{ m/s} &= 40 \times \frac{3600}{1000} \text{ km/h} \\ &= 144 \text{ km/h} \end{aligned}$$

FINAL ANSWER

144 kilometres per hour.

PAST PAPER QUESTION**Q#: 8****Marks: 4****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

8Diagram **NOT**
accurately drawn ABD and BCD are right-angled triangles.

angle $ABD = 65^\circ$

angle $CDB = 32^\circ$

$BC = 17 \text{ cm}$

Work out the length of AD

Give your answer correct to 3 significant figures.

..... cm

(Total for Question 8 is 4 marks)

PAST PAPER SOLUTION**Q#: 8****Marks: 4****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**In right triangle BCD ,

$$\tan 32^\circ = \frac{17}{BD}$$

$$BD = \frac{17}{\tan 32^\circ}$$

In right triangle ABD ,

$$\sin 65^\circ = \frac{AD}{BD}$$

$$AD = \frac{17}{\tan 32^\circ} \sin 65^\circ \approx 24.6567$$

FINAL ANSWER $AD = 24.7$ cm to 3 significant figures.

PAST PAPER QUESTION**Q#: 9****Marks: 7****TOPIC: Factorising**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

9 (a) Simplify $(5k^3n^4)^2$

.....
(2)

(b) Factorise fully $12m^2y^4 + 18m^3y$

.....
(2)

(c) (i) Factorise $x^2 - 13x + 42$

.....
(2)

(ii) Hence, solve $x^2 - 13x + 42 = 0$

.....
(1)

(Total for Question 9 is 7 marks)

Dr. Eslam

PAST PAPER SOLUTION**Q#: 9****Marks: 7****TOPIC: Factorising**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

(a)

$$(5k^3n^4)^2 = 25k^6n^8$$

(b)

$$12m^2y^4 + 18m^3y^3 = 6m^2y^3(2y + 3m)$$

(c)

$$x^2 - 13x + 42 = (x - 6)(x - 7)$$


So

$$x = 6 \quad \text{or} \quad x = 7$$

FINAL ANSWER $25k^6n^8, 6m^2y^3(2y + 3m), (x - 6)(x - 7), x = 6, 7.$

PAST PAPER QUESTION**Q#: 10****Marks: 5****TOPIC: Standard & Compound Units**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

10 The diagram shows a rectangular sheet of metal.Diagram **NOT**
accurately drawn

$$BC = 8 \text{ cm} \quad DB = 17 \text{ cm}$$

The sheet of metal lies flat on a table.

The force exerted by the sheet of metal on the table is 150 newtons.

Work out the pressure on the table due to the sheet of metal.

Show your working clearly.

$\text{pressure} = \frac{\text{force}}{\text{area}}$
--

..... newtons/cm²**(Total for Question 10 is 5 marks)**

PAST PAPER SOLUTION**Q#: 10****Marks: 5****TOPIC: Standard & Compound Units**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

Use Pythagoras to find the other side of the rectangle.

$$DC = \sqrt{17^2 - 8^2} = 15$$

$$\text{area} = 15 \times 8 = 120 \text{ cm}^2$$

$$\text{pressure} = \frac{150}{120} = 1.25$$

FINAL ANSWER1.25 newtons/cm².

PAST PAPER QUESTION**Q#: 11****Marks: 4****TOPIC: Probability Diagrams - Venn & Tree Diagrams**


May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

11 The probability that it will snow on Saturday is 0.2

If it snows on Saturday, the probability that it will snow on Sunday is 0.35

If it does not snow on Saturday, the probability that it will snow on Sunday is 0.4

(a) Use this information to complete the probability tree diagram.



(2)

(b) Work out the probability that it will snow on both Saturday and Sunday.

(2)

(Total for Question 11 is 4 marks)

PAST PAPER SOLUTION**Q#: 11****Marks: 4****TOPIC: Probability Diagrams - Venn & Tree Diagrams**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The missing branch probabilities are complements.

$$P(\text{not snow on Saturday}) = 0.8$$

$$P(\text{not snow on Sunday} \mid \text{snow Saturday}) = 0.65$$

$$P(\text{not snow on Sunday} \mid \text{not snow Saturday}) = 0.6$$

For snow on both days,

$$0.2 \times 0.35 = 0.07$$

FINAL ANSWER

tree labels 0.2, 0.8, 0.35, 0.65, 0.4, 0.6; probability 0.07.

PAST PAPER QUESTION**Q#: 12****Marks: 6****TOPIC: Solving Linear Equations**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

12 (a) Solve $\frac{5a+8}{3} - \frac{2a+5}{4} = 23$

Show clear algebraic working.

$$a = \dots\dots\dots$$

(4)

(b) Express $\left(\frac{\sqrt{y}}{3}\right)^{-1}$ in the form cy^n where c and n are numbers to be found.

$$\dots\dots\dots$$

(2)

(Total for Question 12 is 6 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 12****Marks: 6****TOPIC: Solving Linear Equations**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed*

Topic check. Corrected to Solving Linear Equations. The equation is the main part of the question; the index form is secondary.

Method

For part (a),

$$\frac{5a + 8}{3} - \frac{2a + 5}{4} = 23$$

Multiply by 12:

$$4(5a + 8) - 3(2a + 5) = 276$$

$$20a + 32 - 6a - 15 = 276$$

$$14a + 17 = 276$$

$$14a = 259$$

$$a = \frac{259}{14} = \frac{37}{2}$$

For part (b),


$$\begin{aligned} \left(\frac{\sqrt{y}}{3}\right)^{-1} &= \frac{3}{\sqrt{y}} \\ &= 3y^{-1/2} \end{aligned}$$

FINAL ANSWER(a) $a = \frac{37}{2}$, (b) $3y^{-1/2}$

PAST PAPER QUESTION**Q#: 13****Marks: 5****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

- 13 In the diagram, AB represents a vertical tower and CD represents a vertical building.

Diagram **NOT**
accurately drawn

The bottom of the tower, B , and the bottom of the building, D , are on horizontal ground such that $BD = 25$ m

The angle of elevation of A from C is 30°
 The angle of depression of B from C is 42°

- (a) Work out the height of the tower AB
 Give your answer correct to one decimal place.

..... m
 (3)

- (b) Work out the angle of elevation of A from D
 Give your answer correct to one decimal place.

.....
 (2)

(Total for Question 13 is 5 marks)

PAST PAPER SOLUTION**Q#: 13****Marks: 5****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The height of the building is

$$CD = 25 \tan 42^\circ$$

The extra height from C to A is

$$25 \tan 30^\circ$$

So

$$AB = 25 \tan 42^\circ + 25 \tan 30^\circ \approx 36.9439$$

For the angle of elevation θ from D ,

$$\tan \theta = \frac{AB}{25}$$

$$\theta \approx 55.9137^\circ$$

FINAL ANSWER $AB = 36.9$ m, angle of elevation 55.9° .

PAST PAPER QUESTION**Q#: 14****Marks: 2**TOPIC: **Algebraic Proof**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

14 Use algebra to show that the recurring decimal $0.6\dot{1}\dot{2} = \frac{101}{165}$

(Total for Question 14 is 2 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 14****Marks: 2**TOPIC: **Algebraic Proof**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Algebraic proof. The tag is correct.**Solution**

Let

$$x = 0.6121212 \dots$$

Then

$$10x = 6.121212 \dots$$

and

$$1000x = 612.121212 \dots$$

Subtract:

$$1000x - 10x = 612.121212 \dots - 6.121212 \dots$$

$$990x = 606$$

$$x = \frac{606}{990} = \frac{101}{165}$$

FINAL ANSWER

$$0.6121212 \dots = \frac{101}{165}.$$

PAST PAPER QUESTION**Q#: 15****Marks: 6****TOPIC: Expanding Brackets**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

- 15 (a)** Solve $3x^2 + 4x - 18 = 0$
Show your working clearly.
Give your solutions correct to 3 significant figures.

.....
(3)

- (b)** Expand and simplify $(2x - 3)(x + 4)(x - 1)$

.....
(3)

(Total for Question 15 is 6 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 15****Marks: 6****TOPIC: Expanding Brackets**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**(a) For $3x^2 + 4x - 18 = 0$,

$$x = \frac{-4 \pm \sqrt{4^2 - 4(3)(-18)}}{2(3)}$$

$$x \approx 1.87 \quad \text{or} \quad x \approx -3.21$$

(b)

$$(2x - 3)(x + 4)(x - 1)$$

$$= (2x^2 + 5x - 12)(x - 1)$$

$$= 2x^3 + 3x^2 - 17x + 12$$

FINAL ANSWER

$$x = 1.87 \text{ or } x = -3.21; 2x^3 + 3x^2 - 17x + 12.$$

PAST PAPER QUESTION**Q#: 16****Marks: 4**TOPIC: **Surds**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

16 $\sqrt{96} = 2\sqrt{k}$

(a) Find the value of k

$$k = \dots\dots\dots (1)$$

(b) Show that $\frac{8}{3-\sqrt{5}}$ can be written in the form $a + \sqrt{b}$ where a and b are integers.

Show each stage of your working.

(3)

(Total for Question 16 is 4 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 16****Marks: 4**TOPIC: **Surds**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

(a)

$$\sqrt{96} = 4\sqrt{6} = 2\sqrt{24}$$

So $k = 24$.

(b)

$$\begin{aligned} & \frac{8}{3 - \sqrt{5}} \times \frac{3 + \sqrt{5}}{3 + \sqrt{5}} \\ &= \frac{8(3 + \sqrt{5})}{9 - 5} = 2(3 + \sqrt{5}) \\ &= 6 + 2\sqrt{5} \end{aligned}$$

FINAL ANSWER

$$k = 24, 6 + 2\sqrt{5}.$$

PAST PAPER QUESTION**Q#: 17****Marks: 3****TOPIC: Probability Toolkit**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

- 17** Kannika has 9 counters.
There is a number on each counter.



Kannika puts the 9 counters in a bag.
She takes at random a counter from the bag and does not replace the counter.
She then takes at random a second counter from the bag.

Work out the probability that the sum of the numbers on the two counters
is less than 5

(Total for Question 17 is 3 marks)

PAST PAPER SOLUTION**Q#: 17****Marks: 3****TOPIC: Probability Toolkit**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Probability Toolkit. The tag is correct.**Solution**

The counters are

$$1, 1, 2, 3, 3, 3, 5, 6, 6$$

There are

$$\binom{9}{2} = 36$$

ways to choose two counters.

For a sum less than 5, the pairs are:

$$(1, 1), \quad (1, 2), \quad (1, 3)$$

Counting the repeated counters gives

$$1 + 2 + 6 = 9$$

So

$$P(\text{sum} < 5) = \frac{9}{36} = \frac{1}{4}$$

FINAL ANSWER

$$\frac{1}{4}.$$

PAST PAPER QUESTION**Q#: 18****Marks: 4****TOPIC: Completing the Square**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

- 18** (a) Express $2x^2 - 12x + 23$ in the form $a(x - b)^2 + c$ where a , b and c are integers.
Show clear algebraic working.

.....
(3)

- (b) Hence, state the least value of $2x^2 - 12x + 23$

.....
(1)**(Total for Question 18 is 4 marks)**

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 18****Marks: 4****TOPIC: Completing the Square**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

$$2x^2 - 12x + 23 = 2(x^2 - 6x) + 23$$

$$= 2((x - 3)^2 - 9) + 23$$

$$= 2(x - 3)^2 + 5$$


The squared part is at least zero.

FINAL ANSWER

$2(x - 3)^2 + 5$; least value 5.

PAST PAPER QUESTION**Q#: 19****Marks: 5****TOPIC: Area & Perimeter**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

19 The diagram shows a pentagon $ABCDE$ Diagram **NOT**
accurately drawn

$ABCDE$ is made from a square $ABDE$ and a triangle BCD
 M is the midpoint of BD

$$AB = (2x + 3) \text{ cm} \quad MC = 2x \text{ cm} \quad \text{angle } BMC = 90^\circ$$

The area of pentagon $ABCDE$ is 84 cm^2

Work out the area of square $ABDE$
 Show clear algebraic working.

..... cm^2 **(Total for Question 19 is 5 marks)**

PAST PAPER SOLUTION**Q#: 19****Marks: 5****TOPIC: Area & Perimeter**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

Square area:

$$(2x + 3)^2$$

Triangle area:

$$\frac{1}{2}(2x + 3)(2x)$$

So

$$(2x + 3)^2 + \frac{1}{2}(2x + 3)(2x) = 84$$

$$6x^2 + 15x - 75 = 0$$

$$2x^2 + 5x - 25 = 0$$

$$(2x - 5)(x + 5) = 0$$


The positive solution is $x = 2.5$, so

$$(2x + 3)^2 = 8^2 = 64$$

FINAL ANSWER64 cm².

PAST PAPER QUESTION**Q#: 20****Marks: 3****TOPIC: 3D Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

20 The diagram shows cuboid $ABCDEFGH$ Diagram **NOT**
accurately drawn

$$AB = 9 \text{ cm} \quad AF = 7 \text{ cm} \quad FC = 18 \text{ cm}$$

Calculate the length of BC

Give your answer correct to 3 significant figures.

..... cm

(Total for Question 20 is 3 marks)

PAST PAPER SOLUTION**Q#: 20****Marks: 3****TOPIC: 3D Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Correct.**Method**In the rectangle $ABCF$, use Pythagoras with the diagonal FC :

$$AC^2 = FC^2 - AF^2$$

$$AC^2 = 18^2 - 7^2 = 324 - 49 = 275$$

Now use Pythagoras in triangle ABC :

$$BC^2 = AC^2 - AB^2$$

$$BC^2 = 275 - 9^2 = 275 - 81 = 194$$


$$BC = \sqrt{194} = 13.928\dots$$

FINAL ANSWER

13.9 cm to 3 significant figures

PAST PAPER QUESTION**Q#: 20****Marks: 3****TOPIC: 3D Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

20 The diagram shows cuboid $ABCDEFGH$ Diagram **NOT**
accurately drawn

$$AB = 9 \text{ cm} \quad AF = 7 \text{ cm} \quad EC = 18 \text{ cm}$$

Calculate the length of BC

Give your answer correct to 3 significant figures.

..... cm

(Total for Question 20 is 3 marks)

PAST PAPER SOLUTION**Q#: 20****Marks: 3****TOPIC: 3D Pythagoras & Trigonometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Correct.**Method**In the rectangle $ABCF$, use Pythagoras with the diagonal FC :

$$AC^2 = FC^2 - AF^2$$

$$AC^2 = 18^2 - 7^2 = 324 - 49 = 275$$

Now use Pythagoras in triangle ABC :

$$BC^2 = AC^2 - AB^2$$

$$BC^2 = 275 - 9^2 = 275 - 81 = 194$$


$$BC = \sqrt{194} = 13.928\dots$$

FINAL ANSWER

13.9 cm to 3 significant figures

PAST PAPER QUESTION**Q#: 21****Marks: 3****TOPIC: Histograms**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

21 The histogram shows information about the ages of the members of a chess club.

There are 60 members aged between 10 and 25

There are no members older than 70

Work out an estimate for the number of members who are over 35 years of age.

(Total for Question 21 is 3 marks)

PAST PAPER SOLUTION**Q#: 21****Marks: 3**TOPIC: **Histograms**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The interval 10 to 25 has width 15 and frequency 60, so its frequency density is

$$\frac{60}{15} = 4$$

Using that scale from the histogram:

$$35 \text{ to } 40 : 5 \times 1 = 5$$

$$40 \text{ to } 70 : 30 \times 0.75 = 22.5$$


$$5 + 22.5 = 27.5$$

FINAL ANSWER

about 28 members.

PAST PAPER QUESTION**Q#: 21****Marks: 3****TOPIC: Histograms**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

21 The histogram shows information about the ages of the members of a chess club.

There are 60 members aged between 10 and 25

There are no members older than 70

Work out an estimate for the number of members who are over 35 years of age.

(Total for Question 21 is 3 marks)

PAST PAPER SOLUTION**Q#: 21****Marks: 3****TOPIC: Histograms**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The interval 10 to 25 has width 15 and frequency 60, so its frequency density is

$$\frac{60}{15} = 4$$

Using that scale from the histogram:

$$35 \text{ to } 40 : 5 \times 1 = 5$$

$$40 \text{ to } 70 : 30 \times 0.75 = 22.5$$


$$5 + 22.5 = 27.5$$

FINAL ANSWER

about 28 members.

PAST PAPER QUESTION**Q#: 22****Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

22Diagram **NOT**
accurately drawn BAC is a sector of a circle, centre A BCD is a sector of a circle, centre C Angle $BAC = 40^\circ$ Angle $BCD = 130^\circ$ Area of shaded segment = 28 cm^2 Find the length of the arc BD

Give your answer correct to 3 significant figures.

..... cm

(Total for Question 22 is 6 marks)

PAST PAPER SOLUTION**Q#: 22****Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Correct.**Method**Let the radius of sector BAC be R .The shaded segment is the segment cut off by chord BC in the sector with centre A .

Its area is

sector area – triangle area

$$28 = \frac{40}{360}\pi R^2 - \frac{1}{2}R^2 \sin 40^\circ$$

$$28 = R^2 \left(\frac{\pi}{9} - \frac{1}{2} \sin 40^\circ \right)$$

$$R = 31.8096 \dots$$

Now find the chord BC :

$$BC = 2R \sin 20^\circ$$

$$BC = 2(31.8096 \dots) \sin 20^\circ = 21.7591 \dots$$

In sector BCD , the centre is C , so the radius is

$$CB = CD = 21.7591 \dots$$

The arc BD has angle 130° , so

$$\text{arc } BD = \frac{130}{360} \times 2\pi(21.7591 \dots)$$


$$= 49.3697 \dots$$

FINAL ANSWER

49.4 cm

PAST PAPER QUESTION**Q#: 22****Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

22Diagram **NOT**
accurately drawn BAC is a sector of a circle, centre A BCD is a sector of a circle, centre C Angle $BAC = 40^\circ$ Angle $BCD = 130^\circ$ Area of shaded segment = 28 cm^2 Find the length of the arc BD

Give your answer correct to 3 significant figures.

..... cm

(Total for Question 22 is 6 marks)

PAST PAPER SOLUTION**Q#: 22** **Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Topic check.** Correct.**Method**Let the radius of sector BAC be R .The shaded segment is the segment cut off by chord BC in the sector with centre A .

Its area is

sector area – triangle area

$$28 = \frac{40}{360}\pi R^2 - \frac{1}{2}R^2 \sin 40^\circ$$

$$28 = R^2 \left(\frac{\pi}{9} - \frac{1}{2} \sin 40^\circ \right)$$

$$R = 31.8096 \dots$$

Now find the chord BC :

$$BC = 2R \sin 20^\circ$$

$$BC = 2(31.8096 \dots) \sin 20^\circ = 21.7591 \dots$$

In sector BCD , the centre is C , so the radius is

$$CB = CD = 21.7591 \dots$$

The arc BD has angle 130° , so

$$\text{arc } BD = \frac{130}{360} \times 2\pi(21.7591 \dots)$$

$$= 49.3697 \dots$$

FINAL ANSWER

49.4 cm

PAST PAPER QUESTION**Q#: 23****Marks: 5****TOPIC: Coordinate Geometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

23 A circle C has centre $(3q, 4q)$ where q is an integer.

The straight line with equation $y = -\frac{5}{4}x + \frac{21}{4}$ is the tangent to C at the point $(p, p + 3)$

where p is an integer.

Work out the radius of C

Give your answer in the form $\sqrt{a}$ where a is an integer.

Show your working clearly.

(Total for Question 23 is 5 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 23****Marks: 5****TOPIC: Coordinate Geometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The tangent point lies on the tangent line, so

$$p + 3 = -\frac{5}{4}p + \frac{21}{4}$$

$$p = 1$$

The tangent gradient is $-\frac{5}{4}$, so the radius gradient is $\frac{4}{5}$.

Using centre $(3q, 4q)$ and tangent point $(1, 4)$,

$$\frac{4 - 4q}{1 - 3q} = \frac{4}{5}$$

$$q = 2$$

So the centre is $(6, 8)$. Therefore

$$r = \sqrt{(6 - 1)^2 + (8 - 4)^2} = \sqrt{41}$$

FINAL ANSWER

$\sqrt{41}$.

PAST PAPER QUESTION**Q#: 23****Marks: 5****TOPIC: Coordinate Geometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

23 A circle C has centre $(3q, 4q)$ where q is an integer.

The straight line with equation $y = -\frac{5}{4}x + \frac{21}{4}$ is the tangent to C at the point $(p, p + 3)$

where p is an integer.

Work out the radius of C

Give your answer in the form $\sqrt{a}$ where a is an integer.

Show your working clearly.

(Total for Question 23 is 5 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 23****Marks: 5****TOPIC: Coordinate Geometry**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

The tangent point lies on the tangent line, so

$$p + 3 = -\frac{5}{4}p + \frac{21}{4}$$

$$p = 1$$

The tangent gradient is $-\frac{5}{4}$, so the radius gradient is $\frac{4}{5}$.

Using centre $(3q, 4q)$ and tangent point $(1, 4)$,

$$\frac{4 - 4q}{1 - 3q} = \frac{4}{5}$$

$$q = 2$$

So the centre is $(6, 8)$. Therefore

$$r = \sqrt{(6 - 1)^2 + (8 - 4)^2} = \sqrt{41}$$

FINAL ANSWER

$\sqrt{41}$.

PAST PAPER QUESTION**Q#: 24****Marks: 4****TOPIC: Algebraic Fractions**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

24 Write $(2x - 1) + \frac{2x^2 - 5x - 12}{x^2 - 16} \times \frac{x^2 + 4x}{6x^2 + 11x + 3}$ as a single fraction in its simplest form.

Show clear algebraic working.

(Total for Question 24 is 4 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 24****Marks: 4****TOPIC: Algebraic Fractions**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

Factor the fractional part first:

$$\begin{aligned}
 & \frac{2x^2 - 5x - 12}{x^2 - 16} \times \frac{x^2 + 4x}{6x^2 + 11x + 3} \\
 &= \frac{(2x + 3)(x - 4)}{(x - 4)(x + 4)} \times \frac{x(x + 4)}{(3x + 1)(2x + 3)} \\
 &= \frac{x}{3x + 1}
 \end{aligned}$$

So

$$\begin{aligned}
 (2x - 1) + \frac{x}{3x + 1} &= \frac{(2x - 1)(3x + 1) + x}{3x + 1} \\
 &= \frac{6x^2 - 1}{3x + 1}
 \end{aligned}$$

FINAL ANSWER

$$\frac{6x^2 - 1}{3x + 1}.$$

PAST PAPER QUESTION**Q#: 24****Marks: 4****TOPIC: Algebraic Fractions**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

24 Write $(2x - 1) + \frac{2x^2 - 5x - 12}{x^2 - 16} \times \frac{x^2 + 4x}{6x^2 + 11x + 3}$ as a single fraction in its simplest form.

Show clear algebraic working.

(Total for Question 24 is 4 marks)

Dr. Eslam Ahmed

PAST PAPER SOLUTION**Q#: 24****Marks: 4****TOPIC: Algebraic Fractions**

May 2025 4WM1HR - May2025 | 4WM1HR | Unit 1

WORKED SOLUTION*Dr. Eslam Ahmed***Solution**

Factor the fractional part first:

$$\begin{aligned}
 & \frac{2x^2 - 5x - 12}{x^2 - 16} \times \frac{x^2 + 4x}{6x^2 + 11x + 3} \\
 &= \frac{(2x + 3)(x - 4)}{(x - 4)(x + 4)} \times \frac{x(x + 4)}{(3x + 1)(2x + 3)} \\
 &= \frac{x}{3x + 1}
 \end{aligned}$$

So

$$\begin{aligned}
 (2x - 1) + \frac{x}{3x + 1} &= \frac{(2x - 1)(3x + 1) + x}{3x + 1} \\
 &= \frac{6x^2 - 1}{3x + 1}
 \end{aligned}$$

FINAL ANSWER

$$\frac{6x^2 - 1}{3x + 1}.$$