

ELITE IGCSE ACADEMY

Student Past Paper Solutions

May 2023 P1H Worked Solutions

May 2023 | P1H

27 questions ■ question image followed by worked solution

PREPARED BY

Dr. Eslam Ahmed

Assistant Lecturer, Cairo University Faculty of Engineering

WhatsApp: +20 112 000 9622 | eliteigcse.com

PAST PAPER QUESTION**Q#: 1****Marks: 3****TOPIC: Ratio Toolkit**

May 2023 P1H - May 2023 | P1H

- 1** Last season, the number of goals scored by Arjun, by Simon and by Kath for their football team were in the ratios $2:5:8$

Simon scored 12 more goals than Arjun.

Work out the number of goals scored by Kath.

(Total for Question 1 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 1****Marks: 3**TOPIC: **Ratio Toolkit**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The ratio is**

The ratio is

$$\text{Arjun} : \text{Simon} : \text{Kath} = 2 : 5 : 8$$

2. Simon scored more than Arjun

Simon scored 12 more than Arjun.

$$5 - 2 = 3 \text{ parts}$$

$$3 \text{ parts} = 12$$

$$1 \text{ part} = 4$$

3. Kath scored

Kath scored

$$8 \times 4 = 32$$

FINAL ANSWER**32**

PAST PAPER QUESTION**Q#: 2****Marks: 3****TOPIC: Statistics Toolkit**

May 2023 P1H - May 2023 | P1H

- 2 The table gives information about the number of minutes that Abby spent walking each day in September.

Number of minutes (M)	Frequency
$0 < M \leq 30$	5
$30 < M \leq 60$	6
$60 < M \leq 90$	8
$90 < M \leq 120$	9
$120 < M \leq 150$	2

Work out an estimate for the total number of minutes that Abby spent walking in September.

..... minutes

(Total for Question 2 is 3 marks)

PAST PAPER SOLUTION

Q#: 2

Marks: 3

TOPIC: **Statistics Toolkit**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION

Dr. Eslam Ahmed

1. Use midpoints

Use midpoints 15, 45, 75, 105, 135.

$$15(5) + 45(6) + 75(8) + 105(9) + 135(2) = 2160$$

FINAL ANSWER

2160 minutes.

EA

PAST PAPER QUESTION**Q#: 3****Marks: 4****TOPIC: Percentages**

May 2023 P1H - May 2023 | P1H

- 3** Nanette buys 60 notebooks for a total cost of 780 dirhams.

Nanette sells 70% of the notebooks for 22 dirhams each.
She sells the remaining notebooks for 19 dirhams each.

Work out Nanette's percentage profit.
Give your answer correct to 3 significant figures.

.....%

(Total for Question 3 is 4 marks)

EA

PAST PAPER SOLUTION**Q#: 3****Marks: 4****TOPIC: Percentages**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Number sold for 22 dirhams**

Number sold for 22 dirhams:

$$70\% \times 60 = 42$$

2. Number remaining

Number remaining:

$$60 - 42 = 18$$

3. Total selling price

Total selling price:

$$42 \times 22 + 18 \times 19 = 924 + 342 = 1266$$

4. Profit

Profit:

$$1266 - 780 = 486$$

5. Percentage profit

Percentage profit:

$$\frac{486}{780} \times 100 = 62.307\ldots\%$$

FINAL ANSWER


62.3%

PAST PAPER QUESTION**TOPIC: Transformations**

May 2023 P1H - May 2023 | P1H

Q#: 4**Marks: 8**

- 4 The diagram shows a sketch of triangle **A** and triangle **B** on a coordinate grid.




- (a) Given that triangle **A** has been translated to give triangle **B**, work out the value of d , the value of e and the value of f

$d =$

$e =$

$f =$
(3)

- The diagram shows shape **P** and shape **Q** drawn on a grid.



- (b) Describe fully the single transformation that maps shape **P** onto shape **Q**

.....
(3)

- (c) On the grid above, rotate shape **P** 90° clockwise about $(3, 5)$
Label your shape **R**

.....
(2)

(Total for Question 4 is 8 marks)

PAST PAPER SOLUTION**Q#: 4****Marks: 8****TOPIC: Transformations**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Use matrices**(a) The translation from $(-7, 2)$ to $(6, 12)$ is

$$\begin{pmatrix} 13 \\ 10 \end{pmatrix}$$

2. Use Transformations tag correct

So

$$(-11, -5) \mapsto (2, 5)$$

3. Use Transformations tag correct

and

$$(f, -3) \mapsto (9, 7)$$

4. Apply transformation

Therefore

$$d = 5, \quad e = 7, \quad f = -4$$

5. (b) Shape maps to by(b) Shape P maps to Q by an enlargement with scale factor 3 and centre $(0, 2)$.**6. (c) Rotate clockwise about**(c) Rotate P 90° clockwise about $(3, 5)$. The image has vertices


$$(3, 6), (1, 6), (0, 5), (1, 5)$$

FINAL ANSWER(a) $d = 5$, $e = 7$, $f = -4$; (b) enlargement, scale factor 3, centre $(0, 2)$; (c) vertices $(3, 6), (1, 6), (0, 5), (1, 5)$.

PAST PAPER QUESTION**Q#: 5****Marks: 4****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

May 2023 P1H - May 2023 | P1H

- 5 The diagram shows a shaded shape $AEBCD$ made by removing triangle AEB from rectangle $ABCD$

Diagram **NOT**
accurately drawn

$$AE = 7.2 \text{ cm} \quad BE = 5.4 \text{ cm} \quad BC = 6 \text{ cm} \quad \text{angle } AEB = 90^\circ$$

Work out the perimeter of the shaded shape.

..... cm

(Total for Question 5 is 4 marks)

PAST PAPER SOLUTION**Q#: 5****Marks: 4****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Triangle is right angled**Triangle AEB is right-angled:

$$AB^2 = 7.2^2 + 5.4^2 = 81$$

$$AB = 9$$

2. Use trigonometryFor rectangle $ABCD$,

$$DC = 9, \quad AD = BC = 6$$

3. Perimeter of the shaded shape

Perimeter of the shaded shape:

$$7.2 + 5.4 + 6 + 9 + 6 = 33.6$$

FINAL ANSWER

33.6 cm.

PAST PAPER QUESTION**Q#: 6****Marks: 8****TOPIC: Factorising**

May 2023 P1H - May 2023 | P1H

6 (a) Simplify $(2c^4d^7)^3$
(2)(b) Find the value of $5y^0$ where $y > 0$
(1)(c) Factorise fully $16a^2b^3 + 20a^3b$
(2)(d) (i) Factorise $x^2 + 9x - 22$
(2)(ii) Hence solve $x^2 + 9x - 22 = 0$
(1)**(Total for Question 6 is 8 marks)**

PAST PAPER SOLUTION**Q#: 6****Marks: 8****TOPIC: Factorising**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. (a)**

(a)

$$(2c^4d^7)^3 = 8c^{12}d^{21}$$

2. Factorise expression(b) $5y^0 = 5$, since $y^0 = 1$.**3. (c)**

(c)

$$16a^2b^3 + 20a^3b = 4a^2b(4b^2 + 5a)$$

4. (d)(i)


(d)(i)

$$x^2 + 9x - 22 = (x + 11)(x - 2)$$

5. Factorise expression(d)(ii) $x = -11$ or $x = 2$.**FINAL ANSWER** $8c^{12}d^{21}$, 5, $4a^2b(4b^2 + 5a)$, $(x + 11)(x - 2)$, $x = -11$ or $x = 2$

PAST PAPER QUESTION**Q#: 7****Marks: 4****TOPIC: Graphing Inequalities**

May 2023 P1H - May 2023 | P1H

7

The region **R**, shown shaded in the diagram, is bounded by three straight lines.

Find the inequalities that define **R**

(Total for Question 7 is 4 marks)

PAST PAPER SOLUTION**Q#: 7****Marks: 4****TOPIC: Graphing Inequalities**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The vertical boundary is so**

The vertical boundary is

$$x = 1$$

so the region has

$$x \leq 1$$

2. The horizontal boundary is so

The horizontal boundary is

$$y = -2$$

so

$$y \geq -2$$

3. Find the gradientThe sloping line passes through $(0, 4)$ and has gradient 2, so

$$y = 2x + 4$$

4. The shaded region is below

The shaded region is below this line:

$$y \leq 2x + 4$$

FINAL ANSWER

$$x \leq 1, y \geq -2, y \leq 2x + 4.$$

PAST PAPER QUESTION**Q#: 8****Marks: 4****TOPIC: Prime Factors, HCF & LCM**

May 2023 P1H - May 2023 | P1H

- 8 (a) Write 300 as a product of its prime factors.
Show your working clearly.

.....
(2)

$$A = 2 \times 2 \times 2 \times 3 \times 3 \times 5$$

$$B = 2 \times 2 \times 3 \times 3 \times 3 \times 5$$

- (b) Find the lowest common multiple (LCM) of $5A$ and $7B$
Show your working clearly.

.....
(2)

(Total for Question 8 is 4 marks)

PAST PAPER SOLUTION**Q#: 8****Marks: 4****TOPIC: Prime Factors, HCF & LCM**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Find the LCM**

First write 300 as a product of prime factors:

$$300 = 3 \times 100 = 3 \times 2^2 \times 5^2$$

$$300 = 2^2 \times 3 \times 5^2$$

2. Find the LCM

Now

$$A = 2^3 \times 3^2 \times 5$$

3. Find the LCM

and

$$B = 2^2 \times 3^3 \times 5$$

4. Find the LCM

So

$$5A = 2^3 \times 3^2 \times 5^2$$

5. Find the LCM

and

$$7B = 2^2 \times 3^3 \times 5 \times 7$$

6. Find the LCMFor the LCM of $5A$ and $7B$, take the highest power of every prime:

$$\text{LCM} = 2^3 \times 3^3 \times 5^2 \times 7$$

FINAL ANSWER(a) $2^2 \times 3 \times 5^2$, (b) $2^3 \times 3^3 \times 5^2 \times 7$

PAST PAPER QUESTION**Q#: 9****Marks: 3****TOPIC: Simultaneous Equations**

May 2023 P1H - May 2023 | P1H

9 Solve the simultaneous equations

$$2x + 9y = 14.5$$

$$7x + 3y = 8$$

Show clear algebraic working.

 $x = \dots\dots\dots$ $y = \dots\dots\dots$ **(Total for Question 9 is 3 marks)**

EA

PAST PAPER SOLUTION**Q#: 9****Marks: 3****TOPIC: Simultaneous Equations**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Solve simultaneous equations**

$$2x + 9y = 14.5$$

$$7x + 3y = 8$$

2. Multiply the second equation by

Multiply the second equation by 3:

$$21x + 9y = 24$$

3. Subtract the first equation

Subtract the first equation:

$$19x = 9.5$$

$$x = 0.5$$

4. Solve simultaneous equationsSubstitute into $7x + 3y = 8$:

$$7(0.5) + 3y = 8$$

$$3.5 + 3y = 8$$

$$y = 1.5$$

FINAL ANSWER

$$x = 0.5, y = 1.5.$$

PAST PAPER QUESTION**Q#: 10****Marks: 2**TOPIC: **Statistics Toolkit**

May 2023 P1H - May 2023 | P1H

10 Here are the test marks of 15 students.

7 10 14 15 16 17 18 19 20 20 23 25 30 39 40

Find the interquartile range of these marks.

(Total for Question 10 is 2 marks)

EA

PAST PAPER SOLUTION**Q#: 10****Marks: 2****TOPIC: Statistics Toolkit**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The marks in order are**

The marks in order are

7, 10, 14, 15, 16, 17, 18, 19, 20, 20, 23, 25, 30, 39, 40

$$Q_1 = 15, \quad Q_3 = 25$$

$$\text{IQR} = 25 - 15 = 10$$

FINAL ANSWER

10.

EA

PAST PAPER QUESTION**Q#: 11****Marks: 6****TOPIC: Differentiation**

May 2023 P1H - May 2023 | P1H

11 The curve **C** has equation $y = 4x^3 + x^2 - 20x$

(a) Find $\frac{dy}{dx}$

$$\frac{dy}{dx} = \dots\dots\dots$$

(2)

(b) Find the x coordinates of the points on **C** where the gradient is 4
Show clear algebraic working.

\dots\dots\dots

(4)

(Total for Question 11 is 6 marks)

PAST PAPER SOLUTION**Q#: 11****Marks: 6****TOPIC: Differentiation**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Find the gradient**

$$y = 4x^3 + x^2 - 20x$$

2. (a)

(a)

$$\frac{dy}{dx} = 12x^2 + 2x - 20$$

3. Find the gradient

(b) The gradient is 4, so

$$12x^2 + 2x - 20 = 4$$

$$12x^2 + 2x - 24 = 0$$

$$6x^2 + x - 12 = 0$$

4. Factorise

Factorise:

$$(3x - 4)(2x + 3) = 0$$

5. Find the gradient

So

$$x = \frac{4}{3} \quad \text{or} \quad x = -\frac{3}{2}$$


FINAL ANSWER

$$\frac{dy}{dx} = 12x^2 + 2x - 20, \text{ and } x = \frac{4}{3} \text{ or } x = -\frac{3}{2}.$$

PAST PAPER QUESTION**Q#: 12****Marks: 4****TOPIC: Cumulative Frequency Diagrams**

May 2023 P1H - May 2023 | P1H

- 12** The cumulative frequency graph shows information about the heights, in centimetres, of 50 plants in a flowerbed.



- (a) Use the graph to find an estimate for the median height of these plants.

..... centimetres
(1)

- (b) Use the graph to find the frequency for the class interval $30 < \text{Height} \leq 40$

.....
(1)

- (c) Use the graph to find an estimate for the number of plants with a height greater than 35 centimetres.

.....
(2)

(Total for Question 12 is 4 marks)

PAST PAPER SOLUTION**Q#: 12****Marks: 4****TOPIC: Cumulative Frequency Diagrams**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Use cumulative frequency**

There are 50 plants, so the median is the 25th value.

2. Use cumulative frequency

From the cumulative frequency graph,

$$\text{median} \approx 27 \text{ cm}$$

3. Use cumulative frequency

For the interval $30 < h \leq 40$,

$$F(40) - F(30) \approx 44 - 31 = 13$$

4. Use cumulative frequency

For plants taller than 35 cm,

$$50 - F(35) \approx 50 - 37 = 13$$

FINAL ANSWER

median about 27 cm, about 13 plants, about 13 plants.

PAST PAPER QUESTION**Q#: 13****Marks: 3****TOPIC: Coordinate Geometry**

May 2023 P1H - May 2023 | P1H

13 A is the point with coordinates $(-5, 12)$

B is the point with coordinates $(19, -48)$

Find an equation of the straight line that passes through the points A and B

(Total for Question 13 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 13****Marks: 3****TOPIC: Coordinate Geometry**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Calculate value**

$$A = (-5, 12), \quad B = (19, -48)$$

2. The gradient is

The gradient is

$$\frac{-48 - 12}{19 - (-5)} = \frac{-60}{24} = -\frac{5}{2}$$

3. Evaluate fractionUsing point $(-5, 12)$:

$$y - 12 = -\frac{5}{2}(x + 5)$$

4. Multiply by 2

Multiply by 2:

$$2y - 24 = -5x - 25$$

$$5x + 2y + 1 = 0$$

FINAL ANSWER

$$5x + 2y + 1 = 0.$$

PAST PAPER QUESTION**Q#: 14****Marks: 3****TOPIC: Factorising**

May 2023 P1H - May 2023 | P1H

14 Factorise fully $50g^2 - 18$

(Total for Question 14 is 3 marks)

EA

PAST PAPER SOLUTION

Q#: 14

Marks: 3

TOPIC: **Factorising**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION

Dr. Eslam Ahmed

1. Factorise expression

$$50g^2 - 18 = 2(25g^2 - 9)$$

$$= 2(5g - 3)(5g + 3)$$

FINAL ANSWER

$$2(5g - 3)(5g + 3)$$

EA

PAST PAPER QUESTION**Q#: 15****Marks: 6****TOPIC: Powers, Roots & Standard Form**

May 2023 P1H - May 2023 | P1H

15 (a) $\sqrt{2} \div \frac{8^3}{16^{\frac{3}{2}}} = 2^n$

Work out the value of n
Show your working clearly.

$n = \dots\dots\dots$
(3)

- (b)** Find 4% of 4.5×10^{157}
Give your answer in standard form.

$\dots\dots\dots$
(3)

(Total for Question 15 is 6 marks)

EA

PAST PAPER SOLUTION**Q#: 15****Marks: 6****TOPIC: Powers, Roots & Standard Form**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Convert standard form**

$$\sqrt{2} = 2^{\frac{1}{2}}$$

$$8^3 = (2^3)^3 = 2^9$$

$$16^{\frac{3}{2}} = (2^4)^{\frac{3}{2}} = 2^6$$

2. Convert standard form

So

$$\frac{8^3}{16^{\frac{3}{2}}} = \frac{2^9}{2^6} = 2^3$$

3. Convert standard form

Therefore

$$\begin{aligned}\sqrt{2} \div \frac{8^3}{16^{\frac{3}{2}}} &= 2^{\frac{1}{2}} \div 2^3 \\ &= 2^{\frac{1}{2}-3} = 2^{-\frac{5}{2}}\end{aligned}$$

4. Convert standard form

So

$$n = -\frac{5}{2}$$

5. Convert standard form

For part (b),

$$4\% = 0.04 = 4 \times 10^{-2}$$

$$0.04(4.5 \times 10^{157}) = 18 \times 10^{155}$$

$$= 1.8 \times 10^{156}$$


FINAL ANSWER(a) $n = -\frac{5}{2}$, (b) 1.8×10^{156}

PAST PAPER QUESTION**Q#: 16****Marks: 3****TOPIC: Set Notation & Venn Diagrams**

May 2023 P1H - May 2023 | P1H

16 The Venn diagram shows a universal set $\mathcal{E}$ and sets A , B and C

The numbers and the letter x represent **numbers** of elements.



Given that $n(A \cup B) = 42$

(a) find the value of x

$x = \dots\dots\dots$
(1)

(b) Find $n(A')$

$\dots\dots\dots$
(1)

(c) Find $n(B' \cap C)$

$\dots\dots\dots$
(1)

(Total for Question 16 is 3 marks)

PAST PAPER SOLUTION**Q#: 16****Marks: 3****TOPIC: Set Notation & Venn Diagrams**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The regions inside are**The regions inside $A \cup B$ are

$$9 + x + 12 + 5 + 3 + 7$$

2. We are told that

We are told that

$$n(A \cup B) = 42$$

3. Calculate value

So

$$36 + x = 42$$

$$x = 6$$

4. Add every region not insideFor A' , add every region not inside A :

$$12 + 7 + 10 + 7 = 36$$

5. Add the regionsFor $B' \cap C$, add the regions that are in C but not in B :

$$5 + 10 = 15$$

FINAL ANSWER(a) $x = 6$, (b) 36, (c) 15

PAST PAPER QUESTION**Q#: 17****Marks: 4****TOPIC: Functions**

May 2023 P1H - May 2023 | P1H

17 The functions g and h are such that

$$g(x) = \frac{11}{2x - 5}$$

$$h(x) = x^2 + 4 \quad x \geq 0$$

(a) What value of x must be excluded from any domain of g ?.....
(1)(b) Solve $gh(x) = 1$
(3)**(Total for Question 17 is 4 marks)**

EA

PAST PAPER SOLUTION**Q#: 17****Marks: 4****TOPIC: Functions**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Find inverse function**

$$g(x) = \frac{11}{2x-5}, \quad h(x) = x^2 + 4, \quad x \geq 0$$

2. (a) The denominator of cannot(a) The denominator of $g(x)$ cannot be zero.

$$2x - 5 = 0$$

$$x = \frac{5}{2}$$

3. Find inverse functionSo $x = \frac{5}{2}$ must be excluded.**4. (b)**

(b)

$$\begin{aligned} gh(x) &= g(h(x)) = \frac{11}{2(x^2 + 4) - 5} \\ &= \frac{11}{2x^2 + 3} \end{aligned}$$

5. Solve

Solve

$$\frac{11}{2x^2 + 3} = 1$$

$$2x^2 + 3 = 11$$

$$2x^2 = 8$$

$$x^2 = 4$$

6. Solve inequalitySince $x \geq 0$,

$$x = 2$$


FINAL ANSWERExclude $x = \frac{5}{2}$, and $x = 2$.

PAST PAPER QUESTION**Q#: 18****Marks: 4****TOPIC: Histograms**

May 2023 P1H - May 2023 | P1H

- 18** The incomplete table and incomplete histogram give information about the times, in minutes, that 140 people waited at a station for a train.

Time (t minutes)	Frequency
$0 < t \leq 5$	23
$5 < t \leq 15$	
$15 < t \leq 30$	
$30 < t \leq 40$	18
$40 < t \leq 60$	14



Complete the table and the histogram.

(Total for Question 18 is 4 marks)

PAST PAPER SOLUTION**Q#: 18****Marks: 4****TOPIC: Histograms**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The total frequency is**

The total frequency is 140.

2. The known frequencies are

The known frequencies are

$$23 + 18 + 14 = 55$$

3. Use histogram

So the two missing frequencies have total

$$140 - 55 = 85$$

4. Use histogram

From the histogram, the missing frequencies are

$$5 < t \leq 15 : 25, \quad 15 < t \leq 30 : 60$$

5. The missing histogram densities are

The missing histogram densities are

$$0 < t \leq 5 : \frac{23}{5} = 4.6$$

$$30 < t \leq 40 : \frac{18}{10} = 1.8$$


$$40 < t \leq 60 : \frac{14}{20} = 0.7$$

FINAL ANSWER

missing frequencies 25, 60, and missing densities 4.6, 1.8, 0.7.

PAST PAPER QUESTION**Q#: 19****Marks: 5**TOPIC: **Vectors**

May 2023 P1H - May 2023 | P1H

19Diagram **NOT**
accurately drawn OMA, ONB, MPB and NPA are straight lines. M is the midpoint of OA $ON:NB = 1:5$

$$\vec{OM} = \mathbf{a} \quad \vec{ON} = \mathbf{b}$$

(a) Find in terms of $\mathbf{a}$ and $\mathbf{b}$ the vector $\vec{AN}$
(1)(b) Use a vector method to find the ratio $AP:PN$

$$AP:PN = \text{.....}$$

(4)

(Total for Question 19 is 5 marks)

PAST PAPER SOLUTION**Q#: 19****Marks: 5****TOPIC: Vectors**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Split the ratio**Since M is the midpoint of OA ,

$$\overrightarrow{OA} = 2a$$

2. Split the ratio

Also,

$$\overrightarrow{ON} = b$$

3. Split the ratio

So

$$\overrightarrow{AN} = \overrightarrow{ON} - \overrightarrow{OA} = b - 2a$$

4. Let

Let

$$\overrightarrow{AP} = \lambda \overrightarrow{AN}$$

5. Split the ratio

Then

$$\overrightarrow{OP} = 2a + \lambda(b - 2a) = (2 - 2\lambda)a + \lambda b$$

6. Split the ratioSince $ON : NB = 1 : 5$,

$$\overrightarrow{OB} = 6b$$

7. Split the ratioPoint P is also on MB , so

$$\overrightarrow{OP} = a + \mu(6b - a) = (1 - \mu)a + 6\mu b$$

8. Compare coefficients

Compare coefficients:

$$2 - 2\lambda = 1 - \mu$$

$$\lambda = 6\mu$$

9. Split the ratio

From $\mu = 2\lambda - 1$,

$$\lambda = 6(2\lambda - 1)$$

$$11\lambda = 6$$

$$\lambda = \frac{6}{11}$$

10. Split the ratio

So

$$AP : PN = \frac{6}{11} : \frac{5}{11} = 6 : 5$$

FINAL ANSWER

(a) $b - 2a$, (b) $6 : 5$

EA

PAST PAPER QUESTION

Q#: 20

Marks: 6

TOPIC: Sequences

May 2023 P1H - May 2023 | P1H

20 The sum of the first 80 terms of an arithmetic series, S , is 470

The 75th term of S is 14.5

The sum of the first X terms of S is 171

Work out the value of X

Show your working clearly.

$X = \dots\dots\dots$

(Total for Question 20 is 6 marks)

PAST PAPER SOLUTION**Q#: 20****Marks: 6**TOPIC: **Sequences**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Evaluate fraction**

$$S_{80} = 470$$

$$40(2a + 79d) = 470$$

$$2a + 79d = \frac{47}{4}$$

2. The 75th term is

The 75th term is

$$a + 74d = 14.5 = \frac{29}{2}$$

3. Double it

Double it:

$$2a + 148d = 29$$

4. Subtract

Subtract:

$$69d = 29 - \frac{47}{4} = \frac{69}{4}$$

$$d = \frac{1}{4}$$

$$a + 74\left(\frac{1}{4}\right) = \frac{29}{2}$$

$$a = -4$$

5. Evaluate fraction

Now

$$S_X = 171$$

$$171 = \frac{X}{2} \left(2(-4) + (X-1)\frac{1}{4} \right)$$

$$171 = \frac{X(X-33)}{8}$$

$$X^2 - 33X - 1368 = 0$$

$$X = \frac{33 + 81}{2} = 57$$

FINAL ANSWER

$$X = 57$$

EA

PAST PAPER QUESTION**Q#: 20****Marks: 6****TOPIC: Sequences**

May 2023 P1H - May 2023 | P1H

20 The sum of the first 80 terms of an arithmetic series, S , is 470

The 75th term of S is 14.5

The sum of the first X terms of S is 171

Work out the value of X

Show your working clearly.

$X = \dots\dots\dots$

(Total for Question 20 is 6 marks)

PAST PAPER SOLUTION**Q#: 20****Marks: 6**TOPIC: **Sequences**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Evaluate fraction**

$$S_{80} = 470$$

$$40(2a + 79d) = 470$$

$$2a + 79d = \frac{47}{4}$$

2. The 75th term is

The 75th term is

$$a + 74d = 14.5 = \frac{29}{2}$$

3. Double it

Double it:

$$2a + 148d = 29$$

4. Subtract

Subtract:

$$69d = 29 - \frac{47}{4} = \frac{69}{4}$$

$$d = \frac{1}{4}$$

$$a + 74\left(\frac{1}{4}\right) = \frac{29}{2}$$

$$a = -4$$

5. Evaluate fraction

Now

$$S_X = 171$$

$$171 = \frac{X}{2} \left(2(-4) + (X-1)\frac{1}{4} \right)$$

$$171 = \frac{X(X-33)}{8}$$

$$X^2 - 33X - 1368 = 0$$

$$X = \frac{33 + 81}{2} = 57$$

FINAL ANSWER

$$X = 57$$

EA

PAST PAPER QUESTION**Q#: 21****Marks: 2****TOPIC: Transformations of Graphs**

May 2023 P1H - May 2023 | P1H

21 A curve has equation $y = f(x)$

There is only one turning point on the curve.

The coordinates of this turning point are (6, 5)

Write down the coordinates of the turning point on the curve with equation

(a) $y = f(x - 4)$

(.....,)
(1)

(b) $y = f(3x)$

(.....,)
(1)

(Total for Question 21 is 2 marks)

PAST PAPER SOLUTION**Q#: 21****Marks: 2****TOPIC: Transformations of Graphs**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The turning point of is**The turning point of $y = f(x)$ is $(6, 5)$.**2. Calculate value**

For

$$y = f(x - 4)$$

3. the graph moves 4 units

the graph moves 4 units right:

$$(6, 5) \rightarrow (10, 5)$$

4. Calculate value

For

$$y = f(3x)$$

5. the coordinate is divided bythe x -coordinate is divided by 3:

$$(6, 5) \rightarrow (2, 5)$$

FINAL ANSWER $(10, 5)$ and $(2, 5)$

PAST PAPER QUESTION**Q#: 21****Marks: 2****TOPIC: Transformations of Graphs**

May 2023 P1H - May 2023 | P1H

21 A curve has equation $y = f(x)$

There is only one turning point on the curve.

The coordinates of this turning point are (6, 5)

Write down the coordinates of the turning point on the curve with equation

(a) $y = f(x - 4)$

(.....,)
(1)

(b) $y = f(3x)$

(.....,)
(1)

(Total for Question 21 is 2 marks)

PAST PAPER SOLUTION**Q#: 21****Marks: 2****TOPIC: Transformations of Graphs**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The turning point of is**The turning point of $y = f(x)$ is $(6, 5)$.**2. Calculate value**

For

$$y = f(x - 4)$$

3. the graph moves 4 units

the graph moves 4 units right:

$$(6, 5) \rightarrow (10, 5)$$

4. Calculate value

For

$$y = f(3x)$$


5. the coordinate is divided bythe x -coordinate is divided by 3:

$$(6, 5) \rightarrow (2, 5)$$

FINAL ANSWER $(10, 5)$ and $(2, 5)$

PAST PAPER QUESTION**Q#: 22** **Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2023 P1H - May 2023 | P1H

22 The diagram shows two circles with centre O and a regular pentagon $ABCDE$ Diagram **NOT**
accurately drawn

A, B, C, D and E are points on the larger circle.
The pentagon has sides of length 8 cm.

The diagram is shaded such that

$$\text{shaded area} = \text{unshaded area}$$

Work out the radius of the smaller circle.
Give your answer correct to 3 significant figures.

..... cm

(Total for Question 22 is 6 marks)

PAST PAPER SOLUTION**Q#: 22****Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The regular pentagon has side**

The regular pentagon has side length 8 cm.

2. Use trigonometry

For a regular pentagon,

$$R = \frac{s}{2 \sin 36^\circ}$$

3. Use trigonometrywhere R is the radius of the larger circle.

$$R = \frac{8}{2 \sin 36^\circ} = 6.8052 \dots$$

4. Area of the larger circle

Area of the larger circle:

$$\pi R^2 = 145.4898 \dots$$

5. Area of the regular pentagon

Area of the regular pentagon:

$$\frac{5s^2}{4 \tan 36^\circ} = \frac{5(8)^2}{4 \tan 36^\circ} = 110.1106 \dots$$

6. Let the radius of theLet the radius of the smaller circle be r .**7. The shaded area is**

The shaded area is:

$$\text{larger circle area} - \text{pentagon area} + \pi r^2$$

8. The unshaded area is

The unshaded area is:

$$\text{pentagon area} - \pi r^2$$

9. Simplify surd

These are equal, so

$$145.4898 - 110.1106 + \pi r^2 = 110.1106 - \pi r^2$$

$$2\pi r^2 = 2(110.1106) - 145.4898$$

$$\pi r^2 = 37.3657\dots$$

$$r = \sqrt{\frac{37.3657\dots}{\pi}} = 3.4487\dots$$

FINAL ANSWER

3.45 cm

EA

PAST PAPER QUESTION**Q#: 22****Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2023 P1H - May 2023 | P1H

22 The diagram shows two circles with centre O and a regular pentagon $ABCDE$




Diagram **NOT**
accurately drawn

A, B, C, D and E are points on the larger circle.
The pentagon has sides of length 8 cm.

The diagram is shaded such that

shaded area = unshaded area

Work out the radius of the smaller circle.
Give your answer correct to 3 significant figures.

..... cm

(Total for Question 22 is 6 marks)

PAST PAPER SOLUTION**Q#: 22****Marks: 6****TOPIC: Circles, Arcs & Sectors**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The regular pentagon has side**

The regular pentagon has side length 8 cm.

2. Use trigonometry

For a regular pentagon,

$$R = \frac{s}{2 \sin 36^\circ}$$

3. Use trigonometrywhere R is the radius of the larger circle.

$$R = \frac{8}{2 \sin 36^\circ} = 6.8052 \dots$$

4. Area of the larger circle

Area of the larger circle:

$$\pi R^2 = 145.4898 \dots$$

5. Area of the regular pentagon

Area of the regular pentagon:

$$\frac{5s^2}{4 \tan 36^\circ} = \frac{5(8)^2}{4 \tan 36^\circ} = 110.1106 \dots$$

6. Let the radius of theLet the radius of the smaller circle be r .**7. The shaded area is**

The shaded area is:

$$\text{larger circle area} - \text{pentagon area} + \pi r^2$$

8. The unshaded area is

The unshaded area is:

$$\text{pentagon area} - \pi r^2$$

9. Simplify surd

These are equal, so

$$145.4898 - 110.1106 + \pi r^2 = 110.1106 - \pi r^2$$

$$2\pi r^2 = 2(110.1106) - 145.4898$$

$$\pi r^2 = 37.3657 \dots$$

$$r = \sqrt{\frac{37.3657 \dots}{\pi}} = 3.4487 \dots$$

FINAL ANSWER


3.45 cm

EA

PAST PAPER QUESTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

May 2023 P1H - May 2023 | P1H

- 23** A frustum is made by removing a small square-based pyramid from a similar large squared-based pyramid as shown in the diagram.

Diagram **NOT**
accurately drawn

The height of the small pyramid is 15 cm.

The height of the large pyramid is 45 cm.

The square base of the large pyramid has side length 39 cm.

Work out the **total** surface area of the frustum.

Give your answer correct to the nearest whole number.

..... cm²

(Total for Question 23 is 5 marks)

PAST PAPER SOLUTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The small and large square**

The small and large square-based pyramids are similar.

2. Their heights are

Their heights are

$$15 : 45 = 1 : 3$$

3. Square of the frustum

So the side length of the top square of the frustum is

$$\frac{39}{3} = 13 \text{ cm}$$

4. The vertical height of the

The vertical height of the frustum is

$$45 - 15 = 30 \text{ cm}$$

5. Evaluate fraction

For one trapezium face, the difference between the half-side lengths is

$$\frac{39 - 13}{2} = 13 \text{ cm}$$

6. Simplify surd

So the slant height of the trapezium face is

$$\sqrt{30^2 + 13^2} = \sqrt{1069}$$

7. Area of one trapezium face

Area of one trapezium face:

$$\frac{1}{2}(39 + 13)\sqrt{1069} = 26\sqrt{1069}$$

8. Area of four trapezium faces

Area of four trapezium faces:

$$4(26\sqrt{1069}) = 104\sqrt{1069}$$

9. Add the top and bottom

Add the top and bottom square faces:

$$13^2 + 39^2 = 169 + 1521 = 1690$$

10. Total surface area

Total surface area:

$$1690 + 104\sqrt{1069} = 5090.338\dots$$

11. Correct to the nearest whole

Correct to the nearest whole number:

5090

FINAL ANSWER


5090 cm²

EA

PAST PAPER QUESTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

May 2023 P1H - May 2023 | P1H

- 23** A frustum is made by removing a small square-based pyramid from a similar large squared-based pyramid as shown in the diagram.



The height of the small pyramid is 15 cm.
 The height of the large pyramid is 45 cm.
 The square base of the large pyramid has side length 39 cm.

Work out the **total** surface area of the frustum.
 Give your answer correct to the nearest whole number.

..... cm²

(Total for Question 23 is 5 marks)

PAST PAPER SOLUTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

May 2023 P1H - May 2023 | P1H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The small and large square**

The small and large square-based pyramids are similar.

2. Their heights are

Their heights are

$$15 : 45 = 1 : 3$$

3. Square of the frustum

So the side length of the top square of the frustum is

$$\frac{39}{3} = 13 \text{ cm}$$

4. The vertical height of the

The vertical height of the frustum is

$$45 - 15 = 30 \text{ cm}$$

5. Evaluate fraction

For one trapezium face, the difference between the half-side lengths is

$$\frac{39 - 13}{2} = 13 \text{ cm}$$

6. Simplify surd

So the slant height of the trapezium face is

$$\sqrt{30^2 + 13^2} = \sqrt{1069}$$

7. Area of one trapezium face

Area of one trapezium face:

$$\frac{1}{2}(39 + 13)\sqrt{1069} = 26\sqrt{1069}$$

8. Area of four trapezium faces

Area of four trapezium faces:

$$4(26\sqrt{1069}) = 104\sqrt{1069}$$

9. Add the top and bottom

Add the top and bottom square faces:

$$13^2 + 39^2 = 169 + 1521 = 1690$$

10. Total surface area

Total surface area:

$$1690 + 104\sqrt{1069} = 5090.338\dots$$

11. Correct to the nearest whole

Correct to the nearest whole number:

$$5090$$

FINAL ANSWER

$$5090 \text{ cm}^2$$

EA