

ELITE IGCSE ACADEMY

Student Past Paper Solutions

Nov 2023 P2H Worked Solutions

Nov 2023 | P2H

29 questions ■ question image followed by worked solution

PREPARED BY

Dr. Eslam Ahmed

Assistant Lecturer, Cairo University Faculty of Engineering

WhatsApp: +20 112 000 9622 | eliteigcse.com

PAST PAPER QUESTION**Q#: 1****Marks: 4****TOPIC: Statistics Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

- 1** The table shows information about the lengths, in minutes, of 50 telephone calls.

Length of telephone call (m minutes)	Frequency
$0 < m \leq 5$	8
$5 < m \leq 10$	2
$10 < m \leq 15$	6
$15 < m \leq 20$	4
$20 < m \leq 25$	12
$25 < m \leq 30$	18

- (a) Write down the modal class.

.....
(1)

- (b) Work out an estimate for the total length, in minutes, of these telephone calls.

..... minutes
(3)

(Total for Question 1 is 4 marks)

PAST PAPER SOLUTION

Q#: 1

Marks: 4

TOPIC: **Statistics Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION

Dr. Eslam Ahmed

1. The modal class is the

The modal class is the class with the greatest frequency:

$$25 < m \leq 30$$

2. Use midpoints

Use midpoints 2.5, 7.5, 12.5, 17.5, 22.5, 27.5.

$$2.5(8) + 7.5(2) + 12.5(6) + 17.5(4) + 22.5(12) + 27.5(18) = 945$$

FINAL ANSWER

modal class $25 < m \leq 30$, estimated total 945 minutes.

PAST PAPER QUESTION**Q#: 2****Marks: 4****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

Nov 2023 P2H - Nov 2023 | P2H

- 2 The diagram shows triangle ABC and triangle ECD




Diagram **NOT**
accurately drawn

ACD and EBC are straight lines.

$$AB = 10 \text{ cm} \quad AC = 8 \text{ cm} \quad EB = 5 \text{ cm} \quad CD = 14 \text{ cm} \quad ED = w \text{ cm}$$

Work out the value of w

Give your answer correct to one decimal place.

$$w = \dots\dots\dots$$

(Total for Question 2 is 4 marks)

PAST PAPER SOLUTION**Q#: 2****Marks: 4****TOPIC: Right-Angled Triangles - Pythagoras & Trigonometry**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Use trigonometry**In triangle ABC ,

$$BC^2 = 10^2 - 8^2$$

$$BC^2 = 36$$

$$BC = 6$$

2. Use trigonometry

So

$$EC = EB + BC = 5 + 6 = 11$$

3. Use trigonometryIn triangle ECD ,

$$w^2 = 11^2 + 14^2$$


$$w^2 = 317$$

$$w = 17.804 \dots$$


FINAL ANSWER $w = 17.8$ cm to 1 decimal place.

PAST PAPER QUESTION**Q#: 3****Marks: 5****TOPIC: Transformations**

Nov 2023 P2H - Nov 2023 | P2H

3(a) Reflect shape **T** in the line $y = x$

(2)

(b) Describe fully the single transformation that maps triangle **A** onto triangle **B**

(3)

(Total for Question 3 is 5 marks)

PAST PAPER SOLUTION**Q#: 3****Marks: 5****TOPIC: Transformations**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. (a) Reflection in swaps the**(a) Reflection in $y = x$ swaps the coordinates:

$$(x, y) \mapsto (y, x)$$

2. The reflected T shape has

The reflected T-shape has vertices

$$(6, 1), (6, 4), (5, 4), (5, 3), (4, 3), (4, 2), (5, 2), (5, 1)$$

3. Use trigonometry(b) Triangle A is mapped to B by an enlargement with scale factor 3 and centre $(7, 2)$.**FINAL ANSWER**(a) reflected vertices $(6, 1), (6, 4), (5, 4), (5, 3), (4, 3), (4, 2), (5, 2), (5, 1)$; (b) enlargement, scale factor 3, centre $(7, 2)$.

PAST PAPER QUESTION**Q#: 4****Marks: 8****TOPIC: Algebraic Roots & Indices**

Nov 2023 P2H - Nov 2023 | P2H

4 (a) Solve $\frac{2x+5}{6} = 2x-5$

Show clear algebraic working.

$$x = \dots\dots\dots$$

(3)

(b) Simplify $h^{15} \div h^3$

$$\dots\dots\dots$$

(1)

(c) Simplify fully $(2g^3k^5)^4$

$$\dots\dots\dots$$

(2)

(d) Given that $\frac{y^5 \times y^n}{y^7} = y^{12}$
work out the value of n

$$n = \dots\dots\dots$$

(2)

(Total for Question 4 is 8 marks)

PAST PAPER SOLUTION**Q#: 4****Marks: 8****TOPIC: Algebraic Roots & Indices**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. (a)**

(a)

$$\frac{2x + 5}{6} = 2x - 5$$

$$2x + 5 = 12x - 30$$

$$35 = 10x$$

$$x = \frac{7}{2}$$

2. (b)

(b)

$$h^{15} \div h^3 = h^{15-3} = h^{12}$$

3. (c)

(c)

$$(2g^3k^5)^4 = 2^4g^{12}k^{20} = 16g^{12}k^{20}$$

4. (d)

(d)

$$\frac{y^5 \times y^n}{y^7} = y^{5+n-7} = y^{n-2}$$

5. Use index lawsGiven that this equals y^{12} ,

$$n - 2 = 12$$

$$n = 14$$

FINAL ANSWER $x = \frac{7}{2}$, h^{12} , $16g^{12}k^{20}$, and $n = 14$.

PAST PAPER QUESTION**Q#: 5****Marks: 3**TOPIC: **Ratio Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

5 Avril bakes a cake.

She uses flour, butter and sugar such that

$$\text{weight of flour : weight of butter} = 6 : 5$$

$$\text{weight of butter : weight of sugar} = 3 : 2$$

Avril uses 120 grams of sugar.

Work out the weight of flour Avril uses.

..... grams

(Total for Question 5 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 5****Marks: 3**TOPIC: **Ratio Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Butter sugar**

Butter : sugar = 3 : 2.

2. Split the ratio

Sugar is 120 g, so

$$2 \text{ parts} = 120$$

$$1 \text{ part} = 60$$

$$\text{butter} = 3 \times 60 = 180$$

3. Flour butter

Flour : butter = 6 : 5.

$$5 \text{ parts} = 180$$

$$1 \text{ part} = 36$$

$$\text{flour} = 6 \times 36 = 216$$

FINAL ANSWER

216 grams

PAST PAPER QUESTION**Q#: 6****Marks: 3****TOPIC: Algebraic Proof**

Nov 2023 P2H - Nov 2023 | P2H

6 Show that $3\frac{3}{7} \div 2\frac{2}{3} = 1\frac{2}{7}$

(Total for Question 6 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 6****Marks: 3**TOPIC: **Algebraic Proof**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Evaluate fraction**

$$3\frac{3}{7} = \frac{24}{7}, \quad 2\frac{2}{3} = \frac{8}{3}$$

$$3\frac{3}{7} \div 2\frac{2}{3} = \frac{24}{7} \div \frac{8}{3}$$

$$= \frac{24}{7} \times \frac{3}{8} = \frac{9}{7} = 1\frac{2}{7}$$

FINAL ANSWER $1\frac{2}{7}.$

EA

PAST PAPER QUESTION**Q#: 7****Marks: 3****TOPIC: Compound Interest & Depreciation**

Nov 2023 P2H - Nov 2023 | P2H

- 7 Hermione buys a boat for \$26 800
The value of the boat depreciates by 8% each year.

Work out the value of the boat at the end of 3 years.
Give your answer correct to the nearest dollar.

\$.....

(Total for Question 7 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 7****Marks: 3****TOPIC: Compound Interest & Depreciation**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. A depreciation of gives multiplier**

A depreciation of 8% gives multiplier

$$0.92$$

2. Use compound interest

After 3 years,

$$26800(0.92)^3 = 20868.8384$$

3. Use compound interest

Correct to the nearest dollar,

$$20868.8384 \approx 20869$$

FINAL ANSWER**\$20869**

PAST PAPER QUESTION**Q#: 8****Marks: 3**TOPIC: **Statistics Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

- 8 The mean number of goals scored by a hockey team in 8 matches is 6
The team plays 2 more matches and scores k goals in each match.
The mean number of goals scored by the hockey team in the 10 matches is 7
Work out the value of k

 $k = \dots\dots\dots$

(Total for Question 8 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 8****Marks: 3****TOPIC: Statistics Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The total for the first**

The total for the first 8 matches is

$$8 \times 6 = 48$$

2. The total for all 10

The total for all 10 matches is

$$10 \times 7 = 70$$

3. Compare density

So the last two matches have total

$$70 - 48 = 22$$

4. The last two scores areThe last two scores are k and $k + 10$:

$$k + (k + 10) = 22$$

$$2k + 10 = 22$$

$$k = 6$$

FINAL ANSWER

$$k = 6.$$

PAST PAPER QUESTION**Q#: 9****Marks: 2**TOPIC: **Linear Graphs** ($y = mx + c$)

Nov 2023 P2H - Nov 2023 | P2H

- 9 A straight line passes through the points with coordinates $(0, -3)$ and $(2, 0)$

Find an equation of the line.

(Total for Question 9 is 2 marks)

EA

PAST PAPER SOLUTION**Q#: 9****Marks: 2****TOPIC:** Linear Graphs ($y = mx + c$)

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Solve equation**

The line passes through $(0, -3)$ and $(2, 0)$.

2. The gradient is

The gradient is

$$\frac{0 - (-3)}{2 - 0} = \frac{3}{2}$$

3. Solve equation

The y-intercept is -3 , so


$$y = \frac{3}{2}x - 3$$

FINAL ANSWER

$$y = \frac{3}{2}x - 3.$$

PAST PAPER QUESTION**Q#: 10****Marks: 5****TOPIC: Area & Perimeter**

Nov 2023 P2H - Nov 2023 | P2H

10 The diagram shows a hexagon $ABCDEF$ Diagram **NOT**
accurately drawn

$$AB = 25 \text{ cm} \quad BC = (x + 2) \text{ cm} \quad CD = 8 \text{ cm} \quad EF = 7 \text{ cm} \quad AF = (x + 6) \text{ cm}$$

The area of hexagon $ABCDEF$ is 258 cm^2 Work out the value of x $x = \dots\dots\dots$ **(Total for Question 10 is 5 marks)**

PAST PAPER SOLUTION**Q#: 10****Marks: 5****TOPIC: Area & Perimeter**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The area of the hexagon**

The area of the hexagon can be found from coordinates or by splitting the shape.

2. Calculate area

It simplifies to

$$\text{area} = 25x + 98$$

3. Calculate area

Given the area is 258 cm^2 ,

$$25x + 98 = 258$$

$$25x = 160$$

$$x = 6.4$$

FINAL ANSWER


$$x = 6.4.$$

PAST PAPER QUESTION**Q#: 11****Marks: 5****TOPIC: Probability Diagrams - Venn & Tree Diagrams**

Nov 2023 P2H - Nov 2023 | P2H

11 Sid has 2 boxes of crayons, box **X** and box **Y**5 of the 16 crayons in box **X** are red.7 of the 20 crayons in box **Y** are red.Sid takes at random one crayon from box **X** and one crayon from box **Y**

(a) Complete the probability tree diagram.



(2)

(b) Work out the probability that Sid takes two crayons that are red or two crayons that are not red.

(3)

(Total for Question 11 is 5 marks)

PAST PAPER SOLUTION**Q#: 11****Marks: 5****TOPIC: Probability Diagrams - Venn & Tree Diagrams**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Calculate probability**

Box X has 5 red and 11 not red crayons.

Box Y has 7 red and 13 not red crayons.

2. Same colour type means both

Same colour type means both red or both not red.

$$\begin{aligned}
 P(\text{same}) &= \frac{5}{16} \times \frac{7}{20} + \frac{11}{16} \times \frac{13}{20} \\
 &= \frac{35}{320} + \frac{143}{320} \\
 &= \frac{89}{160}
 \end{aligned}$$

FINAL ANSWER

$$\frac{89}{160}$$

PAST PAPER QUESTION**Q#: 12****Marks: 4****TOPIC: Algebraic Roots & Indices**

Nov 2023 P2H - Nov 2023 | P2H

12 $2^7 \times 4^5 = 4^x$

(a) Calculate the value of x

$$x = \dots\dots\dots$$

(2)

(b) Simplify fully $(125p^6y^{24})^{\frac{2}{3}}$

$$\dots\dots\dots$$

(2)

(Total for Question 12 is 4 marks)

EA

PAST PAPER SOLUTION**Q#: 12****Marks: 4****TOPIC: Algebraic Roots & Indices**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. (a)**

(a)

$$2^7 \times 4^5 = 2^7 \times (2^2)^5 = 2^{17}$$

2. Use index laws

Also

$$4^x = (2^2)^x = 2^{2x}$$

3. Use index laws

So

$$2x = 17$$

$$x = \frac{17}{2}$$

4. (b)

(b)

$$(125p^6y^{24})^{2/3} = 125^{2/3}p^4y^{16}$$

$$= 25p^4y^{16}$$

FINAL ANSWER(a) $x = \frac{17}{2}$, (b) $25p^4y^{16}$

PAST PAPER QUESTION**Q#: 13****Marks: 2**TOPIC: **Statistics Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

13 Robert asked 11 people how many meetings they attended last week.

Here are the results in numerical order.

1 2 4 6 6 8 11 12 13 14 17

Find the interquartile range of the number of meetings.

(Total for Question 13 is 2 marks)

EA

PAST PAPER SOLUTION

Q#: 13 Marks: 2

TOPIC: **Statistics Toolkit**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION

Dr. Eslam Ahmed

1. The results in order are

The results in order are

 $1, 2, 4, 6, 6, 8, 11, 12, 13, 14, 17$ **2. There are 11 values**

There are 11 values.

$$Q_1 = 4, \quad Q_3 = 13$$

$$\text{IQR} = 13 - 4 = 9$$


FINAL ANSWER

9.

PAST PAPER QUESTION**Q#: 14****Marks: 3****TOPIC: Simultaneous Equations**

Nov 2023 P2H - Nov 2023 | P2H

14 Here is the graph of the equation $2y + x = 1$ drawn on a grid.



By drawing another straight line on the grid, solve the simultaneous equations

$$y - x - 2 = 0$$

$$2y + x = 1$$

$x = \dots\dots\dots$

$y = \dots\dots\dots$

(Total for Question 14 is 3 marks)

PAST PAPER SOLUTION**Q#: 14****Marks: 3****TOPIC: Simultaneous Equations**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The equations are**

The equations are

$$y - x - 2 = 0$$

$$2y + x = 1$$

2. Solve simultaneous equations

From the first equation,

$$y = x + 2$$

3. Substitute into the second equation

Substitute into the second equation:

$$2(x + 2) + x = 1$$

$$3x + 4 = 1$$

$$3x = -3$$

$$x = -1$$

4. Solve simultaneous equations

Then

$$y = -1 + 2 = 1$$

FINAL ANSWER

$$x = -1, y = 1.$$

PAST PAPER QUESTION**Q#: 15****Marks: 5****TOPIC: Algebraic Proof**

Nov 2023 P2H - Nov 2023 | P2H

15 (a) Use algebra to show that $0.3\dot{7}\dot{2} = \frac{41}{110}$

(2)

(b) Express $\frac{\sqrt{125} + \sqrt{80}}{\sqrt{3}}$ in the form $\sqrt{n}$ where n is an integer.

Show your working clearly.

(3)

(Total for Question 15 is 5 marks)

EA

PAST PAPER SOLUTION**Q#: 15****Marks: 5****TOPIC: Algebraic Proof**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. (a) Let**

(a) Let

$$x = 0.3727272 \dots$$

2. Calculate value

Then

$$10x = 3.727272 \dots$$

3. Calculate value

and

$$1000x = 372.727272 \dots$$

4. Subtract

Subtract:

$$990x = 369$$

$$x = \frac{369}{990} = \frac{41}{110}$$

5. (b)

(b)

$$\begin{aligned} \frac{\sqrt{125} + \sqrt{80}}{\sqrt{3}} &= \frac{5\sqrt{5} + 4\sqrt{5}}{\sqrt{3}} \\ &= \frac{9\sqrt{5}}{\sqrt{3}} \end{aligned}$$

6. Rationalise

Rationalise:

$$\begin{aligned} \frac{9\sqrt{5}}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} &= \frac{9\sqrt{15}}{3} = 3\sqrt{15} \\ 3\sqrt{15} &= \sqrt{135} \end{aligned}$$

FINAL ANSWER

$$0.3727272 \dots = \frac{41}{110}, \text{ and } n = 135.$$

PAST PAPER QUESTION**Q#: 16****Marks: 3****TOPIC: Expanding Brackets**

Nov 2023 P2H - Nov 2023 | P2H

16 Expand and simplify $(2x + 3)(x - 5)(x + 4)$

(Total for Question 16 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 16****Marks: 3****TOPIC: Expanding Brackets**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Expand brackets**

$$(x - 5)(x + 4) = x^2 - x - 20$$

$$(2x + 3)(x^2 - x - 20) = 2x^3 + x^2 - 43x - 60$$

FINAL ANSWER

$$2x^3 + x^2 - 43x - 60$$

EA

PAST PAPER QUESTION**Q#: 17****Marks: 3****TOPIC: Rounding, Estimation & Bounds**

Nov 2023 P2H - Nov 2023 | P2H

17 $P = a(c + y)$

 $a = 8.3$ correct to 2 significant figures $c = 2$ correct to 1 significant figure $y = 15$ correct to the nearest 5Work out the upper bound for the value of P

Show your working clearly.

(Total for Question 17 is 3 marks)

EA

PAST PAPER SOLUTION**Q#: 17****Marks: 3****TOPIC: Rounding, Estimation & Bounds**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Estimate the value**

$$P = a(c + y)$$

2. Find upper bound

For the upper bound, use the upper bounds of all three values.

$$a < 8.35, \quad c < 2.5, \quad y < 17.5$$

$$P_{\text{upper}} = 8.35(2.5 + 17.5) = 167$$

FINAL ANSWER

167

PAST PAPER QUESTION**Q#: 18****Marks: 4****TOPIC: Differentiation**

Nov 2023 P2H - Nov 2023 | P2H

- 18** A particle is moving along a straight line that passes through the fixed point O
The displacement, s metres, of the particle from O at time t seconds is given by

$$s = 2t^3 - 5t^2 + 6t - 5$$

Find the value of t when the acceleration of the particle is 5 m/s^2

$t = \dots\dots\dots$

(Total for Question 18 is 4 marks)

EA

PAST PAPER SOLUTION**Q#: 18****Marks: 4****TOPIC: Differentiation**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Split the ratio**

$$s = 2t^3 - 5t^2 + 6t - 5$$

2. Velocity is

Velocity is

$$\frac{ds}{dt} = 6t^2 - 10t + 6$$

3. Acceleration is

Acceleration is

$$\frac{d^2s}{dt^2} = 12t - 10$$

4. Split the ratio

The acceleration is 5, so

$$12t - 10 = 5$$

$$12t = 15$$

$$t = \frac{15}{12} = \frac{5}{4}$$

FINAL ANSWER

$$t = \frac{5}{4} \text{ seconds}$$

PAST PAPER QUESTION**Q#: 19****Marks: 7****TOPIC: Functions**

Nov 2023 P2H - Nov 2023 | P2H

19 The functions f and g are such that

$$f:x \mapsto 5x + 7$$

$$g:x \mapsto \frac{5}{2x - 9}$$

(a) State which value of x cannot be included in any domain of g

.....
(1)

(b) Find $fg(4)$

.....
(2)

The function h is such that

$$h:x \mapsto 3x^2 - 12x + 8 \quad \text{where } x > 2$$

(c) Express the inverse function h^{-1} in the form $h^{-1}:x \mapsto \dots$

$h^{-1}:x \mapsto \dots$
(4)

(Total for Question 19 is 7 marks)

PAST PAPER SOLUTION**Q#: 19****Marks: 7****TOPIC: Functions**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Evaluate fraction**

$$f(x) = 5x + 7, \quad g(x) = \frac{5}{2x - 9}$$

2. (a) The denominator of cannot(a) The denominator of g cannot be zero:

$$2x - 9 = 0$$

$$x = \frac{9}{2}$$

3. (b)

(b)

$$g(4) = \frac{5}{8 - 9} = -5$$

$$fg(4) = f(-5) = 5(-5) + 7 = -18$$

4. (c)

(c)

$$h(x) = 3x^2 - 12x + 8, \quad x > 2$$

5. Complete the square

Complete the square:

$$h(x) = 3(x - 2)^2 - 4$$

6. Let

Let

$$y = 3(x - 2)^2 - 4$$

$$y + 4 = 3(x - 2)^2$$

$$x - 2 = \sqrt{\frac{y + 4}{3}}$$

7. Simplify surd

Since $x > 2$, take the positive root:

$$x = 2 + \sqrt{\frac{y+4}{3}}$$

8. Simplify surd

So

$$h^{-1}(x) = 2 + \sqrt{\frac{x+4}{3}}$$

FINAL ANSWER

Excluded value $\frac{9}{2}$, $fg(4) = -18$, and $h^{-1}(x) = 2 + \sqrt{\frac{x+4}{3}}$.

EA

PAST PAPER QUESTION**Q#: 20****Marks: 4****TOPIC: Circles, Arcs & Sectors**

Nov 2023 P2H - Nov 2023 | P2H

- 20** The diagram shows equilateral triangle ABC with sides of length 10 cm. A circle is drawn inside the triangle.




Diagram **NOT**
accurately drawn

D , E and F are points on the circle.

ADB , BEC and CFA are tangents to the circle.

Calculate the total area of the regions shown shaded in the diagram.
Give your answer correct to 3 significant figures.

..... cm^2

(Total for Question 20 is 4 marks)

PAST PAPER SOLUTION**Q#: 20****Marks: 4****TOPIC: Circles, Arcs & Sectors**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Use trigonometry**

The triangle is equilateral with side length 10 cm.

2. Area of the triangle

Area of the triangle:

$$\frac{\sqrt{3}}{4}(10)^2 = 25\sqrt{3}$$

3. Use trigonometry

For an equilateral triangle, the inradius is

$$r = \frac{s\sqrt{3}}{6}$$

4. Simplify surd

So

$$r = \frac{10\sqrt{3}}{6} = \frac{5\sqrt{3}}{3}$$

5. Area of the circle

Area of the circle:

$$\pi r^2 = \pi \left(\frac{5\sqrt{3}}{3} \right)^2 = \frac{25\pi}{3}$$

6. The shaded area is

The shaded area is

$$25\sqrt{3} - \frac{25\pi}{3} = 17.1213\dots$$

FINAL ANSWER

$$17.1 \text{ cm}^2$$

PAST PAPER QUESTION

Q#: 20

Marks: 4

TOPIC: **Circles, Arcs & Sectors**

Nov 2023 P2H - Nov 2023 | P2H

- 20** The diagram shows equilateral triangle ABC with sides of length 10 cm. A circle is drawn inside the triangle.




Diagram **NOT**
accurately drawn

D , E and F are points on the circle.

ADB , BEC and CFA are tangents to the circle.

Calculate the total area of the regions shown shaded in the diagram.
Give your answer correct to 3 significant figures.

..... cm^2

(Total for Question 20 is 4 marks)

PAST PAPER SOLUTION**Q#: 20****Marks: 4****TOPIC: Circles, Arcs & Sectors**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Use trigonometry**

The triangle is equilateral with side length 10 cm.

2. Area of the triangle

Area of the triangle:

$$\frac{\sqrt{3}}{4}(10)^2 = 25\sqrt{3}$$

3. Use trigonometry

For an equilateral triangle, the inradius is

$$r = \frac{s\sqrt{3}}{6}$$

4. Simplify surd

So

$$r = \frac{10\sqrt{3}}{6} = \frac{5\sqrt{3}}{3}$$

5. Area of the circle

Area of the circle:

$$\pi r^2 = \pi \left(\frac{5\sqrt{3}}{3} \right)^2 = \frac{25\pi}{3}$$

6. The shaded area is

The shaded area is

$$25\sqrt{3} - \frac{25\pi}{3} = 17.1213\dots$$

FINAL ANSWER

$$17.1 \text{ cm}^2$$

PAST PAPER QUESTION

Q#: 21

Marks: 5

TOPIC: **Coordinate Geometry**

Nov 2023 P2H - Nov 2023 | P2H

- 21** The line with equation $x + 2y = 5$ intersects the curve with equation $x^2 + 3y^2 = 13$ at the points A and B

Find the coordinates of A and the coordinates of B
Show clear algebraic working.

(..... ,)

(..... ,)

(Total for Question 21 is 5 marks)

EA

PAST PAPER SOLUTION**Q#: 21****Marks: 5**TOPIC: **Coordinate Geometry**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The line is**

The line is

$$x + 2y = 5$$

2. Calculate value

So

$$x = 5 - 2y$$

3. Calculate value

Substitute into

$$x^2 + 3y^2 = 13$$

$$(5 - 2y)^2 + 3y^2 = 13$$

$$25 - 20y + 4y^2 + 3y^2 = 13$$

$$7y^2 - 20y + 12 = 0$$

4. Factorise

Factorise:

$$(7y - 6)(y - 2) = 0$$

5. Evaluate fraction

So

$$y = \frac{6}{7} \quad \text{or} \quad y = 2$$

6. Evaluate fractionUsing $x = 5 - 2y$:

$$y = \frac{6}{7} \Rightarrow x = \frac{23}{7}$$

$$y = 2 \Rightarrow x = 1$$

FINAL ANSWER

$\left(\frac{23}{7}, \frac{6}{7}\right)$ and $(1, 2)$

EA

PAST PAPER QUESTION**Q#: 21****Marks: 5****TOPIC: Coordinate Geometry**

Nov 2023 P2H - Nov 2023 | P2H

- 21** The line with equation $x + 2y = 5$ intersects the curve with equation $x^2 + 3y^2 = 13$ at the points A and B

Find the coordinates of A and the coordinates of B
Show clear algebraic working.

(..... ,)

(..... ,)

(Total for Question 21 is 5 marks)

EA

PAST PAPER SOLUTION**Q#: 21****Marks: 5****TOPIC: Coordinate Geometry**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The line is**

The line is

$$x + 2y = 5$$

2. Calculate value

So

$$x = 5 - 2y$$

3. Calculate value

Substitute into

$$x^2 + 3y^2 = 13$$

$$(5 - 2y)^2 + 3y^2 = 13$$

$$25 - 20y + 4y^2 + 3y^2 = 13$$

$$7y^2 - 20y + 12 = 0$$

4. Factorise

Factorise:

$$(7y - 6)(y - 2) = 0$$

5. Evaluate fraction

So

$$y = \frac{6}{7} \quad \text{or} \quad y = 2$$

6. Evaluate fractionUsing $x = 5 - 2y$:

$$y = \frac{6}{7} \Rightarrow x = \frac{23}{7}$$

$$y = 2 \Rightarrow x = 1$$


FINAL ANSWER $\left(\frac{23}{7}, \frac{6}{7}\right)$ and $(1, 2)$

EA

PAST PAPER QUESTION**Q#: 22****Marks: 5****TOPIC: Vectors**

Nov 2023 P2H - Nov 2023 | P2H

22

Diagram **NOT**
accurately drawn $OACB$ is a quadrilateral.

$$\vec{OA} = 3\mathbf{a} \quad \vec{OB} = 4\mathbf{b} \quad \vec{BC} = 2\mathbf{a} - 2\mathbf{b}$$

- (a) (i) Find the vector $\vec{OC}$ in terms of $\mathbf{a}$ and $\mathbf{b}$
Simplify your answer.

$$\vec{OC} = \dots\dots\dots (1)$$

- (ii) Find the vector $\vec{AB}$ in terms of $\mathbf{a}$ and $\mathbf{b}$

$$\vec{AB} = \dots\dots\dots (1)$$

The point P lies on AB and on OC

- (b) Using a vector method, find the ratio $AP : PB$
Show your working clearly.

.....
(3)

(Total for Question 22 is 5 marks)

PAST PAPER SOLUTION**Q#: 22****Marks: 5**TOPIC: **Vectors**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Split the ratio**

$$\overrightarrow{OA} = 3a, \quad \overrightarrow{OB} = 4b, \quad \overrightarrow{BC} = 2a - 2b$$

2. Part (a)

Part (a):

$$\overrightarrow{OC} = \overrightarrow{OB} + \overrightarrow{BC} = 4b + (2a - 2b) = 2a + 2b$$

$$\overrightarrow{AB} = \overrightarrow{OB} - \overrightarrow{OA} = 4b - 3a$$

3. Split the ratioFor part (b), let P divide AB so that

$$\overrightarrow{AP} = \mu \overrightarrow{AB}$$

4. Split the ratio

Then

$$\overrightarrow{OP} = 3a + \mu(4b - 3a) = (3 - 3\mu)a + 4\mu b$$

5. Split the ratioSince P lies on OC , also let

$$\overrightarrow{OP} = \lambda(2a + 2b)$$

6. Equating coefficients

Equating coefficients:

$$3 - 3\mu = 2\lambda, \quad 4\mu = 2\lambda$$

7. Split the ratioFrom $4\mu = 2\lambda$, $\lambda = 2\mu$.

$$3 - 3\mu = 4\mu$$

$$\mu = \frac{3}{7}$$

8. Split the ratioSo $AP : PB = \frac{3}{7} : \frac{4}{7}$.

FINAL ANSWER


$\vec{OC} = 2a + 2b$, $\vec{AB} = 4b - 3a$, and $AP : PB = 3 : 4$

EA

PAST PAPER QUESTION**Q#: 22****Marks: 5**TOPIC: **Vectors**

Nov 2023 P2H - Nov 2023 | P2H

22

Diagram **NOT**
accurately drawn $OACB$ is a quadrilateral.

$$\vec{OA} = 3\mathbf{a} \quad \vec{OB} = 4\mathbf{b} \quad \vec{BC} = 2\mathbf{a} - 2\mathbf{b}$$

- (a) (i) Find the vector $\vec{OC}$ in terms of $\mathbf{a}$ and $\mathbf{b}$
Simplify your answer.

$$\vec{OC} = \dots\dots\dots (1)$$

- (ii) Find the vector $\vec{AB}$ in terms of $\mathbf{a}$ and $\mathbf{b}$

$$\vec{AB} = \dots\dots\dots (1)$$

The point P lies on AB and on OC

- (b) Using a vector method, find the ratio $AP : PB$
Show your working clearly.

$$\dots\dots\dots (3)$$

(Total for Question 22 is 5 marks)

PAST PAPER SOLUTION

Q#: 22

Marks: 5

TOPIC: **Vectors**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION

Dr. Eslam Ahmed

1. Split the ratio

$$\overrightarrow{OA} = 3a, \quad \overrightarrow{OB} = 4b, \quad \overrightarrow{BC} = 2a - 2b$$

2. Part (a)

Part (a):

$$\overrightarrow{OC} = \overrightarrow{OB} + \overrightarrow{BC} = 4b + (2a - 2b) = 2a + 2b$$

$$\overrightarrow{AB} = \overrightarrow{OB} - \overrightarrow{OA} = 4b - 3a$$

3. Split the ratioFor part (b), let P divide AB so that

$$\overrightarrow{AP} = \mu \overrightarrow{AB}$$

4. Split the ratio

Then

$$\overrightarrow{OP} = 3a + \mu(4b - 3a) = (3 - 3\mu)a + 4\mu b$$

5. Split the ratioSince P lies on OC , also let

$$\overrightarrow{OP} = \lambda(2a + 2b)$$

6. Equating coefficients

Equating coefficients:

$$3 - 3\mu = 2\lambda, \quad 4\mu = 2\lambda$$

7. Split the ratioFrom $4\mu = 2\lambda$, $\lambda = 2\mu$.

$$3 - 3\mu = 4\mu$$

$$\mu = \frac{3}{7}$$

8. Split the ratioSo $AP : PB = \frac{3}{7} : \frac{4}{7}$.

FINAL ANSWER

$\vec{OC} = 2a + 2b$, $\vec{AB} = 4b - 3a$, and $AP : PB = 3 : 4$


EA

PAST PAPER QUESTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

Nov 2023 P2H - Nov 2023 | P2H

23 Here is a frustum of a cone.

The frustum is made by removing a small cone from a similar large cone.

Diagram **NOT**
accurately drawn

The height of the large cone is 15 cm.

The radius of the base of the large cone is 6 cm.

The radius of the base of the small cone is x cm.Given that the volume of the frustum is $\frac{4212}{25}\pi \text{ cm}^3$ work out the value of x

Show clear algebraic working.

 $x = \dots\dots\dots$ **(Total for Question 23 is 5 marks)**

PAST PAPER SOLUTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The large cone has height**

The large cone has height 15 cm and radius 6 cm.

2. The small cone has radius

The small cone has radius x . Since the cones are similar,

$$\frac{\text{radius}}{\text{height}} = \frac{6}{15} = \frac{2}{5}$$

3. Evaluate fraction

So for the small cone,

$$\frac{x}{h} = \frac{2}{5}$$

$$h = \frac{5}{2}x$$

4. Volume of the large cone

Volume of the large cone:

$$\frac{1}{3}\pi(6)^2(15) = 180\pi$$

5. Volume of the small cone

Volume of the small cone:

$$\frac{1}{3}\pi x^2 \left(\frac{5}{2}x\right) = \frac{5}{6}\pi x^3$$

6. The frustum volume is

The frustum volume is

$$\frac{4212}{25}\pi$$

7. Evaluate fraction

So

$$180\pi - \frac{5}{6}\pi x^3 = \frac{4212}{25}\pi$$

8. Cancel

Cancel π :

$$180 - \frac{5}{6}x^3 = \frac{4212}{25}$$

$$\frac{5}{6}x^3 = 180 - \frac{4212}{25}$$

$$\frac{5}{6}x^3 = \frac{288}{25}$$

$$x^3 = \frac{1728}{125}$$

$$x = \frac{12}{5} = 2.4$$

FINAL ANSWER**2.4 cm**


EA

PAST PAPER QUESTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

Nov 2023 P2H - Nov 2023 | P2H

23 Here is a frustum of a cone.

The frustum is made by removing a small cone from a similar large cone.

Diagram **NOT**
accurately drawn

The height of the large cone is 15 cm.

The radius of the base of the large cone is 6 cm.

The radius of the base of the small cone is x cm.Given that the volume of the frustum is $\frac{4212}{25}\pi \text{ cm}^3$ work out the value of x

Show clear algebraic working.

 $x = \dots\dots\dots$ **(Total for Question 23 is 5 marks)**

PAST PAPER SOLUTION**Q#: 23****Marks: 5****TOPIC: Area & Volume of Similar Shapes**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. The large cone has height**

The large cone has height 15 cm and radius 6 cm.

2. The small cone has radius

The small cone has radius x . Since the cones are similar,

$$\frac{\text{radius}}{\text{height}} = \frac{6}{15} = \frac{2}{5}$$

3. Evaluate fraction

So for the small cone,

$$\frac{x}{h} = \frac{2}{5}$$

$$h = \frac{5}{2}x$$

4. Volume of the large cone

Volume of the large cone:

$$\frac{1}{3}\pi(6)^2(15) = 180\pi$$

5. Volume of the small cone

Volume of the small cone:

$$\frac{1}{3}\pi x^2 \left(\frac{5}{2}x\right) = \frac{5}{6}\pi x^3$$

6. The frustum volume is

The frustum volume is

$$\frac{4212}{25}\pi$$

7. Evaluate fraction

So

$$180\pi - \frac{5}{6}\pi x^3 = \frac{4212}{25}\pi$$

8. Cancel

Cancel π :

$$180 - \frac{5}{6}x^3 = \frac{4212}{25}$$

$$\frac{5}{6}x^3 = 180 - \frac{4212}{25}$$

$$\frac{5}{6}x^3 = \frac{288}{25}$$

$$x^3 = \frac{1728}{125}$$

$$x = \frac{12}{5} = 2.4$$

FINAL ANSWER

2.4 cm

EA

PAST PAPER QUESTION**Q#: 24****Marks: 5****TOPIC: Algebraic Fractions**

Nov 2023 P2H - Nov 2023 | P2H

24 Solve $\frac{45x^3 - 80x}{3x^2 + x - 4} \times \left(\frac{1}{3x - 4} + \frac{1}{x} \right) = \frac{4(x + 2)}{5x - 8}$

Show clear algebraic working.

 $x = \dots\dots\dots$

(Total for Question 24 is 5 marks)

EA

PAST PAPER SOLUTION**Q#: 24****Marks: 5****TOPIC: Algebraic Fractions**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Solve quadratic equation**

$$\frac{45x^3 - 80x}{3x^2 + x - 4} \left(\frac{1}{3x - 4} + \frac{1}{x} \right) = \frac{4(x + 2)}{5x - 8}$$

2. Factorise

Factorise:

$$45x^3 - 80x = 5x(3x - 4)(3x + 4)$$

$$3x^2 + x - 4 = (3x + 4)(x - 1)$$

3. Solve quadratic equation

Also,

$$\frac{1}{3x - 4} + \frac{1}{x} = \frac{x + 3x - 4}{x(3x - 4)} = \frac{4(x - 1)}{x(3x - 4)}$$

4. Solve quadratic equation

So the left side becomes

$$\frac{5x(3x - 4)(3x + 4)}{(3x + 4)(x - 1)} \times \frac{4(x - 1)}{x(3x - 4)} = 20$$

5. Solve quadratic equation

Therefore,

$$20 = \frac{4(x + 2)}{5x - 8}$$

$$20(5x - 8) = 4(x + 2)$$

$$100x - 160 = 4x + 8$$

$$96x = 168$$

$$x = \frac{7}{4}$$

FINAL ANSWER

$$x = \frac{7}{4}$$

PAST PAPER QUESTION**Q#: 24****Marks: 5****TOPIC: Algebraic Fractions**

Nov 2023 P2H - Nov 2023 | P2H

24 Solve $\frac{45x^3 - 80x}{3x^2 + x - 4} \times \left(\frac{1}{3x - 4} + \frac{1}{x} \right) = \frac{4(x + 2)}{5x - 8}$

Show clear algebraic working.

 $x = \dots\dots\dots$

(Total for Question 24 is 5 marks)

EA

PAST PAPER SOLUTION**Q#: 24****Marks: 5****TOPIC: Algebraic Fractions**

Nov 2023 P2H - Nov 2023 | P2H

WORKED SOLUTION*Dr. Eslam Ahmed***1. Solve quadratic equation**

$$\frac{45x^3 - 80x}{3x^2 + x - 4} \left(\frac{1}{3x - 4} + \frac{1}{x} \right) = \frac{4(x + 2)}{5x - 8}$$

2. Factorise

Factorise:

$$45x^3 - 80x = 5x(3x - 4)(3x + 4)$$

$$3x^2 + x - 4 = (3x + 4)(x - 1)$$

3. Solve quadratic equation

Also,

$$\frac{1}{3x - 4} + \frac{1}{x} = \frac{x + 3x - 4}{x(3x - 4)} = \frac{4(x - 1)}{x(3x - 4)}$$

4. Solve quadratic equation

So the left side becomes

$$\frac{5x(3x - 4)(3x + 4)}{(3x + 4)(x - 1)} \times \frac{4(x - 1)}{x(3x - 4)} = 20$$

5. Solve quadratic equation

Therefore,

$$20 = \frac{4(x + 2)}{5x - 8}$$

$$20(5x - 8) = 4(x + 2)$$

$$100x - 160 = 4x + 8$$

$$96x = 168$$

$$x = \frac{7}{4}$$

FINAL ANSWER

$$x = \frac{7}{4}$$