

Mathematics A

Unit 1 • Chapter OL-T19 Classified

Cross-session • chapter-organised candidate

18 classified items • 49 marks • 1 chapter(s)

Source-faithful practice with synchronized solutions

Every question is followed by its worked answer/reference

Dr Eslam Ahmed

Elite IGCSE Mathematics • eliteigcse.com

WhatsApp +20 112 000 9622

ELITE TEACHING EDITION - REVIEWED FOR WEBSITE USE

Contents

Unit 1 • Unit 1 • Chapter OL-T19 • 18 items • 49 marks

Chapter	Items	Marks	Starts
01. OL-T19 Factorising	18	49	4

June 2026 is intentionally deferred; November 2025 remains provisional QP-only in this private candidate.

Factorising

Unit 1 • 49 marks • 18 item(s)

June 2025 | 4MA1-1H Q6 | 3 marks

Factorise as the first part of a factor-then-solve chain

June 2024 | 4MA1-1H Q12 | 2 marks

Non-monic quadratic ax^2+bx+c

November 2023 | 4MA1-1H Q2 | 2 marks

Greatest monomial common factor

June 2023 | 4MA1-1H Q6 | 2 marks

Greatest monomial common factor

June 2023 | 4MA1-1H Q14 | 3 marks

Common factor followed by a second factorisation

June 2022 | 4MA1-1H Q11 | 2 marks

Difference of two squares

January 2022 | 4MA1-2H Q1 | 2 marks

Greatest monomial common factor

January 2020 | 4MA1-1H Q7 | 2 marks

Greatest monomial common factor

January 2021 | 4MA1-1H Q5 | 2 marks

Greatest monomial common factor

January 2021 | 4MA1-1H Q9 | 2 marks

Negative constant monic quadratic

June 2021 | 4MA1-1H Q9 | 2 marks

Greatest monomial common factor

June 2021 | 4MA1-2H Q9 | 2 marks

Positive constant monic quadratic

November 2021 | 4MA1-1H Q17 | 2 marks

Non-monic quadratic ax^2+bx+c

November 2021 | 4MA1-2H Q8 | 2 marks

Negative constant monic quadratic

November 2021 | 4MA1-2H Q8 | 1 marks

Factorise as the first part of a factor-then-solve chain

... 3 more item(s) follow

Original question context and synchronized companion pages follow.

Terminal-demand ownership is preserved; prerequisite links remain in the internal ledger.

Working Unit 05

4MA1-1H Q6

ORIGINAL QUESTION

3 marks

(b) (i) Factorise $y^2 - 11y + 30$

(2)

(ii) Hence solve $y^2 - 11y + 30 = 0$

(1)

Worked Solution 05

Factorise, then solve

UNIT 1
3 marks**Factorise**

$$y^2 - 11y + 30 = (y - 5)(y - 6).$$

Use the zero-product rule

$$(y - 5)(y - 6) = 0 \Rightarrow y = 5 \text{ or } y = 6.$$

Final answer

$$(y - 5)(y - 6), \quad y = 5 \text{ or } 6$$

Dependency check The 'Hence' solution depends on the factorisation and therefore remains in the same working unit.

Question 08

4MA1-1H Q12

ORIGINAL QUESTION

2 marks

12 (a) Factorise fully $6y^2 - 5y - 4$

(2)

Worked Solution 08

Factorise a quadratic

MODULAR UNIT 1

2 marks

Factorise

$$6y^2 - 5y - 4 = (2y + 1)(3y - 4).$$

Final answer

$$(2y + 1)(3y - 4)$$

Question 04

4MA1-1H Q2 (a)

ORIGINAL QUESTION UNIT 1

2 marks

2 (a) Factorise fully $12pq - 18p$
(2)

Worked solution 04

Factorise fully

MODULAR UNIT 1

2 marks

(a) – Factorise fully

Take out the common factor

$$12pq - 18p = 6p(2q - 3).$$

Final answer

$$6p(2q - 3)$$

Question 04

4MA1-1H Q6

ORIGINAL QUESTION

2 marks

(c) Factorise fully $16a^2b^3 + 20a^3b$

(2)

Worked Solution 04

Common-factor factorisation

MODULAR UNIT 1

2 marks

Take the greatest common factor

$$16a^2b^3 + 20a^3b = 4a^2b(4b^2 + 5a).$$

Final answer

$$4a^2b(4b^2 + 5a)$$

Question 07

4MA1-1H Q14

ORIGINAL QUESTION

3 marks

14 Factorise fully $50g^2 - 18$

Worked Solution 07

Difference of two squares

MODULAR UNIT 1

3 marks

Take out 2

$$50g^2 - 18 = 2(25g^2 - 9).$$

Factor the difference

$$25g^2 - 9 = (5g + 3)(5g - 3).$$

Final answer

$$2(5g + 3)(5g - 3)$$

Original question 07

4MA1-1H Q11 Q11(a)

ORIGINAL QUESTION**2 marks****11** (a) Factorise $9x^2 - 4y^2$

(2)

Worked solution 07

Chapter: Factorising

MODULAR UNIT 1

2 marks

Q11(a) – Chapter: Factorising

Family: Factorise a non-monic or special quadratic • Variant: Difference of two squares

Method

$$9x^2 - 4y^2 = (3x)^2 - (2y)^2.$$

*Why: Recognise a difference of two squares.***Method**

$$\text{Therefore } 9x^2 - 4y^2 = (3x + 2y)(3x - 2y).$$

*Why: Use $a^2 - b^2 = (a + b)(a - b)$.***Final answer****factorisation:** $(3x + 2y)(3x - 2y)$

Original question 19

4MA1-2H Q1 Q1(b)

ORIGINAL QUESTION**2 marks**

(b) Factorise fully $15b^5c - 35b^3c^9$

(2)

Worked solution 19

Chapter: Factorising

MODULAR UNIT 1

2 marks

Q1(b) – Chapter: Factorising

Family: Extract an algebraic common factor • Variant: Greatest monomial common factor

Method

$$15b^5c - 35b^3c^9 = 5b^3c(3b^2 - 7c^8).$$

*Why: Take out the greatest common factor $5b^3c$.***Method**

Expanding the bracket checks the original expression.

*Why: Verify both terms after factorising.***Final answer****factorisation:** $5b^3c(3b^2 - 7c^8)$

(b) Factorise fully $5y + 20y^2$

(2)

Worked solution

January 2020 | Question 7 | 2 marks

Family: Extract an algebraic common factor • Variant: Greatest monomial common factor

Method / working

1. Take the greatest common factor $5y$.

2. $5y+20y^2=5y(1+4y)$.

Final answer: $5y(1+4y)$

5 (a) Factorise fully $15y^4 + 20uy^3$

(2)

Worked solution

January 2021 | Question 5 | 2 marks

Family: Extract an algebraic common factor • Variant: Greatest monomial common factor

Method / working

1. Factor out the highest common factor $5y^3$.
2. The fully factorised form is $5y^3(3y+4u)$.

Final answer: $5y^3(3y+4u)$

(b) (i) Factorise $x^2 + 5x - 36$

(2)

(ii) Hence, solve $x^2 + 5x - 36 = 0$

(1)

Worked solution

January 2021 | Question 9 | 2 marks

Family: Factorise a monic quadratic • Variant: Negative constant monic quadratic

Method / working

1. Find two numbers with product -36 and sum 5: 9 and -4.
2. Therefore $x^2+5x-36=(x+9)(x-4)$.

Final answer: $(x+9)(x-4)$

9 (a) Factorise fully $25a^4c^7d + 45a^9c^3h$

(b) Solve $(2x + 5)^2 = (2x + 3)(2x - 1)$

.....
(2)

$x =$
(3)

Worked solution

June 2021 | Question 9 | 2 marks

Family: Extract an algebraic common factor • Variant: Greatest monomial common factor

Method / working

1. Take the common factor $5a^3c^3$ from both terms.
2. The remaining bracket is $5c^3d + 9a^3h$.

Final answer: $5a^3c^3(5c^3d + 9a^3h)$

June 2021 | 4MA1-2H | Question 9 | 2 marks

Chapter OL-T19: Factorising

9 (i) Factorise $x^2 + 2x - 24$

(2)

(ii) Hence solve $x^2 + 2x - 24 = 0$

(1)

Worked solution

June 2021 | Question 9 | 2 marks

Family: Factorise a monic quadratic • Variant: Positive constant monic quadratic

Method / working

1. Find two numbers with product -24 and sum 2: 6 and -4.
2. Therefore $x^2+2x-24=(x+6)(x-4)$.

Final answer: $(x+6)(x-4)$

17 (a) Factorise $6y^2 - y - 5$

(2)

Worked solution

November 2021 | Question 17 | 2 marks

Family: Factorise a non-monic or special quadratic • Variant: Non-monic quadratic ax^2+bx+c

Method / working

1. (a)

Reason: Apply the stated definition, theorem, algebraic operation, or diagram convention.

2. $6y^2-y-5=(6y+5)(y-1)$

Reason: Apply the stated definition, theorem, algebraic operation, or diagram convention.

Final answer: $(6y+5)(y-1)$, $f=\frac{8w-3}{w+2}$, $4(x-1)^2+3$

(b) (i) Factorise $x^2 - 5x - 36$

(2)

(ii) Hence solve $x^2 - 5x - 36 = 0$

(1)

Worked solution

November 2021 | Question 8 | 2 marks

Family: Factorise a monic quadratic • Variant: Negative constant monic quadratic

Method / working

1. (b)(i)

Reason: Apply the stated definition, theorem, algebraic operation, or diagram convention.

2. $x^2 - 5x - 36 = (x - 9)(x + 4)$

Reason: Apply the stated definition, theorem, algebraic operation, or diagram convention.

Final answer: 1, $(x - 9)(x + 4)$, $x = 9$ or $x = -4$

(b) (i) Factorise $x^2 - 5x - 36$

(2)

(ii) Hence solve $x^2 - 5x - 36 = 0$

(1)

Worked solution

November 2021 | Question 8 | 1 marks

Family: Factorise a non-monic or special quadratic • Variant: Factorise as the first part of a factor-then-solve chain

Method / working

1. (b)(ii) $\backslash(x=9\backslash)$ or $\backslash(x=-4\backslash)$.

Reason: Apply the stated definition, theorem, algebraic operation, or diagram convention.

2. Answer: $\backslash(1\backslash)$, $\backslash((x-9)(x+4)\backslash)$, $\backslash(x=9\backslash)$ or $\backslash(x=-4\backslash)$

Reason: Apply the stated definition, theorem, algebraic operation, or diagram convention.

Final answer: 1, $(x-9)(x+4)$, $x=9$ or $x=-4$

- 7 (a) Solve $5(4 - x) = 7 - 3x$
Show clear algebraic working.

$$x = \dots\dots\dots (3)$$

- (b) Factorise fully $16m^3g^3 + 24m^2g^5$

$$\dots\dots\dots (2)$$

- (c) (i) Factorise $y^2 - 2y - 48$

$$\dots\dots\dots (2)$$

- (ii) Hence, solve $y^2 - 2y - 48 = 0$

$$\dots\dots\dots (1)$$

(Total for Question 7 is 8 marks)

Answer reference | May-Nov 2020 | Question 7

Family: Factorise a non-monic or special quadratic • Variant: Factorise as the first part of a factor-then-solve chain

7	(a)	$20 - 5x (= 7 - 3x)$		3	M1 for expansion of bracket
		E.g. $20 - 7 = -3x + 5x$ or $-5x + 3x = 7 - 20$			M1 ft from a 4-term equation for a correct process of isolating terms in x on one side of the equation and numbers on the other side
			6.5 oe		A1 dep on M1 awarded and from correct working
	(b)			2	M1 for any correct partial factorisation with at least 2 factors, one of which must be a letter or the correct common factor with no more than 1 error inside the bracket
			$8m^2 g^3 (2m + 3g^2)$		A1
	(c)(i)	$(y \pm 6)(y \pm 8)$		2	M1
			$(y - 8)(y + 6)$		A1
	(c)(ii)		8, -6	1	B1 must ft from their factors in (c)(i)
Total 8 marks					

Worked solution

May-Nov 2020 | Question 7 | 8 marks

Family: Factorise a non-monic or special quadratic • Variant: Factorise as the first part of a factor-then-solve chain

Solution

(a)

$$5(4-x)=7-3x$$

$$20-5x=7-3x$$

$$13=2x$$

$$x=(13)/(2)$$

(b)

$$16m^3g^3+24m^2g^5=8m^2g^3(2m+3g^2)$$

(c)(i)

$$y^2-2y-48=(y-8)(y+6)$$

(c)(ii) $y=8$ or $y=-6$.

Answer: $x=(13)/(2)$, $8m^2g^3(2m+3g^2)$, $(y-8)(y+6)$, $y=8$ or $y=-6$

10 (a) Simplify $(6m)^0$

.....
(1)

(b) Solve $5y + 20 < 7y + 1$

.....
(2)

(c) Factorise fully $15w^2x^5 + 25w^3x^2$

.....
(2)

(d) Simplify fully $\frac{36a^5c^7}{12a^2c^3}$

.....
(2)

.....
(Total for Question 10 is 7 marks)

Worked solution

November 2025 | Question 10 | 7 marks

Family: Extract an algebraic common factor • Variant: Common factor followed by a second factorisation

Solution

(a) $(6m)^0 = 1$.

(b)

$$5y + 20 < 7y + 1$$

$$19 < 2y$$

$$y > \frac{19}{2}$$

(c)

$$15w^2x^5 + 25w^3x^2 = 5w^2x^2(3x^3 + 5w)$$

(d)

$$\frac{(36a^5c^7)}{(12a^2c^3)} = 3a^3c^4$$

Answer: 1, $y > \frac{19}{2}$, $5w^2x^2(3x^3 + 5w)$, $3a^3c^4$

7 (i) Factorise $x^2 + 2x - 48$

(2)

(ii) Hence, solve $x^2 + 2x - 48 = 0$

(1)

(Total for Question 7 is 3 marks)

Worked solution

November 2025 | Question 7 | 3 marks

Family: Factorise a non-monic or special quadratic • Variant: Factorise as the first part of a factor-then-solve chain

Solution

$$x^2+2x-48=(x+8)(x-6)$$

So

$$(x+8)(x-6)=0$$

Answer: $x=-8$ or $x=6$

PROVISIONAL WORKED SOLUTION — NOVEMBER 2025 QP-ONLY EXCEPTION