Course: Programming (1)

DR . Ahmed Soliman

Assignment1

1. Write a program to read 3 marks for a student and find the average mark.

```
int main() {
   int num1, num2, num3;
   for(int x =1 ; x <=3 ; x++) {
      printf("Pleas Enter number %d:\n", x);
      switch(x) {
      case 1:scanf("%d" , &num1);break;
      case 2:scanf("%d" , &num2);break;
      case 3:scanf("%d" , &num3);break;
      default:printf("other !!!!");
      }
   int result = (num1+num2+num3) / 3;
   printf("------\n\n");
   printf("your avarage is : %d\n" , result);
   return 0;
}</pre>
```

Name: Esmail Sameh Abdo

Code: 2024036792



Course: Programming (1)

DR . Ahmed Soliman

2. Write a program to read 2 numbers then swap the values of these two numbers.

```
int main(){
   int num1, num2, swap;
   for(int x =1 ; x <=2; x++){</pre>
       printf("Pleas Enter number %d:\n", x);
       switch(x){
       case 1:scanf("%d" , &num1);break;
       case 2:scanf("%d" , &num2);break;
       default:printf("other !!!!");
    }
   swap = num1;
   num1 = num2;
   num2 = swap;
   printf("----\n\n");
   printf("Number one is : %d\n " , num1 );
   printf("Number two is : %d\n | " , num2 );
   return 0;
}
```

Name: Esmail Sameh Abdo

Code: 2024036792



Course: Programming (1)

DR . Ahmed Soliman

Choose the correct answer:

1. Which of the following is used for comments in C?

a) /* comment */

- b) // comment */
- c) // comment
- d) both // comment or /* comment */
- 2. What is the output of below program?

```
int main()
{
  int a = 10;
  printf ("%d\n", a++);
  return 0;
}
(A) 10
(B) 11
```

(C) 12(D) Not defined

Name: Esmail Sameh Abdo

Code: 2024036792



Course: Programming (1)

DR . Ahmed Soliman

```
3. What is the value of a in below program? int main()
{
  int a, b=20;
  a = 90/b;
  return 0;
}
(A) 4.5
(B) 4.0
(C) 4
(D) Compilation Error
```

NAME : Esmail Sameh Code: 2024036792