

## Tablas (33)

Nombre	Tipo	Esquema
<b>auth_group</b>		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
<b>auth_group_permissions</b>		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>auth_permission</b>		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
<b>auth_user</b>		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
<b>auth_user_groups</b>		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL

Nombre	Tipo	Esquema
group_id	integer	"group_id" integer NOT NULL
<b>auth_user_user_permissions</b>		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>boe_analisis_alerta</b>		CREATE TABLE "boe_analisis_alerta" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "texto" text NOT NULL, "documento_id" bigint NOT NULL REFERENCES "boe_analisis_documento" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
texto	text	"texto" text NOT NULL
documento_id	bigint	"documento_id" bigint NOT NULL
<b>boe_analisis_departamento</b>		CREATE TABLE "boe_analisis_departamento" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombre" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
nombre	varchar(200)	"nombre" varchar(200) NOT NULL
<b>boe_analisis_diario</b>		CREATE TABLE "boe_analisis_diario" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombre" varchar(50) NOT NULL)
id	integer	"id" integer NOT NULL
nombre	varchar(50)	"nombre" varchar(50) NOT NULL
<b>boe_analisis_documento</b>		CREATE TABLE "boe_analisis_documento" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "identificador" varchar(20) NOT NULL, "fecha_publicacion" date NOT NULL, "fecha_disposicion" date NULL, "titulo" text NOT NULL, "texto" text NULL, "url_pdf" varchar(500) NULL, "url_xml" varchar(500) NULL, "seccion" varchar(10) NULL, "numero" varchar(10) NULL, "pagina_inicial" integer NULL, "pagina_final" integer NULL, "vigencia_agotada" bool NULL, "judicialmente_anulada" bool NULL, "departamento_id" bigint NULL REFERENCES "boe_analisis_departamento" ("id") DEFERRABLE INITIALLY DEFERRED, "diario_id" bigint NULL REFERENCES "boe_analisis_diario" ("id") DEFERRABLE INITIALLY DEFERRED, "estado consolidacion_id" bigint NULL REFERENCES "boe_analisis_estado consolidacion" ("id") DEFERRABLE INITIALLY DEFERRED, "legislatura_id" bigint NULL REFERENCES "boe_analisis_legislatura" ("id") DEFERRABLE INITIALLY DEFERRED, "origen_legislativo_id" bigint NULL REFERENCES "boe_analisis_origen legislativo" ("id") DEFERRABLE INITIALLY DEFERRED, "rango_id" bigint NULL REFERENCES "boe_analisis_rango" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL

Nombre	Tipo	Esquema
identificador	varchar(20)	"identificador" varchar(20) NOT NULL
fecha_publicacion	date	"fecha_publicacion" date NOT NULL
fecha_disposicion	date	"fecha_disposicion" date
titulo	text	"titulo" text NOT NULL
texto	text	"texto" text
url_pdf	varchar(500)	"url_pdf" varchar(500)
url_xml	varchar(500)	"url_xml" varchar(500)
seccion	varchar(10)	"seccion" varchar(10)
numero	varchar(10)	"numero" varchar(10)
pagina_inicial	integer	"pagina_inicial" integer
pagina_final	integer	"pagina_final" integer
vigencia_agotada	bool	"vigencia_agotada" bool
judicialmente_anulada	bool	"judicialmente_anulada" bool
departamento_id	bigint	"departamento_id" bigint
diario_id	bigint	"diario_id" bigint
estado_consolidacion_id	bigint	"estado_consolidacion_id" bigint
legislatura_id	bigint	"legislatura_id" bigint
origen_legislativo_id	bigint	"origen_legislativo_id" bigint
rango_id	bigint	"rango_id" bigint
<b>boe_analisis_documento_materias</b>		CREATE TABLE "boe_analisis_documento_materias" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "documento_id" bigint NOT NULL REFERENCES "boe_analisis_documento" ("id") DEFERRABLE INITIALLY DEFERRED, "materia_id" bigint NOT NULL REFERENCES "boe_analisis_materia" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
documento_id	bigint	"documento_id" bigint NOT NULL
materia_id	bigint	"materia_id" bigint NOT NULL
<b>boe_analisis_documento_anuncio</b>		CREATE TABLE "boe_analisis_documentoanuncio" ("documento_ptr_id" bigint NOT NULL PRIMARY KEY REFERENCES "boe_analisis_documento" ("id") DEFERRABLE INITIALLY DEFERRED, "fecha_presentacion_ofertas" varchar(4000) NULL, "fecha_apertura_ofertas" varchar(4000) NULL, "importe" decimal NULL, "ambito_geografico" varchar(4000) NULL, "materias_anuncio" varchar(4000) NULL, "materias_cpv" varchar(4000) NULL, "observaciones" varchar(4000) NULL, "modalidad_id" bigint NULL REFERENCES "boe_analisis_modalidad" ("id") DEFERRABLE INITIALLY DEFERRED, "precio_id" bigint NULL REFERENCES "boe_analisis_precio" ("id") DEFERRABLE INITIALLY DEFERRED, "tipo_id" bigint NULL REFERENCES "boe_analisis_tipo" ("id") DEFERRABLE INITIALLY DEFERRED, "tramitacion_id" bigint NULL REFERENCES "boe_analisis_tramitacion" ("id") DEFERRABLE INITIALLY DEFERRED)
documento_ptr_id	bigint	"documento_ptr_id" bigint NOT NULL
fecha_presentacion_ofertas	varchar(4000)	"fecha_presentacion_ofertas" varchar(4000)
fecha_apertura_ofertas	varchar(4000)	"fecha_apertura_ofertas" varchar(4000)
importe	decimal	"importe" decimal
ambito_geografico	varchar(4000)	"ambito_geografico" varchar(4000)

Nombre	Tipo	Esquema
materias_anuncio	varchar(4000)	"materias_anuncio" varchar(4000)
materias_cpv	varchar(4000)	"materias_cpv" varchar(4000)
observaciones	varchar(4000)	"observaciones" varchar(4000)
modalidad_id	bigint	"modalidad_id" bigint
precio_id	bigint	"precio_id" bigint
tipo_id	bigint	"tipo_id" bigint
tramitacion_id	bigint	"tramitacion_id" bigint
<b>boe_analisis_estado_consolidacion</b>		CREATE TABLE "boe_analisis_estado_consolidacion" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombre" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
nombre	varchar(200)	"nombre" varchar(200) NOT NULL
<b>boe_analisis_legislatura</b>		CREATE TABLE "boe_analisis_legislatura" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "presidente" varchar(200) NOT NULL, "inicio" date NOT NULL, "fin" date NULL, "partido_id" bigint NULL REFERENCES "boe_analisis_partido" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
presidente	varchar(200)	"presidente" varchar(200) NOT NULL
inicio	date	"inicio" date NOT NULL
fin	date	"fin" date
partido_id	bigint	"partido_id" bigint
<b>boe_analisis_materia</b>		CREATE TABLE "boe_analisis_materia" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "titulo" varchar(200) NOT NULL, "codigo" varchar(50) NULL)
id	integer	"id" integer NOT NULL
titulo	varchar(200)	"titulo" varchar(200) NOT NULL
codigo	varchar(50)	"codigo" varchar(50)
<b>boe_analisis_modalidad</b>		CREATE TABLE "boe_analisis_modalidad" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "codigo" varchar(10) NOT NULL, "titulo" varchar(4000) NULL)
id	integer	"id" integer NOT NULL
codigo	varchar(10)	"codigo" varchar(10) NOT NULL
titulo	varchar(4000)	"titulo" varchar(4000)
<b>boe_analisis_nota</b>		CREATE TABLE "boe_analisis_nota" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "texto" text NOT NULL, "documento_id" bigint NOT NULL REFERENCES "boe_analisis_documento" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
texto	text	"texto" text NOT NULL
documento_id	bigint	"documento_id" bigint NOT NULL
<b>boe_analisis_origen_legislativo</b>		CREATE TABLE "boe_analisis_origen_legislativo" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombre" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
nombre	varchar(200)	"nombre" varchar(200) NOT NULL
<b>boe_analisis_palabra</b>		CREATE TABLE "boe_analisis_palabra" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT,

Nombre	Tipo	Esquema
		"texto" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
texto	varchar(200)	"texto" varchar(200) NOT NULL
<b>boe_analisis_partido</b>		CREATE TABLE "boe_analisis_partido" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombre" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
nombre	varchar(200)	"nombre" varchar(200) NOT NULL
<b>boe_analisis_precio</b>		CREATE TABLE "boe_analisis_precio" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "codigo" varchar(10) NOT NULL, "titulo" varchar(4000) NULL)
id	integer	"id" integer NOT NULL
codigo	varchar(10)	"codigo" varchar(10) NOT NULL
titulo	varchar(4000)	"titulo" varchar(4000)
<b>boe_analisis_procedimiento</b>		CREATE TABLE "boe_analisis_procedimiento" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "codigo" varchar(10) NOT NULL, "titulo" varchar(4000) NULL)
id	integer	"id" integer NOT NULL
codigo	varchar(10)	"codigo" varchar(10) NOT NULL
titulo	varchar(4000)	"titulo" varchar(4000)
<b>boe_analisis_rango</b>		CREATE TABLE "boe_analisis_rango" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombre" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
nombre	varchar(200)	"nombre" varchar(200) NOT NULL
<b>boe_analisis_referencia</b>		CREATE TABLE "boe_analisis_referencia" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "documento_id" bigint NOT NULL REFERENCES "boe_analisis_documento" ("id") DEFERRABLE INITIALLY DEFERRED, "palabra_id" bigint NOT NULL REFERENCES "boe_analisis_palabra" ("id") DEFERRABLE INITIALLY DEFERRED, "referencia_id" bigint NOT NULL REFERENCES "boe_analisis_documento" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
documento_id	bigint	"documento_id" bigint NOT NULL
palabra_id	bigint	"palabra_id" bigint NOT NULL
referencia_id	bigint	"referencia_id" bigint NOT NULL
<b>boe_analisis_tipo</b>		CREATE TABLE "boe_analisis_tipo" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "codigo" varchar(10) NOT NULL, "titulo" varchar(4000) NULL)
id	integer	"id" integer NOT NULL
codigo	varchar(10)	"codigo" varchar(10) NOT NULL
titulo	varchar(4000)	"titulo" varchar(4000)
<b>boe_analisis_tramitacion</b>		CREATE TABLE "boe_analisis_tramitacion" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "codigo" varchar(10) NOT NULL, "titulo" varchar(4000) NULL)
id	integer	"id" integer NOT NULL
codigo	varchar(10)	"codigo" varchar(10) NOT NULL
titulo	varchar(4000)	"titulo" varchar(4000)

Nombre	Tipo	Esquema
<b>django_admin_log</b>		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
<b>django_content_type</b>		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
<b>django_migrations</b>		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
<b>django_session</b>		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
<b>sqlite_sequence</b>		CREATE TABLE sqlite_sequence (name, seq)
name		"name"
seq		"seq"
<b>tastypie_apiaccess</b>		CREATE TABLE "tastypie_apiaccess" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "identifier" varchar(255) NOT NULL, "url" text NOT NULL, "request_method" varchar(10) NOT NULL, "accessed" integer unsigned NOT NULL CHECK ("accessed" >= 0))
id	integer	"id" integer NOT NULL
identifier	varchar(255)	"identifier" varchar(255) NOT NULL

Nombre	Tipo	Esquema
url	text	"url" text NOT NULL
request_method	varchar(10)	"request_method" varchar(10) NOT NULL
accessed	integer unsigned	"accessed" integer unsigned NOT NULL CHECK("accessed" >= 0)
<b>tastypie_apikey</b>		CREATE TABLE "tastypie_apikey" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "key" varchar(128) NOT NULL, "created" datetime NOT NULL, "user_id" integer NOT NULL UNIQUE REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
key	varchar(128)	"key" varchar(128) NOT NULL
created	datetime	"created" datetime NOT NULL
user_id	integer	"user_id" integer NOT NULL UNIQUE

## Índices (35)

Nombre	Tipo	Esquema
<b>auth_group_permissions_group_id_b120cbf9</b>		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
<b>auth_group_permissions_group_id_permission_id_0cd325b0_uniq</b>		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
<b>auth_group_permissions_permission_id_84c5c92e</b>		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_permission_content_type_id_2f476e4b</b>		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
<b>auth_permission_content_type_id_codename_01ab375a_uniq</b>		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
<b>auth_user_groups_group_id_97559544</b>		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
<b>auth_user_groups_user_id_6a12ed8b</b>		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
<b>auth_user_groups_user_id_group_id_94350c0c_uniq</b>		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"

Nombre	Tipo	Esquema
<b>auth_user_user_permissions_permission_id_1fbb5f2c</b>		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_user_user_permissions_user_id_a95ead1b</b>		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
<b>auth_user_user_permissions_user_id_permission_id_14a6b632_uniq</b>		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
<b>boe_analisis_alerta_documento_id_ca78b034</b>		CREATE INDEX "boe_analisis_alerta_documento_id_ca78b034" ON "boe_analisis_alerta" ("documento_id")
documento_id		"documento_id"
<b>boe_analisis_documento_departamento_id_7c6b2a07</b>		CREATE INDEX "boe_analisis_documento_departamento_id_7c6b2a07" ON "boe_analisis_documento" ("departamento_id")
departamento_id		"departamento_id"
<b>boe_analisis_documento_diario_id_2ece722e</b>		CREATE INDEX "boe_analisis_documento_diario_id_2ece722e" ON "boe_analisis_documento" ("diario_id")
diario_id		"diario_id"
<b>boe_analisis_documento_estado consolidacion_id_7c45c754</b>		CREATE INDEX "boe_analisis_documento_estado consolidacion_id_7c45c754" ON "boe_analisis_documento" ("estado consolidacion_id")
estado consolidacion_id		"estado consolidacion_id"
<b>boe_analisis_documento_legislatura_id_baa17147</b>		CREATE INDEX "boe_analisis_documento_legislatura_id_baa17147" ON "boe_analisis_documento" ("legislatura_id")
legislatura_id		"legislatura_id"
<b>boe_analisis_documento_materias_documento_id_97546d2c</b>		CREATE INDEX "boe_analisis_documento_materias_documento_id_97546d2c" ON "boe_analisis_documento_materias" ("documento_id")
documento_id		"documento_id"
<b>boe_analisis_documento_materias_documento_id_materia_id_446a869b_uniq</b>		CREATE UNIQUE INDEX "boe_analisis_documento_materias_documento_id_materia_id_446a869b_uniq" ON "boe_analisis_documento_materias" ("documento_id", "materia_id")
documento_id		"documento_id"
materia_id		"materia_id"
<b>boe_analisis_documento_materias_materia_id_3041f497</b>		CREATE INDEX "boe_analisis_documento_materias_materia_id_3041f497" ON "boe_analisis_documento_materias" ("materia_id")
materia_id		"materia_id"
		CREATE INDEX



Nombre	Tipo	Esquema
<b>boe_analisis_documento_origen_legislativo_id_b04f4fca</b>		"boe_analisis_documento_origen_legislativo_id_b04f4fca" ON "boe_analisis_documento" ("origen_legislativo_id")
origen_legislativo_id		"origen_legislativo_id"
<b>boe_analisis_documento_rango_id_90cbaa16</b>		CREATE INDEX "boe_analisis_documento_rango_id_90cbaa16" ON "boe_analisis_documento" ("rango_id")
rango_id		"rango_id"
<b>boe_analisis_documento_anuncio_modalidad_id_e3dc9acb</b>		CREATE INDEX "boe_analisis_documentoanuncio_modalidad_id_e3dc9acb" ON "boe_analisis_documentoanuncio" ("modalidad_id")
modalidad_id		"modalidad_id"
<b>boe_analisis_documento_anuncio_precio_id_aaceca7c</b>		CREATE INDEX "boe_analisis_documentoanuncio_precio_id_aaceca7c" ON "boe_analisis_documentoanuncio" ("precio_id")
precio_id		"precio_id"
<b>boe_analisis_documento_anuncio_tipo_id_8f5433ce</b>		CREATE INDEX "boe_analisis_documentoanuncio_tipo_id_8f5433ce" ON "boe_analisis_documentoanuncio" ("tipo_id")
tipo_id		"tipo_id"
<b>boe_analisis_documento_anuncio_tramitacion_id_81488ca7</b>		CREATE INDEX "boe_analisis_documentoanuncio_tramitacion_id_81488ca7" ON "boe_analisis_documentoanuncio" ("tramitacion_id")
tramitacion_id		"tramitacion_id"
<b>boe_analisis_legislatura_partido_id_5de42012</b>		CREATE INDEX "boe_analisis_legislatura_partido_id_5de42012" ON "boe_analisis_legislatura" ("partido_id")
partido_id		"partido_id"
<b>boe_analisis_nota_documento_id_dffbb9f3</b>		CREATE INDEX "boe_analisis_nota_documento_id_dffbb9f3" ON "boe_analisis_nota" ("documento_id")
documento_id		"documento_id"
<b>boe_analisis_referencia_documento_id_e6aa5abf</b>		CREATE INDEX "boe_analisis_referencia_documento_id_e6aa5abf" ON "boe_analisis_referencia" ("documento_id")
documento_id		"documento_id"
<b>boe_analisis_referencia_palabra_id_ee38e0ae</b>		CREATE INDEX "boe_analisis_referencia_palabra_id_ee38e0ae" ON "boe_analisis_referencia" ("palabra_id")
palabra_id		"palabra_id"
<b>boe_analisis_referencia_referencia_id_32545467</b>		CREATE INDEX "boe_analisis_referencia_referencia_id_32545467" ON "boe_analisis_referencia" ("referencia_id")
referencia_id		"referencia_id"
<b>django_admin_log_content_type_id_c4bce8eb</b>		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
<b>django_admin_log_user_id_c564eba6</b>		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")

Nombre	Tipo	Esquema
user_id		"user_id"
<b>django_content_type_app_label_model_76bd3d3b_uniq</b>		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
<b>django_session_expire_date_a5c62663</b>		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
<b>tastypie_apikey_key_17b411bb</b>		CREATE INDEX "tastypie_apikey_key_17b411bb" ON "tastypie_apikey" ("key")
key		"key"

## Vistas (0)

Nombre	Tipo	Esquema
--------	------	---------

## Disparadores (0)

Nombre	Tipo	Esquema
--------	------	---------