TEST REPORT

Applicant:	Shenzhen Eaget innovation Technology Ltd.
Address:	12F,Building4, HIWIT SCI-TECH PARK,No.17,Bulan Road, XialilangCommunity.Nanwan Street, Longgang District, Shenzhen
Manufacturer:	Shenzhen Eaget innovation Technology Ltd.
Address:	12F,Building4, HIWIT SCI-TECH PARK,No.17,Bulan Road, XialilangCommunity.Nanwan Street, Longgang District, Shenzhen
Product Name:	Portable Hard Drive
Trade Mark:	EAGET
Model/Type reference:	G20
Listed Model(s):	-
Standard:	EN IEC 63000:2018
Date of Sample Received:	December 11, 2025
Testing Periods:	December 11, 2025 to December 16, 2025
Issued Date:	December 16, 2025

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Disobutyl phthalate (DIBP)	**PASS**

Kun Wang

Prepared by: Kun Wang

Haodong Shen

Reviewed By:Haodong Shen

Shenzhen Bangce Testing Technology Co., Ltd. Certification Inspection Service

Approved by: Hans Hu

The test results in this report apply exclusively to the tested model / sample.
The test report should not be reproduced except in full without the written approval of Shenzhen Bangce Testing Technology Co., Ltd.

1 SUMMARY OF TEST RESULT

No.	Test item	Limit	Result
1	Cadmium (Cd)	100mg/kg	PASS
2	Lead (Pb)	1000mg/kg	PASS
3	Mercury (Hg)	1000mg/kg	PASS
4	Hexavalent chromium (Cr6+)	1000mg/kg	PASS
5	Polybrominated Biphenyls (PBBs)	1000mg/kg	PASS
6	Polybrominated Diphenyl Ethers (PBDEs)	1000mg/kg	PASS
7	Benzyl Butyl Phthalate (BBP)	1000mg/kg	PASS
8	Di-n-Butyl Phthalate (DBP)	1000mg/kg	PASS
9	Di-(2-ethylhexyl) Phthalate (DEHP)	1000mg/kg	PASS
10	Di-isobutyl Phthalate (DIBP)	1000mg/kg	PASS

2 TEST METHOD

2.1 XRF Scan test

Test item	Screening limits in mg/kg for regulated elements in various matrices		
	Polymers	Metals	Composite material
Pb	BL≤(700-3σ)＜X＜(1300+3σ)≤OL	BL≤(700-3σ)＜X＜(1300+3σ)≤OL	BL≤(500-3σ)＜X＜(1500+3σ)≤OL
Cd	BL≤(70-3σ)＜X＜(130+3σ)≤OL	BL≤(70-3σ)＜X＜(130+3σ)≤OL	LOD＜X＜(150+3σ)≤OL
Hg	BL≤(700-3σ)＜X＜(1300+3σ)≤OL	BL≤(700-3σ)＜X＜(1300+3σ)≤OL	BL≤(500-3σ)＜X＜(1500+3σ)≤OL
Cr	BL≤(700-3σ)＜X	BL≤(700-3σ)＜X	BL≤(500-3σ)＜X
Br	BL≤(300-3σ)＜X	Not applicable	BL≤(250-3σ)＜X

Note:

1. Test method: IEC 62321-3-1:2013
2. BL—Lower than XRF Scan Test
3. OL—Higher than XRF Scan Test, Further chemical tests are needed to confirm this
4. X—Samples within the XRF scan test value range require further chemical confirmation
5. 3σ—It shows the repeatability of the analytical instrument



2.2 Chemical test


Test item	Method standard	Test Equipment
Cadmium (Cd)	IEC62321-5:2013	ICP-OES
Lead (Pb)	IEC62321-5:2013	ICP-OES
Mercury (Hg)	IEC62321-4:2013+AMD1:2017	ICP-OES
Hexavalent chromium (Cr)	IEC62321-7-1:2015 IEC62321-7-2:2017	UV-VIS
Polybrominated Biphenyls (PBBs)	IEC62321-6:2015	GC-MS
Polybrominated Diphenyl Ethers (PBDEs)	IEC62321-6:2015	GC-MS
Benzyl Butyl Phthalate (BBP)	IEC62321-8:2017	GC-MS
Di-n-Butyl Phthalate (DBP)	IEC62321-8:2017	GC-MS
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC62321-8:2017	GC-MS
Di-isobutyl Phthalate (DIBP)	IEC62321-8:2017	GC-MS

3 TEST LABORATORY

Laboratory:	Shenzhen BangCe Testing Technology Co., Ltd.
Address:	4b, Building 8, Yun Li Intelligent Park, Guang Ming District, Shenzhen, Guangdong Province China.
Contact:	Tel: 86-755-2319 6848, Email: service@cis-cn.net, Web: http://www.cis-cn.net/

4 TESTED POINT OF EUT

No.	Test Point No.	Description	The photo of the sample
1	A1	Black plastic	
2	A2	Blue plastic	
3	A3	Black plastic	
4	B1	Blue PCB	
5	B2	Solder	
6	B3	Black plastic	
7	B4	Black plastic	
8	B5	Green PCB	
9	B6	Silver metal	
10	B7	White plastic	
11	F1	Silver metal	
12	F2	Blue plastic	
13	F3	Black plastic	
14	F4	Black wire jacket	
15	F5	Blue wire jacket	
16	F6	Blue wire jacket	
17	F7	Black wire jacket	

18	F8	White wire jacket	
19	F9	Green wire jacket	
20	F10	Red wire jacket	
21	F11	Silver wire jacket	
22	F12	Silver metal	
23	F13	Black plastic	
24	H1	Silver metal	
25	H2	Silver metal	
26	H3	Silver metal	
27	H4	Silver metal	
28	H5	Black plastic	
29	H6	Silver metal	
30	H7	Silver metal	
31	H8	Black plastic	
32	H9	Copper wire	
33	H10	Silver metal	
34	H11	Black plastic	
35	H12	Black metal	
36	H13	Silver metal	
37	H14	Yellow plastic	

5 TEST RESULTS

5.1 Screening test by XRF spectroscopy

Test Point No.	XRF Screening Result						Chemical confirm Result (mg/kg)	Conclusion
	Pb	Cd	Hg	Cr	Br			
					PBBs	PBDEs		
A1	BL	BL	BL	BL	BL	BL	--	PASS
A2	BL	BL	BL	BL	BL	BL	--	PASS
A3	BL	BL	BL	BL	BL	BL	--	PASS
B1	BL	BL	BL	BL	X	X	PBBs & PBDEs: N.D	PASS
B2	BL	BL	BL	BL	N.A	N.A	--	PASS
B3	BL	BL	BL	BL	BL	BL	--	PASS
B4	BL	BL	BL	BL	BL	BL	--	PASS
B5	BL	BL	BL	BL	X	X	PBBs & PBDEs: N.D	PASS
B6	BL	BL	BL	BL	N.A	N.A	--	PASS
B7	BL	BL	BL	BL	BL	BL	--	PASS
F1	BL	BL	BL	BL	N.A	N.A	--	PASS
F2	BL	BL	BL	BL	BL	BL	--	PASS
F3	BL	BL	BL	BL	BL	BL	--	PASS
F4	BL	BL	BL	BL	BL	BL	--	PASS
F5	BL	BL	BL	BL	BL	BL	--	PASS
F6	BL	BL	BL	BL	BL	BL	--	PASS
F7	BL	BL	BL	BL	BL	BL	--	PASS
F8	BL	BL	BL	BL	BL	BL	--	PASS
F9	BL	BL	BL	BL	BL	BL	--	PASS
F10	BL	BL	BL	BL	BL	BL	--	PASS
F11	BL	BL	BL	BL	BL	BL	--	PASS
F12	BL	BL	BL	BL	BL	BL	--	PASS
F13	BL	BL	BL	BL	N.A	N.A	--	PASS

H1	BL	BL	BL	BL	N.A	N.A	--	PASS
H2	BL	BL	BL	BL	N.A	N.A	--	PASS
H3	BL	BL	BL	BL	N.A	N.A	--	PASS
H4	BL	BL	BL	BL	N.A	N.A	--	PASS
H5	BL	BL	BL	BL	BL	BL	--	PASS
H6	BL	BL	BL	BL	N.A	N.A	--	PASS
H7	BL	BL	BL	BL	N.A	N.A	--	PASS
H8	BL	BL	BL	BL	BL	BL	--	PASS
H9	BL	BL	BL	BL	BL	BL	--	PASS
H10	BL	BL	BL	BL	N.A	N.A	--	PASS
H11	BL	BL	BL	BL	BL	BL	--	PASS
H12	BL	BL	BL	BL	N.A	N.A	--	PASS
H13	BL	BL	BL	BL	N.A	N.A	--	PASS
H14	BL	BL	BL	BL	BL	BL	--	PASS

5.2 Determination of Phthalate in polymers by GC-MS

Test Point No.	DBP (mg/kg)	BBP (mg/kg)	DEHP (mg/kg)	DIBP (mg/kg)	Conclusion
	84-74-2	85-68-7	117-81-7	84-69-5	
A1+A2+A3	N.D	N.D	N.D	N.D	PASS
B3+B4+B7	N.D	N.D	N.D	N.D	PASS
F2+F3+F12	N.D	N.D	N.D	N.D	PASS
H5+H8+H11+H14	N.D	N.D	N.D	N.D	PASS
F4+F5+F6+F7+F8+F9 +F10+F11	N.D	N.D	N.D	N.D	PASS

Note:

1) BL=Below the Limit, MDL =Method Detection Limit, OL = Over the Limit;
   LOQ=Limit of Quantization, The LOQ of Hexavalent chromium is 0.1μg/cm2
   X = inconclusive，chemical confirm test is needed
   N.A = Not Applicable, N.D =Not Detected,
2) Negative =The Cr6+ concentration is below the limit of quantification. The coating is considered a non-Cr6+ based coating.
3) Positive =The Cr6+ concentration is above the limit of quantification and the statistical margin of error, the sample coating is considered to contain Cr6+.
   Positive = The limit for composite test should be divided by the mixed number.
4) When perform screening tests, it is result on total Br while test item on restricted substances is PBBs/PBDEs, it is the result on total Cr while test item on restricted substances is Cr6+.
5) Pb, Cd, Hg, Cr and Br result are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Cd, Pb, Hg), UV-VIS(for Cr6+) and GC-MS(for PBBs, PBDEs) is needed to be performed, if the concentration falls into the inconclusive area according to IEC 62321-3-1:2013.
6) For the XRF screening test for RoHS element, the reading may be different to the actual content in the sample be of non-uniformity composition.

6 PHOTO OF THE TEST SAMPLE









7 TEST FLOW CHART


7.1 Process Flow of Pb, Cd, Hg & Cr(VI)



7.2 Process Flow of PBBs and PBDEs



7.3 Process Flow of Phthalates Analysis



-------End of report------