NBS4MED

NBS4MED self-evaluation: summary report

Area	Assessment scale	Date
İzmir Green Roof Pilot, Türkiye	**Site / Project Area**	**2026-10-17**

Site context. Selected risks: Heatwaves; Flooding. Urban density: High. Public land available: Limited.

Criterion profile

Fixed 0 to 100% axis. Provisional levels. Unknown is never shown as zero.

Current NBS integration (C1)

C1 NBS Integration Status

Not rated: Unknown answers
2 of 3 indicators scored · 1 Unknown

Enabling and implementation conditions (C2 to C5)

C2 Policy & Planning



50% · Partial
2 / 4 points

C3 Institutional & Technical Capacity

Not rated: Unknown answers
2 of 3 indicators scored · 1 Unknown

C4 Stakeholder Engagement

Not applicable
0 of 2 indicators scored · 2 Not applicable

C5 Funding & Sustainability



50% · Partial
3 / 6 points

0% 25% 50% 75% 100%

Provisional combined assessment score (secondary; not a validated measure of NBS integration): The overall percentage is not shown because 2 indicators are Unknown (1.2, 3.3). Resolve them to see the overall score.

Completeness (14 indicators): 9 scored · 2 Unknown · 0 unanswered · 3 Not applicable

Confidence in the 9 scored answers (self-reported): documented evidence 1 · staff estimate 0 · informal judgement 0 · not stated 8. A complete answer is not necessarily documented evidence.

Major gaps and improvement actions

Provisional display order (score 0, then 1, then Unknown). Not a validated ranking.

1. **1.3 — Link to grey infrastructure** (Gap, Score 0): Introduce a step in infrastructure projects to consider NBS at the design stage.
2. **5.3 — Co-benefits valued in decisions** (Gap, Score 0): Include a short co-benefit description in funding proposals and business cases.
3. **1.1 — NBS inventory** (Partial, Score 1): Update and complete the inventory so that it covers the whole area and records type, location and condition.

6 more findings are in the detailed report.

Key limitations. Matching covers heatwaves, flooding and drought only, with unvalidated weights. Costs are illustrative. Climate-risk mitigation impact is not currently estimated.

Preliminary NBS options

Provisional rule-based match to the selected risks. Not a validated ranking, feasibility check or predicted impact.

Relevant to the selected risks

Green roof Applicability: **Not yet checked**	Heatwaves; Flooding
Green corridor Applicability: **Not yet checked**	Heatwaves; Flooding
Urban forest (Miyawaki method) Applicability: **Not yet checked**	Heatwaves; Flooding

Green roof (Green infrastructure, provisional): Heatwaves (moderately); Flooding (moderately). Land need fits the available public land. **This option has High technical complexity.**

Green corridor (Green infrastructure, provisional): Heatwaves (strongly); Flooding (weakly). Land need fits the available public land.

Urban forest (Miyawaki method) (Green infrastructure · Ecosystem restoration, provisional): Heatwaves (strongly); Flooding (weakly). Land need exceeds the available public land, which lowers the provisional match. **This option has Medium technical complexity.**

Shared implementation conditions

- **5.1 Capital funding**: Score 1: Some funding is secured or likely, but it does not cover the planned NBS.
- **3.2 Technical know-how**: Score 1: Some experience or guidance exists, but it is limited to certain NBS types or relies on outside support.

Supporting calculations and indicative cost

Cost and impact exploration not completed.