

Lab Exercise – Chapter 3b

1. Create a text file containing the following data (without the headings)

Name	Rate	Hours
Callaway, G.	6.00	40
Hanson, P.	5.00	48
Lasard, D.	6.50	35
Stillman, W.	8.00	50

2. Write a C++ program that uses the information in the file created to produce the following pay report for each employee:

Name	Pay Rate	Hours	Regular Pay	Overtime Pay	Gross-Pay
------	----------	-------	-------------	--------------	-----------

Compute regular pay as any hours worked up to and including 40 hours multiplied by the pay rate. Compute overtime pay as any hours worked above 40 hours times a pay rate of 1.5 multiplied by the regular rate. The gross pay is the sum of regular and overtime pay. At the end of the report, the program should display the totals of the regular, overtime, and gross pay columns

3. **(Search)** A bank's customer records are to be stored in a binary file and read into a set of arrays so that a customer's record can be accessed randomly by account number. Create the file by entering five customer records, with each record consisting of an integer account number (starting with account number 1000), a first name (maximum of 10 characters), a last name (maximum of 15 characters), and a double-precision number for the account balance. After the file is created, write a C++ program that requests a user-input account number and displays the corresponding name and account balance from the file.
4. Write a C++ program that permits users to enter the following information about your small company's 3 employees, sorts the information in ascending ID number, and then writes the sorted information to a binary file:

ID No.	Sex(M/F)	Hourly-Wage	Years-with-the-Company
--------	----------	-------------	------------------------

After the records are stored successfully,

- (a) write a program that reads the file created one record at a time, asks for the number of hours each employee worked each month, and calculates and displays each employee's total pay for the month
- (b) Develop a program that reads the file created and changes the hourly wage or years for each employee, and creates a new updated file