FACHHOCHSCHULE VORARLBERG

MASTER IN MECHATRONICS

HIGHER MATHEMATICS III

Homework

Author: Stefan STARK

28. September 2016



Inhaltsverzeichnis

1	First Homework	2
	1.1 Linear Least Squares	2

Abbildungsverzeichnis

1 First Homework

1.1 Linear Least Squares

1.1.1 Script Applied Numerical Computing - Exercises 8.1

Formulate the following problems as least-squares problems. For each problem, give a matrix A and a vector b, such that the problem can be expressed as

minimize
$$||Ax - b||^2$$
.

(You do not have to solve the problems.)

(a) Minimize

following Equation

$$x_1^2 + 2 * x_2^2 + 3 * x_3^2 + (x_1 - x_2 + x_3 - 1)^2 + (-x_1 - 4 * x_2 + 2)^2$$
 (1.1)

According to the lecture the equation

$$\left\|Ax - b\right\|^2 \tag{1.2}$$

can be written as

$$\left\| \begin{pmatrix} a^1 \\ a^2 \\ a^3 \\ \vdots \\ a^m \end{pmatrix} * \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} - \begin{pmatrix} b_1 \\ b_2 \\ b_3 \\ \vdots \\ b_m \end{pmatrix} \right\|^2 =$$
(1.3)

$$= (a_{11} * x_1 + a_{12} * x_2 + a_{13} * x_3 - b_1)^2 + (a_{21} * x_1 + a_{22} * x_2 + a_{23} * x_3 - b_2)^2 + \dots$$
 (1.4)

To find the single parts of the A matrix and the b vektor a comparison between the terms of equation 1.1 and the terms of equation 1.4.

$$x_1^2 = (a_{11} * x_1 + a_{12} * x_2 + a_{13} * x_3 - b_1)^2$$

$$a_{11} = 1$$
, $a_{12} = 0$, $a_{13} = 0$, $b_1 = 0$

Comparison of the second term from equation 1.1

$$a_{21} = 0, \ a_{22} = \sqrt{2}, \ a_{23} = 0, \ b_2 = 0$$

same steps for the rest of the tearms leads to following matix and vector:

$$A = \begin{pmatrix} 1 & 0 & 0 \\ 0 & \sqrt{2} & 0 \\ 0 & 0 & \sqrt{3} \\ 1 & -1 & 1 \\ -1 & -4 & 0 \end{pmatrix} \quad b = \begin{pmatrix} 0 \\ 0 \\ 0 \\ -1 \\ 2 \end{pmatrix}$$

(b) Minimize

following Equation

$$(-6 * x2 + 4)2 + (-4 * x1 + 3 * x2 - 1)2 + (x1 + 8 * x2 - 3)2$$
(1.5)

To minimize the equation a factorization with the following equation is necessary:

$$(a_{11} * x_1 + a_{12} * x_2 + a_{13} * x_3 - b_1)^2 + (a_{21} * x_1 + a_{22} * x_2 + a_{23} * x_3 - b_2)^2 + \dots$$

That leads to a Matrix A and a b of:

$$A = \left(\begin{array}{ccc} 0 & -6 & 0 \\ -4 & 3 & 0 \\ 1 & 8 & 0 \end{array}\right) \quad b = \left(\begin{array}{c} -4 \\ 1 \\ 3 \end{array}\right)$$

(c) Minimize

following Equation

$$2 * (-6 * x_2 + 4)^2 + 3 * (-4 * x_1 + 3 * x_2 - 1)^2 + 4 * (x_1 + 8 * x_2 - 3)^2$$
(1.6)

To minimize the equation a factorization with the following equation is necessary:

$$(a_{11} * x_1 + a_{12} * x_2 + a_{13} * x_3 - b_1)^2 + (a_{21} * x_1 + a_{22} * x_2 + a_{23} * x_3 - b_2)^2 + \dots$$

That leads to a Matrix A and a b of:

$$A = \begin{pmatrix} 0 & -12 & 0 \\ -12 & 9 & 0 \\ 4 & 32 & 0 \end{pmatrix} \quad b = \begin{pmatrix} -8 \\ 3 \\ 12 \end{pmatrix}$$