

- ChainSight — Role Exploration & Demo Credentials Guide
 - 1. Seed the demo data
 - 2. ⚠️ How login actually works — read this first
 - 3. Credentials — all 7 roles
 - 4. The newly added role: Warehouse Manager
 - 5. Role-by-role: what to click through
 - System Administrator — admin@chainsight.demo
 - Cooperative Manager — e.g. j.habimana@chainsight.demo (Musanze)
 - Transporter — e.g. a.kalinda@chainsight.demo
 - Distributor — e.g. s.nkurunziza@chainsight.demo
 - Market Agent — e.g. g.uwera@chainsight.demo
 - MINAGRI Officer — c.nzeyimana@minagri.demo
 - Warehouse Manager — b.mugisha@chainsight.demo
 - 6. Other gotchas fixed while building this guide

ChainSight — Role Exploration & Demo Credentials Guide

How to seed demo data, log in as each of the 7 roles, and what to click through in each portal. Companion to [PRESENTATION_GUIDE.md](#) (which doesn't yet cover the Warehouse Manager role — that gap is filled here).

1. Seed the demo data

```
cd backend
python manage.py seed_demo_data          # first time
python manage.py seed_demo_data --reset  # wipe and re-seed (safe to re-run)
```

This creates 4 cooperatives, 2 transporters, 2 distributors, 3 market agents, 1 MINAGRI officer, 1 admin, 1 warehouse manager, 6 months of batches/trips/orders/waste reports, and pending requests for every role to act on.

2. ⚠️ How login actually works — read this first

The frontend login form is labelled "Phone number or username", but the backend (`LoginSerializer` in `backend/apps/authentication/serializers.py`) only matches against `email` or `phone_number` — it never checks `username`. Logging in with a seeded username like `coop.musanze` or `demo.admin` will fail with "No account found."

Always log in with the email address. All demo accounts share the password below.

- URL: `http://localhost:5173/login` (Vite default)
- Password for every demo account: **Demo1234!**

3. Credentials — all 7 roles

#	Role	Login email	Web entry route
1	System Administrator	<code>admin@chainsight.demo</code>	<code>/admin</code>
2	Cooperative Manager (Musanze)	<code>j.habimana@chainsight.demo</code>	<code>/cooperative</code>
2	Cooperative Manager (Rubavu)	<code>i.mukamana@chainsight.demo</code>	<code>/cooperative</code>
2	Cooperative Manager (Nyanza)	<code>mc.uwimana@chainsight.demo</code>	<code>/cooperative</code>
2	Cooperative Manager (Kigali)	<code>p.habimana@chainsight.demo</code>	<code>/cooperative</code>
3	Transporter (Kalinda Transport Co.)	<code>a.kalinda@chainsight.demo</code>	<code>/transporter</code> (mobile-primary, web fallback)

#	Role	Login email	Web entry route
3	Transporter (Gasana Logistics)	e.gasana@chainsight.demo	/transporter
4	Distributor (Kigali Fresh)	s.nkurunziza@chainsight.demo	/distributor
4	Distributor (Northern Rwanda)	e.ingabire@chainsight.demo	/distributor
5	Market Agent (Kimironko)	g.uwera@chainsight.demo	/market-agent (mobile-primary, web fallback)
5	Market Agent (Nyabugogo)	e.nshimiyimana@chainsight.demo	/market-agent
5	Market Agent (Remera)	d.mukankusi@chainsight.demo	/market-agent
6	MINAGRI Officer	c.nzeyimana@minagri.demo	/minagri
Warehouse			
7	Manager (<i>newly added role</i>)	b.mugisha@chainsight.demo	/warehouse

4. The newly added role: Warehouse Manager

`WAREHOUSE_MANAGER` was added to `User.Role` after the original 6-role design (see `backend/apps/cooperatives/models.py` — `WarehouseManager`, `ColdStorageFacility.warehouse_manager`, `WarehouseRentalRequest`). It models an **independent cold-storage operator** that cooperatives without their own storage can rent space from — distinct from a cooperative's own `ColdStorageFacility` records.

Until this session, no demo account existed for it — `seed_demo_data.py` never created one. I added `_seed_warehouse_manager()`, which now creates:

- User **b.mugisha@chainsight.demo** (Bosco Mugisha, Mugisha Cold Chain Ltd)
- One listed facility: **Gikondo Cold Hub**, 1200kg capacity, IoT-enabled, RWF 180,000/month, available for rent
- One pending rental request from the **Nyanza Agricultural Cooperative** for 250kg of overflow space

What to explore as this role:

- **/warehouse** → **Dashboard** — facility count, currently-rented count, pending-requests banner
- **/warehouse/facilities** → **My Facilities** — add/edit a facility, toggle "listed for rent," add GPS + IoT sensor info
- **/warehouse/rentals** → **Rental Requests** — accept/decline the pending Nyanza request (accepting sets **facility.cooperative**, which then makes the facility show up under that cooperative's IoT/analytics scope automatically)

To see the other side of this flow, log in as a **Cooperative Manager** and go to **Rent Warehouse** (**RentWarehouse.jsx**) to browse listed facilities and request space — that's how the Nyanza request got created.

5. Role-by-role: what to click through

System Administrator — **admin@chainsight.demo**

- **Registration Queue** — approve/reject pending access requests from cooperatives, distributors, market agents, transporters
- **User Management** — directly create internal roles (Admin, MINAGRI Officer)
- **Audit Log, Data Integration Monitor, System Announcements, Feedback Inbox**

Cooperative Manager — e.g. **j.habimana@chainsight.demo** (Musanze)

- **Dashboard, Active Batches, Stock Management**
- **Transport Requests** — request a transporter for a leg-1 pickup

- **Produce Requests** — respond to distributor requests for crops
- **Storage Analytics, Delivery Confirmations, Traceability View**
- **Rent Warehouse** — browse/request space from independent warehouse managers (see §4)

Transporter — e.g.

a.kalinda@chainsight.demo

- **Pending Requests** → accept a cooperative's transport request
- **Active Trip** → confirm pickup/delivery, log GPS/temperature if refrigerated
- **Trip History, Vehicle Profile**
- Primarily used via the **mobile app** ([mobile/src/screens/transporter/](#)); web fallback covers the same flows

Distributor — e.g.

s.nkurunziza@chainsight.demo

- **Dashboard, Incoming Deliveries** — receive batches from cooperatives, record weight/quality on arrival
- **Order Management, Market Agent Orders, Market Agents** (link/unlink agents to your network)
- **Delivery Tracking, Distribution Analytics, Market Prices, Reports**

Market Agent — e.g.

g.uwera@chainsight.demo

- **Dashboard, Notices** — collection notices from distributors
- **Batch Receiving, Orders, Find Distributors**
- **Waste Report** — log unsold/discarded quantity at end of selling period
- **Claims, Loss Summary, Price Recording, Agent Reports**
- Primarily used via the **mobile app** ([mobile/src/screens/market_agent/](#)); web fallback exists

MINAGRI Officer —

c.nzeyimana@minagri.demo

- **Executive Dashboard** — AI Daily Intelligence Brief, national KPIs, high-risk districts
- **National Reports, District Performance, Custom Reports**
- **Loss Prediction, Bottleneck Detection, Cold Chain, Traceability, Market Analytics, Alerts**

Warehouse Manager —

b.mugisha@chainsight.demo

- See §4 above.

6. Other gotchas fixed while building this guide

- `seed_demo_data --reset` previously crashed with `ProtectedError` on `SupplyAgreement` (the model was imported in `_reset()` but never deleted before its protected FK target `ProduceRequest`). Fixed by deleting `SupplyAgreement` rows first.
- The printed credentials table previously listed a username (`Username` column) that doesn't work for login, and had one row (Musanze) accidentally showing an email instead of its username. The table now prints the correct login **email** for every role.