

CTD 26


KungFu Chess Server - The Server

BUS

1. Implement pub/sub bus.
2. Use the bus for:
 - a. Update Scores
 - b. Update Move Logs
 - c. Adding sound
 - d. Game start/end animations

Single-process server

1. Simple local server, WebSocket communication.
2. Sending commands (WQe2e5); Receiving game state.



Single-process server

1. Add Home screen with:
 - a. Login with username (just for presentation)
 - i. Do it in a shell, not via GUI.
 - b. Support only 2 players: first that joins is white, second is Black.

Single-process server

1. At Home screen:
 - a. Login with username + password (save at SQLite db on server side)
 - i. Do it in a shell, not via GUI.
 - b. Add rating (starting from 1200, moving up and down by ELO)

Single-process server

1. At Home screen:
 - a. Add “Play” Button: Finds the other player with ELO in range of ± 100 that also seeks for a game. If doesn't find - waits for 1 min, if can't find - pops up a message that can't find.
2. If player disconnected - auto-resign after 20 sec. Make a “count down” on the screen.

Single-process server

1. At Home screen:
 - a. Button: Room →
Open a windows message with text box and buttons: Create / Join / Cancel
 - b. Create: Generated a new room id, and writes it on top of the screen.
 - c. Join: Enters the room whose ID you typed in the text box. The room ID is again written on the top of the screen .
 - d. Inside a room: the second person that joins the room is the Black player of the game. The following people who join are viewers.
2. Store logs on both server and client side, for all of the client/server activity.

