Hospital patient pathway — operational BPMN

Readable PDF export · executable Camunda 8 model, version 3

MODEL OF RECORD

Source file	Week6 Coursework/bpmn/Hospital_All_Processes_V3.bpmn
Process id	Hospital_All_Processes_V3_C8
Process name	Hospital - Version 3 (Feedback merges and forms)
Executable	yes
Commit	357528e (2026-10-19) · 357528e79da530dbfc8cdb7dcf2479e16fd98e1e
File SHA-256	17c59a8934a3a9552bf183c517017a09df46824fb53e7fbc30383dc20aeeace1
Canvas	3,920 × 2,170 model units
Element summary	22 user tasks · 8 service tasks · 2 send tasks · 27 exclusive gateways (12 Join_* merges) · 1 start event · 7 end events · 1 message catch event · 97 sequence flows · 5 message flows · 7 text annotations

SUBMISSION

Deliverable	B-5 — readable PDF exports
Module	UFCEP4-0-3
Group	10
Date	2026-10-19

MEMBERS

Hao Zheng / Ruby / 23084382
Geping Chen / Estrella / 23084393
Minghao Qin / Ender / 23084402
Guanyan He / Ryan / 23084395

CONTENTS


Overview — whole process p2
Reading guide and business controls p4
Legend — BPMN symbols p3
Detail tiles — 4 columns × 3 rows p5

Diagram pages in this export are raster images produced by bpmn-to-image (bpmn-js). Task names, gateway conditions and flow labels are therefore pixel content, not selectable text; this cover, the legend and the notes pages are vector text and can be searched and copied. The 29 September initial-release export (submissions/AISD/Hospital_All_Processes_Camunda8_Export_2026-09-29.pdf) is unchanged by this file.

Operational BPMN (V3, Camunda 8) — full process overview

Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · fit to page, not to scale

SHA-256 17c59a8934a3a955…



Whole model on one page — detail follows at 0.85× in 4 columns × 3 rows. Dashed grid = tile boundaries.

Legend — BPMN symbols used in this model

Operational BPMN (V3, Camunda 8) · counts are taken from the source file

Symbols drawn from the model's own element set



Start event

1 occurrence

Thin circle. The process starts when a request is registered.



User task

22 occurrences


Human work with a Camunda form. Every user task in this model has assignee="demo"; decisions feed the gateway conditions through task output mappings.



Service task

8 occurrences

Zeebe job worker. The job type is shown under the task name and listed on this page.



Send task

2 occurrences

request-payment and send-booking-confirmation. A send task publishes a message instead of waiting for one.



Exclusive gateway (XOR)

27 occurrences

Conditional split or merge. 12 are Join_* pass-through merges with no condition; they merge branches before the next task.



Message catch event

1 occurrence

PaymentReceived waits for message payment-result (correlation key case_reference).



End event

7 occurrences

One terminal outcome per branch: referral, report, enquiry (×3), care episode, rejection.



Lane

3 lanes

Administration, Clinical team and Finance inside the HOSPITAL pool; each lane owns its user tasks and workers.



Sequence flow

97 occurrences

Solid arrow inside one pool. Conditions are written on the outgoing flows of the XOR gateways.

Message flow


5 occurrences

Dashed arrow across pool boundaries: referral documents, appointment contact, treatment arrangements, payment request and result.

Text annotation

7 occurrences

Stage markers 1–4, CHANGES / CANCELLATIONS, and the two reading-guide blocks at the bottom of the canvas.



Pool / participant

4 participants

HOSPITAL is the only pool with process content; the referrer, patient and payment provider are black-box participants.

SERVICE TASK → ZEEBE JOB TYPE (zeebe:taskDefinition)

- P11 / P12 Notify care change — notify-care-change
- P6 Flag resource unavailable — flag-resource-unavailable
- P7 / P11 / P12 Request refund / record adjustment — request-refund
- P7 Mark payment investigate — mark-payment-investigate
- P6 Reserve treatment slot / resources — reserve-appointment
- P2 Notify referrer — notify-referrer
- P9 Dispatch clinic letter — dispatch-clinic-letter
- P3 Check / reserve outpatient slot — check-slot

Reading guide and business controls

Reproduced verbatim from the collaboration-level text annotations in the source file

Reading Guide

READING GUIDE | Blue = main care route (left to right by stage). Grey = side / exception paths kept on lane edges.

Stages: 1 Referral review → 2 Visit & clinical care → 3 Letter & next step → 4 Funding & treatment. Changes sit on the lower clinical band.

All P1-P13 tasks remain visible. Payment uses a send task + payment-result message catch (Est pattern); booking confirmation uses a send task worker. Member B added check-slot, reserve-appointment, flag-resource-unavailable service tasks (Admin lane hang points). Member A added request-refund (after FinanceAdjustment) and mark-payment-investigate (before FundingIssue). External scheduling / correspondence / insurer stay as worker or user-task simulation — no empty white-box pools. Member D adds one notify-care-change service task with a database receipt. Enquiries end after the human response.

Business Controls

BUSINESS CONTROLS | P4: within 2 weeks, also phone and record contact. P9: 7-day letter target; weekly reminders; escalate at 1 and 3 months.

P7: unknown payment confirmation -> investigate; never automatically charge again. P8: clinical urgent-care authorisation then Finance follow-up.


P11/P12: formal clinical change first; Finance approves affected payments / refunds. P13: identity, authorised roles and audit apply throughout.

Operational BPMN — detail tile r1c1 of 3×4

Administration lane (external pools are on the overview) · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 140–650, y 160–710 (model units) · column 1 of 4






Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r1c2 · next row ↓ r2c1

Operational BPMN — detail tile r1c2 of 3×4

Administration lane (external pools are on the overview) · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 650–1,870, y 160–710 (model units) · column 2 of 4




Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r1c3 · next row ↓ r2c2

Operational BPMN — detail tile r1c3 of 3×4

Administration lane (external pools are on the overview) · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 1,870–2,835, y 160–710 (model units) · column 3 of 4






Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r1c4 · next row ↓ r2c3

Operational BPMN — detail tile r1c4 of 3×4

Administration lane (external pools are on the overview) · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 2,835–4,090, y 160–710 (model units) · column 4 of 4







Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next row ↓ r2c4

Operational BPMN — detail tile r2c1 of 3×4

Clinical team lane · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 140–650, y 710–1,260 (model units) · column 1 of 4






Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r2c2 · next row ↓ r3c1

Operational BPMN — detail tile r2c2 of 3×4

Clinical team lane · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 650–1,870, y 710–1,260 (model units) · column 2 of 4







Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r2c3 · next row ↓ r3c2

Operational BPMN — detail tile r2c3 of 3×4

Clinical team lane · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 1,870–2,835, y 710–1,260 (model units) · column 3 of 4






Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r2c4 · next row ↓ r3c3

Operational BPMN — detail tile r2c4 of 3×4

Clinical team lane · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 2,835–4,090, y 710–1,260 (model units) · column 4 of 4







Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next row ↓ r3c4

Operational BPMN — detail tile r3c1 of 3×4

Finance lane and external payment provider · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 140–650, y 1,260–2,040 (model units) · column 1 of 4






Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r3c2

Operational BPMN — detail tile r3c2 of 3×4

Finance lane and external payment provider · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 650–1,870, y 1,260–2,040 (model units) · column 2 of 4




Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r3c3

Operational BPMN — detail tile r3c3 of 3×4

Finance lane and external payment provider · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 1,870–2,835, y 1,260–2,040 (model units) · column 3 of 4




Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page. next column → r3c4

Operational BPMN — detail tile r3c4 of 3×4

Finance lane and external payment provider · Hospital_All_Processes_V3.bpmn · process Hospital_All_Processes_V3_C8 · scale 0.85

Region x 2,835–4,090, y 1,260–2,040 (model units) · column 4 of 4



Tile boundaries sit in empty corridors between node boxes; flow lines may continue on the adjacent page.