CSGE602055 Operating Systems CSF2600505 Sistem Operasi Week 05: Virtual Memory

Rahmat M. Samik-Ibrahim (ed.)

University of Indonesia

https://os.vlsm.org/
Always check for the latest revision!

REV234 11-Sep-2020

Operating Systems 2020-2 – (A, I, M) from HOME A/M [Tu 10-12, ZOOM] — I [Tu 08-10, ZOOM]

Week	Schedule	Topic	OSC10
Week 00	15 Sep - 21 Sep 2020	Overview 1, Virtualization & Scripting	Ch. 1, 2, 18.
Week 01	22 Sep - 28 Sep 2020	Overview 2, Virtualization & Scripting	Ch. 1, 2, 18.
Week 02	29 Sep - 05 Oct 2020	Security, Protection, Privacy,	Ch. 16, 17
		& C-language	
Week 03	06 Oct - 12 Oct 2020	File System & FUSE	Ch. 13, 14, 15
Week 04	13 Oct - 19 Oct 2020	Addressing, Shared Lib, & Pointer	Ch. 9
Week 05	20 Oct - 26 Oct 2020	Virtual Memory	Ch. 10
Week 06	27 Oct - 16 Nov 2020	Concurrency: Processes & Threads	Ch. 3, 4
	29 Oct 2020	Maulid Nabi	
Week 07	17 Nov - 23 Nov 2020	Synchronization & Deadlock	Ch. 6, 7, 8
Week 08	24 Nov - 30 Nov 2020	Scheduling + W06/W07	Ch. 5
Week 09	01 Dec - 07 Dec 2020	Storage, Firmware, Bootldr, & Systemd	Ch. 11
Week 10	08 Dec - 16 Dec 2020	I/O & Programming	Ch. 12
	09 Dec 2020	Pil Kada	

STARTING POINT — https://os.vlsm.org/

☐ **Text Book** — Any recent/decent OS book. Eg. (**OSC10**) Silberschatz et. al.: **Operating System Concepts**, 10th Edition. 2018. See also http://codex.cs.yale.edu/avi/os-book/OS10/. Resources Extra Scele from Home https://scele.cs.ui.ac.id/course/view.php?id=3020. ■ Download Slides and Demos from GitHub.com https://github.com/UI-FASILKOM-OS/SistemOperasi/ □ **Problems** — https://rms46.vlsm.org/2/: 195.pdf (W00), 196.pdf (W01), 197.pdf (W02), 198.pdf (W03), 199.pdf (W04), 200.pdf (W05), 201.pdf (W06), 202.pdf (W07), 203.pdf (W08), 204.pdf (W09), 205.pdf (W10). **Build your own Virtual Guest**

https://osp4diss.vlsm.org/

Week 05: Memory

- Start
- Schedule
- 3 Week 05
- 4 Week 05
- Virtual Memory
- Memory Allocation Algorothm
- 7 TOP
- 8 06-memory
- The End

Week 05 Virtual Memory: Topics¹

- Review of physical memory and memory management hardware
- Virtual Memory
- Caching
- Memory Allocation
- Memory Performance
- Working sets and thrashing

¹Source: ACM IEEE CS Curricula 2013

Week 05 Virtual Memory: Learning Outcomes¹

- Explain memory hierarchy and cost-performance trade-offs.
 [Familiarity]
- Summarize the principles of virtual memory as applied to caching and paging. [Familiarity]
- Describe the reason for and use of cache memory (performance and proximity, different dimension of how caches complicate isolation and VM abstraction). [Familiarity]
- Defend the different ways of allocating memory to tasks, citing the relative merits of each. [Assessment]
- Evaluate the trade-offs in terms of memory size (main memory, cache memory, auxiliary memory) and processor speed. [Assessment]
- Discuss the concept of thrashing, both in terms of the reasons it occurs and the techniques used to recognize and manage the problem. [Familiarity]

¹Source: ACM IEEE CS Curricula 2013

Virtual Memory

- Reference: (OSC10-ch10 demo-w05)
- Virtual Memory: Separation Logical from Physical.
- Virtual Address Space: logical view.
- Demand Paging
- Page Flags: Valid / Invalid
- Page Fault
- Demand Paging Performance
- Copy On Write (COW)
- Page Replacement Algorithm
 - Reference String
 - First-In-First-Out (FIFO)
 - Belady Anomaly
 - Optimal Algorithm
 - Least Recently Used (LRU)
 - LRU Implementation
 - Lease Frequently Used (LFU)
 - Most Frequently Used (MFU)

Allocation Algorothm

- Page-Buffering Algorithms
- Allocation of Frames
- Fixed Allocation
- Priority Allocation
- Global vs. Local Allocation
- Non-Uniform Memory Access (NUMA)
- Thrashing
- Working-Set Model
- Shared Memory via Memory-Mapped I/O
- Kernel
 - Buddy System Allocator
 - Slab Allocator

TOP



Figure: top

TOP (2)

© ⊕ ⊕ ⊕ ⊕ msbase: ~ [100 × ⊕ m										
top - 18:37:28 up 14:07, l user, load average: 2.77, 2.71, 2.74 Tasks: 128 total, l running, 127 sleeping, 0 stopped, 0 zombie %Cpu(s): 14.6 us, 17.2 sy, 0.0 ni, 68.1 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st										
KiB Mem: 8197060 total, 935152 used, 7261908 free, 191512 buffers KiB Swap: 683004 total, 0 used, 683004 free. 639140 cached Mem										
	USER			VIRT	RES					COMMAND
	root	PR 20		162032	112	SHR S		0.0	1882:33	
3448		20	0	0	0	0 5		0.0		kworker/0:2
3198		20		0	0	0 5		0.0		kworker/4:0
3062		20		0	0	0 5		0.0		kworker/1:2
3289		20		ő	0	0 5		0.0		kworker/6:1
	root	20		Õ	Õ	0 5		0.0		rcu sched
3376		20	Ö	õ	Ö	0 5		0.0		kworker/5:0
	root	20	0	0	0	0 5		0.0		kworker/2:1
1	root	20	0	28684	4736	3012 5	0.0	0.1	0:02.91	systemd
2	root	20	0	0	0	0 9	0.0	0.0		kthreadd .
3	root	20	0	0	0	0 9	0.0	0.0	0:15.26	ksoftirgd/0
5	root	0	- 20	0	0	0 9	0.0	0.0	0:00.00	kworker/0:+
8	root	20	0	0	0	0 9	0.0	0.0	0:00.00	rcu bh
9	root	rt	0	0	0	0 9	0.0	0.0	0:00.00	migration/0
10	root	rt	0	0	0	0 5		0.0	0:00.25	watchdog/0
11	root	rt	0	0	0	0 5	0.0	0.0		watchdog/1
12	root	rt	0	0	0	0 5	0.0	0.0	0:00.00	migration/1
13	root	20	0	0	0	0 9	0.0	0.0	0:06.80	ksoftirqd/1

Figure: "h" = help

TOP (3)

```
@rmsbase: ~
      | @r... × |
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
   'd' or <Space> toggles display, 's' sets sort. Use 'q' or <Esc> to end!
 PID
          = Process Id
                            TTY
                                     = Controlling T
                                                       USED
                                                                = Res+Swap Size
 USFR
          = Effective Use
                            TPGTD
                                     = Tty Process G
                                                       nsIPC
                                                                = IPC namespace
 PR
          = Priority
                            SID
                                     = Session Id
                                                       nsMNT
                                                                = MNT namespace
 NI
          = Nice Value
                            nTH
                                     = Number of Thr
                                                       nsNET
                                                                = NET namespace
 VIRT
          = Virtual Image
                            P
                                     = Last Used Cpu
                                                       nsPID
                                                                = PID namespace
 RES
          = Resident Size
                            TIME
                                     = CPU Time
                                                       nsUSER
                                                                = USER namespac
 SHR
                            SWAP
                                                       nsUTS
                                                                = UTS namespace
          = Shared Memory
                                     = Swapped Size
          = Process Statu
                            CODE
                                     = Code Size (Ki
 %CPU
         = CPU Usage
                            DATA
                                     = Data+Stack (K
 %MEM
         = Memory Usage
                            nMai
                                     = Major Page Fa
 TIME+
          = CPU Time, hun
                            nMin
                                     = Minor Page Fa
 COMMAND = Command Name/
                            nDRT
                                     = Dirty Pages C
 PPID
          = Parent Proces
                            WCHAN
                                     = Sleeping in F
 UID
                                     = Task Flags <s
          = Effective Use
                            Flags
 RUID
                            CGROUPS = Control Group
          = Real User Id
 RUSER
                            SUPGIDS = Supp Groups I
          = Real User Nam
 SUID
          = Saved User Id
                            SUPGRPS = Supp Groups N
 SUSER
          = Saved User Na
                            TGID
                                     = Thread Group
 GID
                            ENVIRON = Environment v
          = Group Id
 GROUP
          = Group Name
                            vMj
                                     = Major Faults
  PGRP
          = Process Group
                            vMn
                                     = Minor Faults
```

Figure: Moving Fields: "f"

TOP (4)

```
@rmsbase: ~
      @r... × @r... × @r... × @je... × @r... × @r... ×
                                                           @r... × @r... × @r... ×
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
   'd' or <Space> toggles display, 's' sets sort. Use 'g' or <Esc> to end!
 PID
         = Process Id
                            SUID
                                    = Saved User Td
                                                       vMn
                                                               = Minor Faults
                                    = Saved User Na
 VIRT
         = Virtual Image
                            SUSFR
                                                      nsIPC
                                                               = IPC namespace
 RES
         = Resident Size
                            GID
                                                      nsMNT
                                    = Group Id
                                                               = MNT namespace
 SHR
         = Shared Memory
                            GROUP
                                    = Group Name
                                                      nsNET
                                                               = NET namespace
 SWAP
         = Swapped Size
                            PGRP
                                    = Process Group
                                                      nsPID
                                                               = PID namespace
 CODE
         = Code Size (Ki
                            TTY
                                    = Controlling T
                                                      nsUSER
                                                               = USER namespac
 DATA
         = Data+Stack (K
                            TPGID
                                                      nsUTS
                                                               = UTS namespace
                                    = Tty Process G
 USED
         = Res+Swap Size
                            SID
                                    = Session Id
 nDRT
         = Dirty Pages C
                            nTH
                                    = Number of Thr
 PPID
         = Parent Proces
                            P
                                    = Last Used Cpu
 %MEM
         = Memory Usage
                            TIME
                                    = CPU Time
 USER
         = Effective Use
                            nMaj
                                    = Major Page Fa
 PR
         = Priority
                            nMin
                                    = Minor Page Fa
 NI
         = Nice Value
                            WCHAN
                                    = Sleeping in F
         = Process Statu
                            Flags
                                    = Task Flags <s
 %CPU
         = CPU Usage
                            CGROUPS = Control Group
 TIME+
         = CPU Time. hun
                            SUPGIDS = Supp Groups I
                            SUPGRPS = Supp Groups N
 COMMAND = Command Name/
 UID
                            TGID
         = Effective Use
                                    = Thread Group
 RUID
                            ENVIRON = Environment v
         = Real User Id
 RUSER
         = Real User Nam
                            vMi
                                    = Maior Faults
```

Figure: Moving Fields

TOP(5)

	@rmsbase: ~/						-		
								× @r × @r	. × @r × 🔓 🔻
								.54, 0.58	
								, 0 zombie	
									si, 0.0 st
								12936516 but	
K1B Sv	vap: 10	90444 to	otal,	994752	free,	5692	used.	12649780 ava	il Mem
PID	VIRT	RES	SHR	CMAD	CODE	DATA	HCED	nDRT	
	2377296					1642748			
1234	278216	87880			2288	25164			
	2683572					1856708			
	1687448					1179008			
2841				0			50860		
						1474084			
	2047252					1587052			
32501	630768		27960		76	373220	33500		
market and the later of the lat	8554396					7954584			
	2391592					1717824			
	2198448					1532152			
1292		0	0	Ö	0	0	6		
2514			26028		36	448864	34304		
3233	4515228					3757984	360812		
32495	33488	3380	2836	0	96	1264	3380	0	
	44036				212	1716	4424	0	
2412	423204	11380	5264	0	152	374232	11380	0	
2512	685824	74188	36868	0	552	399836	74188	0	

Figure: Write Configuration .toprc: "W"

06-memory

```
/* Copyright (C) 2016-2018 Rahmat M. Samik-Ibrahim
 * https://rahmatm.samik-ibrahim.vlsm.org/
 * This program is free script/software. This program is distributed in the
 * hope that it will be useful, but WITHOUT ANY WARRANTY; without even the
 * implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 * REVO4 Mon Mar 12 17:33:30 WIB 2018
 * START Mon Oct 3 09:26:51 WIB 2016
 */
#define MSIZEO 0x10000
#define MSIZE1 0x10008
#define MSTZE2 0x10009
#define MSTZE3 0x1000A
#define MSIZE4 0x20978
#define MSIZE5 0x20979
#define MSIZE6 0x2097A
#define MSIZE7 0xF0000
#define MSTZE8 0x10000
#define MSTZE9 0x1000
#define LINE
#define MAXSTR 80
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <string.h>
#include <sys/types.h>
void printLine(int line) {
   while(line-- > 0) putchar('x');
  putchar('\n'):
  fflush(NULL):
```

06-memory (2)

```
void main (void) {
   int
        msize[] = {MSIZE0, MSIZE1, MSIZE2, MSIZE3, MSIZE4,
                    MSIZE5, MSIZE6, MSIZE7, MSIZE8, MSIZE97:
   int ii. ii:
   int myPID = (int) getpid();
   char strSYS1[MAXSTR], strOUT[MAXSTR];
   char* chrStr = strSYS1:
   char* chrPTR:
   printLine(LINE):
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -5", myPID);
   system (strSYS1);
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -1", mvPID);
  for (ii=0; ii< (sizeof(msize)/sizeof(int)); ii++){
     chrStr = malloc(msize[ii]);
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
     strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr):
   7
  for (ii=0: ii< (sizeof(msize)/sizeof(int)): ii++){
     chrPTR = chrStr = malloc(msize[ii]):
     for (ii=0:ii<msize[ii]:ii++)
         *chrPTR++='x':
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
      strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr);
  }
}
```

06-memory (2)

>>>> \$./06-memory KiB Mem: 8197060 total, 957928 used, 7239132 free, 192520 buffers 660108 cached KiB Swap: 683004 total, 0 used, 683004 free. Mem PID VIRT RES SHR. SWAP CODE DATA USED nDRT [10000] [10008] Γ100091 [1000A] [20978] [20979] [2097A] [F0000] [10000] [1000]

06-memory (3)

4362	4376	1200	1068	0	4	524	1200	0 [1000]
4362	4376	1200	1068	0	4	524	1200	0 [10000]
4362	4376	1276	1068	0	4	524	1276	0 [10008]
4362	4376	1276	1068	0	4	524	1276	0 [10009]
4362	4376	1284	1068	0	4	524	1284	0 [1000A]
4362	4376	1284	1068	0	4	524	1284	0 [20978]
4362	4376	1352	1068	0	4	524	1352	0 [20979]
4362	4376	1352	1068	0	4	524	1352	0 [2097A]
4362	5340	2144	1068	0	4	1488	2144	0 [F0000]
4362	5340	2324	1068	0	4	1488	2324	0 [10000]
4362	5340	2324	1068	0	4	1488	2324	0 [1000]
>>>>> \$								

The End

- \square This is the end of the presentation.
- extstyle ext
- This is the end of the presentation.