

Lab 1 Bar Chart Visualisation

2026-01-15

Lab 1 Bar Chart Visualisation

In this week exercise we will create a categorical chart with year and month as the categories and distance as the variable.

Importing data

We can import the csv created in the preprocessing, or use the following code to download an already made csv.


```
file_id <- "1MLylJ6cizJlTFVi_FdiF11pjpT3brls0"
url <- paste0("https://drive.google.com/uc?id=", file_id)

monthly_stats <- read.csv(url)
head(monthly_stats)
```

##	YearMonth	TotalDistance	RunCount
## 1	2011-01	11251.0	5
## 2	2011-02	8810.9	5
## 3	2011-03	5032.1	2
## 4	2011-04	6367.8	3
## 5	2011-07	32238.8	8
## 6	2011-08	23952.2	5

1. Plot Distance by Month

Using `barplot`, create a bar chart that shows the total distance run in each month.



2. Add Titles

Axis labels should include units unless there is a good reason not to. For crowded month labels on a bar chart, you can rotate the x-axis labels using `las` (from `par()` graphical parameters) and shrink them using `cex.names` to improve readability and prevent the axis title being hidden. The `barplot()` arguments `main`, `xlab`, and `ylab` set the plot title and axis labels.

<https://www.rdocumentation.org/packages/graphics/versions/3.6.2/topics/barplot>

<https://www.rdocumentation.org/packages/graphics/versions/3.6.2/topics/par>

Total Distance Run Per Month

