Status	Finished
Started	Sunday, 25 October 2026, 11:27 PM
Completed	Sunday, 25 October 2026, 11:34 PM
Duration	7 mins 8 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. False
b. True ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. convert
b. dictionary
c. dict ✓
d. create

Question **3**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair
b. A dictionary can have two same values with different keys. ✓
c. A dictionary can have two same keys with different values.
d. A python, a dictionary can neither have two same keys nor two same values.

Question **4**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called ____.

a. paired value
b. item ✓
c. pair item
d. value

Question **5**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓
b. True

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

a. Keys must be of an immutable data type.
b. All of the mentioned ✓
c. Dictionary is mutable.
d. Keys are unique within a dictionary.

Question **7**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using ____.

a. loop ✓
b. None of the mentioned
c. jump statement
d. if statement

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

- a. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
- b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
- c. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]
- d. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

Question **9**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

- a. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
- b. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓
- c. It will create a new dictionary.
- d. None of the mentioned

Question **10**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

- a. len ✓
- b. items
- c. length
- d. total

Question **11**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

- True
- False ✓

Question **12**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A dictionary can have two same values with different keys. ✓
- b. A python, a dictionary can neither have two same keys nor two same values.
- c. A dictionary can have two same keys or same values but cannot have two same key-value pair
- d. A dictionary can have two same keys with different values.

Question **13**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

- a. integers
- b. antique
- c. unique ✓
- d. mutable

Question **14**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

- a. update
- b. get ✓
- c. del
- d. values

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

- a. L = [ ]
- b. C = ( )
- c. D = { } ✓
- d. None of the mentioned