



SMA America, LLC
6020 West Oaks Blvd, Ste 300
Rocklin, CA 95765-3714
Tel.: +1 916 625 0870
Fax: +1 916 625 0871
E-Mail: info@SMA-America.com
Internet: www.SMA-America.com

February 4, 2014

RE: Buy American Act of 1933 (BAA), and American Recovery and Reinvestment Act of 2009 (ARRA), U.S. Domestic Content Provisions.

Dear Valued Partner,

SMA products produced at the SMA America Production, LLC manufacturing site in Denver, Colorado; the SMA Solar Technology Canada, Inc. contract manufacturing site in Toronto, Ontario, Canada (Celestica Inc.); and the SMA Solar Technology AG manufacturing site in Niestetal, Germany; meet the domestic content provisions of the Buy American Act of 1933, BAA, and the Buy American provisions of Section 1605(a) or (d) of the American Recovery and Reinvestment Act of 2009, ARRA.

As of this date, all SMA labeled inverters worldwide comply with the BAA and ARRA. Most other SMA labeled accessories also comply with the BAA and ARRA. Please see the list of qualified products appended to this letter, Version 2014 A, dated February 4, 2014.

The authorities granting compliance of our products to the BAA are 48 CFR 25.101(a)(2), and 48 CFR 12.505 where our non-development products qualify as Commercial Off-The-Shelf articles (COTS). Our non-U.S.A. assembled, SMA labeled products qualify for the BAA and ARRA under the provisions of FAR 52.225-5.

Partners interested in obtaining BAA or ARRA compliant SMA products should submit their requests through their preferred distributor or their SMA America Sales Manager.

Sincerely yours,

A handwritten signature in blue ink, appearing to read "H. Dziuba", with a stylized flourish at the end.

Henry Dziuba

President

SMA Solar Technology America, LLC

SMA America, LLC - Product List - Version 2014 A - February 4, 2014

Product	Part Number	Country of Origin *	U.S. HTS Code	U.S. ECCN
Residential Systems				
Micro Inverters and accessories				
Sunny Boy 240-US-99-10	SB240-US-99-10	DE, US	8504.40.9570	EAR99
Multigate grid connect and communications gateway	MULTIGATE-US-10	DE	8537.10.9070	5A991
AC cable, length 2m, Landscape, Quantity of 24	MI-ACCAB20-US-10	DE	8544.42.9000	EAR99
AC cable, length 1.4m, Portrait, Quantity of 24	MI-ACCAB14-US-10	DE	8544.42.9000	EAR99
DC-MC4 adapter for the PV module, Quantity of 24	MI-DCMC4-US-10	DE	8544.42.9000	EAR99
DC-TYCO adapter for the PV module, Quantity of 24	MI-DCTYCO-US-10	DE	8544.42.9000	EAR99
AC cable for split arrays or homeruns, 100 m cable roll	MG-ACCAB100-US-10	DE	8544.49.3080	EAR99
AC cable for split arrays or homeruns, 200 m cable roll	MG-ACCAB200-US-10	DE	8544.49.3080	EAR99
Transformerless String Inverters				
Inverters with AFCI				
Sunny Boy 3000TL-US-22 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB3000TL-US-22	DE, US	8504.40.9570	EAR99
Sunny Boy 3800TL-US-22 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB3800TL-US-22	DE, US	8504.40.9570	EAR99
Sunny Boy 4000TL-US-22 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB4000TL-US-22	DE, US	8504.40.9570	EAR99
Sunny Boy 5000TL-US-22 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB5000TL-US-22	DE, US	8504.40.9570	EAR99
Replacement DC Disconnect (For Sunny Boy TL-US-22 Models Only)	DC-DISCON2TLUS-10	DE	8537.10.9020	EAR99
Webconnect interface type data module as retrofit kit	SWDM-US-10	DE	8517.62.0050	EAR99
RS485 Interface type data module as retrofit kit	DM-485CB-US-10	DE	8517.62.0050	EAR99
Inverters without AFCI				
Sunny Boy 6000TL-US-12 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB6000TLUS-12	US	8504.40.9570	EAR99
Sunny Boy 7000TL-US-12 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB7000TLUS-12	US	8504.40.9570	EAR99
Sunny Boy 8000TL-US-12 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB8000TLUS-12	US	8504.40.9570	EAR99
Sunny Boy 9000TL-US-12 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB9000TLUS-12	US	8504.40.9570	EAR99
Sunny Boy 10000TL-US-12 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 208/240 VAC	SB10000TLUS-12	US	8504.40.9570	EAR99
Sunny Boy 11000TL-US-12 Standard: with DC Disconnect, LCD, Grey Lid, AFCI, 240 VAC	SB11000TLUS-12	US	8504.40.9570	EAR99
Combiner Box (unfused) for use with the SB6000-11000TLUS-XX inverters	SBCBTL6-10	US	8537.10.9070	EAR99
Replacement DC Disconnect (For Sunny Boy TL-US-12 Models Only)	DC-DISCONTLUS-12	US, CA	8537.10.9020	EAR99
Inverters without AFCI				
Sunny Boy 8000TL-US Standard: with DC Disconnect, LCD, Grey Lid, 208 VAC	SB8000TLUS-10	US	8504.40.9570	EAR99
Sunny Boy 9000TL-US Standard: with DC Disconnect, LCD, Grey Lid, 208 VAC	SB9000TLUS-10	US	8504.40.9570	EAR99
Sunny Boy 10000TL-US Standard: with DC Disconnect, LCD, Grey Lid, 208 VAC	SB10000TLUS-10	US	8504.40.9570	EAR99
Combiner Box (unfused) for use with the SB6000-11000TLUS-XX inverters	SBCBTL6-10	US	8537.10.9070	EAR99
Replacement DC Disconnect (For Sunny Boy TL-US-10 Models Only)	DC-DISCONTLUS-10	US	8537.10.9020	EAR99

* For US or CA units, this does **NOT** imply NAFTA preference. Give SMA the model serial numbers for verification.

SMA America, LLC - Product List - Version 2014 A - February 4, 2014

Product	Part Number	Country of Origin *	U.S. HTS Code	U.S. ECCN
String Inverters with Transformers				
Inverters with AFCI				
Sunny Boy 3000US, Standard: with DC Disconnect, LCD, Grey Lid AFCI, 208/240 VAC	SB3000US-12	US	8504.40.9570	EAR99
Sunny Boy 3800US, Standard: with DC Disconnect, LCD, Grey Lid AFCI, 240 VAC	SB3800-US-12	US	8537.10.9070	EAR99
Sunny Boy 4000US, Standard: with DC Disconnect, LCD, Grey Lid AFCI, 208/240 VAC	SB4000US-12	US	8504.40.9570	EAR99
Sunny Boy 5000US, Standard: with DC Disconnect, LCD, Grey Lid AFCI, 208/240/277 VAC	SB5000US-12	US	8504.40.9570	EAR99
Sunny Boy 6000US, Standard: with DC Disconnect, LCD, Grey Lid AFCI, 208/240/277 VAC	SB6000US-12	US	8504.40.9570	EAR99
Sunny Boy 7000US, Standard: with DC Disconnect, LCD, Grey Lid AFCI, 208/240/277 VAC	SB7000US-12	US	8504.40.9570	EAR99
Sunny Boy 8000US Standard: with DC Disconnect, LCD, Grey Lid AFCI, 240, 277 VAC	SB8000US-12	US	8504.40.9570	EAR99
Replacement DC Disconnect (For Sunny Boy US or US-12 Models)	DC-DISCONU-22	US, CA	8537.10.9020	EAR99
Inverters without AFCI				
Sunny Boy high frequency SB 2000HFUS , 208/240 VAC	SB2000HFUS-30	US	8504.40.9570	EAR99
Sunny Boy high frequency SB 2500HFUS, 208/240 VAC	SB2500HFUS-30	US	8504.40.9570	EAR99
Sunny Boy high frequency SB 3000HFUS, 208/240 VAC	SB3000HFUS-30	US	8504.40.9570	EAR99
485 Quick Module for "HF" inverter	485QMUS-10-NR	DE	8517.62.0050	EAR99
Flush Mount Kit for SB2000HF-US - SB3000HF-US	MOUNT-KIT-10-NR	DE	8504.90.9550	EAR99
Replacement Grounding Plug	PLUGIN-GRD-10-NR	DE	8536.30.8000	EAR99
Sunny Boy 3000US, Standard: with DC Disconnect, LCD, Grey Lid, 208/240 VAC	SB3000US	US	8504.40.9570	EAR99
Sunny Boy 3800US, Standard: with DC Disconnect, LCD, Grey Lid, 240 VAC	SB3800-US-10	US	8537.10.9070	EAR99
Sunny Boy 4000US, Standard: with DC Disconnect, LCD, Grey Lid, 208/240 VAC	SB4000US	US	8504.40.9570	EAR99
Sunny Boy 5000US, Standard: with DC Disconnect, LCD, Grey Lid, 208/240/277 VAC	SB5000US	US	8504.40.9570	EAR99
Sunny Boy 6000US, Standard: with DC Disconnect, LCD, Grey Lid, 208/240/277 VAC	SB6000US	US	8504.40.9570	EAR99
Sunny Boy 7000US, Standard: with DC Disconnect, LCD, Grey Lid, 208/240/277 VAC	SB7000US	US	8504.40.9570	EAR99
Sunny Boy 8000US Standard: with DC Disconnect, LCD, Grey Lid, 240, 277 VAC	SB8000US	US	8504.40.9570	EAR99
Replacement DC Disconnect (For Sunny Boy US or US-12 Models)	DC-DISCONU-22	US, CA	8537.10.9020	EAR99
Commercial Systems				
Sunny Tripower without Connection Unit, US Models (277/480V only)				
Sunny Tripower 12000TL-US-10 includes SWDM-US-10	STP12000TL-US-10	DE, US	8504.40.9570	EAR99
Sunny Tripower 15000TL-US-10 includes SWDM-US-10	STP15000TL-US-10	DE, US	8504.40.9570	EAR99
Sunny Tripower 20000TL-US-10 includes SWDM-US-10	STP20000TL-US-10	DE, US	8504.40.9570	EAR99
Sunny Tripower 24000TL-US-10 includes SWDM-US-10	STP24000TL-US-10	DE, US	8504.40.9570	EAR99

* For US or CA units, this does **NOT** imply NAFTA preference. Give SMA the model serial numbers for verification.

SMA America, LLC - Product List - Version 2014 A - February 4, 2014

Product	Part Number	Country of Origin *	U.S. HTS Code	U.S. ECCN
Hybrid Systems				
Sunny Island, US Models				
Sunny Island 4548 US	SI4548-US-10	DE	8504.40.9570	EAR99
Sunny Island 6048 US	SI6048-US-10	DE	8504.40.9570	EAR99
FSC - Main Controller Module (Fuel Save Controller)	FSC-11-CONT	DE	8537.10.9070	EAR99
FSC - Data Acquisition Module (Fuel Save Controller)	FSC-11-DAQ	DE	8517.62.0050	EAR99
FSC - Interface Module (Fuel Save Controller)	FSC-11-IFM	DE	8517.62.0050	EAR99
Communication & Control				
485 Quick Module for "HF" inverter	485QMUS-10-NR	DE	8517.62.0050	EAR99
RS485 Communication Module	485USPB-NR	DE, US	8517.62.0050	EAR99
Sunny Beam	BEAM-BT-11	DE	8543.70.9650	EAR99
SMA Bluetooth Piggy-Back Plus	BTPB-EXTANT-NR/US	DE	8517.62.0050	5A991
Bluetooth Piggy Back Card	BTPBINV-NR	DE	8517.62.0050	5A991
Blue Tooth Repeater	BTREP-IN	DE	8517.62.0050	5A991
SMA Cluster Controller	CLCON-10	DE	8537.10.9070	?
DC Connection Unit	CU1000-US-10	DE	8537.10.9020	EAR99
RS485 Communication Module	DM-485CB-US-10	DE	8517.62.0050	EAR99
Additional fan kit for use of inverters in high ambient temperatures	FANKITO2-10	DE	8414.59.6090	EAR99
Multi Cluster Box	MCB-12U	DE	8537.10.9070	EAR99
Multiclustor Piggyback	MC-PB	DE	8517.62.0050	EAR99
Mounting plate for mounting the Sunny SensorBox on module rail	Monplat-SSensor	DE	7616.99.5090	EAR99
Flush Mount Kit for SB2000HF-US - SB3000HF-US	MOUNT-KIT-10-NR	DE	8504.90.9550	EAR99
Power Balancer kit	PBL-SBUS-10-NR	DE	8544.42.9000	EAR99
Replacement Grounding Plug	PLUGIN-GRD-10-NR	DE	8536.30.8000	EAR99
Roof bracket for mounting the Sunny SensorBox	Roofan-Sensor	DE	7326.90.8588	EAR99
RS485 Cable, 50', DB9-Wire	RS 485 CABLE	US	8544.42.9000	EAR99
RS485 Communication Module	SI-485PB-NR	DE	8517.62.0050	EAR99
Smartformer Transformer and Distibution Box 120/24V	SI-TD-Box-10	DE	8504.32.0000	EAR99
Sunny Sensor Box	SUNNYSSENSOR	DE	9025.80.1000	EAR99
Web Box	SUNNYWEBBOXU	DE	8517.62.0050	5A991
Webconnect interface type data module as retrofit kit	SWDM-US-10	DE	8517.62.0050	EAR99
Ambient Temperature Sensor	TEMPSENSOR-AMB	DE	8533.40.8070	EAR99
Additional Module Temperature Sensor	TEMPSENSOR-MODULE	DE	8533.40.8070	EAR99
Sunny Boy PC Service Cable	USBPBS	DE	8471.80.1000	EAR99
Wall mount for the wind speed sensor	Wall-Mount-Bracket	DE	7616.99.5090	EAR99
Web Box with Blue Tooth	WEBBOX-BT-20	DE	8517.62.0050	5A991
Anemometer, wind speed sensor	WINDSENSOR	DE	9015.80.8080	EAR99

* For US or CA units, this does **NOT** imply NAFTA preference. Give SMA the model serial numbers for verification.

SMA America, LLC - Product List - Version 2014 A - February 4, 2014

Product	Part Number	Country of Origin *	U.S. HTS Code	U.S. ECCN
Sunny Central				
Sunny Central SC500CP-US	SC-500CP-US-10	US	8504.40.9570	EAR99
Sunny Central SC500CP-US, 600V	SC-500CP-US-10, 600V	US	8504.40.9570	EAR99
Sunny Central SC630CP-US	SC-630CP-US-10	US	8504.40.9570	EAR99
Sunny Central SC720CP-US	SC-720CP-US-10	US	8504.40.9570	EAR99
Sunny Central SC750CP-US	SC-750CP-US-10	US	8504.40.9570	EAR99
Sunny Central SC800CP-US	SC-800CP-US-10	US	8504.40.9570	EAR99
Sunny Central SC850CP-US	SC-850CP-US-10	US	8504.40.9570	EAR99
Sunny Central SC900CP-US	SC-900CP-US-10	US	8504.40.9570	EAR99
Sunny Central 500CP XT	SC-500CP-10	DE	8504.40.9570	EAR99
Sunny Central 630CP XT	SC-630CP-10	DE	8504.40.9570	EAR99
Sunny Central 720CP XT	SC-720CP-10	DE	8504.40.9570	EAR99
Sunny Central 760CP XT	SC-760CP-10	DE	8504.40.9570	EAR99
Sunny Central 800CP XT	SC-800CP-10	DE	8504.40.9570	EAR99
Sunny Central 850CP XT	SC-850CP-10	DE	8504.40.9570	EAR99
Sunny Central 900CP XT	SC-900CP-10	DE	8504.40.9570	EAR99
Disconnect Unit for SCxxxUS/CA & SC	DU-SC-US	US	8537.10.9020	EAR99
Sunny Central String-Monitor US	SSM-US	DE	8537.10.9070	EAR99
Combiner Box				
6 Circuit Combiner Box, Without Fuses, NEMA 3R	SBCB-6-3R	US	8537.10.9070	EAR99
Combiner Disconnect Switch, 600Vdc, 30A, 4 Circuit, 10A Fuses (Included)	COMBO-SWITCH-10	US	8537.10.9020	EAR99
Combiner Box (unfused) for use with the SB6000-11000TLUS-XX inverters	SBCBT16-10	US	8537.10.9070	EAR99
SC Combiner Box, 12 Circuit, NEMA 3R	SCCB-12-3R	US	8537.10.9070	EAR99
SC Combiner Box, 12 Circuit, NEMA 4	SCCB-12-4	US	8537.10.9070	EAR99
SC Combiner Box, 28 Circuit, NEMA 3R	SCCB-28-3R	US	8537.10.9070	EAR99
SC Combiner Box, 28 Circuit, NEMA 4	SCCB-28-4	US	8537.10.9070	EAR99
SC Combiner Box, 52 Circuit, NEMA 3R	SCCB-52-3R	US	8537.10.9070	EAR99
SC Combiner Box, 52 Circuit, NEMA 4	SCCB-52-4	US	8537.10.9070	EAR99

* For US or CA units, this does **NOT** imply NAFTA preference. Give SMA the model serial numbers for verification.