#### CREATING TABLE student:-

#### **CREATE TABLE marks:-**

```
cse_LE@234G5A0502>CREATE TABLE marks (
2 rollno VARCHAR2(20),
3 marks NUMBER,
4 PRIMARY KEY (rollno)
5 );
Table created.
```

# **INNER JOIN:-**

```
CSE_LE@234G5A0502>SELECT s.rollno, s.name, s.dept, m.marks
2 FROM student s
3 INNER JOIN marks m ON s.rollno = m.rollno;

ROLLNO NAME DEPT MARKS

1 Yash CSE 98
2 Peter CSM 88
3 Krish ECE 95
```

### LEFT OUTER JOIN:-

```
cse_LE@234G5A0502>SELECT s.rolino, s.name, s.dept, m.marks
2 FROM student s
3 LEFT OUTER JOIN marks m ON s.rolino = m.rolino;

ROLINO NAME DEPT MARKS

1 Yash CSE 98
2 Peter CSM 88
3 Krish ECE 95
```

# **RIGHT OUTER JOIN:-**

```
cse_LE@234G5A0502>SELECT s.rollno, s.name, s.dept, m.marks
2 FRCM student s
3 RIGHT OUTER JOIN marks m ON s.rollno = m.rollno;

ROLLNO NAME DEPT MARKS

1 Yash CSE 98
2 Peter CSM 88
3 Krish ECE 95
```