WorkRadar

VIDEO MASTER

Everything needed to produce the demo video

Total 6:12

HOW TO USE THIS FILE

- Pages 2 to 15 are one scene each: the visual, the caption and the exact voiceover.
- Record yourself reading the voiceover over the live app, or feed the pages to a video tool as slides plus narration.
- The last page is the full script as one block for a teleprompter or text-to-speech.

FORMAT

- 16:9, 1080p, MP4
- 862 words at 150 words per minute
- Brief allows 5 to 7 minutes
- Captions on; navy #0A1F44 and gold #C9A227

LINKS

eswar5313.github.io/product-management-case-studies/13-workradar/

github.com/Eswar5313/product-management-case-studies/tree/main/13-workradar

claude.ai/artifact/4ziDb682grjY38UdKQqLbM

#	TIME	SCENE	CAPTION ON SCREEN
01	0:00–0:22	**Title**	WorkRadar · AI-powered manager dashboard · Eswar Mahalingam
02	0:22–0:59	**The problem**	Four tools. No single ranked view. Nobody tracks who is stuck.
03	0:59–1:27	**Users and journey**	Primary user: first-line engineering manager with 5 to 12 reports
04	1:27–1:55	**Product decisions and scope**	Summary first · Every rank explains itself · Every action can be undone
05	1:55–2:26	**Live app: dashboard**	Dashboard · AI brief · Radar: closer to centre = more urgent
06	2:26–2:52	**Live app: the four questions**	Needs you now · Top work today · Who is blocked · What happened today
07	2:52–3:18	**Live app: item details**	AI digest · Suggested next step · Why it is ranked here: 86
08	3:18–3:45	**Live app: feed and actions**	One ranked list · Assign · Snooze · Mark done · Undo
09	3:45–3:58	**Live app: search**	One search across Slack, Jira, GitHub and Email
10	3:58–4:18	**Live app: empty and error states**	No results · Jira did not sync · cached copy · Try again
11	4:18–4:48	**AI workflow**	One tool end to end: Claude · One build prompt · Five deliverables
12	4:48–5:22	**What changed and trade-offs**	Six changes after the first build · Eight trade-offs
13	5:22–5:53	**Metrics and what is next**	North Star: triage time of 5 minutes or less · pilot targets, not results
14	5:53–6:12	**Close**	PRD · AI Workflow · UX design · Source code · Demo

WHAT THE BRIEF ASKS THE VIDEO TO DEMONSTRATE — WHERE IT IS COVERED

Problem understanding: scenes 2 and 3 · Product decisions: scene 4 · Live application: scenes 5 to 10 · AI workflow: scenes 11 and 12 · Future improvements: scene 13

WorkRadar

SCENE 01 OF 14

Title

0:00 – 0:22

SHOW ON SCREEN


- Yourself on camera, full frame
- Then the WorkRadar dashboard


CAPTION TEXT

WorkRadar · AI-powered manager dashboard · Eswar Mahalingam

PACE

51 words · about 22 seconds at 150 words per minute





VOICEOVER · SAY THIS

0:00 – 0:22

Hi, I'm Eswar Mahalingam. This is WorkRadar, an AI-powered dashboard that tells a manager what needs them today, without opening Slack, Jira, GitHub and email one by one. In the next six minutes I will cover the problem, my product decisions, the live application, the AI workflow, and what comes next.

WorkRadar

SCENE 02 OF 14

The problem

0:22 – 0:59

SHOW ON SCREEN

- PRD page 1: problem statement
- Four tool names collapsing into one radar

CAPTION TEXT

Four tools. No single ranked view. Nobody tracks who is stuck.

PACE

88 words · about 37 seconds at 150 words per minute

TODAY

The manager is the integration layer

- **Slack** threads, **Jira** boards, **GitHub** pull requests and **email** each show their own slice.
- None ranks across tools.
- None shows who is stuck, or for how long.

WHAT IT COSTS

- Blockers age unseen until standup.
- Reviews wait a day.
- A decision due at 5 PM surfaces at 4:45.

WORKRADAR ANSWERS FOUR QUESTIONS

1. **Top work for the day.** What is the team carrying, in rank order?
2. **What happened today.** What changed since I last looked?
3. **What needs immediate attention.** Where does my action change an outcome?
4. **Who is blocked.** Who is waiting, on what, and for how long?

Job to be done: when I start my day, show me where my attention changes an outcome, so nobody waits on me without my knowing.

VOICEOVER · SAY THIS 0:22 – 0:59

Think of a kirana owner who has to tally four separate ledgers before opening the shutter. That is a manager's morning. Status lives in four tools. Each shows its own slice. None ranks across tools, and none shows who is stuck or for how long. So blockers age until standup, reviews wait a day, and a decision due at five surfaces at four forty-five. WorkRadar answers four questions on one screen: what is the top work today, what happened today, what needs immediate attention, and who is blocked.

WorkRadar

SCENE 03 OF 14

Users and journey

0:59 – 1:27

SHOW ON SCREEN

- PRD page 1: personas and journey table

CAPTION TEXT

Primary user: first-line engineering manager with 5 to 12 reports

PACE

64 words · about 28 seconds at 150 words per minute

PRIMARY

Priya Menon

Engineering Manager, Checkout squad, 6 engineers. Wants to unblock people fast. Hears about blockers a day late.

SECONDARY

Arjun Bhatt

Delivery Lead across 3 squads. Wants release risk early. Status is only as good as the last Jira update.

INDIRECT

Ananya Rao

Senior Backend Engineer. Wants to raise a blocker once. Repeats the same status in three tools.

STAGE	TODAY	WITH WORKRADAR	SCREEN
Start of day	Opens four tools, scrolls unread	Reads a four-sentence brief	Dashboard
Triage	Ranks in the head	"Needs you now" with a visible score	Dashboard, Feed
Understand	Reads a 30-message thread	AI digest, next step, why it is ranked	Item details
Act	Switches tools; follow-ups get lost	Assign, Snooze, Mark done, with Undo	Feed, Details
Follow up	Re-polls every tool	What happened today; who is blocked	Dashboard
Find	Searches each tool separately	One search across all tools	Search

VOICEOVER · SAY THIS 0:59 – 1:27

My primary user is a first-line engineering manager, like Priya, who runs a six-person checkout squad. The secondary user is a delivery lead tracking three squads. Team members benefit indirectly, because their blockers get seen without another status ping. The journey moves from opening four tools and ranking in your head, to reading one brief, opening one ranked list, and acting in one click.

WorkRadar

SCENE 04 OF 14

Product decisions and scope

1:27 – 1:55

SHOW ON SCREEN

- PRD page 2: features, scope, priority table
- UX boards for five screens

CAPTION TEXT

Summary first · Every rank explains itself · Every action can be undone

PACE

65 words · about 28 seconds at 150 words per minute

THREE DECISIONS

1. **Summary before detail.** A four-sentence brief, then lists, then threads.
2. **Every rank shows its reasons.** Managers ignore a priority they cannot explain.
3. **Every action can be undone.** Assign, Snooze and Mark done all offer Undo.

"Needs you now" is separate from "Top work today", so my actions are not mixed with the team's load.

MVP SCOPE · IN

- Dashboard, AI brief with rule-based fallback, radar
- Priority feed, item details, cross-tool search
- Assign, Mark done, Snooze; empty and error states
- Mock data: 17 items, 4 tools, 6 teammates

MVP SCOPE · OUT (LATER PHASES)

- Live connectors and sign-in
- Backend, database, multi-user state
- Write-back to Jira, GitHub, Slack; notifications

PRIORITY FACTOR	POINTS
Incident / blocker / decision	58 / 34 / 28
Review / risk / planned / FYI	22 / 20 / 12 / 4
Overdue / due today / tomorrow	+24 / +18 / +10
Blocks a person >24 h / <24 h	+14 / +9
Customer impact	+12
Waiting on me; release depends	+8 each
No owner	+6
Cap 99 · Critical ≥ 70 · High ≥ 48	Σ

VOICEOVER · SAY THIS

1:27 – 1:55

I made three product decisions. First, summary before detail: a four-sentence brief, then lists, then threads. Second, every rank shows its reasons, because managers ignore a priority they cannot explain. Third, every action can be undone. For scope, I followed the phased method from our sessions: front end only, on mock data, with no sign-in, backend or live connectors yet. The brief allows mock data.

WorkRadar

SCENE 05 OF 14

Live app: dashboard

1:55 – 2:26

SHOW ON SCREEN


- Open the live MVP
- Read the brief; hover a radar dot

CAPTION TEXT

Dashboard · AI brief · Radar: closer to centre = more urgent

PACE

73 words · about 31 seconds at 150 words per minute



VOICEOVER · SAY THIS

1:55 – 2:26

This is the live dashboard. The brief at the top is generated from the ranked items. It tells me seven items need me today, starting with the UPI refund webhook, where thirty-seven customer refunds are stuck. It names the three people who are blocked and what has no owner. On the right, the radar plots every open item by tool. The closer a dot is to the centre, the more urgent it is.

WorkRadar

SCENE 06 OF 14

Live app: the four questions

2:26 – 2:52

SHOW ON SCREEN


- Scroll down the dashboard
- Point at each of the four panels

CAPTION TEXT

Needs you now · Top work today · Who is blocked · What happened today

PACE

59 words · about 26 seconds at 150 words per minute



VOICEOVER · SAY THIS

2:26 – 2:52

Below are the four questions from the brief. Needs you now lists the decisions, reviews and unowned risks waiting on me. Top work today is what the team is carrying, in rank order. Who is blocked shows each person, what they are waiting on, and for how long. And what happened today is one timeline across all four tools.

WorkRadar

SCENE 07 OF 14

Live app: item details

2:52 – 3:18

SHOW ON SCREEN


- Click the UPI refund item
- Point at the score breakdown on the right

CAPTION TEXT

AI digest · Suggested next step · Why it is ranked here: 86

PACE

61 words · about 26 seconds at 150 words per minute



VOICEOVER · SAY THIS 2:52 – 3:18

When I open the refund blocker, I get an AI digest of the thread, a suggested next step, and the full conversation underneath. On the right is why it is ranked here. Blocker, thirty-four points. Due today, eighteen. Blocking Ananya for more than a day, fourteen. Customer impact, twelve. Waiting on me, eight. That adds up to eighty-six, which is Critical.

WorkRadar

SCENE 08 OF 14

Live app: feed and actions

3:18 – 3:45

SHOW ON SCREEN


- Priority feed; open the Assign menu
- Mark one item done; show the Undo toast


CAPTION TEXT

One ranked list · Assign · Snooze · Mark done · Undo

PACE

62 words · about 27 seconds at 150 words per minute





VOICEOVER · SAY THIS 3:18 – 3:45

The priority feed is one ranked list across all four tools, with filters for status, for what needs me or is blocked, and for each tool. From here I can assign an item to a teammate, snooze it for an hour or until tomorrow, or mark it done. Every action offers an Undo, and the brief and the timeline update straight away.

WorkRadar

SCENE 09 OF 14

Live app: search

3:45 – 3:58

SHOW ON SCREEN


- Press / and type refund

CAPTION TEXT

One search across Slack, Jira, GitHub and Email

PACE

27 words · about 13 seconds at 150 words per minute



VOICEOVER · SAY THIS 3:45 – 3:58

Search covers every tool at once, including items that are done or snoozed. Searching for refund returns four results, most urgent first, with the matching words highlighted.

WorkRadar

SCENE 10 OF 14

Live app: empty and error states

3:58 – 4:18

SHOW ON SCREEN


- Type a misspelt word
- Click Simulate Jira outage, filter to Jira, Try again


CAPTION TEXT

No results · Jira did not sync · cached copy · Try again

PACE

46 words · about 20 seconds at 150 words per minute





VOICEOVER · SAY THIS 3:58 – 4:18

Empty and error states are designed too. A misspelt query gets a clear no-results message with what to try next. And if Jira fails to sync, WorkRadar says so, labels Jira items as a cached copy, and offers a retry, instead of quietly showing stale data.

WorkRadar

SCENE 11 OF 14

AI workflow

4:18 – 4:48

SHOW ON SCREEN

- AI Workflow PDF: sections 01 to 03

CAPTION TEXT

One tool end to end: Claude · One build prompt · Five deliverables

PACE

71 words · about 30 seconds at 150 words per minute

AI TOOL	USED FOR
Claude with a code workspace	PRD draft, mock data, app code, test run, documents
Claude Design canvas	Five high-fidelity UX boards
Claude artifact hosting	Live link to the working MVP
Claude inside the product	"Write with Claude" brief, with a rule-based fallback
Playwright + headless Chromium	Scripted click-through and screenshots

IN-PRODUCT PROMPT

```
You write the morning brief inside WorkRadar, a tool for engineering managers. Using ONLY the JSON below (ranked open work items, highest priority first), write a brief of at most 90 words in plain text, no markdown, no lists. Cover in order: what the manager must do first and why, who is blocked on what and for how long, what has no owner, and one closing line on the release risk if any. Be specific and use names. Do not invent facts.
```

WHAT AI GENERATED

- **Working MVP:** 3 source files, 621 lines, no third-party JavaScript
- **Mock data:** 17 items, 9 events, 6 teammates, all fictional
- **Priority model:** visible additive score, four tiers
- **UX design:** 5 boards
- **PRD:** 2 pages
- **Test script:** every action, desktop and phone

WHO DID WHAT

- **Me:** chose the brief as the single source of requirements, supplied session notes and style rules, review and present
- **AI:** drafted, built, tested and corrected its own first build
- **Not used:** Figma AI, Stitch, Lovable. One tool kept PRD, design and code consistent

Build prompt: the assignment brief plus the notes from two sessions.

VOICEOVER · SAY THIS 4:18 – 4:48

For the AI workflow, I used one tool end to end: Claude. One build prompt, the assignment brief together with our session notes, produced the PRD, five UX boards, the application code, and an automated test run. Inside the product, a Write with Claude button sends the ranked items to the model to write the brief, and the app falls back to a rule-based summary when the model is not available.

WorkRadar

SCENE 12 OF 14

What changed and trade-offs

4:48 – 5:22

SHOW ON SCREEN

- AI Workflow PDF: sections 04 and 05

CAPTION TEXT

Six changes after the first build · Eight trade-offs

PACE

81 words · about 34 seconds at 150 words per minute

CHANGED AFTER THE FIRST GENERATION

- Incident weight **40** → **58**: a live incident ranked below two blockers
- Brief and panel now share one "needs you" rule (6 vs 7 mismatch)
- Radar dots rescaled to stay inside the rings
- "IT" was lower-cased to "iT" in the summary
- Fixed clock times replaced with relative wording
- PRD trimmed to the two-page limit

Found by reviewing screenshots and an automated run of the first build.

DECISION	CHOSEN	GIVEN UP
Stack	Plain HTML, CSS, JavaScript	React or Next.js
Data	Mock data in a file	Live connectors
Ranking	Visible additive rules	A learned model
AI brief	Model call + rule-based fallback	Model-only
Digests	Pre-written sample, labelled	Live generation
State	Saved in the browser	Shared database
Design tool	Claude Design canvas	Figma file
Sequence	Build first, PRD after	PRD-first sign-off

VOICEOVER · SAY THIS 4:48 – 5:22

Six things changed after the first build. For example, a live incident was ranking below two blockers, so the incident weight went from forty to fifty-eight. The key trade-offs: plain JavaScript instead of React, so there is no build step. Visible scoring rules instead of a learned model, for trust. Mock data instead of live connectors. And I built first and wrote the PRD after, which is fast for a solo MVP, though with a team the PRD would come first.

WorkRadar

SCENE 13 OF 14

Metrics and what is next

5:22 – 5:53

SHOW ON SCREEN

- PRD page 2: success metrics and phased plan

CAPTION TEXT

North Star: triage time of 5 minutes or less · pilot targets, not results

PACE

72 words · about 31 seconds at 150 words per minute

NORTH STAR · PILOT TARGET

≤ 5 min

from first open of the day to the manager's first action

SUPPORTING PILOT TARGETS

- **Activation:** 70% take an action on day 1
- **Blocker age:** 30% lower than week 0
- **Ranking trust:** 60% of top 5 acted on or agreed
- **Guardrails:** under 2 wrong-fact briefs per 100; zero missed critical items

Four-week pilot, five managers. No baseline exists yet.

PHASE	WHAT SHIPS	EXIT CHECK
0 · Done	Clickable MVP on mock data, front end only	All brief requirements demoed
1	Read-only Jira and GitHub connectors, sign-in, hosted database	Five pilot managers onboarded
2	Slack and email, live AI digests, "ranked wrong" feedback	Triage time and trust targets met
3	Write-back actions, 9 AM brief in Slack, multi-squad roll-up	Security, scale and licence review passed

Before production: sign-in and least-privilege scopes, tests at real volumes, an employer-approved AI tool, opt-in for DMs and email.

VOICEOVER · SAY THIS 5:22 – 5:53

Success is measured by triage time: from opening WorkRadar to the first action, in five minutes or less. Supporting targets are seventy percent day-one activation and thirty percent lower blocker age, in a four-week pilot. These are targets, not results. Next come read-only Jira and GitHub connectors with sign-in, then Slack and email with live digests and ranking feedback, then write-back actions. Before production it needs a security, scale and data-handling review.

WorkRadar

SCENE 14 OF 14

Close

5:53 – 6:12

SHOW ON SCREEN

- Dashboard, then yourself on camera

CAPTION TEXT

PRD · AI Workflow · UX design · Source code · Demo

PACE


42 words · about 19 seconds at 150 words per minute

WorkRadar

Four tools in, one ranked list out.

Live MVP	eswar5313.github.io/product-management-case-studies/13-workradar/
Source code	github.com/Eswar5313/product-management-case-studies/tree/main/13-workradar
UX design	claude.ai/artifact/4ziDb682grjY38UdKQqLbM
Documents	WorkRadar_PRD.pdf · WorkRadar_AI_Workflow.pdf

Eswar Mahalingam · eswarmba05313@gmail.com



VOICEOVER · SAY THIS

5:53 – 6:12

To sum up: WorkRadar turns four tools into one ranked list that a manager can act on in minutes. The PRD, the AI workflow document, the UX design, the source code and this demo are all linked in my submission. Thank you.

WorkRadar

FULL SCRIPT

Voiceover in one block

862 words · 6:12

FACTS USED IN THE SCRIPT

- 17 mock items, 4 tools, 6 teammates, 9 events
- 621 lines of source, no third-party JavaScript
- Refund blocker: 34 + 18 + 14 + 12 + 8 = 86 (before its 6 PM deadline)
- Search for "refund" returns 4 results
- All metrics are pilot targets

BEFORE RECORDING

- Click **Reset demo data** in the app
- Record before 6 PM so the scores match the script
- If you changed anything after your own review, add one sentence in scene 12

01 · 0:00 Hi, I'm Eswar Mahalingam. This is WorkRadar, an AI-powered dashboard that tells a manager what needs them today, without opening Slack, Jira, GitHub and email one by one. In the next six minutes I will cover the problem, my product decisions, the live application, the AI workflow, and what comes next.

02 · 0:22 Think of a kirana owner who has to tally four separate ledgers before opening the shutter. That is a manager's morning. Status lives in four tools. Each shows its own slice. None ranks across tools, and none shows who is stuck or for how long. So blockers age until standup, reviews wait a day, and a decision due at five surfaces at four forty-five. WorkRadar answers four questions on one screen: what is the top work today, what happened today, what needs immediate attention, and who is blocked.

03 · 0:59 My primary user is a first-line engineering manager, like Priya, who runs a six-person checkout squad. The secondary user is a delivery lead tracking three squads. Team members benefit indirectly, because their blockers get seen without another status ping. The journey moves from opening four tools and ranking in your head, to reading one brief, opening one ranked list, and acting in one click.

04 · 1:27 I made three product decisions. First, summary before detail: a four-sentence brief, then lists, then threads. Second, every rank shows its reasons, because managers ignore a priority they cannot explain. Third, every action can be undone. For scope, I followed the phased method from our sessions: front end only, on mock data, with no sign-in, backend or live connectors yet. The brief allows mock data.

05 · 1:55 This is the live dashboard. The brief at the top is generated from the ranked items. It tells me seven items need me today, starting with the UPI refund webhook, where thirty-seven customer refunds are stuck. It names the three people who are blocked and what has no owner. On the right, the radar plots every open item by tool. The closer a dot is to the centre, the more urgent it is.

06 · 2:26 Below are the four questions from the brief. Needs you now lists the decisions, reviews and unowned risks waiting on me. Top work today is what the team is carrying, in rank order. Who is blocked shows each person, what they are waiting on, and for how long. And what happened today is one timeline across all four tools.

07 · 2:52 When I open the refund blocker, I get an AI digest of the thread, a suggested next step, and the full conversation underneath. On the right is why it is ranked here. Blocker, thirty-four points. Due today, eighteen. Blocking Ananya for more than a day, fourteen. Customer impact, twelve. Waiting on me, eight. That adds up to eighty-six, which is Critical.

08 · 3:18 The priority feed is one ranked list across all four tools, with filters for status, for what needs me or is blocked, and for each tool. From here I can assign an item to a teammate, snooze it for an hour or until tomorrow, or mark it done. Every action offers an Undo, and the brief and the timeline update straight away.

09 · 3:45 Search covers every tool at once, including items that are done or snoozed. Searching for refund returns four results, most urgent first, with the matching words highlighted.

10 · 3:58 Empty and error states are designed too. A misspelt query gets a clear no-results message with what to try next. And if Jira fails to sync, WorkRadar says so, labels Jira items as a cached copy, and offers a retry, instead of quietly showing stale data.

11 · 4:18 For the AI workflow, I used one tool end to end: Claude. One build prompt, the assignment brief together with our session notes, produced the PRD, five UX boards, the application code, and an automated test run. Inside the product, a Write with Claude button sends the ranked items to the model to write the brief, and the app falls back to a rule-based summary when the model is not available.

12 · 4:48 Six things changed after the first build. For example, a live incident was ranking below two blockers, so the incident weight went from forty to fifty-eight. The key trade-offs: plain JavaScript instead of React, so there is no build step. Visible scoring rules instead of a learned model, for trust. Mock data instead of live connectors. And I built first and wrote the PRD after, which is fast for a solo MVP, though with a team the PRD would come first.

13 · 5:22 Success is measured by triage time: from opening WorkRadar to the first action, in five minutes or less. Supporting targets are seventy percent day-one activation and thirty percent lower blocker age, in a four-week pilot. These are targets, not results. Next come read-only Jira and GitHub connectors with sign-in, then Slack and email with live digests and ranking feedback, then write-back actions. Before production it needs a security, scale and data-handling review.

14 · 5:53 To sum up: WorkRadar turns four tools into one ranked list that a manager can act on in minutes. The PRD, the AI workflow document, the UX design, the source code and this demo are all linked in my submission. Thank you.