


Daily Status Report

Name : M. Eswari

Date : 23-10-2025

Today worked on the healthcare project by developing the **Appointments module** in React with add, edit, delete, filter, sort, and export features. Implemented **color-coded statuses** (green, yellow, red) and a responsive hospital-themed design for easy daily tracking and reporting.

1. npm install -D tailwindcss postcss autoprefixer — installs Tailwind and its build tools.
2. npx tailwindcss init -p — creates tailwind.config.js and postcss.config.js for configuration.




```
JS App.js x AppointmentsList.jsx # AppointmentsList.css Appointments.jsx # Appointments.css Dashboard.jsx Header.jsx
src > JS App.js > App
22 function App() {
32   <div className="App">
33     <Sidebar />
34   <div className="main-content">
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell + - [ ]
PS C:\Users\USER\Documents\healthcare_system> npm install -D tailwindcss postcss autoprefixer
added 4 packages, removed 3 packages, changed 1 package, and audited 1357 packages in 27s
273 packages are looking for funding
  run `npm fund` for details
9 vulnerabilities (3 moderate, 6 high)
To address all issues (including breaking changes), run:
  npm audit fix --force
Run `npm audit` for details.
PS C:\Users\USER\Documents\healthcare_system> npx tailwindcss init -p
'tailwind' is not recognized as an internal or external command,
operable program or batch file.
PS C:\Users\USER\Documents\healthcare_system>
```

The Appointments.jsx component manages patient appointments in a healthcare admin panel.

It allows the admin to **add, edit, delete, and filter** appointments by doctor, status, or patient name.


Appointments can be **sorted** and **exported to CSV** for records.



```
173 import React, { useState, useEffect } from "react";
174 import "./Appointments.css";
175
176 // Sample doctors
177 const doctors = [
178   "Dr. Smith",
179   "Dr. Adams",
180   "Dr. Clark",
181   "Dr. Patel",
182   "Dr. Kumar"
183 ];
184
185 // Sample initial appointments
186 const initialAppointments = [
187   { id: 1, patient: "John Doe", doctor: "Dr. Smith", date: "2025-10-24", time: "10:00", status: "Confirmed", department: "Cardiology", notes: "Initial consultation" },
188   { id: 2, patient: "Jane Doe", doctor: "Dr. Adams", date: "2025-10-25", time: "11:30", status: "Pending", department: "Neurology", notes: "Follow-up appointment" },
189   { id: 3, patient: "Robert Brown", doctor: "Dr. Clark", date: "2025-10-24", time: "13:00", status: "Cancelled", department: "Orthopedics", notes: "Emergency appointment" }
190 ];
191
192 const Appointments = () => {
193   const [appointments, setAppointments] = useState([]);
194   const [modalOpen, setModalOpen] = useState(false);
195   const [formData, setFormData] = useState({ patient: "", doctor: "", date: "", time: "", status: "Pending", department: "", notes: "" });
196   const [editingId, setEditingId] = useState(null);
197   const [search, setSearch] = useState("");
198   const [filterStatus, setFilterStatus] = useState("All");
199   const [filterDoctor, setFilterDoctor] = useState("All");
200   const [sortBy, setSortBy] = useState("date");
201
202   useEffect(() => {
203     setAppointments(initialAppointments);
204   }, []);
205
206   const today = new Date().toISOString().slice(0, 10);
207   const upcoming = appointments.filter((apt) => apt.date >= today);
208
209   const openModal = (apt = null) => {
```



The component uses **React state and hooks** to handle dynamic updates.

Each appointment card shows details like **doctor, date, time, status, and notes** with color-coded statuses (green, yellow, red).



```
2  .appointments-container {
3    max-width: 1200px;
4    margin: 0 auto;
5    padding: 20px;
6    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
7    background-color: #f4f6f8;
8  }
9
10 h2 {
11   text-align: center;
12   margin-bottom: 20px;
13   color: #333;
14 }
15
16 /* controls */
17 .controls {
18   display: flex;
19   flex-wrap: wrap;
20   gap: 10px;
21   margin-bottom: 20px;
22   justify-content: space-between;
23 }
24
25 .controls input,
26 .controls select {
27   padding: 8px 12px;
28   border-radius: 5px;
29   border: 1px solid #ccc;
30   flex: 1;
31   min-width: 150px;
32 }
33
34 .add-btn {
35   background-color: #1e90ff;
36   color: white;
37   border: none;
38   padding: 8px 15px;
```

The output displays a clean, hospital-style appointment dashboard with color-coded statuses (green, yellow, red) for easy tracking. Admins can search, filter, sort, manage appointments, and export data to CSV for daily reporting.



And Learned Python concepts about linked list:

A linked list in Python is a data structure of nodes where each node stores data and a reference to the next node, implemented using classes.

```
class Node:
    def __init__(self, data):
        self.data = data
        self.next = None

def traverseAndPrint(head):
    currentNode = head
    while currentNode:
        print(currentNode.data, end=" -> ")
        currentNode = currentNode.next
    print("null")

node1 = Node(7)
node2 = Node(11)
node3 = Node(3)
node4 = Node(2)
node5 = Node(9)

node1.next = node2
node2.next = node3
node3.next = node4
node4.next = node5

traverseAndPrint(node1)
```

```
7 -> 11 -> 3 -> 2 -> 9 -> null
```