

9 Glossary of Terms

Active Nodes Service nodes that are currently participating in processing user requests and are part of a region.

App Products and services within the web3 space that drive traffic to the WalletConnect Network via direct integration or through available SDKs.

Auditor Nodes Proposed future nodes to monitor and report on service node performance and reliability.

WCT Token The native token of the WalletConnect Network, used for fees, staking, and rewards.

Certified Wallet A category of wallets in the wallet performance rewards system that meet high standards of UX and integration.

Community Governance A form of governance for the WalletConnect Network where token holders can participate in decision-making.

Deactivated Nodes Service nodes that have stopped supporting the Network and no longer receive rewards.

End Users Consumers of all services within the WalletConnect Network, from wallets to applications.

Fixed Staking A staking system allowing users to lock their tokens for predetermined periods ranging from 1 week to 2 years.

Gateway Nodes Nodes forming web services that store state on the Network.

Jailed Nodes Service nodes that have triggered a slashing event and are excluded from the active set for a set time.

Performance Coefficient A measure of a node's performance based on up-time and latency metrics.

Relay Service The communication backbone of the WalletConnect Network, facilitating encrypted channels for various types of blockchain transactions and interactions.

Reserve Nodes Service nodes that operate as active nodes but are not currently in the active set.

SDK (Software Development Kit) Tools that simplify the connection process to the WalletConnect Network for applications.

Service Nodes Database nodes responsible for storing end-to-end encrypted messages and facilitating efficient data retrieval.

Slashing A penalty mechanism for underperforming nodes, potentially resulting in stake reduction and jailing.