

User's Guide for Reynard Incredimail Converter (v0.2)

Background to an Incredimail Database

There are two data files to an Incredimail database. The first data file is where all the email messages are stored. This data file or database file has an extension of .imm. The second data file is the header file, where some information is kept, such as the sender, receiver, subject, etc. The header file has an extension of .imh. Each Incredimail folder is named and composed of these two data files.

Using the Converter

Below is a screen shot of the Reynardware Incredimail Converter.




Illustration 1: Screen Shot of the Converter

To start converting an incredimail database, the converter needs three things: the Incredimail database, header file, and the attachment directory. See below.




Illustration 2: Setup before converting

In the example directory there is an attachments directory and Incredimail folders called Business and Statements1. As mentioned in the Background section, the Incredimail folders are composed of two data files. For example, the folder Business is composed of the two data files called Business.imm and

Business.imh. To select a database the user can either enter the full path in the first line or click on the first “Browse” button. When the user clicks on the “Browse” button a “Open Incredimail Database File” window will open. See Illustration below.




Illustration 3: Open a Incredimail database file

The user should select a .imm file or the data file. Once the user selects the data file, the converter will automatically try to open the corresponding .imh file or header file in the same directory. It will also display information about the database in the “Incredimail Database Information” area of the converter. If the converter can not find the header file, it will display a warning message.

Once the data and header file is selected, the attachment directory must be selected. The user can either enter the full path in the second line or click on the second “Browse” button to select the Incredimail attachment directory.

Now that the database and attachment directory is selected, the converter should look like the example below.




Illustration 4: Database ready to be converted

The user can now click the “Convert” button. The progress bar will increase with each email it converts. When completed, the converter will display “Done!” See Illustration 5: Converter Completed.




Illustration 5: Converter Completed

A new folder, named as the data files, with the corresponding .eml files will be in the same location as the data files. In “Illustration 6: Example of the Business Conversion Complete” and “Illustration 7: Newly created Business folder with .eml files” the folder Business was created when the conversion was completed.




Illustration 6: Example of the Business Conversion Complete




Illustration 7: Newly created Business folder with .eml files

Limitations of the Reynard Incredimail Converter

There is only one known limitation, which the converter will only convert Incredimail Databases of version 4 and 5. If the converter does not know the version of the database, it will display a warning message. Please note: Converting an unknown database format will produce unexpected results.

Acknowledgments

The Reynard Incredimail Converter icon was taken from Lothar Grimme (Carpelinx package) from <http://www.iconfinder.net>. This icon is licensed as GPL. The GPL text can be found in this package.

Problems, Comments, or “Thanks!”

If you have any problems, comments, or a simple “Thank you!” Please email Reynardware@gmail.com