
Comenzamos enumerando los puertos y servicios




```
etern4l ~ >> nmap -sCV -p- -T5 10.128.185.215
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-15 19:20 +0200
Warning: 10.128.185.215 giving up on port because retransmission cap hit (2).
Nmap scan report for 10.128.185.215
Host is up (0.028s latency).
Not shown: 65448 closed tcp ports (conn-refused), 78 filtered tcp ports (no-response)
PORT      STATE SERVICE       VERSION
135/tcp   open  msrpc         Microsoft Windows RPC
139/tcp   open  netbios-ssn   Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds  Windows 7 Professional 7601 Service Pack 1 microsoft-ds (workgroup: WORKGROUP)
3389/tcp  open  ms-wbt-server Microsoft Terminal Service
| ssl-cert: Subject: commonName=Jon-PC
| Not valid before: 2026-05-14T17:20:36
|_Not valid after:  2026-11-13T17:20:36
|_ssl-date: 2026-05-15T17:22:41+00:00; -1s from scanner time.
49152/tcp open  msrpc         Microsoft Windows RPC
49153/tcp open  msrpc         Microsoft Windows RPC
49154/tcp open  msrpc         Microsoft Windows RPC
49160/tcp open  msrpc         Microsoft Windows RPC
49177/tcp open  msrpc         Microsoft Windows RPC
Service Info: Host: JON-PC; OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
| smb2-time:
|   date: 2026-05-15T17:22:36
|_  start_date: 2026-05-15T17:19:49
|_nbstat: NetBIOS name: JON-PC, NetBIOS user: <unknown>, NetBIOS MAC: 06:3a:82:b8:09:71 (unknown)
| smb2-security-mode:
|   2.1:
|_    Message signing enabled but not required
| smb-security-mode:
|   account_used: <blank>
|   authentication_level: user
|   challenge_response: supported
|_  message_signing: disabled (dangerous, but default)
| smb-os-discovery:
|   OS: Windows 7 Professional 7601 Service Pack 1 (Windows 7 Professional 6.1)
|   OS CPE: cpe:/o:microsoft:windows_7::sp1:professional
|   Computer name: Jon-PC
|   NetBIOS computer name: JON-PC\x00
|   Workgroup: WORKGROUP\x00
|_  System time: 2026-05-15T12:22:36-05:00
|_clock-skew: mean: 1h14m58s, deviation: 2h30m00s, median: -1s

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 105.89 seconds
etern4l ~ >>
```


Se observa que el objetivo ejecuta Windows 7, sistema operativo afectado por la vulnerabilidad MS17-010 (EternalBlue), la cual permite ejecución remota de código a través del servicio SMBv1.

En este caso vamos a explotarlo con metasploit. Buscamos el modulo “Windows/smb/ms17_010_eternalblue” y lo configuramos adecuadamente para posteriormente ejecutarlo





Importante poner el payload correspondiente en este caso: “**set payload windows/x64/shell/reverse_tcp”**

Una vez lo ejecutamos obtenemos acceso al sistema siendo la máxima autoridad “NT AUTHORITY SYSTEM”



Se migra la shell inicial a una sesión Meterpreter con el objetivo de mejorar la interacción con el sistema comprometido.







Tras obtener la migración de la Shell a un meterpreter, se realizó el volcado de hashes NTLM de los usuarios locales.




Crackeamos el hash del usuario “Jon” con “CrackStation” aunque también se podría con “**John The Ripper** y **Hashcat**”




1-FLAG:



2-FLAG:



3-FLAG


C:\Users\Jon\Documents>type flag3.txt
type flag3.txt
flag{admin_documents_can_be_valuable}
C:\Users\Jon\Documents>